

Acta Crystallographica Section E

## Structure Reports

Online

ISSN 1600-5368

## (2*E*,4*E*)-Ethyl 5-(2,4-dichlorophenyl-sulfonyl)penta-2,4-dienoate

 U. Sankar,<sup>a</sup> V. Sabari,<sup>b</sup> S. Mahalakshmi,<sup>a</sup>  
 K. K. Balasubramanian<sup>c</sup> and S. Aravindhan<sup>b\*</sup>
<sup>a</sup>Department of Chemistry, Pachaiyappa's College, Chennai 600 030, India,

<sup>b</sup>Department of Physics, Presidency College, Chennai 600 005, India, and

<sup>c</sup>Department of Chemistry, B.S. Abdur Rahman University, Chennai 600 048, India

Correspondence e-mail: aravindhanpresidency@gmail.com


Received 23 June 2013; accepted 1 August 2013

 Key indicators: single-crystal X-ray study;  $T = 293$  K; mean  $\sigma(\text{C}-\text{C}) = 0.004$  Å; disorder in main residue;  $R$  factor = 0.030;  $wR$  factor = 0.074; data-to-parameter ratio = 11.8.

In the title compound,  $\text{C}_{13}\text{H}_{12}\text{Cl}_2\text{O}_4\text{S}$ , both  $\text{C}=\text{C}$  double bonds adopt an *E* conformation. The S atom has a distorted tetrahedral geometry with bond angles ranging from 103.03 (12) to 118.12 (13)°. The ethoxycarbonyl group is disordered over two sets of sites, with site-occupancy factors of 0.739 (11) and 0.261 (11). In the crystal,  $\text{C}-\text{H}\cdots\text{O}$  interactions link the molecules into chains molecules running parallel to the *a* axis.

### Related literature

For the biological activity of phenylsulfonyl-containing compounds, see: De Benedetti *et al.* (1985). For related structures, see: Li (2011); Sankar *et al.* (2012); Chakkaravarthi *et al.* (2008); Rodriguez *et al.* (1995).



### Experimental

#### Crystal data

 $\text{C}_{13}\text{H}_{12}\text{Cl}_2\text{O}_4\text{S}$ 
 $M_r = 335.19$ 

 Monoclinic,  $P2_1$ 
 $a = 5.773$  (5) Å

 $b = 9.939$  (5) Å

 $c = 13.268$  (5) Å

 $\beta = 95.876$  (5)°

 $V = 757.3$  (8) Å<sup>3</sup>
 $Z = 2$ 

 Mo  $K\alpha$  radiation

 $\mu = 0.57$  mm<sup>-1</sup>
 $T = 293$  K

 $0.30 \times 0.30 \times 0.20$  mm

#### Data collection

Bruker Kappa APEXII CCD

diffractometer

Absorption correction: multi-scan

(SADABS; Bruker, 2008)

 $T_{\min} = 0.824$ ,  $T_{\max} = 0.847$ 

6848 measured reflections

2471 independent reflections

 2314 reflections with  $I > 2\sigma(I)$ 
 $R_{\text{int}} = 0.023$ 

#### Refinement

 $R[F^2 > 2\sigma(F^2)] = 0.030$ 
 $wR(F^2) = 0.074$ 
 $S = 1.06$ 

2471 reflections

209 parameters

74 restraints

H-atom parameters constrained

 $\Delta\rho_{\text{max}} = 0.24$  e Å<sup>-3</sup>
 $\Delta\rho_{\text{min}} = -0.21$  e Å<sup>-3</sup>

Absolute structure: Flack (1983),

1054 Friedel pairs

Absolute structure parameter: 0.04

(6)

**Table 1**

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{C7}-\text{H7}\cdots\text{O1}^i$	0.93	2.36	3.217 (4)	153
$\text{C9}-\text{H9}\cdots\text{O1}^i$	0.93	2.50	3.312 (4)	146

 Symmetry code: (i)  $x + 1, y, z$ .

Data collection: APEX2 (Bruker, 2008); cell refinement: SAINT (Bruker, 2008); data reduction: SAINT; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 for Windows (Farrugia, 2012); software used to prepare material for publication: SHELXL97 and PLATON (Spek, 2009).

SA and VS thank the UGC, India, for financial support. The authors thank Dr Babu Varghese, Senior Scientific Officer, SAIF, IIT, Chennai, India, for the

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: PV2638).

### References

- Bruker (2008). APEX2, SAINT and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
- Chakkaravarthi, G., Dhayalan, V., Mohanakrishnan, A. K. & Manivannan, V. (2008). *Acta Cryst.* **E64**, o542.
- De Benedetti, P. G., Folli, U., Iarossi, D. & Frassinetti, C. (1985). *J. Chem. Soc. Perkin Trans. 2*, pp. 1527–1532.
- Farrugia, L. J. (2012). *J. Appl. Cryst.* **45**, 849–854.
- Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
- Li, X.-L. (2011). *Acta Cryst.* **E67**, o2622.
- Rodriguez, J. G., del Valle, C., Esteban-Calderon, C. & Martinez-Repoll, M. (1995). *J. Chem. Crystallogr.* **25**, 249–257.
- Sankar, U., Sabari, V., Suresh, G., Uma, R. & Aravindhan, S. (2012). *Acta Cryst.* **E68**, o1093.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.

## supporting information

*Acta Cryst.* (2013). E69, o1387 [doi:10.1107/S1600536813021429]

**(2*E*,4*E*)-Ethyl 5-(2,4-dichlorophenylsulfonyl)penta-2,4-dienoate**

**U. Sankar, V. Sabari, S. Mahalakshmi, K. K. Balasubramanian and S. Aravindhan**

**S1. Comment**


Phenyl sulfonyl containing compounds show a wide range of biological properties (De Benedetti *et al.*, 1985). The geometric parameters of the title molecule (Fig. 1) agree well with the reported values of similar structures (Sankar *et al.*, 2012; Li, 2011). Both C=C double bonds in the title compound display an E configuration. The dihedral angle between the planes (C5/C6/S1/O1) and (C1/C6/S1/O2) is 42.01 (2)°. The torsion angles C5—C6—S1—O1 and C1—C6—S1—O2 [1.1 (2)° and 50.6 (2)°, respectively] indicate synconformation of the sulfonyl moiety. The S atom exhibits significant deviation from a regular tetrahedron, with the largest deviations being seen for the O1—S1—O2 [118.12 (13)°] and C6—S1—C7 [103.3 (12)°] angles. The widening of the angles may be due to repulsive interactions between the two short S=O bonds, similar to what is observed in related structures (Chakkaravarthi *et al.*, 2008; Rodriguez *et al.*, 1995). The ethoxy-carbonyl group is disordered over two conformations with site-occupancy factors of 0.739 (11) and 0.261 (11). The crystal packing is stabilized by C—H...O intermolecular interactions resulting in chains of molecules running along the *a*-axis (Tab. 1 & Fig. 2).

**S2. Experimental**

Lithium bis(trimethyl silyl)amide(LHMDS) (5.4 ml, 5.7 mmol, 1.06 molar solution in THF) was added drop wise to a 258 K cooled solution of bis 2,4-dichloro phenyl sulfonyl methane (1 g, 2.3 mmol) in distilled THF (15 ml) under argon. After being stirred at 258 K for 1 h, *trans* ethyl 4-bromo crotonate (2.5 mmol) in distilled THF (5 ml) was added drop wise over a period of 10 min and allowed the reaction mixture to warm up to the room temperature over a period of 1–2 h and stirred at r.t., for 24 h. The reaction mixture was quenched with sat NH<sub>4</sub>Cl (20 ml) and extracted with EtOAc (2x20 ml) washed with water (2x20 ml) and sat brine (20 ml), the organic layer was dried over MgSO<sub>4</sub>. Evaporation of the solvent under vacuum furnished desired crude product which was purified by column chromatography on silica gel (230–400mesh) with 17–20% of EtOAc in hexane afforded the title compound as a pale yellow solid with 65% yield.

**S3. Refinement**

Hydrogen atoms were placed in calculated positions with C—H ranging from 0.93 Å to 0.97 Å and refined using a riding model with fixed isotropic displacement parameters:  $U_{\text{iso}}(\text{H}) = 1.5 U_{\text{eq}}(\text{C})$  for the methyl group and  $U_{\text{iso}}(\text{H}) = 1.2 U_{\text{eq}}(\text{C})$  for other groups. The ethoxy carbonyl moiety was disordered over the positions O4/C12/C13:O4 /C12 /C13 with site-occupancy factors of 0.739 (11) and 0.261 (11). The absolute configuration of the reported structure was ascertained by anomalous dispersion. The refined Flack parameter (Flack, 1983) was 0.04 (6); 1417 Friedel pairs of unmerged reflections were used.

**Figure 1**

The molecular structure of the title compound, showing 30% probability displacement ellipsoids.




Figure 2

A view of the crystal packing. H atoms not involved in hydrogen bonding (dashed lines) have been omitted for clarity.

**(2E,4E)-Ethyl 5-(2,4-dichlorophenylsulfonyl)penta-2,4-dienoate***Crystal data*C<sub>13</sub>H<sub>12</sub>Cl<sub>2</sub>O<sub>4</sub>S $M_r = 335.19$ Monoclinic,  $P2_1$ 

Hall symbol: P 2yb

 $a = 5.773 (5) \text{ \AA}$  $b = 9.939 (5) \text{ \AA}$  $c = 13.268 (5) \text{ \AA}$  $\beta = 95.876 (5)^\circ$  $V = 757.3 (8) \text{ \AA}^3$  $Z = 2$  $F(000) = 344$  $D_x = 1.470 \text{ Mg m}^{-3}$ Mo  $K\alpha$  radiation,  $\lambda = 0.71073 \text{ \AA}$ 

Cell parameters from 8834 reflections

 $\theta = 2.1\text{--}31.2^\circ$  $\mu = 0.57 \text{ mm}^{-1}$  $T = 293 \text{ K}$ 

Block, colourless

 $0.30 \times 0.30 \times 0.20 \text{ mm}$ *Data collection*Bruker Kappa APEXII CCD  
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 $\omega$  and  $\phi$  scanAbsorption correction: multi-scan  
(*SADABS*; Bruker, 2008) $T_{\min} = 0.824$ ,  $T_{\max} = 0.847$ 

6848 measured reflections

2471 independent reflections

2314 reflections with  $I > 2\sigma(I)$  $R_{\text{int}} = 0.023$  $\theta_{\max} = 25.0^\circ$ ,  $\theta_{\min} = 2.6^\circ$  $h = -6 \rightarrow 6$  $k = -11 \rightarrow 8$  $l = -15 \rightarrow 15$ *Refinement*Refinement on  $F^2$ 

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.030$  $wR(F^2) = 0.074$  $S = 1.06$ 

2471 reflections

209 parameters

74 restraints

Primary atom site location: structure-invariant  
direct methodsSecondary atom site location: difference Fourier  
mapHydrogen site location: inferred from  
neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0288P)^2 + 0.2277P]$ where  $P = (F_o^2 + 2F_c^2)/3$  $(\Delta/\sigma)_{\max} < 0.001$  $\Delta\rho_{\max} = 0.24 \text{ e \AA}^{-3}$  $\Delta\rho_{\min} = -0.21 \text{ e \AA}^{-3}$ Absolute structure: Flack (1983), 1054 Friedel  
pairs

Absolute structure parameter: 0.04 (6)

*Special details*

**Geometry.** All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted  $R$ -factor  $wR$  and goodness of fit  $S$  are based on  $F^2$ , conventional  $R$ -factors  $R$  are based on  $F$ , with  $F$  set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating  $R$ -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement.  $R$ -factors based on  $F^2$  are statistically about twice as large as those based on  $F$ , and  $R$ -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
C1	0.5395 (4)	0.2357 (3)	0.6203 (2)	0.0521 (6)	
C2	0.5786 (6)	0.1770 (3)	0.7135 (2)	0.0667 (8)	
H2	0.7097	0.1991	0.7571	0.080*	
C3	0.4218 (6)	0.0853 (4)	0.7415 (2)	0.0741 (9)	
C4	0.2235 (6)	0.0511 (3)	0.6808 (2)	0.0714 (8)	
H4	0.1171	-0.0097	0.7028	0.086*	
C5	0.1869 (5)	0.1095 (3)	0.5862 (2)	0.0597 (7)	
H5	0.0561	0.0859	0.5430	0.072*	
C6	0.3436 (4)	0.2036 (3)	0.5546 (2)	0.0486 (6)	
C7	0.5117 (4)	0.2097 (3)	0.3680 (2)	0.0530 (6)	
H7	0.6635	0.2387	0.3858	0.064*	
C8	0.4707 (4)	0.1217 (3)	0.2951 (2)	0.0518 (6)	
H8	0.3172	0.0981	0.2747	0.062*	
C9	0.6546 (4)	0.0595 (3)	0.24492 (19)	0.0536 (6)	
H9	0.8072	0.0847	0.2656	0.064*	
C10	0.6203 (5)	-0.0303 (3)	0.1722 (2)	0.0577 (7)	
H10	0.4687	-0.0534	0.1478	0.069*	
C11	0.8169 (6)	-0.0953 (4)	0.1282 (2)	0.0722 (9)	
O1	0.0716 (3)	0.2181 (2)	0.38846 (15)	0.0669 (6)	
O2	0.3050 (4)	0.4175 (2)	0.43995 (17)	0.0713 (6)	
O3	1.0171 (4)	-0.0764 (4)	0.1560 (2)	0.1189 (12)	
C11	0.4769 (3)	0.00684 (14)	0.85912 (9)	0.1250 (5)	
C12	0.74573 (11)	0.35013 (8)	0.58707 (6)	0.0671 (2)	
S1	0.28638 (10)	0.27417 (7)	0.43281 (5)	0.05173 (18)	
O4	0.7333 (12)	-0.1885 (7)	0.0550 (6)	0.0776 (16)	0.739 (11)
C12	0.9044 (15)	-0.2721 (8)	0.0100 (6)	0.103 (2)	0.739 (11)
H12A	1.0289	-0.2963	0.0615	0.124*	0.739 (11)
H12B	0.8306	-0.3543	-0.0164	0.124*	0.739 (11)
C13	0.9999 (15)	-0.2001 (9)	-0.0710 (7)	0.137 (3)	0.739 (11)
H13A	1.1127	-0.2556	-0.0995	0.205*	0.739 (11)
H13B	1.0734	-0.1190	-0.0447	0.205*	0.739 (11)
H13C	0.8769	-0.1779	-0.1226	0.205*	0.739 (11)
O4'	0.777 (3)	-0.1422 (19)	0.0509 (18)	0.079 (4)	0.261 (11)
C12'	0.966 (3)	-0.205 (2)	0.0030 (17)	0.094 (5)	0.261 (11)
H12C	1.0634	-0.2571	0.0525	0.113*	0.261 (11)
H12D	1.0614	-0.1365	-0.0244	0.113*	0.261 (11)
C13'	0.865 (4)	-0.293 (2)	-0.0783 (15)	0.125 (7)	0.261 (11)
H13D	0.9866	-0.3274	-0.1152	0.188*	0.261 (11)
H13E	0.7566	-0.2425	-0.1233	0.188*	0.261 (11)
H13F	0.7854	-0.3662	-0.0498	0.188*	0.261 (11)

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C1	0.0450 (13)	0.0456 (16)	0.0666 (17)	0.0056 (10)	0.0099 (11)	-0.0127 (12)

C2	0.0668 (19)	0.067 (2)	0.0655 (19)	0.0109 (16)	0.0055 (15)	-0.0085 (15)
C3	0.091 (2)	0.067 (2)	0.067 (2)	0.020 (2)	0.0172 (17)	0.0022 (17)
C4	0.075 (2)	0.0610 (19)	0.084 (2)	0.0022 (17)	0.0347 (17)	0.0024 (18)
C5	0.0443 (14)	0.0577 (19)	0.080 (2)	-0.0016 (11)	0.0208 (13)	-0.0074 (15)
C6	0.0369 (12)	0.0445 (14)	0.0659 (16)	0.0061 (11)	0.0119 (11)	-0.0089 (12)
C7	0.0330 (12)	0.0651 (18)	0.0621 (16)	-0.0004 (11)	0.0112 (11)	-0.0003 (14)
C8	0.0345 (12)	0.0667 (17)	0.0549 (15)	-0.0035 (11)	0.0075 (11)	0.0052 (13)
C9	0.0401 (12)	0.0696 (18)	0.0526 (14)	0.0002 (14)	0.0119 (10)	0.0025 (15)
C10	0.0445 (14)	0.0692 (19)	0.0602 (16)	0.0018 (12)	0.0088 (12)	0.0036 (15)
C11	0.0620 (19)	0.096 (3)	0.0594 (17)	0.0193 (17)	0.0110 (15)	-0.0055 (17)
O1	0.0306 (8)	0.0966 (16)	0.0740 (13)	0.0012 (9)	0.0072 (8)	-0.0091 (11)
O2	0.0631 (12)	0.0541 (13)	0.0978 (16)	0.0121 (11)	0.0133 (11)	0.0071 (12)
O3	0.0513 (14)	0.201 (3)	0.1044 (19)	0.0282 (17)	0.0099 (13)	-0.048 (2)
Cl1	0.1582 (11)	0.1325 (11)	0.0856 (7)	0.0214 (8)	0.0194 (7)	0.0369 (6)
Cl2	0.0490 (4)	0.0649 (4)	0.0873 (5)	-0.0096 (4)	0.0072 (3)	-0.0181 (4)
S1	0.0318 (3)	0.0585 (4)	0.0656 (4)	0.0040 (3)	0.0089 (2)	-0.0020 (4)
O4	0.079 (3)	0.069 (4)	0.088 (2)	-0.002 (2)	0.024 (2)	-0.027 (3)
C12	0.120 (5)	0.084 (5)	0.111 (5)	0.001 (4)	0.036 (4)	-0.033 (4)
C13	0.148 (7)	0.119 (7)	0.157 (7)	0.014 (5)	0.081 (6)	-0.010 (5)
O4'	0.084 (8)	0.062 (9)	0.090 (7)	-0.001 (6)	0.004 (6)	-0.031 (7)
C12'	0.105 (9)	0.089 (10)	0.095 (8)	-0.003 (8)	0.041 (8)	-0.039 (8)
C13'	0.164 (15)	0.109 (14)	0.104 (12)	0.009 (12)	0.019 (11)	-0.054 (11)

*Geometric parameters (Å, °)*

C1—C2	1.366 (4)	C10—H10	0.9300
C1—C6	1.393 (4)	C11—O4'	1.13 (2)
C1—Cl2	1.735 (3)	C11—O3	1.191 (4)
C2—C3	1.363 (5)	C11—O4	1.392 (8)
C2—H2	0.9300	O1—S1	1.430 (2)
C3—C4	1.373 (5)	O2—S1	1.431 (2)
C3—Cl1	1.744 (3)	O4—C12	1.464 (6)
C4—C5	1.380 (4)	C12—C13	1.447 (9)
C4—H4	0.9300	C12—H12A	0.9700
C5—C6	1.395 (4)	C12—H12B	0.9700
C5—H5	0.9300	C13—H13A	0.9600
C6—S1	1.761 (3)	C13—H13B	0.9600
C7—C8	1.307 (4)	C13—H13C	0.9600
C7—S1	1.752 (3)	O4'—C12'	1.456 (10)
C7—H7	0.9300	C12'—C13'	1.461 (17)
C8—C9	1.449 (4)	C12'—H12C	0.9700
C8—H8	0.9300	C12'—H12D	0.9700
C9—C10	1.315 (4)	C13'—H13D	0.9600
C9—H9	0.9300	C13'—H13E	0.9600
C10—Cl1	1.477 (4)	C13'—H13F	0.9600
C2—C1—C6	121.1 (3)	O4—C11—C10	109.9 (4)
C2—C1—Cl2	117.1 (2)	O1—S1—O2	118.12 (13)

C6—C1—C12	121.7 (2)	O1—S1—C7	108.15 (13)
C3—C2—C1	118.7 (3)	O2—S1—C7	109.99 (13)
C3—C2—H2	120.7	O1—S1—C6	107.18 (12)
C1—C2—H2	120.7	O2—S1—C6	109.29 (14)
C2—C3—C4	122.9 (3)	C7—S1—C6	103.03 (12)
C2—C3—C11	118.5 (3)	C11—O4—C12	117.5 (6)
C4—C3—C11	118.6 (3)	C13—C12—O4	110.3 (6)
C3—C4—C5	118.0 (3)	C13—C12—H12A	109.6
C3—C4—H4	121.0	O4—C12—H12A	109.6
C5—C4—H4	121.0	C13—C12—H12B	109.6
C4—C5—C6	120.8 (3)	O4—C12—H12B	109.6
C4—C5—H5	119.6	H12A—C12—H12B	108.1
C6—C5—H5	119.6	C12—C13—H13A	109.5
C1—C6—C5	118.4 (3)	C12—C13—H13B	109.5
C1—C6—S1	123.1 (2)	H13A—C13—H13B	109.5
C5—C6—S1	118.5 (2)	C12—C13—H13C	109.5
C8—C7—S1	121.3 (2)	H13A—C13—H13C	109.5
C8—C7—H7	119.3	H13B—C13—H13C	109.5
S1—C7—H7	119.3	C11—O4'—C12'	118.9 (17)
C7—C8—C9	122.7 (2)	O4'—C12'—C13'	108.6 (13)
C7—C8—H8	118.7	O4'—C12'—H12C	110.0
C9—C8—H8	118.7	C13'—C12'—H12C	110.0
C10—C9—C8	124.4 (2)	O4'—C12'—H12D	110.0
C10—C9—H9	117.8	C13'—C12'—H12D	110.0
C8—C9—H9	117.8	H12C—C12'—H12D	108.4
C9—C10—C11	121.5 (3)	C12'—C13'—H13D	109.5
C9—C10—H10	119.2	C12'—C13'—H13E	109.5
C11—C10—H10	119.2	H13D—C13'—H13E	109.5
O4'—C11—O3	116.5 (10)	C12'—C13'—H13F	109.5
O3—C11—O4	125.2 (4)	H13D—C13'—H13F	109.5
O4'—C11—C10	116.6 (10)	H13E—C13'—H13F	109.5
O3—C11—C10	124.7 (3)		
C6—C1—C2—C3	0.1 (4)	C9—C10—C11—O4	178.3 (4)
C12—C1—C2—C3	-179.1 (2)	C8—C7—S1—O1	-2.3 (3)
C1—C2—C3—C4	-1.2 (5)	C8—C7—S1—O2	-132.6 (2)
C1—C2—C3—C11	178.1 (2)	C8—C7—S1—C6	110.9 (3)
C2—C3—C4—C5	2.1 (5)	C1—C6—S1—O1	-179.8 (2)
C11—C3—C4—C5	-177.3 (2)	C5—C6—S1—O1	1.1 (2)
C3—C4—C5—C6	-1.8 (4)	C1—C6—S1—O2	-50.6 (2)
C2—C1—C6—C5	0.1 (4)	C5—C6—S1—O2	130.3 (2)
C12—C1—C6—C5	179.29 (19)	C1—C6—S1—C7	66.3 (2)
C2—C1—C6—S1	-179.0 (2)	C5—C6—S1—C7	-112.8 (2)
C12—C1—C6—S1	0.2 (3)	O4'—C11—O4—C12	73 (3)
C4—C5—C6—C1	0.8 (4)	O3—C11—O4—C12	1.3 (9)
C4—C5—C6—S1	180.0 (2)	C10—C11—O4—C12	-174.4 (5)
S1—C7—C8—C9	-175.6 (2)	C11—O4—C12—C13	-82.9 (10)
C7—C8—C9—C10	179.3 (3)	O3—C11—O4'—C12'	15 (2)

C8—C9—C10—C11	-176.5 (3)	O4—C11—O4'—C12'	-105 (4)
C9—C10—C11—O4'	-159.7 (13)	C10—C11—O4'—C12'	178.7 (15)
C9—C10—C11—O3	2.6 (6)	C11—O4'—C12'—C13'	163 (2)

*Hydrogen-bond geometry (Å, °)*

<i>D—H...A</i>	<i>D—H</i>	<i>H...A</i>	<i>D...A</i>	<i>D—H...A</i>
C7—H7...O1 <sup>i</sup>	0.93	2.36	3.217 (4)	153
C9—H9...O1 <sup>i</sup>	0.93	2.50	3.312 (4)	146

Symmetry code: (i)  $x+1, y, z$ .