



Received 11 April 2018
Accepted 26 April 2018

Edited by T. J. Prior, University of Hull, England

Keywords: crystal structure; $\text{RbFe}(\text{HAsO}_4)_2$; $\text{TlFe}(\text{HAsO}_4)_2$; arsenate; hydrogenarsenate(V); framework structure; cation disorder.

CCDC references: 1839860; 1839859

Supporting information: this article has supporting information at journals.iucr.org/e

RbFe(HAsO₄)₂ and TlFe(HAsO₄)₂, two new hydrogenarsenates adopting two closely related structure types

Karolina Schwendtner^{a*} and Uwe Kolitsch^b


^aInstitute for Chemical Technology and Analytics, Division of Structural Chemistry, TU Wien, Getreidemarkt 9/164-SC, 1060 Vienna, Austria, and ^bNaturhistorisches Museum, Burgring 7, 1010 Wien, and Institut für Mineralogie und Kristallographie, Universität Wien, Althanstrasse 14, 1090 Wien, Austria. *Correspondence e-mail: karolina.schwendtner@tuwien.ac.at

Rubidium iron bis[hydrogen arsenate(V)], $\text{RbFe}(\text{HAsO}_4)_2$, and thallium iron bis[hydrogen arsenate(V)], $\text{TlFe}(\text{HAsO}_4)_2$, were grown under mild hydrothermal conditions ($T = 493\text{ K}$, 7 d). $\text{RbFe}(\text{HAsO}_4)_2$ adopts the $\text{RbFe}(\text{HPO}_4)_2$ structure type (space group $\bar{R}\bar{3}c$), while $\text{TlFe}(\text{HAsO}_4)_2$ crystallizes in the $(\text{NH}_4)\text{Fe}(\text{HPO}_4)_2$ structure type (space group $P\bar{1}$). Both compounds have tetrahedral–octahedral framework topologies. The M^+ cations are located in channels of the respective framework and are disordered in $\text{TlFe}(\text{HAsO}_4)_2$, which may suggest that the M^+ cations can move in the channels.

1. Chemical context

Compounds with mixed tetrahedral–octahedral (T–O) framework structures exhibit a broad range of different topologies, resulting in structures with various interesting properties. Arsenates, similar to phosphates or silicates, tend to form T–O framework structures, with properties such as ion conductivity (Chouchene *et al.*, 2017; d’Yvoire *et al.*, 1983, 1986, 1988; Masquelier *et al.*, 1990, 1994, 1995, 1996, 1998; Ouerfelli *et al.*, 2007a, 2008; Pintard-Scrépel *et al.*, 1983) and ion exchange (Masquelier *et al.*, 1996), as well as unusual piezoelectric (Cambon *et al.*, 2003, 2005; Krempl, 2005; Ren *et al.*, 2015), magnetic (Ouerfelli *et al.*, 2007b) or non-linear optical features (frequency doubling) (Carvajal *et al.*, 2005; Kato, 1975; Sun *et al.*, 2017). To further increase the knowledge about the possible compounds and structure types of arsenates, a comprehensive study of the system $M^+ - M^{3+} - \text{O} - (\text{H}) - \text{As}^{5+}$ ($M^+ = \text{Li}, \text{Na}, \text{K}, \text{Rb}, \text{Cs}, \text{Ag}, \text{Tl}, \text{NH}_4$; $M^{3+} = \text{Al}, \text{Ga}, \text{In}, \text{Sc}, \text{Fe}, \text{Cr}, \text{Tl}$) was undertaken, which led to a large number of new compounds, most of which have been published (Schwendtner & Kolitsch, 2004, 2017, 2018 and references therein).

Among the many different structure types found during our study, one atomic arrangement, the $\text{RbFe}(\text{HPO}_4)_2$ type (Lii & Wu, 1994; rhombohedral, $\bar{R}\bar{3}c$), was found to be extremely versatile, allowing the incorporation of a wide variety of cations. Representatives of this structure type are presently known among arsenates and phosphates containing Rb or Cs as the M^+ cation and Al, Ga, Fe, In as M^{3+} ; see Table 1 for a complete compilation of these compounds. $\text{RbFe}(\text{HAsO}_4)_2$ (Fig. 1a) is the fifth arsenate adopting this structure type. There is only one other Rb–Fe–arsenate known to date,



OPEN ACCESS

Table 1

Compilation of all published compounds adopting the $(\text{NH}_4)\text{Fe}(\text{HPO}_4)_2$ structure type (Yakubovich, 1993) and the $\text{RbFe}(\text{HPO}_4)_2$ structure type (Lii & Wu, 1994).

$(\text{NH}_4)\text{Fe}(\text{HPO}_4)_2$ type ($P\bar{1}$, $Z = 3$)	a (Å)	b (Å)	c (Å)	α (°)	β (°)	γ (°)	V (Å ³)
$\text{CsSc}(\text{HAsO}_4)_2^a$	7.520 (2)	9.390 (2)	10.050 (2)	65.48 (3)	70.66 (3)	70.10 (3)	592.0 (2)
$\text{TlFe}(\text{HAsO}_4)_2$	7.346 (2)	9.148 (2)	9.662 (2)	64.89 (3)	70.51 (3)	69.94 (3)	538.6 (2)
$(\text{NH}_4)\text{Fe}(\text{HAsO}_4)_2^b$	7.3473 (7)	9.1917 (8)	9.7504 (9)	64.545 (5)	70.710 (7)	69.638 (6)	544.54 (2)
$(\text{NH}_4)\text{Fe}(\text{HPO}_4)_2^c$	7.185 (3)	8.857 (3)	9.478 (3)	64.79 (3)	70.20 (3)	69.38 (3)	498.0 (3)
$(\text{NH}_4)\text{Fe}(\text{HPO}_4)_2^d$	7.121	8.839	9.465	64.598	70.321	69.574	491.88
$(\text{NH}_4)\text{V}(\text{HPO}_4)_2^e$	7.173 (2)	8.841 (2)	9.458 (2)	65.08 (2)	70.68 (2)	69.59 (2)	497.59 (2)
$(\text{NH}_4)(\text{Al}_{0.64}\text{Ga}_{0.36})^f(\text{HPO}_4)_2$	7.109 (4)	8.695 (4)	9.252 (6)	65.01 (4)	70.25 (5)	69.01 (4)	472.1 (4)
$(\text{ND}_4)\text{Fe}(\text{DPO}_4)_2^{g,h}$	7.11830 (3)	8.83828 (4)	9.46407 (4)	64.5802 (4)	70.3127 (4)	69.5733 (5)	491.495 (4)
$\text{KFe}(\text{HPO}_4)_2^h$	7.20	8.76	9.49	64.58	69.82	70.13	
$(\text{H}_3\text{O})\text{Al}(\text{HPO}_4)_2^i$	7.1177 (2)	8.6729 (2)	9.2200 (3)	65.108 (2)	70.521 (1)	68.504 (2)	469.4 (2)
$\text{CsIn}(\text{HPO}_4)_2^j$	7.4146 (3)	9.0915 (3)	9.7849 (3)	65.525 (3)	70.201 (3)	69.556 (3)	547.77 (4)
$\text{RbFe}(\text{HPO}_4)_2^j$	7.2025 (4)	8.8329 (8)	9.4540 (8)	65.149 (8)	70.045 (6)	69.591 (6)	497.44 (8)
$\text{RbV}(\text{HPO}_4)_2^k$	7.188 (2)	8.831 (1)	9.450 (2)	65.34	70.449	69.739	498.5 (2)
$\text{RbFe}(\text{HPO}_4)_2$ type ($R\bar{3}c$, $Z = 18$)							
$\text{RbIn}(\text{HAsO}_4)_2^l$	8.512 (1)	8.512 (1)	56.43 (1)	90	90	120	3541.1 (9)
$\text{CsIn}(\text{HAsO}_4)_2^l$	8.629 (1)	8.629 (1)	56.99 (1)	90	90	120	3674.7 (9)
$\text{RbAl}(\text{HAsO}_4)_2^m$	8.318 (1)	8.318 (1)	52.87 (1)	90	90	120	3167.9 (9)
$\text{RbFe}(\text{HAsO}_4)_2$	8.425 (1)	8.425 (1)	54.75 (1)	90	90	120	3365.5 (9)
$\text{CsFe}(\text{HAsO}_4)_2^m$	8.525 (1)	8.525 (1)	55.00 (1)	90	90	120	3461.5 (9)
$\text{RbFe}(\text{HPO}_4)_2^n$	8.160 (1)	8.160 (1)	52.75 (1)	90	90	120	3041.82
$\text{RbAl}(\text{HPO}_4)_2^j$	8.0581 (18)	8.0581 (18)	51.081 (12)	90	90	120	2872 (11)
$\text{RbGa}(\text{HPO}_4)_2^j$	8.1188 (15)	8.1188 (15)	51.943 (4)	90	90	120	2965.1 (8)

Notes: (a) Schwendtner & Kolitsch (2004); (b) Ouerfelli *et al.* (2014); (c) Yakubovich (1993), transformed from $\bar{I}\bar{1}$; (d) Alfonso *et al.* (2011), converted to reduced cell; (e) Bircsak & Harrison (1998); (f) Stalder & Wilkinson (1998); (g) Alfonso *et al.* (2010); (h) Smith & Brown (1959); (i) Yan *et al.* (2000); (j) Lesage *et al.* (2007); (k) Haushalter *et al.* (1995), converted to reduced cell; (l) Schwendtner & Kolitsch (2017); (m) Schwendtner & Kolitsch (2018); (n) Lii & Wu (1994).

$\text{Rb}_2\text{Fe}_2\text{O}(\text{AsO}_4)_2$ (Chang *et al.*, 1997; Garlea *et al.*, 2014). The literature reports one arsenate containing Tl and Fe, the diarsenate $\text{TlFe}_{0.22}\text{Al}_{0.78}\text{As}_2\text{O}_7$ (Ouerfelli *et al.*, 2007a); however, the second title compound, $\text{TlFe}(\text{HAsO}_4)_2$ (Fig. 1b), is the sole arsenate containing only Tl and Fe to date. It adopts the triclinic ($P\bar{1}$) $(\text{NH}_4)\text{Fe}(\text{HPO}_4)_2$ structure type (Yakubovich, 1993), along with $\text{CsSc}(\text{HAsO}_4)_2$ (Schwendtner & Kolitsch, 2004) and $(\text{NH}_4)\text{Fe}(\text{HAsO}_4)_2$ (Ouerfelli *et al.*, 2014) as arsenate members and a wide variety of phosphate

members (see compilation in Table 1). These two structure types are closely related, the $(\text{NH}_4)\text{Fe}(\text{HPO}_4)_2$ structure type (Yakubovich, 1993) representing a distorted version of the $\text{RbFe}(\text{HPO}_4)_2$ -type atomic arrangement (Lii & Wu, 1994).

2. Structural commentary

The two structure types are very closely related to each other and are modifications of a basic tetrahedral–octahedral framework structure (Figs. 2–4) containing interpenetrating channels, which host the M^+ cations. The general building unit in these structure types contains $M^{3+}\text{O}_6$ octahedra, which are connected *via* their six corners to six protonated AsO_4 tetrahedra ($M^{3+}\text{As}_6\text{O}_{24}$ group). These are in turn connected *via* three corners to other $M^{3+}\text{O}_6$ octahedra, the free, protonated corner of each AsO_4 tetrahedron forming a hydrogen bond to the neighbouring $M^{3+}\text{As}_6\text{O}_{24}$ group. In both types, the $M^{3+}\text{As}_6\text{O}_{24}$ groups are arranged in layers perpendicular to the c axis (Fig. 2a) and parallel to the ab plane (Fig. 3a). The groups within these layers are held together by medium-strong hydrogen bonds (Tables 2 and 3). The different modifications are caused by strong distortion of the whole structure (see detailed comparison in Lesage *et al.*, 2007).

In both compounds the Tl/Rb atoms are 12-coordinated (Tables 4 and 5). The average Tl–O (3.279 and 3.312 Å) and Rb–O (3.257 and 3.390 Å) bond lengths are longer than the grand mean bond lengths in $\text{Tl}/\text{RbO}_{12}$ polyhedra of 3.195 (Gagné & Hawthorne, 2018) and 3.228 Å (Gagné & Hawthorne, 2016), thus leading to rather low bond-valence sums (BVSs) (Gagné & Hawthorne, 2015) for the involved M^+ cations (0.76/0.88 and 0.82/0.85 valence units, v.u., for the RbFe and TlFe representative, respectively). The average




Figure 1
SEM micrographs of crystals of (a) $\text{RbFe}(\text{HAsO}_4)_2$ and (b) $\text{TlFe}(\text{HAsO}_4)_2$.

Table 2

Hydrogen-bond geometry (\AA , $^\circ$) for $\text{RbFe}(\text{HAsO}_4)_2$.

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{O}3-\text{H}\cdots \text{O}4^{\text{xxi}}$	0.81 (3)	1.82 (3)	2.615 (3)	166 (4)
Symmetry code: (xxi) $y, x - 1, -z + \frac{3}{2}$.				

Tl2—O bond length in $\text{TlFe}(\text{HAsO}_4)_2$ (3.312 \AA) is the longest average bond length found so far for TiO_{12} polyhedra (max. $\text{Ti}-\text{O} = 3.304 \text{\AA}$; Gagné & Hawthorne, 2018) and the corresponding average Rb2—O bond length in $\text{RbFe}(\text{HAsO}_4)_2$ is also close to the longest observed such bond lengths in RbO_{12} polyhedra of 3.410 \AA (Gagné & Hawthorne, 2016). These loose bonds reflect the observation that the alkali cations ‘rattle’ somewhat in their hosting voids, with considerable positional disorder of the Tl atoms in these voids (Fig. 4b). The Tl atoms were therefore modelled with two Tl1 positions (Tl1A, Tl1B) and three Tl2 positions (Tl2A, Tl2B, Tl2C), between 0.28 (2) and 0.48 (2) \AA apart. The refined occupancies of the dominant positions (Tl1A and Tl2A) are 63 and 45%, respectively. The influence of a stereochemically active lone pair of electrons on the Tl^+ cations may also play a role in the positional disorder.

The average Fe—O bond lengths, which show a fairly narrow range between 1.998 and 2.006 \AA for the four FeO_6 octahedra in the two title compounds, are slightly lower than the corresponding grand mean average of 2.011 \AA reported by Baur (1981), thus leading to slightly higher BVSs of between 3.11 and 3.15 v.u. (Gagné & Hawthorne, 2015).




Figure 2

Structure drawing of $\text{RbFe}(\text{HAsO}_4)_2$ along (a) [100] and (b) [001]. The Rb atoms, located in channels of the framework structure, are shown with displacement ellipsoids at the 70% probability level. Hydrogen bonds are shown as dashed lines.

Table 3

Hydrogen-bond geometry (\AA , $^\circ$) for $\text{TlFe}(\text{HAsO}_4)_2$.

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{O}2-\text{H}2\cdots \text{O}9^{\text{iii}}$	0.85 (3)	1.86 (3)	2.707 (3)	176 (5)
$\text{O}8-\text{H}8\cdots \text{O}10^{\text{v}}$	0.982 (2)	1.598 (2)	2.569 (3)	169.44 (15)
$\text{O}12-\text{H}12\cdots \text{O}3$	0.88 (3)	1.86 (3)	2.729 (3)	172 (5)

Symmetry codes: (iii) $x + 1, y, z$; (v) $x, y + 1, z$.

The AsO_4 tetrahedra are distorted with three short bond lengths of those bonds connecting to neighbouring FeO_6 octahedra and one considerably elongated bond length to the protonated corner. The average As—O bond lengths are close




Figure 3

Structure drawing of $\text{TlFe}(\text{HAsO}_4)_2$ along (a) [100] and (b) [101]. The disordered Tl atoms are shown with displacement ellipsoids at the 70% probability level. Hydrogen bonds are shown as dashed lines.

to the calculated average of 1.686 (10) Å (calculated on 704 AsO₄ polyhedra; Schwendtner, 2008), and the two As—OH bond lengths (Tables 3 and 4) are also close to the average of such lengths in HAsO₄ polyhedra of 1.72 (3) Å (Schwendtner, 2008), but the two bond lengths to O atoms with rather strong hydrogen bonds [$D \cdots A = 2.569$ (3) and 2.615 (3) Å] are considerably elongated to 1.738 (2) and 1.742 (2) Å, respectively (Tables 2 and 3).




Figure 4

The principal building units of (a) RbFe(HAsO₄)₂ and (b) TlFe(HAsO₄)₂ shown as displacement ellipsoids at the 70% probability level. Symmetry codes: RbFe(HAsO₄)₂: (i) $x - y, -y, -z + \frac{3}{2}$; (ii) $-x, -x + y, -z + \frac{3}{2}$; (iii) $-x + y, -x, z$; (iv) $y, x, -z + \frac{3}{2}$; (v) $-y, x - y, z$; (vi) $-x + \frac{2}{3}, -y - \frac{2}{3}, -z + \frac{4}{3}$; (vii) $y + \frac{2}{3}, -x + y + \frac{4}{3}, -z + \frac{4}{3}$; (viii) $x - y - \frac{4}{3}, x - \frac{2}{3}, -z + \frac{4}{3}$; (ix) $x - \frac{1}{3}, x - y - \frac{2}{3}, z - \frac{1}{6}$; (x) $y - \frac{1}{3}, -x + \frac{1}{3}, z - \frac{1}{6}$; (xi) $-x + y + \frac{2}{3}, y + \frac{1}{3}, z - \frac{1}{6}$; (xii) $-x - \frac{1}{3}, -y - \frac{2}{3}, -z + \frac{4}{3}$; (xiii) $y + \frac{2}{3}, -x + y + \frac{4}{3}, -z + \frac{4}{3}$; (xiv) $x - y - \frac{4}{3}, x + \frac{1}{3}, -z + \frac{4}{3}$; (xv) $-y, x - y + 1, z$; (xvi) $x + 1, y + 1, z$; (xvii) $x, y + 1, z$; (xviii) $-x + y + 1, -x + 1, z$; (xix) $-x + \frac{2}{3}, -y + \frac{1}{3}, -z + \frac{4}{3}$; (xx) $x - 1, y, z$; TlFe(HAsO₄)₂: (i) $-z$; (ii) $-x, -y + 2, -z$; (iv) $-x + 1, -y + 1, -z$; (viii) $-x, -y + 1, -z + 1$; (ix) $-x, -y + 1, -z$.

Table 4
Selected bond lengths (Å) for RbFe(HAsO₄)₂.

Rb1—O3	3.146 (2)	Rb2—O4 ^{xi}	3.562 (2)
Rb1—O3 ⁱ	3.147 (2)	Rb2—O3 ^{xii}	3.640 (2)
Rb1—O3 ⁱⁱ	3.147 (2)	Rb2—O3 ^{xiii}	3.640 (2)
Rb1—O3 ⁱⁱⁱ	3.147 (2)	Rb2—O3 ^{xiv}	3.640 (2)
Rb1—O3 ^{iv}	3.147 (2)	Fe1—O2 ^{xv}	1.9957 (18)
Rb1—O3 ^v	3.147 (2)	Fe1—O2 ⁱⁱⁱ	1.9957 (18)
Rb1—O2 ⁱⁱ	3.3671 (19)	Fe1—O2 ^{xvi}	1.9957 (18)
Rb1—O2 ^{iv}	3.3671 (19)	Fe1—O4 ^{xvii}	2.0055 (19)
Rb1—O2 ⁱⁱⁱ	3.3671 (19)	Fe1—O4 ^v	2.0055 (18)
Rb1—O2 ⁱ	3.3671 (19)	Fe1—O4 ^{xviii}	2.0055 (18)
Rb1—O2 ^v	3.3671 (19)	Fe2—O1 ^{vii}	1.998 (2)
Rb1—O2	3.3671 (19)	Fe2—O1 ^{xiv}	1.998 (2)
Rb2—O3 ^v	2.965 (2)	Fe2—O1 ^{xix}	1.998 (2)
Rb2—O3 ⁱⁱⁱ	2.965 (2)	Fe2—O1 ^v	1.998 (2)
Rb2—O3	2.965 (2)	Fe2—O1 ^{xviii}	1.998 (2)
Rb2—O1 ^{vi}	3.394 (2)	Fe2—O1 ^{xvii}	1.998 (2)
Rb2—O1 ^{vii}	3.394 (2)	As—O1 ^{xx}	1.6555 (19)
Rb2—O1 ^{xiii}	3.394 (2)	As—O2	1.6720 (18)
Rb2—O4 ^{ix}	3.562 (2)	As—O4 ⁱⁱ	1.6801 (18)
Rb2—O4 ^x	3.562 (2)	As—O3	1.742 (2)

Symmetry codes: (i) $x - y, -y, -z + \frac{3}{2}$; (ii) $-x, -x + y, -z + \frac{3}{2}$; (iii) $-x + y, -x, z$; (iv) $y, x, -z + \frac{3}{2}$; (v) $-y, x - y, z$; (vi) $-x + \frac{2}{3}, -y - \frac{2}{3}, -z + \frac{4}{3}$; (vii) $y + \frac{2}{3}, -x + y + \frac{4}{3}, -z + \frac{4}{3}$; (viii) $x - y - \frac{4}{3}, x - \frac{2}{3}, -z + \frac{4}{3}$; (ix) $x - \frac{1}{3}, x - y - \frac{2}{3}, z - \frac{1}{6}$; (x) $y - \frac{1}{3}, -x + \frac{1}{3}, z - \frac{1}{6}$; (xi) $-x + y + \frac{2}{3}, y + \frac{1}{3}, z - \frac{1}{6}$; (xii) $-x - \frac{1}{3}, -y - \frac{2}{3}, -z + \frac{4}{3}$; (xiii) $y + \frac{2}{3}, -x + y + \frac{4}{3}, -z + \frac{4}{3}$; (xiv) $x - y - \frac{4}{3}, x + \frac{1}{3}, -z + \frac{4}{3}$; (xv) $-y, x - y + 1, z$; (xvi) $x + 1, y + 1, z$; (xvii) $x, y + 1, z$; (xviii) $-x + y + 1, -x + 1, z$; (xix) $-x + \frac{2}{3}, -y + \frac{1}{3}, -z + \frac{4}{3}$; (xx) $x - 1, y, z$; TlFe(HAsO₄)₂: (i) $-z$; (ii) $-x, -y + 2, -z$; (iv) $-x + 1, -y + 1, -z$; (viii) $-x, -y + 1, -z + 1$; (ix) $-x, -y + 1, -z$.

Table 5
Selected bond lengths (Å) for TlFe(HAsO₄)₂.

Tl1A—O1	2.853 (2)	Fe1—O4 ^{viii}	1.942 (2)
Tl1A—O1 ⁱ	2.853 (2)	Fe1—O4	1.942 (2)
Tl1A—O8 ⁱ	3.094 (3)	Fe1—O6 ^{viii}	2.015 (2)
Tl1A—O8	3.094 (3)	Fe1—O6	2.015 (2)
Tl1A—O2	3.227 (3)	Fe1—O9	2.060 (2)
Tl1A—O2 ⁱ	3.227 (3)	Fe1—O9 ^{viii}	2.060 (2)
Tl1A—O7 ⁱⁱ	3.344 (2)	Fe2—O5	1.946 (2)
Tl1A—O7 ⁱⁱⁱ	3.344 (2)	Fe2—O11	1.970 (2)
Tl1A—O5 ⁱⁱ	3.543 (2)	Fe2—O1	1.978 (2)
Tl1A—O5 ⁱⁱⁱ	3.543 (2)	Fe2—O10 ^{ix}	2.014 (2)
Tl1A—O12 ^{iv}	3.615 (3)	Fe2—O7 ⁱⁱ	2.044 (2)
Tl1A—O12 ^v	3.615 (3)	Fe2—O3 ^{iv}	2.065 (2)
Tl2A—O3 ^{vi}	2.804 (4)	As1—O4	1.652 (2)
Tl2A—O2	2.852 (4)	As1—O1	1.668 (2)
Tl2A—O6 ⁱⁱⁱ	2.936 (5)	As1—O3	1.683 (2)
Tl2A—O12 ^v	3.020 (4)	As1—O2	1.720 (2)
Tl2A—O8	3.091 (5)	As2—O6	1.670 (2)
Tl2A—O7 ⁱⁱⁱ	3.362 (5)	As2—O5	1.671 (2)
Tl2A—O7 ^{vii}	3.450 (4)	As2—O7	1.684 (2)
Tl2A—O9 ^{viii}	3.523 (5)	As2—O8	1.738 (2)
Tl2A—O10 ^{viii}	3.572 (5)	As3—O11	1.655 (2)
Tl2A—O12 ^{vi}	3.638 (5)	As3—O10	1.6730 (19)
Tl2A—O4 ^{vi}	3.691 (4)	As3—O9	1.679 (2)
Tl2A—O4	3.811 (5)	As3—O12	1.721 (2)

Symmetry codes: (i) $-x + 1, -y + 2, -z$; (ii) $-x, -y + 2, -z$; (iii) $x + 1, y, z$; (iv) $-x + 1, -y + 1, -z$; (v) $x, y + 1, z$; (vi) $-x + 1, -y + 1, -z + 1$; (vii) $-x, -y + 2, -z + 1$; (viii) $-x, -y + 1, -z + 1$; (ix) $-x, -y + 1, -z$.

3. Synthesis and crystallization

The compounds were grown by hydrothermal synthesis at 493 K (7 d, autogeneous pressure, slow furnace cooling) using Teflon-lined stainless steel autoclaves with an approximate filling volume of 2 cm³. Reagent-grade Rb₂CO₃/Tl₂CO₃, Fe₂O₃ and H₃AsO₄·0.5H₂O were used as starting reagents in approximate volume ratios of M⁺:M³⁺:As of 1:1:2. The vessels were filled with distilled water to about 70% of their inner volumes which led to initial and final pH values of 1.5 and 1, respectively, for both synthesis batches. The reaction products

Table 6
Experimental details.

	RbFe(HAsO ₄) ₂	TlFe(HAsO ₄) ₂
Crystal data		
M_r	421.18	540.08
Crystal system, space group	Trigonal, $R\bar{3}c:H$	Triclinic, $P\bar{1}$
Temperature (K)	293	293
a, b, c (Å)	8.425 (1), 8.425 (1), 54.749 (11)	7.346 (2), 9.148 (2), 9.662 (2)
α, β, γ (°)	90, 90, 120	64.89 (3), 70.51 (3), 69.94 (3)
V (Å ³)	3365.5 (10)	538.6 (3)
Z	18	3
Radiation type	Mo $K\alpha$	Mo $K\alpha$
μ (mm ⁻¹)	17.27	33.58
Crystal size (mm)	0.09 × 0.08 × 0.03	0.10 × 0.05 × 0.04
Data collection		
Diffractometer	Nonius KappaCCD single-crystal four-circle	Nonius KappaCCD single-crystal four-circle
Absorption correction	Multi-scan (<i>HKL SCALEPACK</i> ; Otwinowski <i>et al.</i> , 2003)	Multi-scan (<i>HKL SCALEPACK</i> ; Otwinowski <i>et al.</i> , 2003)
T_{min}, T_{max}	0.306, 0.625	0.134, 0.347
No. of measured, independent and observed [$>2\sigma(I)$] reflections	3994, 1105, 1014	7723, 3906, 3391
R_{int}	0.023	0.021
(sin θ/λ) _{max} (Å ⁻¹)	0.704	0.758
Refinement		
$R[F^2 > 2\sigma(F^2)], wR(F^2), S$	0.021, 0.052, 1.12	0.022, 0.051, 1.06
No. of reflections	1105	3906
No. of parameters	62	208
No. of restraints	1	4
H-atom treatment	All H-atom parameters refined	Only H-atom displacement parameters refined
$\Delta\rho_{\text{max}}, \Delta\rho_{\text{min}}$ (e Å ⁻³)	0.87, -0.72	0.96, -1.13

Computer programs: *COLLECT* (Nonius, 2003), *HKL DENZO* and *SCALEPACK* (Otwinowski *et al.*, 2003), *SHELXS97* (Sheldrick, 2008), *SHELXL2016* (Sheldrick, 2015), *DIAMOND* (Brandenburg, 2005), *publCIF* (Westrip, 2010) and *WinGX* (Farrugia, 2012).

were washed thoroughly with distilled water, filtered and dried at room temperature. They are stable in air.

RbFe(HAsO₄)₂ formed colorless pseudohexagonal platelets (Fig. 1*a*). TlFe(HAsO₄)₂ formed pseudo-'disphenoidic-monoclinic', short prismatic, colourless glassy crystals (Fig. 1*b*), some of which showed fine-grained red inclusions, probably either unreacted Fe₂O₃ or some Fe–O–(OH) compound, mainly in the core of the crystals.

Measured X-ray powder diffraction diagrams of RbFe(HAsO₄)₂ and TlFe(HAsO₄)₂ were deposited at the International Centre for Diffraction Data under PDF numbers 00-057-0160 (Prem *et al.*, 2005*a*) and 00-057-0159 (Prem *et al.*, 2005*b*), respectively.

The chemical compositions of the title compounds were checked by standard SEM–EDS analysis of several carbon-coated crystals of each compound; no impurities could be detected.

4. Refinement

Crystal data, data collection and structure refinement details are summarized in Table 6.

For the final refinement the atomic positions of RbFe(HPO₄)₂ (Lii & Wu, 1994) and CsSc(HAsO₄)₂ (Schwendtner & Kolitsch, 2004) were used for RbFe(HAsO₄)₂ and TlFe(HAsO₄)₂, respectively. The H atoms were then located from the difference-Fourier map and O–H distances were restrained to 0.90 (4) Å. The position of H8 was fixed to

the coordinates where it was located in the difference-Fourier map, since a refinement of the position led to an unreasonably close distance to the neighbouring As atom. At this point, electron densities of up to 2.79 and 4.71 e Å⁻³, respectively, were found close to the Tl1 and Tl2 atoms, along with anomalous displacement ellipsoids of these atoms. This suggested the presence of positional disorder (and, possibly, some mobility) of the Tl atoms in the cavities. The disorder was then modeled by additional, partially occupied Tl positions. The bulk occupancy for each of the two disordered Tl positions (Tl1A and Tl1B for Tl1 and Tl2A, Tl2B and Tl2C for Tl2) was constrained to 1.00. As a result, the *R* value dropped from 0.0335 to 0.0224, and the weight parameters also improved. Final equivalent isotropic displacement parameters of all the partially occupied Tl sites are reasonable, with values between *ca* 0.03 and 0.04 Å², very similar to those in the Rb compound. The final residual electron densities are < 1 e Å⁻³ for both compounds.

Acknowledgements

The authors acknowledge the TU Wien University Library for financial support through its Open Access Funding Program.

Funding information

Funding for this research was provided by: Doc fForte Fellowship of the Austrian Academy of Sciences to K. Schwendtner.

References

- Alfonso, B. F., Blanco, J. A., Fernández-Díaz, M. T., Trobajo, C., Khainakov, S. A. & García, J. R. (2010). *Dalton Trans.* **39**, 1891–1796.
- Alfonso, B. F., Piqué, C., Trobajo, C., García, J. R., Fernández, J. R., Fernández-Díaz, M. T. & Blanco, J. A. (2011). *J. Phys. Conf. Ser.* **325**, 012014.
- Baur, W. H. (1981). *Structure and Bonding in Crystals*, edited by M. O'Keeffe & A. Navrotsky, pp. 31–52. New York: Academic Press.
- Bircsak, Z. & Harrison, W. T. A. (1998). *Acta Cryst.* **C54**, 1195–1197.
- Brandenburg, K. (2005). *DIAMOND*. Crystal Impact GbR, Bonn, Germany.
- Cambon, O., Haines, J., Fraysse, G., Detaint, J., Capelle, B. & Van der Lee, A. (2005). *J. Appl. Phys.* **97**, 074110074111-074110/074117.
- Cambon, O., Yot, P., Rul, S., Haines, J. & Philippot, E. (2003). *Solid State Sci.* **5**, 469–472.
- Carvajal, J. J., Parreu, I., Solé, R., Solans, X., Díaz, F. & Aguiló, M. (2005). *Chem. Mater.* **17**, 6746–6754.
- Chang, R.-S., Wang, S.-L. & Lii, K.-H. (1997). *Inorg. Chem.* **36**, 3410–3413.
- Chouchene, S., Jaouadi, K., Mhiri, T. & Zouari, N. (2017). *Solid State Ionics*, **301**, 78–85.
- Farrugia, L. J. (2012). *J. Appl. Cryst.* **45**, 849–854.
- Gagné, O. C. & Hawthorne, F. C. (2015). *Acta Cryst.* **B71**, 562–578.
- Gagné, O. C. & Hawthorne, F. C. (2016). *Acta Cryst.* **B72**, 602–625.
- Gagné, O. C. & Hawthorne, F. C. (2018). *Acta Cryst.* **B74**, 63–78.
- Garlea, O. V., Sanjewwa, L. D., McGuire, M. A., Kumar, P., Sulejmanovic, D., He, J. & Hwu, S.-J. (2014). *Phys. Rev. B: Condens. Matter Mater. Phys.* **89**, 014426014421-014426/014429.
- Haushalter, R. C., Wang, Z., Thompson, M. E. & Zubieta, J. (1995). *Inorg. Chim. Acta*, **232**, 83–89.
- Kato, K. (1975). *Opt. Commun.* **13**, 93–95.
- Krempl, P. W. (2005). *J. Phys. IV Fr.* **126**, 95–100.
- Lesage, J., Adam, L., Guesdon, A. & Raveau, B. (2007). *J. Solid State Chem.* **180**, 1799–1808.
- Lii, K.-H. & Wu, L.-S. (1994). *J. Chem. Soc. A*, **10**, 1577–1580.
- Masquelier, C., d'Yvoire, F. & Collin, G. (1994). *Solid State Ionic Materials*, Proceedings of the 4th Asian Conference on Solid State Ionics, Kuala Lumpur, Malaysia, 2–6 August 1994, edited by B. V. R. Chowdari, M. Yahaya, I. A. Talib & M. M. Salleh, pp. 167–172. Singapore: World Scientific.
- Masquelier, C., d'Yvoire, F. & Collin, G. (1995). *J. Solid State Chem.* **118**, 33–42.
- Masquelier, C., d'Yvoire, F. & Rodier, N. (1990). *Acta Cryst.* **C46**, 1584–1587.
- Masquelier, C., Padhi, A. K., Nanjundaswamy, K. S. & Goodenough, J. B. (1998). *J. Solid State Chem.* **135**, 228–234.
- Masquelier, C., Padhi, A. K., Nanjundaswamy, K. S., Okada, S. & Goodenough, J. B. (1996). Proceedings of the 37th Power Sources Conference, June 17–20, 1996, pp. 188–191. Cherry Hill, New Jersey. Fort Monmouth, NJ: US Army Research Laboratory.
- Nonius (2003). COLLECT. Nonius, B. V., Delft, The Netherlands.
- Otwowski, Z., Borek, D., Majewski, W. & Minor, W. (2003). *Acta Cryst.* **A59**, 228–234.
- Ouerfelli, N., Guesmi, A., Mazza, D., Madani, A., Zid, M. F. & Driss, A. (2007a). *J. Solid State Chem.* **180**, 1224–1229.
- Ouerfelli, N., Guesmi, A., Mazza, D., Zid, M. F. & Driss, A. (2008). *Acta Cryst.* **C64**, i41–i44.
- Ouerfelli, N., Guesmi, A., Molinié, P., Mazza, D., Zid, M. F. & Driss, A. (2007b). *J. Solid State Chem.* **180**, 2942–2949.
- Ouerfelli, N., Souilem, A., Zid, M. F. & Driss, A. (2014). *Acta Cryst.* **E70**, i21–i22.
- Pintard-Schrépel, M., d'Yvoire, F. & Bretey, E. (1983). *Stud. Inorg. Chem.* **3**, 215–218.
- Prem, M., Lengauer, C. & Tillmanns, E. (2005a). University of Vienna, Austria. ICDD Grant-in-Aid.
- Prem, M., Lengauer, C. & Tillmanns, E. (2005b). University of Vienna, Austria. ICDD Grant-in-Aid.
- Ren, J., Ma, Z., He, C., Sa, R., Li, Q. & Wu, K. (2015). *Comput. Mater. Sci.* **106**, 1–4.
- Schwendtner, K. (2008). PhD thesis, Universität Wien, Austria.
- Schwendtner, K. & Kolitsch, U. (2004). *Acta Cryst.* **C60**, i84–i88.
- Schwendtner, K. & Kolitsch, U. (2017). *Acta Cryst.* **E73**, 1580–1586.
- Schwendtner, K. & Kolitsch, U. (2018). *Acta Cryst. C*. Submitted.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Sheldrick, G. M. (2015). *Acta Cryst.* **C71**, 3–8.
- Smith, J. P. & Brown, W. E. (1959). *Am. Mineral.* **44**, 138–142.
- Stalder, S. M. & Wilkinson, A. P. (1998). *J. Mater. Chem.* **8**, 261–263.
- Sun, Y., Yang, Z., Hou, D. & Pan, S. (2017). *RSC Adv.* **7**, 2804–2809.
- Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.
- Yakubovich, O. V. (1993). *Kristallografiya*, **38**, 43–48.
- Yan, W., Yu, J., Shi, Z. & Xu, R. (2000). *Chem. Commun.* pp. 1431–1432.
- d'Yvoire, F., Bretey, E. & Collin, G. (1988). *Solid State Ionics*, **28–30**, 1259–1264.
- d'Yvoire, F., Pintard-Schrépel, M. & Bretey, E. (1986). *Solid State Ionics*, **18–19**, 502–506.
- d'Yvoire, F., Pintard-Schrépel, M., Bretey, E. & de la Rochère, M. (1983). *Solid State Ionics*, **9–10**, 851–857.

supporting information

Acta Cryst. (2018). E74, 766-771 [https://doi.org/10.1107/S2056989018006473]

RbFe(HAsO₄)₂ and TlFe(HAsO₄)₂, two new hydrogenarsenates adopting two closely related structure types

Karolina Schwendtner and Uwe Kolitsch

Computing details

For both structures, data collection: COLLECT (Nonius, 2003); cell refinement: HKL SCALEPACK (Otwinowski *et al.*, 2003); data reduction: HKL DENZO and SCALEPACK (Otwinowski *et al.*, 2003); program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL2016 (Sheldrick, 2015); molecular graphics: DIAMOND (Brandenburg, 2005). Software used to prepare material for publication: publCIF (Westrip, 2010) for RbFeHAsO₄₂; WinGX (Farrugia, 2012) for TlFeHAsO₄₂.

Rubidium iron bis[hydrogen arsenate(V)] (RbFeHAsO₄₂)

Crystal data

RbFe(HAsO ₄) ₂	$D_x = 3.741 \text{ Mg m}^{-3}$
$M_r = 421.18$	Mo $\text{K}\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
Trigonal, $R\bar{3}c:H$	Cell parameters from 2.794 reflections
$a = 8.425 (1) \text{ \AA}$	$\theta = 2.9\text{--}30.0^\circ$
$c = 54.749 (11) \text{ \AA}$	$\mu = 17.27 \text{ mm}^{-1}$
$V = 3365.5 (10) \text{ \AA}^3$	$T = 293 \text{ K}$
$Z = 18$	Hexagonal platelet, colourless
$F(000) = 3510$	$0.09 \times 0.08 \times 0.03 \text{ mm}$

Data collection

Nonius KappaCCD single-crystal four-circle diffractometer	1105 independent reflections
Radiation source: fine-focus sealed tube	1014 reflections with $I > 2\sigma(I)$
φ and ω scans	$R_{\text{int}} = 0.023$
Absorption correction: multi-scan (HKL SCALEPACK; Otwinowski <i>et al.</i> , 2003)	$\theta_{\text{max}} = 30.0^\circ, \theta_{\text{min}} = 2.9^\circ$
$T_{\text{min}} = 0.306, T_{\text{max}} = 0.625$	$h = -11 \rightarrow 11$
3994 measured reflections	$k = -9 \rightarrow 9$
	$l = -76 \rightarrow 76$

Refinement

Refinement on F^2	Secondary atom site location: difference Fourier map
Least-squares matrix: full	Hydrogen site location: difference Fourier map
$R[F^2 > 2\sigma(F^2)] = 0.021$	All H-atom parameters refined
$wR(F^2) = 0.052$	$w = 1/[\sigma^2(F_o^2) + (0.0241P)^2 + 19.8694P]$ where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.12$	$(\Delta/\sigma)_{\text{max}} = 0.001$
1105 reflections	$\Delta\rho_{\text{max}} = 0.87 \text{ e \AA}^{-3}$
62 parameters	$\Delta\rho_{\text{min}} = -0.72 \text{ e \AA}^{-3}$
1 restraint	
Primary atom site location: structure-invariant direct methods	

Extinction correction: SHELXL2016
 (Sheldrick, 2015),
 $F_c^* = k F_c [1 + 0.001 x F_c^2 \lambda^3 / \sin(2\theta)]^{-1/4}$
 Extinction coefficient: 0.000112 (19)

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Rb1	0.000000	0.000000	0.750000	0.03271 (19)
Rb2	0.000000	0.000000	0.66752 (2)	0.03704 (16)
Fe1	0.333333	0.666667	0.75352 (2)	0.00828 (13)
Fe2	0.333333	0.666667	0.666667	0.00999 (17)
As	-0.42107 (3)	-0.38770 (3)	0.71298 (2)	0.00949 (9)
O1	0.4739 (3)	-0.4215 (3)	0.68632 (3)	0.0215 (4)
O2	-0.4425 (2)	-0.2504 (2)	0.73312 (3)	0.0123 (3)
O3	-0.1873 (3)	-0.2762 (3)	0.70652 (4)	0.0200 (4)
O4	0.4749 (2)	-0.1197 (2)	0.77593 (3)	0.0117 (3)
H	-0.149 (5)	-0.342 (4)	0.7113 (6)	0.022 (10)*

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Rb1	0.0391 (3)	0.0391 (3)	0.0199 (4)	0.01955 (14)	0.000	0.000
Rb2	0.0453 (2)	0.0453 (2)	0.0205 (3)	0.02266 (12)	0.000	0.000
Fe1	0.00900 (18)	0.00900 (18)	0.0068 (3)	0.00450 (9)	0.000	0.000
Fe2	0.0122 (3)	0.0122 (3)	0.0055 (4)	0.00610 (13)	0.000	0.000
As	0.01225 (14)	0.01058 (13)	0.00780 (13)	0.00733 (10)	0.00099 (9)	0.00115 (9)
O1	0.0324 (12)	0.0306 (11)	0.0101 (8)	0.0222 (10)	-0.0067 (8)	-0.0012 (8)
O2	0.0127 (8)	0.0115 (8)	0.0126 (8)	0.0060 (7)	0.0039 (7)	-0.0015 (7)
O3	0.0153 (9)	0.0184 (10)	0.0295 (11)	0.0110 (8)	0.0104 (8)	0.0129 (8)
O4	0.0128 (8)	0.0108 (8)	0.0138 (8)	0.0076 (7)	-0.0019 (7)	-0.0048 (7)

Geometric parameters (\AA , $^\circ$)

Rb1—O3	3.146 (2)	Rb2—O3 ^{xii}	3.640 (2)
Rb1—O3 ⁱ	3.147 (2)	Rb2—O3 ^{xiii}	3.640 (2)
Rb1—O3 ⁱⁱ	3.147 (2)	Rb2—O3 ^{xiv}	3.640 (2)
Rb1—O3 ⁱⁱⁱ	3.147 (2)	Rb2—As ^{xii}	3.8044 (6)
Rb1—O3 ^{iv}	3.147 (2)	Rb2—As ^{xiii}	3.8044 (6)
Rb1—O3 ^v	3.147 (2)	Rb2—As ^{xiv}	3.8044 (6)
Rb1—O2 ⁱⁱ	3.3671 (19)	Fe1—O2 ^{xv}	1.9957 (18)
Rb1—O2 ^{iv}	3.3671 (19)	Fe1—O2 ⁱⁱⁱ	1.9957 (18)
Rb1—O2 ⁱⁱⁱ	3.3671 (19)	Fe1—O2 ^{xvi}	1.9957 (18)

Rb1—O2 ⁱ	3.3671 (19)	Fe1—O4 ^{xvii}	2.0055 (19)
Rb1—O2 ^v	3.3671 (19)	Fe1—O4 ^v	2.0055 (18)
Rb1—O2	3.3671 (19)	Fe1—O4 ^{xviii}	2.0055 (18)
Rb1—H	3.28 (3)	Fe2—O1 ^{vii}	1.998 (2)
Rb1—H ^v	3.28 (4)	Fe2—O1 ^{xix}	1.998 (2)
Rb1—H ⁱⁱⁱ	3.28 (3)	Fe2—O1 ^{xix}	1.998 (2)
Rb2—O3 ^v	2.965 (2)	Fe2—O1 ^v	1.998 (2)
Rb2—O3 ⁱⁱⁱ	2.965 (2)	Fe2—O1 ^{xviii}	1.998 (2)
Rb2—O3	2.965 (2)	Fe2—O1 ^{xvii}	1.998 (2)
Rb2—O1 ^{vi}	3.394 (2)	As—O1 ^{xx}	1.6555 (19)
Rb2—O1 ^{vii}	3.394 (2)	As—O2	1.6720 (18)
Rb2—O1 ^{viii}	3.394 (2)	As—O4 ⁱⁱ	1.6801 (18)
Rb2—O4 ^{ix}	3.562 (2)	As—O3	1.742 (2)
Rb2—O4 ^x	3.562 (2)	O3—H	0.81 (3)
Rb2—O4 ^{xi}	3.562 (2)		
O3—Rb1—O3 ⁱ	164.86 (8)	O4 ^{xi} —Rb2—As ^{xii}	70.60 (3)
O3—Rb1—O3 ⁱⁱ	121.47 (8)	O3 ^{xii} —Rb2—As ^{xii}	26.95 (3)
O3 ⁱ —Rb1—O3 ⁱⁱ	68.99 (6)	O3 ^{xiii} —Rb2—As ^{xii}	62.25 (4)
O3—Rb1—O3 ⁱⁱⁱ	68.99 (6)	O3 ^{xiv} —Rb2—As ^{xii}	96.36 (4)
O3 ⁱ —Rb1—O3 ⁱⁱⁱ	103.28 (7)	O3 ^v —Rb2—As ^{xiii}	101.27 (5)
O3 ⁱⁱ —Rb1—O3 ⁱⁱⁱ	164.86 (8)	O3 ⁱⁱⁱ —Rb2—As ^{xiii}	105.92 (5)
O3—Rb1—O3 ^{iv}	103.28 (8)	O3—Rb2—As ^{xiii}	175.05 (4)
O3 ⁱ —Rb1—O3 ^{iv}	68.99 (6)	O1 ^{vi} —Rb2—As ^{xiii}	88.88 (4)
O3 ⁱⁱ —Rb1—O3 ^{iv}	68.99 (6)	O1 ^{vii} —Rb2—As ^{xiii}	25.79 (3)
O3 ⁱⁱⁱ —Rb1—O3 ^{iv}	121.47 (8)	O1 ^{viii} —Rb2—As ^{xiii}	104.27 (4)
O3—Rb1—O3 ^v	68.99 (6)	O4 ^{ix} —Rb2—As ^{xiii}	53.64 (3)
O3 ⁱ —Rb1—O3 ^v	121.47 (8)	O4 ^x —Rb2—As ^{xiii}	70.60 (3)
O3 ⁱⁱ —Rb1—O3 ^v	103.28 (7)	O4 ^{xi} —Rb2—As ^{xiii}	26.10 (3)
O3 ⁱⁱⁱ —Rb1—O3 ^v	68.99 (6)	O3 ^{xii} —Rb2—As ^{xiii}	96.36 (4)
O3 ^{iv} —Rb1—O3 ^v	164.86 (8)	O3 ^{xiii} —Rb2—As ^{xiii}	26.95 (3)
O3—Rb1—O2 ⁱⁱ	126.04 (5)	O3 ^{xiv} —Rb2—As ^{xiii}	62.24 (4)
O3 ⁱ —Rb1—O2 ⁱⁱ	68.90 (5)	As ^{xii} —Rb2—As ^{xiii}	78.998 (15)
O3 ⁱⁱ —Rb1—O2 ⁱⁱ	48.72 (5)	O3 ^v —Rb2—As ^{xiv}	175.05 (4)
O3 ⁱⁱⁱ —Rb1—O2 ⁱⁱ	116.78 (5)	O3 ⁱⁱⁱ —Rb2—As ^{xiv}	101.27 (5)
O3 ^{iv} —Rb1—O2 ⁱⁱ	113.39 (5)	O3—Rb2—As ^{xiv}	105.92 (5)
O3 ^v —Rb1—O2 ⁱⁱ	65.41 (5)	O1 ^{vi} —Rb2—As ^{xiv}	104.27 (4)
O3—Rb1—O2 ^{iv}	65.40 (5)	O1 ^{vii} —Rb2—As ^{xiv}	88.88 (4)
O3 ⁱ —Rb1—O2 ^{iv}	113.39 (5)	O1 ^{viii} —Rb2—As ^{xiv}	25.79 (3)
O3 ⁱⁱ —Rb1—O2 ^{iv}	68.90 (5)	O4 ^{ix} —Rb2—As ^{xiv}	70.60 (3)
O3 ⁱⁱⁱ —Rb1—O2 ^{iv}	126.04 (5)	O4 ^x —Rb2—As ^{xiv}	26.10 (3)
O3 ^{iv} —Rb1—O2 ^{iv}	48.72 (5)	O4 ^{xi} —Rb2—As ^{xiv}	53.64 (3)
O3 ^v —Rb1—O2 ^{iv}	116.78 (5)	O3 ^{xii} —Rb2—As ^{xiv}	62.24 (4)
O2 ⁱⁱ —Rb1—O2 ^{iv}	112.77 (3)	O3 ^{xiii} —Rb2—As ^{xiv}	96.36 (4)
O3—Rb1—O2 ⁱⁱⁱ	113.39 (5)	O3 ^{xiv} —Rb2—As ^{xiv}	26.95 (3)
O3 ⁱ —Rb1—O2 ⁱⁱⁱ	65.41 (5)	As ^{xii} —Rb2—As ^{xiv}	78.998 (15)
O3 ⁱⁱ —Rb1—O2 ⁱⁱⁱ	116.78 (5)	As ^{xiii} —Rb2—As ^{xiv}	78.997 (15)
O3 ⁱⁱⁱ —Rb1—O2 ⁱⁱⁱ	48.72 (5)	O2 ^{xv} —Fe1—O2 ⁱⁱⁱ	91.74 (8)

O3 ^{iv} —Rb1—O2 ⁱⁱⁱ	126.04 (5)	O2 ^{xv} —Fe1—O2 ^{xvi}	91.74 (8)
O3 ^v —Rb1—O2 ⁱⁱⁱ	68.90 (5)	O2 ⁱⁱⁱ —Fe1—O2 ^{xvi}	91.74 (8)
O2 ⁱⁱ —Rb1—O2 ⁱⁱⁱ	74.90 (6)	O2 ^{xv} —Fe1—O4 ^{xvii}	92.04 (8)
O2 ^{iv} —Rb1—O2 ⁱⁱⁱ	171.63 (6)	O2 ⁱⁱⁱ —Fe1—O4 ^{xvii}	175.92 (8)
O3—Rb1—O2 ⁱ	116.78 (5)	O2 ^{xvi} —Fe1—O4 ^{xvii}	89.66 (7)
O3 ⁱ —Rb1—O2 ⁱ	48.72 (5)	O2 ^{xv} —Fe1—O4 ^v	89.66 (7)
O3 ⁱⁱ —Rb1—O2 ⁱ	113.39 (5)	O2 ⁱⁱⁱ —Fe1—O4 ^v	92.04 (8)
O3 ⁱⁱⁱ —Rb1—O2 ⁱ	65.41 (5)	O2 ^{xvi} —Fe1—O4 ^v	175.92 (8)
O3 ^{iv} —Rb1—O2 ⁱ	68.90 (5)	O4 ^{xvii} —Fe1—O4 ^v	86.47 (8)
O3 ^v —Rb1—O2 ⁱ	126.04 (5)	O2 ^{xv} —Fe1—O4 ^{xviii}	175.92 (8)
O2 ⁱⁱ —Rb1—O2 ⁱ	112.77 (3)	O2 ⁱⁱⁱ —Fe1—O4 ^{xviii}	89.66 (7)
O2 ^{iv} —Rb1—O2 ⁱ	112.77 (3)	O2 ^{xvi} —Fe1—O4 ^{xviii}	92.04 (7)
O2 ⁱⁱⁱ —Rb1—O2 ⁱ	59.80 (6)	O4 ^{xvii} —Fe1—O4 ^{xviii}	86.47 (8)
O3—Rb1—O2 ^v	68.90 (5)	O4 ^v —Fe1—O4 ^{xviii}	86.47 (8)
O3 ⁱ —Rb1—O2 ^v	126.04 (5)	O2 ^{xv} —Fe1—Rb2 ^{xxi}	124.02 (5)
O3 ⁱⁱ —Rb1—O2 ^v	65.41 (5)	O2 ⁱⁱⁱ —Fe1—Rb2 ^{xxi}	124.02 (6)
O3 ⁱⁱⁱ —Rb1—O2 ^v	113.39 (5)	O2 ^{xvi} —Fe1—Rb2 ^{xxi}	124.02 (5)
O3 ^{iv} —Rb1—O2 ^v	116.78 (5)	O4 ^{xvii} —Fe1—Rb2 ^{xxi}	52.27 (6)
O3 ^v —Rb1—O2 ^v	48.72 (5)	O4 ^v —Fe1—Rb2 ^{xxi}	52.27 (5)
O2 ⁱⁱ —Rb1—O2 ^v	59.80 (6)	O4 ^{xviii} —Fe1—Rb2 ^{xxi}	52.27 (5)
O2 ^{iv} —Rb1—O2 ^v	74.90 (6)	O1 ^{vii} —Fe2—O1 ^{xiv}	93.72 (8)
O2 ⁱⁱⁱ —Rb1—O2 ^v	112.77 (3)	O1 ^{vii} —Fe2—O1 ^{xix}	93.72 (8)
O2 ⁱ —Rb1—O2 ^v	171.63 (7)	O1 ^{xiv} —Fe2—O1 ^{xix}	93.72 (8)
O3—Rb1—O2	48.71 (5)	O1 ^{vii} —Fe2—O1 ^v	180.0
O3 ⁱ —Rb1—O2	116.78 (5)	O1 ^{xiv} —Fe2—O1 ^v	86.29 (8)
O3 ⁱⁱ —Rb1—O2	126.04 (5)	O1 ^{xix} —Fe2—O1 ^v	86.29 (8)
O3 ⁱⁱⁱ —Rb1—O2	68.90 (5)	O1 ^{vii} —Fe2—O1 ^{xviii}	86.29 (8)
O3 ^{iv} —Rb1—O2	65.41 (5)	O1 ^{xiv} —Fe2—O1 ^{xviii}	180.0
O3 ^v —Rb1—O2	113.39 (5)	O1 ^{xix} —Fe2—O1 ^{xviii}	86.29 (8)
O2 ⁱⁱ —Rb1—O2	171.63 (6)	O1 ^v —Fe2—O1 ^{xviii}	93.71 (8)
O2 ^{iv} —Rb1—O2	59.80 (6)	O1 ^{vii} —Fe2—O1 ^{xvii}	86.29 (8)
O2 ⁱⁱⁱ —Rb1—O2	112.77 (3)	O1 ^{xiv} —Fe2—O1 ^{xvii}	86.29 (8)
O2 ⁱ —Rb1—O2	74.90 (6)	O1 ^{xix} —Fe2—O1 ^{xvii}	180.0
O2 ^v —Rb1—O2	112.77 (3)	O1 ^v —Fe2—O1 ^{xvii}	93.71 (8)
O3—Rb1—H	14.3 (5)	O1 ^{xviii} —Fe2—O1 ^{xvii}	93.71 (8)
O3 ⁱ —Rb1—H	169.7 (7)	O1 ^{vii} —Fe2—Rb2 ^{xix}	58.77 (7)
O3 ⁱⁱ —Rb1—H	107.3 (5)	O1 ^{xiv} —Fe2—Rb2 ^{xix}	70.91 (7)
O3 ⁱⁱⁱ —Rb1—H	82.4 (5)	O1 ^{xix} —Fe2—Rb2 ^{xix}	146.11 (6)
O3 ^{iv} —Rb1—H	100.7 (7)	O1 ^v —Fe2—Rb2 ^{xix}	121.23 (7)
O3 ^v —Rb1—H	68.4 (6)	O1 ^{xviii} —Fe2—Rb2 ^{xix}	109.09 (7)
O2 ⁱⁱ —Rb1—H	116.4 (6)	O1 ^{xvii} —Fe2—Rb2 ^{xix}	33.90 (6)
O2 ^{iv} —Rb1—H	56.8 (6)	O1 ^{vii} —Fe2—Rb2 ^{xvii}	121.23 (7)
O2 ⁱⁱⁱ —Rb1—H	123.8 (6)	O1 ^{xiv} —Fe2—Rb2 ^{xvii}	109.09 (7)
O2 ⁱ —Rb1—H	129.4 (6)	O1 ^{xix} —Fe2—Rb2 ^{xvii}	33.90 (6)
O2 ^v —Rb1—H	57.1 (6)	O1 ^v —Fe2—Rb2 ^{xvii}	58.77 (7)
O2—Rb1—H	56.9 (6)	O1 ^{xviii} —Fe2—Rb2 ^{xvii}	70.91 (7)
O3—Rb1—H ^v	82.4 (5)	O1 ^{xvii} —Fe2—Rb2 ^{xvii}	146.10 (6)
O3 ⁱ —Rb1—H ^v	107.3 (6)	Rb2 ^{xix} —Fe2—Rb2 ^{xvii}	180.0

O3 ⁱⁱ —Rb1—H ^v	100.7 (6)	O1 ^{vii} —Fe2—Rb2 ^{xvi}	109.09 (7)
O3 ⁱⁱⁱ —Rb1—H ^v	68.4 (7)	O1 ^{xiv} —Fe2—Rb2 ^{xvi}	33.90 (6)
O3 ^{iv} —Rb1—H ^v	169.7 (6)	O1 ^{xix} —Fe2—Rb2 ^{xvi}	121.23 (7)
O3 ^v —Rb1—H ^v	14.3 (5)	O1 ^v —Fe2—Rb2 ^{xvi}	70.91 (7)
O2 ⁱⁱ —Rb1—H ^v	56.8 (6)	O1 ^{xviii} —Fe2—Rb2 ^{xvi}	146.10 (6)
O2 ^{iv} —Rb1—H ^v	129.4 (6)	O1 ^{xvii} —Fe2—Rb2 ^{xvi}	58.77 (7)
O2 ⁱⁱⁱ —Rb1—H ^v	57.1 (6)	Rb2 ^{xix} —Fe2—Rb2 ^{xvi}	60.0
O2 ⁱ —Rb1—H ^v	116.4 (6)	Rb2 ^{xvii} —Fe2—Rb2 ^{xvi}	120.0
O2 ^v —Rb1—H ^v	56.9 (6)	O1 ^{vii} —Fe2—Rb2	33.90 (6)
O2—Rb1—H ^v	123.8 (6)	O1 ^{xiv} —Fe2—Rb2	121.23 (7)
H—Rb1—H ^v	82.7 (9)	O1 ^{xix} —Fe2—Rb2	109.09 (7)
O3—Rb1—H ⁱⁱⁱ	68.5 (6)	O1 ^v —Fe2—Rb2	146.10 (6)
O3 ⁱ —Rb1—H ⁱⁱⁱ	100.7 (6)	O1 ^{xviii} —Fe2—Rb2	58.77 (7)
O3 ⁱⁱ —Rb1—H ⁱⁱⁱ	169.7 (6)	O1 ^{xvii} —Fe2—Rb2	70.91 (7)
O3 ⁱⁱⁱ —Rb1—H ⁱⁱⁱ	14.3 (5)	Rb2 ^{xix} —Fe2—Rb2	60.0
O3 ^{iv} —Rb1—H ⁱⁱⁱ	107.3 (5)	Rb2 ^{xvii} —Fe2—Rb2	120.0
O3 ^v —Rb1—H ⁱⁱⁱ	82.4 (5)	Rb2 ^{xvi} —Fe2—Rb2	120.0
O2 ⁱⁱ —Rb1—H ⁱⁱⁱ	129.4 (6)	O1 ^{vii} —Fe2—Rb2 ^{xxii}	70.91 (7)
O2 ^{iv} —Rb1—H ⁱⁱⁱ	116.4 (7)	O1 ^{xiv} —Fe2—Rb2 ^{xxii}	146.11 (6)
O2 ⁱⁱⁱ —Rb1—H ⁱⁱⁱ	56.9 (6)	O1 ^{xix} —Fe2—Rb2 ^{xxii}	58.77 (7)
O2 ⁱ —Rb1—H ⁱⁱⁱ	56.8 (6)	O1 ^v —Fe2—Rb2 ^{xxii}	109.09 (7)
O2 ^v —Rb1—H ⁱⁱⁱ	123.8 (6)	O1 ^{xviii} —Fe2—Rb2 ^{xxii}	33.90 (6)
O2—Rb1—H ⁱⁱⁱ	57.1 (6)	O1 ^{xvii} —Fe2—Rb2 ^{xxii}	121.23 (7)
H—Rb1—H ⁱⁱⁱ	82.7 (9)	Rb2 ^{xix} —Fe2—Rb2 ^{xxii}	120.0
H ^v —Rb1—H ⁱⁱⁱ	82.7 (9)	Rb2 ^{xvii} —Fe2—Rb2 ^{xxii}	60.0
O3 ^v —Rb2—O3 ⁱⁱⁱ	73.88 (7)	Rb2 ^{xvi} —Fe2—Rb2 ^{xxii}	180.0
O3 ^v —Rb2—O3	73.87 (8)	Rb2—Fe2—Rb2 ^{xxii}	60.0
O3 ⁱⁱⁱ —Rb2—O3	73.87 (7)	O1 ^{vii} —Fe2—Rb2 ^{xxii}	146.11 (6)
O3 ^v —Rb2—O1 ^{vi}	80.68 (5)	O1 ^{xiv} —Fe2—Rb2 ^{xxii}	58.77 (7)
O3 ⁱⁱⁱ —Rb2—O1 ^{vi}	152.52 (6)	O1 ^{xix} —Fe2—Rb2 ^{xxii}	70.91 (7)
O3—Rb2—O1 ^{vi}	89.39 (6)	O1 ^v —Fe2—Rb2 ^{xxii}	33.90 (6)
O3 ^v —Rb2—O1 ^{vii}	89.39 (6)	O1 ^{xviii} —Fe2—Rb2 ^{xxii}	121.23 (7)
O3 ⁱⁱⁱ —Rb2—O1 ^{vii}	80.68 (6)	O1 ^{xvii} —Fe2—Rb2 ^{xxii}	109.09 (7)
O3—Rb2—O1 ^{vii}	152.52 (6)	Rb2 ^{xix} —Fe2—Rb2 ^{xxii}	120.0
O1 ^{vi} —Rb2—O1 ^{vii}	109.62 (3)	Rb2 ^{xvii} —Fe2—Rb2 ^{xxii}	60.0
O3 ^v —Rb2—O1 ^{vii}	152.52 (6)	Rb2 ^{xvi} —Fe2—Rb2 ^{xxii}	60.0
O3 ⁱⁱⁱ —Rb2—O1 ^{viii}	89.39 (6)	Rb2—Fe2—Rb2 ^{xxii}	180.0
O3—Rb2—O1 ^{viii}	80.68 (6)	Rb2 ^{xxii} —Fe2—Rb2 ^{xxii}	120.0
O1 ^{vi} —Rb2—O1 ^{viii}	109.62 (3)	O1 ^{xx} —As—O2	117.84 (10)
O1 ^{vii} —Rb2—O1 ^{viii}	109.62 (3)	O1 ^{xx} —As—O4 ⁱⁱ	107.24 (10)
O3 ^v —Rb2—O4 ^{ix}	113.60 (6)	O2—As—O4 ⁱⁱ	114.38 (9)
O3 ⁱⁱⁱ —Rb2—O4 ^{ix}	158.54 (6)	O1 ^{xx} —As—O3	106.07 (11)
O3—Rb2—O4 ^{ix}	127.10 (5)	O2—As—O3	104.17 (10)
O1 ^{vi} —Rb2—O4 ^{ix}	45.34 (4)	O4 ⁱⁱ —As—O3	106.18 (9)
O1 ^{vii} —Rb2—O4 ^{ix}	79.36 (4)	O1 ^{xx} —As—Rb2 ^{xii}	63.12 (7)
O1 ^{viii} —Rb2—O4 ^{ix}	89.94 (5)	O2—As—Rb2 ^{xii}	175.24 (7)
O3 ^v —Rb2—O4 ^x	158.54 (5)	O4 ⁱⁱ —As—Rb2 ^{xii}	68.86 (6)
O3 ⁱⁱⁱ —Rb2—O4 ^x	127.10 (5)	O3—As—Rb2 ^{xii}	71.28 (8)

O3—Rb2—O4 ^x	113.60 (6)	O1 ^{xx} —As—Rb1	140.53 (9)
O1 ^{vi} —Rb2—O4 ^x	79.36 (4)	O2—As—Rb1	57.00 (6)
O1 ^{vii} —Rb2—O4 ^x	89.94 (5)	O4 ⁱⁱ —As—Rb1	109.61 (6)
O1 ^{viii} —Rb2—O4 ^x	45.34 (4)	O3—As—Rb1	49.92 (8)
O4 ^{ix} —Rb2—O4 ^x	45.37 (5)	Rb2 ^{xii} —As—Rb1	119.004 (8)
O3 ^v —Rb2—O4 ^{xi}	127.10 (6)	O1 ^{xx} —As—Rb2	77.51 (9)
O3 ⁱⁱⁱ —Rb2—O4 ^{xi}	113.60 (6)	O2—As—Rb2	101.13 (6)
O3—Rb2—O4 ^{xi}	158.54 (6)	O4 ⁱⁱ —As—Rb2	134.56 (6)
O1 ^{vi} —Rb2—O4 ^{xi}	89.94 (5)	O3—As—Rb2	34.74 (7)
O1 ^{vii} —Rb2—O4 ^{xi}	45.34 (5)	Rb2 ^{xii} —As—Rb2	74.367 (9)
O1 ^{viii} —Rb2—O4 ^{xi}	79.36 (4)	Rb1—As—Rb2	66.765 (14)
O4 ^{ix} —Rb2—O4 ^{xi}	45.37 (5)	O1 ^{xx} —As—Rb2 ^{xxiv}	46.08 (8)
O4 ^x —Rb2—O4 ^{xi}	45.37 (5)	O2—As—Rb2 ^{xxiv}	125.75 (7)
O3 ^v —Rb2—O3 ^{xii}	122.48 (7)	O4 ⁱⁱ —As—Rb2 ^{xxiv}	63.02 (6)
O3 ⁱⁱⁱ —Rb2—O3 ^{xii}	149.37 (7)	O3—As—Rb2 ^{xxiv}	129.40 (8)
O3—Rb2—O3 ^{xii}	85.69 (6)	Rb2 ^{xii} —As—Rb2 ^{xxiv}	58.581 (6)
O1 ^{vi} —Rb2—O3 ^{xii}	45.24 (5)	Rb1—As—Rb2 ^{xxiv}	172.574 (7)
O1 ^{vii} —Rb2—O3 ^{xii}	121.79 (5)	Rb2—As—Rb2 ^{xxiv}	117.235 (17)
O1 ^{viii} —Rb2—O3 ^{xii}	64.52 (5)	As ^{xxv} —O1—Fe2 ^{xxvi}	140.90 (12)
O4 ^{ix} —Rb2—O3 ^{xii}	44.65 (4)	As ^{xxv} —O1—Rb2 ^{vi}	91.09 (8)
O4 ^x —Rb2—O3 ^{xii}	42.56 (5)	Fe2 ^{xxvi} —O1—Rb2 ^{vi}	126.94 (8)
O4 ^{xi} —Rb2—O3 ^{xii}	78.68 (5)	As ^{xxv} —O1—Rb2 ^{xxv}	79.81 (8)
O3 ^v —Rb2—O3 ^{xiii}	85.69 (6)	Fe2 ^{xxvi} —O1—Rb2 ^{xxv}	97.18 (8)
O3 ⁱⁱⁱ —Rb2—O3 ^{xiii}	122.48 (8)	Rb2 ^{vi} —O1—Rb2 ^{xxv}	79.01 (4)
O3—Rb2—O3 ^{xiii}	149.38 (7)	As ^{xxv} —O1—Rb2 ^{xxvi}	118.94 (9)
O1 ^{vi} —Rb2—O3 ^{xiii}	64.52 (5)	Fe2 ^{xxvi} —O1—Rb2 ^{xxvi}	84.94 (7)
O1 ^{vii} —Rb2—O3 ^{xiii}	45.24 (5)	Rb2 ^{vi} —O1—Rb2 ^{xxvi}	73.02 (4)
O1 ^{viii} —Rb2—O3 ^{xiii}	121.79 (5)	Rb2 ^{xxv} —O1—Rb2 ^{xxvi}	146.08 (5)
O4 ^{ix} —Rb2—O3 ^{xiii}	42.56 (5)	As—O2—Fe1 ^{xxiv}	122.52 (10)
O4 ^x —Rb2—O3 ^{xiii}	78.68 (5)	As—O2—Rb1	98.39 (7)
O4 ^{xi} —Rb2—O3 ^{xiii}	44.65 (4)	Fe1 ^{xxiv} —O2—Rb1	128.56 (7)
O3 ^{xii} —Rb2—O3 ^{xiii}	86.44 (5)	As—O2—Rb2	59.04 (5)
O3 ^v —Rb2—O3 ^{xiv}	149.37 (7)	Fe1 ^{xxiv} —O2—Rb2	163.04 (7)
O3 ⁱⁱⁱ —Rb2—O3 ^{xiv}	85.69 (6)	Rb1—O2—Rb2	63.89 (3)
O3—Rb2—O3 ^{xiv}	122.48 (8)	As—O3—Rb2	125.70 (10)
O1 ^{vi} —Rb2—O3 ^{xiv}	121.79 (5)	As—O3—Rb1	105.01 (9)
O1 ^{vii} —Rb2—O3 ^{xiv}	64.52 (5)	Rb2—O3—Rb1	95.22 (6)
O1 ^{viii} —Rb2—O3 ^{xiv}	45.24 (5)	As—O3—Rb2 ^{xii}	81.77 (8)
O4 ^{ix} —Rb2—O3 ^{xiv}	78.68 (5)	Rb2—O3—Rb2 ^{xii}	94.31 (6)
O4 ^x —Rb2—O3 ^{xiv}	44.65 (4)	Rb1—O3—Rb2 ^{xii}	161.69 (7)
O4 ^{xi} —Rb2—O3 ^{xiv}	42.56 (4)	As—O3—H	107 (3)
O3 ^{xii} —Rb2—O3 ^{xiv}	86.44 (5)	Rb2—O3—H	122 (3)
O3 ^{xiii} —Rb2—O3 ^{xiv}	86.44 (5)	Rb1—O3—H	92 (3)
O3 ^v —Rb2—As ^{xii}	105.92 (5)	Rb2 ^{xii} —O3—H	69 (3)
O3 ⁱⁱⁱ —Rb2—As ^{xii}	175.05 (5)	As ⁱⁱ —O4—Fe1 ^{xxvi}	129.96 (10)
O3—Rb2—As ^{xii}	101.27 (5)	As ⁱⁱ —O4—Rb2 ^{xxvii}	85.04 (7)
O1 ^{vi} —Rb2—As ^{xii}	25.79 (3)	Fe1 ^{xxvi} —O4—Rb2 ^{xxvii}	101.28 (7)
O1 ^{vii} —Rb2—As ^{xii}	104.27 (4)	As ⁱⁱ —O4—Rb2 ^{xxviii}	99.80 (7)

O1 ^{viii} —Rb2—As ^{xii}	88.88 (4)	Fe1 ^{xxvi} —O4—Rb2 ^{xxviii}	128.35 (7)
O4 ^{ix} —Rb2—As ^{xii}	26.10 (3)	Rb2 ^{xxvii} —O4—Rb2 ^{xxviii}	65.94 (3)
O4 ^x —Rb2—As ^{xii}	53.64 (3)		

Symmetry codes: (i) $x-y, -y, -z+3/2$; (ii) $-x, -x+y, -z+3/2$; (iii) $-x+y, -x, z$; (iv) $y, x, -z+3/2$; (v) $-y, x-y, z$; (vi) $-x+2/3, -y-2/3, -z+4/3$; (vii) $y+2/3, -x+y+4/3, -z+4/3$; (viii) $x-y-4/3, x-2/3, -z+4/3$; (ix) $x-1/3, x-y-2/3, z-1/6$; (x) $-y-1/3, -x+1/3, z-1/6$; (xi) $-x+y+2/3, y+1/3, z-1/6$; (xii) $-x-1/3, -y-2/3, -z+4/3$; (xiii) $y+2/3, -x+y+1/3, -z+4/3$; (xiv) $x-y-1/3, x+1/3, -z+4/3$; (xv) $-y, x-y+1, z$; (xvi) $x+1, y+1, z$; (xvii) $x, y+1, z$; (xviii) $-x+y+1, -x+1, z$; (xix) $-x+2/3, -y+1/3, -z+4/3$; (xx) $x-1, y, z$; (xxi) $-y+1/3, -x+2/3, z+1/6$; (xxii) $-x-1/3, -y+1/3, -z+4/3$; (xxiii) $-x+2/3, -y+4/3, -z+4/3$; (xxiv) $x-1, y-1, z$; (xxv) $x+1, y, z$; (xxvi) $x, y-1, z$; (xxvii) $-y+1/3, -x-1/3, z+1/6$; (xxviii) $y+1, x, -z+3/2$.

Hydrogen-bond geometry (\AA , $^\circ$)

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
O3—H \cdots O4 ^{xxix}	0.81 (3)	1.82 (3)	2.615 (3)	166 (4)

Symmetry code: (xxix) $y, x-1, -z+3/2$.

Thallium iron bis[hydrogen arsenate(V)] ($\text{TlFeHAsO}_4\text{2}$)

Crystal data

$\text{TlFe}(\text{HAsO}_4)_2$	$Z = 3$
$M_r = 540.08$	$F(000) = 717$
Triclinic, $P\bar{1}$	$D_x = 4.995 \text{ Mg m}^{-3}$
$a = 7.346 (2) \text{ \AA}$	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
$b = 9.148 (2) \text{ \AA}$	Cell parameters from 3867 reflections
$c = 9.662 (2) \text{ \AA}$	$\theta = 2.5\text{--}32.6^\circ$
$\alpha = 64.89 (3)^\circ$	$\mu = 33.58 \text{ mm}^{-1}$
$\beta = 70.51 (3)^\circ$	$T = 293 \text{ K}$
$\gamma = 69.94 (3)^\circ$	Short prismatic, colourless with red inclusions
$V = 538.6 (3) \text{ \AA}^3$	$0.10 \times 0.05 \times 0.04 \text{ mm}$

Data collection

Nonius KappaCCD single-crystal four-circle diffractometer	3906 independent reflections
Radiation source: fine-focus sealed tube	3391 reflections with $I > 2\sigma(I)$
φ and ω scans	$R_{\text{int}} = 0.021$
Absorption correction: multi-scan (HKL SCALEPACK; Otwinowski <i>et al.</i> , 2003)	$\theta_{\text{max}} = 32.6^\circ, \theta_{\text{min}} = 2.5^\circ$
$T_{\text{min}} = 0.134, T_{\text{max}} = 0.347$	$h = -11 \rightarrow 11$
7723 measured reflections	$k = -13 \rightarrow 13$
	$l = -14 \rightarrow 14$

Refinement

Refinement on F^2	Hydrogen site location: difference Fourier map
Least-squares matrix: full	Only H-atom displacement parameters refined
$R[F^2 > 2\sigma(F^2)] = 0.022$	$w = 1/[\sigma^2(F_o^2) + (0.0193P)^2 + 0.8062P]$
$wR(F^2) = 0.051$	where $P = (F_o^2 + 2F_c^2)/3$
$S = 1.06$	$(\Delta/\sigma)_{\text{max}} = 0.005$
3906 reflections	$\Delta\rho_{\text{max}} = 0.96 \text{ e \AA}^{-3}$
208 parameters	$\Delta\rho_{\text{min}} = -1.13 \text{ e \AA}^{-3}$
4 restraints	Extinction correction: SHELXL2016 (Sheldrick, 2015), $F_c^* = kFc[1 + 0.001xFc^2\lambda^3/\sin(2\theta)]^{-1/4}$
Primary atom site location: structure-invariant direct methods	Extinction coefficient: 0.0068 (2)
Secondary atom site location: difference Fourier map	

Special details

Geometry. All esds (except the esd in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell esds are taken into account individually in the estimation of esds in distances, angles and torsion angles; correlations between esds in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell esds is used for estimating esds involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$	Occ. (<1)
Tl1A	0.500000	1.000000	0.000000	0.0401 (16)	0.631 (3)
Tl1B	0.4695 (15)	0.9990 (11)	-0.0176 (13)	0.0299 (8)	0.1843 (14)
Tl2A	0.4052 (7)	0.8325 (4)	0.4667 (4)	0.0319 (6)	0.449 (3)
Tl2B	0.3531 (3)	0.8270 (4)	0.4840 (4)	0.0376 (3)	0.437 (3)
Tl2C	0.402 (3)	0.8510 (16)	0.4841 (15)	0.0286 (13)	0.114 (3)
Fe1	0.000000	0.500000	0.500000	0.00759 (10)	
Fe2	0.20590 (6)	0.72309 (5)	-0.05912 (5)	0.00754 (8)	
As1	0.45203 (4)	0.56033 (3)	0.21662 (3)	0.00716 (6)	
As2	-0.07841 (4)	0.87435 (3)	0.23460 (3)	0.00748 (6)	
As3	0.09158 (4)	0.35105 (3)	0.21621 (3)	0.00721 (6)	
O1	0.4101 (3)	0.7015 (2)	0.0441 (2)	0.0106 (4)	
O2	0.5906 (4)	0.6397 (3)	0.2680 (3)	0.0194 (5)	
O3	0.5713 (3)	0.3653 (2)	0.2221 (2)	0.0107 (4)	
O4	0.2440 (3)	0.5521 (3)	0.3531 (3)	0.0190 (5)	
O5	-0.0194 (3)	0.8151 (3)	0.0805 (2)	0.0130 (4)	
O6	-0.1590 (3)	0.7306 (2)	0.4022 (2)	0.0118 (4)	
O7	-0.2594 (3)	1.0506 (2)	0.2095 (2)	0.0108 (4)	
O8	0.1223 (3)	0.9190 (3)	0.2530 (3)	0.0173 (4)	
O9	-0.0703 (3)	0.4281 (3)	0.3527 (2)	0.0132 (4)	
O10	-0.0155 (3)	0.2336 (2)	0.1890 (2)	0.0114 (4)	
O11	0.1828 (3)	0.4911 (3)	0.0534 (2)	0.0135 (4)	
O12	0.2880 (3)	0.2007 (3)	0.2888 (3)	0.0159 (4)	
H2	0.694 (6)	0.570 (5)	0.295 (5)	0.033 (13)*	
H8	0.073100	1.037300	0.239694	0.08 (2)*	
H12	0.376 (7)	0.259 (6)	0.258 (6)	0.042 (14)*	

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Tl1A	0.060 (2)	0.0347 (7)	0.0312 (14)	-0.0317 (10)	-0.0034 (15)	-0.0060 (7)
Tl1B	0.0417 (9)	0.0227 (11)	0.0314 (14)	-0.0187 (13)	-0.0130 (8)	-0.0028 (9)
Tl2A	0.0396 (9)	0.0272 (9)	0.0211 (6)	0.0020 (7)	-0.0087 (6)	-0.0076 (4)
Tl2B	0.0433 (6)	0.0345 (5)	0.0234 (5)	-0.0040 (6)	-0.0136 (6)	0.0012 (3)
Tl2C	0.041 (4)	0.0191 (16)	0.019 (2)	0.0010 (14)	-0.010 (2)	-0.0056 (12)
Fe1	0.0087 (2)	0.0058 (2)	0.0072 (2)	-0.00065 (19)	-0.00228 (18)	-0.00170 (19)
Fe2	0.00853 (17)	0.00551 (16)	0.00764 (17)	-0.00077 (13)	-0.00218 (13)	-0.00183 (13)
As1	0.00724 (12)	0.00543 (12)	0.00788 (13)	-0.00077 (9)	-0.00187 (9)	-0.00189 (9)
As2	0.00859 (12)	0.00441 (12)	0.00832 (13)	-0.00028 (9)	-0.00242 (9)	-0.00177 (9)
As3	0.00828 (12)	0.00481 (12)	0.00847 (13)	-0.00135 (9)	-0.00238 (9)	-0.00200 (9)

O1	0.0117 (9)	0.0089 (9)	0.0088 (9)	-0.0023 (7)	-0.0047 (7)	0.0008 (7)
O2	0.0203 (11)	0.0144 (10)	0.0324 (13)	0.0006 (9)	-0.0162 (10)	-0.0123 (10)
O3	0.0101 (9)	0.0061 (8)	0.0130 (10)	0.0016 (7)	-0.0023 (7)	-0.0035 (7)
O4	0.0163 (10)	0.0165 (11)	0.0156 (11)	-0.0045 (9)	0.0068 (8)	-0.0051 (9)
O5	0.0140 (9)	0.0130 (10)	0.0124 (10)	-0.0009 (8)	-0.0019 (7)	-0.0074 (8)
O6	0.0138 (9)	0.0056 (8)	0.0092 (9)	-0.0004 (7)	-0.0024 (7)	0.0019 (7)
O7	0.0096 (9)	0.0060 (8)	0.0147 (10)	0.0008 (7)	-0.0038 (7)	-0.0028 (7)
O8	0.0149 (10)	0.0108 (10)	0.0307 (13)	-0.0015 (8)	-0.0125 (9)	-0.0070 (9)
O9	0.0114 (9)	0.0159 (10)	0.0132 (10)	0.0013 (8)	-0.0028 (7)	-0.0093 (8)
O10	0.0146 (9)	0.0081 (9)	0.0161 (10)	-0.0041 (7)	-0.0080 (8)	-0.0039 (8)
O11	0.0149 (10)	0.0080 (9)	0.0127 (10)	-0.0039 (8)	-0.0004 (7)	-0.0003 (8)
O12	0.0121 (10)	0.0119 (10)	0.0212 (11)	-0.0006 (8)	-0.0083 (8)	-0.0017 (9)

Geometric parameters (\AA , $^\circ$)

Tl1A—Tl1B ⁱ	0.327 (15)	Tl2B—O6 ⁱⁱⁱ	3.283 (3)
Tl1A—O1	2.853 (2)	Tl2B—O7 ^{vii}	3.380 (6)
Tl1A—O1 ⁱ	2.853 (2)	Tl2B—O4	3.650 (6)
Tl1A—O8 ⁱ	3.094 (3)	Tl2B—As1 ^{vi}	3.682 (3)
Tl1A—O8	3.094 (3)	Tl2B—O7 ⁱⁱⁱ	3.698 (3)
Tl1A—O2	3.227 (3)	Tl2B—O4 ^{vi}	3.833 (4)
Tl1A—O2 ⁱ	3.227 (3)	Tl2B—O12 ^{vi}	3.843 (4)
Tl1A—O7 ⁱⁱ	3.344 (2)	Tl2B—O2 ^{vi}	3.861 (4)
Tl1A—O7 ⁱⁱⁱ	3.344 (2)	Tl2B—As3 ^{viii}	3.879 (2)
Tl1A—O5 ⁱⁱ	3.543 (2)	Tl2C—O3 ^{vi}	2.711 (13)
Tl1A—O5 ⁱⁱⁱ	3.543 (2)	Tl2C—O12 ^v	2.931 (13)
Tl1A—O12 ^{iv}	3.615 (3)	Tl2C—O6 ⁱⁱⁱ	2.970 (18)
Tl1A—O12 ^v	3.615 (3)	Tl2C—O2	3.111 (12)
Tl1A—As1 ⁱ	3.7440 (14)	Tl2C—O7 ^{vii}	3.197 (12)
Tl1A—As1	3.7440 (14)	Tl2C—O8	3.258 (14)
Tl1B—Tl1B ⁱ	0.65 (3)	Tl2C—O7 ⁱⁱⁱ	3.339 (17)
Tl1B—O1	2.687 (12)	Tl2C—O12 ^{vi}	3.454 (14)
Tl1B—O8	3.014 (10)	Tl2C—O10 ^{viii}	3.478 (17)
Tl1B—O7 ⁱⁱ	3.022 (15)	Tl2C—O9 ^{viii}	3.640 (16)
Tl1B—O1 ⁱ	3.045 (14)	Tl2C—Tl2C ^{ix}	3.64 (3)
Tl1B—O2 ⁱ	3.146 (8)	Tl2C—As1 ^{vi}	3.706 (13)
Tl1B—O8 ⁱ	3.205 (11)	Tl2C—O4 ^{vi}	3.749 (14)
Tl1B—O5 ⁱⁱ	3.286 (10)	Tl2C—As2 ⁱⁱⁱ	3.794 (18)
Tl1B—O2	3.338 (8)	Fe1—O4 ^{viii}	1.942 (2)
Tl1B—O12 ^{iv}	3.477 (12)	Fe1—O4	1.942 (2)
Tl1B—O7 ⁱⁱⁱ	3.666 (15)	Fe1—O6 ^{viii}	2.015 (2)
Tl1B—As2 ⁱⁱ	3.697 (13)	Fe1—O6	2.015 (2)
Tl1B—As1	3.701 (9)	Fe1—O9	2.060 (2)
Tl1B—O12 ^v	3.775 (13)	Fe1—O9 ^{viii}	2.060 (2)
Tl1B—O5 ⁱⁱⁱ	3.810 (11)	Fe2—O5	1.946 (2)
Tl2A—O3 ^{vi}	2.804 (4)	Fe2—O11	1.970 (2)
Tl2A—O2	2.852 (4)	Fe2—O1	1.978 (2)
Tl2A—O6 ⁱⁱⁱ	2.936 (5)	Fe2—O10 ^x	2.014 (2)

Tl2A—O12 ^v	3.020 (4)	Fe2—O7 ⁱⁱ	2.044 (2)
Tl2A—O8	3.091 (5)	Fe2—O3 ^{iv}	2.065 (2)
Tl2A—O7 ⁱⁱⁱ	3.362 (5)	As1—O4	1.652 (2)
Tl2A—O7 ^{vii}	3.450 (4)	As1—O1	1.668 (2)
Tl2A—O9 ^{viii}	3.523 (5)	As1—O3	1.683 (2)
Tl2A—O10 ^{viii}	3.572 (5)	As1—O2	1.720 (2)
Tl2A—O12 ^{vi}	3.638 (5)	As2—O6	1.670 (2)
Tl2A—As1 ^{vi}	3.688 (4)	As2—O5	1.671 (2)
Tl2A—O4 ^{vi}	3.691 (4)	As2—O7	1.684 (2)
Tl2A—As2 ⁱⁱⁱ	3.763 (5)	As2—O8	1.738 (2)
Tl2A—O4	3.811 (5)	As3—O11	1.655 (2)
Tl2B—O3 ^{vi}	2.758 (4)	As3—O10	1.6730 (19)
Tl2B—O8	2.919 (4)	As3—O9	1.679 (2)
Tl2B—O2	2.982 (6)	As3—O12	1.721 (2)
Tl2B—O12 ^v	3.079 (4)	O2—H2	0.85 (3)
Tl2B—O9 ^{viii}	3.204 (4)	O8—H8	0.982 (2)
Tl2B—O10 ^{viii}	3.266 (4)	O12—H12	0.88 (3)
Tl1B ⁱ —Tl1A—O1	123.3 (15)	O5—As2—Tl1B	76.3 (2)
Tl1B ⁱ —Tl1A—O1 ⁱ	56.7 (15)	O7—As2—Tl1B	108.47 (12)
O1—Tl1A—O1 ⁱ	180.0	O8—As2—Tl1B	37.3 (2)
Tl1B ⁱ —Tl1A—O8 ⁱ	72.9 (17)	Tl1B ⁱⁱ —As2—Tl1B	118.22 (18)
O1—Tl1A—O8 ⁱ	115.26 (7)	Tl2A ^{xi} —As2—Tl1B	170.49 (16)
O1 ⁱ —Tl1A—O8 ⁱ	64.74 (7)	Tl2C ^{xi} —As2—Tl1B	166.8 (2)
Tl1B ⁱ —Tl1A—O8	107.1 (17)	Tl1A ^{xi} —As2—Tl1B	118.58 (16)
O1—Tl1A—O8	64.74 (7)	Tl2C ^{vii} —As2—Tl1B	112.2 (3)
O1 ⁱ —Tl1A—O8	115.26 (7)	Tl2B ^{xi} —As2—Tl1B	170.96 (15)
O8 ⁱ —Tl1A—O8	180.0	O6—As2—Tl2B ^{vii}	81.06 (8)
Tl1B ⁱ —Tl1A—O2	72.8 (15)	O5—As2—Tl2B ^{vii}	158.98 (8)
O1—Tl1A—O2	51.62 (6)	O7—As2—Tl2B ^{vii}	49.63 (8)
O1 ⁱ —Tl1A—O2	128.38 (6)	O8—As2—Tl2B ^{vii}	77.26 (9)
O8 ⁱ —Tl1A—O2	112.41 (7)	Tl1B ⁱⁱ —As2—Tl2B ^{vii}	99.31 (18)
O8—Tl1A—O2	67.59 (7)	Tl2A ^{xi} —As2—Tl2B ^{vii}	65.34 (6)
Tl1B ⁱ —Tl1A—O2 ⁱ	107.2 (15)	Tl2C ^{xi} —As2—Tl2B ^{vii}	61.21 (17)
O1—Tl1A—O2 ⁱ	128.39 (6)	Tl1A ^{xi} —As2—Tl2B ^{vii}	100.41 (4)
O1 ⁱ —Tl1A—O2 ⁱ	51.61 (6)	Tl2C ^{vii} —As2—Tl2B ^{vii}	6.4 (2)
O8 ⁱ —Tl1A—O2 ⁱ	67.59 (7)	Tl2B ^{xi} —As2—Tl2B ^{vii}	66.09 (10)
O8—Tl1A—O2 ⁱ	112.41 (7)	Tl1B—As2—Tl2B ^{vii}	105.92 (19)
O2—Tl1A—O2 ⁱ	180.0	O11—As3—O10	114.60 (11)
Tl1B ⁱ —Tl1A—O7 ⁱⁱ	169.8 (17)	O11—As3—O9	114.77 (11)
O1—Tl1A—O7 ⁱⁱ	52.66 (6)	O10—As3—O9	107.46 (11)
O1 ⁱ —Tl1A—O7 ⁱⁱ	127.34 (6)	O11—As3—O12	108.03 (11)
O8 ⁱ —Tl1A—O7 ⁱⁱ	99.91 (6)	O10—As3—O12	99.57 (10)
O8—Tl1A—O7 ⁱⁱ	80.09 (6)	O9—As3—O12	111.41 (11)
O2—Tl1A—O7 ⁱⁱ	104.24 (6)	O11—As3—Tl2B ^{viii}	151.04 (8)
O2 ⁱ —Tl1A—O7 ⁱⁱ	75.76 (6)	O10—As3—Tl2B ^{viii}	56.44 (11)
Tl1B ⁱ —Tl1A—O7 ⁱⁱⁱ	10.2 (17)	O9—As3—Tl2B ^{viii}	54.30 (11)
O1—Tl1A—O7 ⁱⁱⁱ	127.34 (6)	O12—As3—Tl2B ^{viii}	100.81 (9)

O1 ⁱ —Tl1A—O7 ⁱⁱⁱ	52.66 (6)	O11—As3—Tl2A ^{viii}	149.26 (9)
O8 ⁱ —Tl1A—O7 ⁱⁱⁱ	80.09 (6)	O10—As3—Tl2A ^{viii}	55.87 (9)
O8—Tl1A—O7 ⁱⁱⁱ	99.91 (6)	O9—As3—Tl2A ^{viii}	54.20 (9)
O2—Tl1A—O7 ⁱⁱⁱ	75.76 (6)	O12—As3—Tl2A ^{viii}	102.56 (9)
O2 ⁱ —Tl1A—O7 ⁱⁱⁱ	104.24 (6)	Tl2B ^{viii} —As3—Tl2A ^{viii}	1.80 (6)
O7 ⁱⁱ —Tl1A—O7 ⁱⁱⁱ	180.0	O11—As3—Tl2C ^{viii}	148.9 (2)
Tl1B ⁱ —Tl1A—O5 ⁱⁱ	143.2 (16)	O10—As3—Tl2C ^{viii}	52.14 (17)
O1—Tl1A—O5 ⁱⁱ	83.29 (6)	O9—As3—Tl2C ^{viii}	57.83 (17)
O1 ⁱ —Tl1A—O5 ⁱⁱ	96.71 (6)	O12—As3—Tl2C ^{viii}	102.3 (2)
O8 ⁱ —Tl1A—O5 ⁱⁱ	121.76 (6)	Tl2B ^{viii} —As3—Tl2C ^{viii}	4.5 (2)
O8—Tl1A—O5 ⁱⁱ	58.24 (6)	Tl2A ^{viii} —As3—Tl2C ^{viii}	3.75 (14)
O2—Tl1A—O5 ⁱⁱ	120.71 (6)	O11—As3—Tl1B ^{iv}	84.07 (15)
O2 ⁱ —Tl1A—O5 ⁱⁱ	59.29 (6)	O10—As3—Tl1B ^{iv}	69.2 (2)
O7 ⁱⁱ —Tl1A—O5 ⁱⁱ	46.78 (5)	O9—As3—Tl1B ^{iv}	159.27 (14)
O7 ⁱⁱⁱ —Tl1A—O5 ⁱⁱ	133.22 (5)	O12—As3—Tl1B ^{iv}	51.33 (18)
Tl1B ⁱ —Tl1A—O5 ⁱⁱ	36.8 (16)	Tl2B ^{viii} —As3—Tl1B ^{iv}	113.00 (17)
O1—Tl1A—O5 ⁱⁱⁱ	96.71 (6)	Tl2A ^{viii} —As3—Tl1B ^{iv}	113.69 (16)
O1 ⁱ —Tl1A—O5 ⁱⁱⁱ	83.29 (6)	Tl2C ^{viii} —As3—Tl1B ^{iv}	110.6 (2)
O8 ⁱ —Tl1A—O5 ⁱⁱⁱ	58.24 (6)	O11—As3—Tl1A ^{xiii}	84.12 (8)
O8—Tl1A—O5 ⁱⁱⁱ	121.76 (6)	O10—As3—Tl1A ^{xiii}	65.45 (7)
O2—Tl1A—O5 ⁱⁱⁱ	59.29 (6)	O9—As3—Tl1A ^{xiii}	160.59 (8)
O2 ⁱ —Tl1A—O5 ⁱⁱⁱ	120.71 (6)	O12—As3—Tl1A ^{xiii}	55.16 (8)
O7 ⁱⁱ —Tl1A—O5 ⁱⁱⁱ	133.22 (5)	Tl2B ^{viii} —As3—Tl1A ^{xiii}	111.13 (8)
O7 ⁱⁱⁱ —Tl1A—O5 ⁱⁱⁱ	46.78 (5)	Tl2A ^{viii} —As3—Tl1A ^{xiii}	111.69 (6)
O5 ⁱⁱ —Tl1A—O5 ⁱⁱⁱ	180.00 (3)	Tl2C ^{viii} —As3—Tl1A ^{xiii}	108.43 (16)
Tl1B ⁱ —Tl1A—O12 ^{iv}	117.2 (17)	Tl1B ^{iv} —As3—Tl1A ^{xiii}	4.35 (19)
O1—Tl1A—O12 ^{iv}	57.83 (6)	O11—As3—Tl1B ^{xiii}	84.20 (14)
O1 ⁱ —Tl1A—O12 ^{iv}	122.17 (6)	O10—As3—Tl1B ^{xiii}	61.76 (19)
O8 ⁱ —Tl1A—O12 ^{iv}	59.93 (6)	O9—As3—Tl1B ^{xiii}	161.02 (14)
O8—Tl1A—O12 ^{iv}	120.07 (6)	O12—As3—Tl1B ^{xiii}	58.96 (17)
O2—Tl1A—O12 ^{iv}	88.55 (6)	Tl2B ^{viii} —As3—Tl1B ^{xiii}	109.19 (17)
O2 ⁱ —Tl1A—O12 ^{iv}	91.45 (6)	Tl2A ^{viii} —As3—Tl1B ^{xiii}	109.63 (16)
O7 ⁱⁱ —Tl1A—O12 ^{iv}	52.68 (5)	Tl2C ^{viii} —As3—Tl1B ^{xiii}	106.3 (2)
O7 ⁱⁱⁱ —Tl1A—O12 ^{iv}	127.32 (5)	Tl1B ^{iv} —As3—Tl1B ^{xiii}	8.6 (4)
O5 ⁱⁱ —Tl1A—O12 ^{iv}	98.17 (5)	Tl1A ^{xiii} —As3—Tl1B ^{xiii}	4.27 (18)
O5 ⁱⁱⁱ —Tl1A—O12 ^{iv}	81.83 (5)	O11—As3—Tl2C ^{xiii}	129.0 (2)
Tl1B ⁱ —Tl1A—O12 ^v	62.8 (17)	O10—As3—Tl2C ^{xiii}	80.0 (2)
O1—Tl1A—O12 ^v	122.17 (6)	O9—As3—Tl2C ^{xiii}	104.96 (19)
O1 ⁱ —Tl1A—O12 ^v	57.83 (6)	O12—As3—Tl2C ^{xiii}	23.7 (2)
O8 ⁱ —Tl1A—O12 ^v	120.07 (6)	Tl2B ^{viii} —As3—Tl2C ^{xiii}	78.9 (2)
O8—Tl1A—O12 ^v	59.93 (6)	Tl2A ^{viii} —As3—Tl2C ^{xiii}	80.5 (2)
O2—Tl1A—O12 ^v	91.45 (6)	Tl2C ^{viii} —As3—Tl2C ^{xiii}	79.8 (4)
O2 ⁱ —Tl1A—O12 ^v	88.55 (6)	Tl1B ^{iv} —As3—Tl2C ^{xiii}	54.5 (2)
O7 ⁱⁱ —Tl1A—O12 ^v	127.32 (5)	Tl1A ^{xiii} —As3—Tl2C ^{xiii}	56.81 (16)
O7 ⁱⁱⁱ —Tl1A—O12 ^v	52.68 (5)	Tl1B ^{xiii} —As3—Tl2C ^{xiii}	59.2 (2)
O5 ⁱⁱ —Tl1A—O12 ^v	81.83 (5)	O11—As3—Tl2B ^{xiii}	132.75 (8)
O5 ⁱⁱⁱ —Tl1A—O12 ^v	98.17 (5)	O10—As3—Tl2B ^{xiii}	74.02 (9)
O12 ^{iv} —Tl1A—O12 ^v	180.00 (6)	O9—As3—Tl2B ^{xiii}	104.89 (10)

Tl1B ⁱ —Tl1A—As1 ⁱ	79.9 (15)	O12—As3—Tl2B ^{xiii}	29.66 (8)
O1—Tl1A—As1 ⁱ	155.08 (4)	Tl2B ^{viii} —As3—Tl2B ^{xiii}	74.28 (6)
O1 ⁱ —Tl1A—As1 ⁱ	24.92 (4)	Tl2A ^{viii} —As3—Tl2B ^{xiii}	75.87 (6)
O8 ⁱ —Tl1A—As1 ⁱ	59.16 (5)	Tl2C ^{viii} —As3—Tl2B ^{xiii}	74.87 (19)
O8—Tl1A—As1 ⁱ	120.84 (5)	Tl1B ^{iv} —As3—Tl2B ^{xiii}	54.38 (13)
O2—Tl1A—As1 ⁱ	152.70 (4)	Tl1A ^{xiii} —As3—Tl2B ^{xiii}	56.21 (6)
O2 ⁱ —Tl1A—As1 ⁱ	27.30 (4)	Tl1B ^{xiii} —As3—Tl2B ^{xiii}	58.18 (13)
O7 ⁱⁱ —Tl1A—As1 ⁱ	102.87 (4)	Tl2C ^{xiii} —As3—Tl2B ^{xiii}	6.2 (2)
O7 ⁱⁱⁱ —Tl1A—As1 ⁱ	77.13 (4)	As1—O1—Fe2	126.13 (11)
O5 ⁱⁱ —Tl1A—As1 ⁱ	81.04 (5)	As1—O1—Tl1B	114.3 (3)
O5 ⁱⁱⁱ —Tl1A—As1 ⁱ	98.96 (5)	Fe2—O1—Tl1B	111.4 (3)
O12 ^{iv} —Tl1A—As1 ⁱ	105.49 (5)	As1—O1—Tl1A	108.97 (9)
O12 ^v —Tl1A—As1 ⁱ	74.51 (5)	Fe2—O1—Tl1A	117.26 (9)
Tl1B ⁱ —Tl1A—As1	100.1 (15)	Tl1B—O1—Tl1A	5.8 (2)
O1—Tl1A—As1	24.92 (4)	As1—O1—Tl1B ⁱ	104.2 (2)
O1 ⁱ —Tl1A—As1	155.08 (4)	Fe2—O1—Tl1B ⁱ	122.4 (2)
O8 ⁱ —Tl1A—As1	120.84 (5)	Tl1B—O1—Tl1B ⁱ	11.0 (4)
O8—Tl1A—As1	59.16 (5)	Tl1A—O1—Tl1B ⁱ	5.16 (19)
O2—Tl1A—As1	27.30 (4)	As1—O1—Tl2A	55.90 (7)
O2 ⁱ —Tl1A—As1	152.70 (4)	Fe2—O1—Tl2A	135.14 (10)
O7 ⁱⁱ —Tl1A—As1	77.13 (4)	Tl1B—O1—Tl2A	61.8 (3)
O7 ⁱⁱⁱ —Tl1A—As1	102.87 (4)	Tl1A—O1—Tl2A	57.72 (6)
O5 ⁱⁱ —Tl1A—As1	98.96 (5)	Tl1B ⁱ —O1—Tl2A	54.3 (2)
O5 ⁱⁱⁱ —Tl1A—As1	81.04 (5)	As1—O1—Tl2B	55.35 (7)
O12 ^{iv} —Tl1A—As1	74.51 (5)	Fe2—O1—Tl2B	131.07 (8)
O12 ^v —Tl1A—As1	105.49 (5)	Tl1B—O1—Tl2B	64.2 (3)
As1 ⁱ —Tl1A—As1	180.0	Tl1A—O1—Tl2B	60.43 (5)
Tl1B ⁱ —Tl1B—O1	117.4 (14)	Tl1B ⁱ —O1—Tl2B	57.3 (2)
Tl1B ⁱ —Tl1B—O8	101.1 (18)	Tl2A—O1—Tl2B	4.56 (6)
O1—Tl1B—O8	67.8 (3)	As1—O1—Tl2C	56.97 (16)
Tl1B ⁱ —Tl1B—O7 ⁱⁱ	168.7 (18)	Fe2—O1—Tl2C	134.8 (2)
O1—Tl1B—O7 ⁱⁱ	58.0 (3)	Tl1B—O1—Tl2C	60.8 (3)
O8—Tl1B—O7 ⁱⁱ	86.8 (3)	Tl1A—O1—Tl2C	56.75 (17)
Tl1B ⁱ —Tl1B—O1 ⁱ	51.6 (15)	Tl1B ⁱ —O1—Tl2C	53.4 (3)
O1—Tl1B—O1 ⁱ	169.0 (4)	Tl2A—O1—Tl2C	1.07 (18)
O8—Tl1B—O1 ⁱ	112.0 (4)	Tl2B—O1—Tl2C	4.9 (2)
O7 ⁱⁱ —Tl1B—O1 ⁱ	132.7 (3)	As1—O1—Tl2C ^{xii}	150.86 (17)
Tl1B ⁱ —Tl1B—O2 ⁱ	101.5 (16)	Fe2—O1—Tl2C ^{xii}	47.1 (2)
O1—Tl1B—O2 ⁱ	139.6 (5)	Tl1B—O1—Tl2C ^{xii}	91.3 (3)
O8—Tl1B—O2 ⁱ	117.0 (2)	Tl1A—O1—Tl2C ^{xii}	95.80 (16)
O7 ⁱⁱ —Tl1B—O2 ⁱ	81.7 (3)	Tl1B ⁱ —O1—Tl2C ^{xii}	99.8 (3)
O1 ⁱ —Tl1B—O2 ⁱ	51.03 (17)	Tl2A—O1—Tl2C ^{xii}	152.55 (13)
Tl1B ⁱ —Tl1B—O8 ⁱ	67.3 (17)	Tl2B—O1—Tl2C ^{xii}	153.67 (13)
O1—Tl1B—O8 ⁱ	116.7 (3)	Tl2C—O1—Tl2C ^{xii}	151.5 (3)
O8—Tl1B—O8 ⁱ	168.4 (5)	As1—O1—Tl2A ⁱ	151.74 (10)
O7 ⁱⁱ —Tl1B—O8 ⁱ	104.7 (4)	Fe2—O1—Tl2A ⁱ	81.86 (8)
O1 ⁱ —Tl1B—O8 ⁱ	61.3 (2)	Tl1B—O1—Tl2A ⁱ	47.4 (3)
O2 ⁱ —Tl1B—O8 ⁱ	67.3 (2)	Tl1A—O1—Tl2A ⁱ	51.24 (6)

Tl1B ⁱ —Tl1B—O5 ⁱⁱ	139.8 (18)	Tl1B ⁱ —O1—Tl2A ⁱ	54.8 (2)
O1—Tl1B—O5 ⁱⁱ	91.0 (4)	Tl2A—O1—Tl2A ⁱ	108.96 (6)
O8—Tl1B—O5 ⁱⁱ	62.0 (2)	Tl2B—O1—Tl2A ⁱ	111.56 (8)
O7 ⁱⁱ —Tl1B—O5 ⁱⁱ	51.3 (2)	Tl2C—O1—Tl2A ⁱ	107.99 (18)
O1 ⁱ —Tl1B—O5 ⁱⁱ	98.6 (2)	Tl2C ^{xii} —O1—Tl2A ⁱ	45.12 (17)
O2 ⁱ —Tl1B—O5 ⁱⁱ	62.93 (16)	As1—O1—Tl2C ⁱ	153.1 (2)
O8 ⁱ —Tl1B—O5 ⁱⁱ	126.7 (3)	Fe2—O1—Tl2C ⁱ	80.01 (19)
Tl1B ⁱ —Tl1B—O2	67.4 (14)	Tl1B—O1—Tl2C ⁱ	50.5 (3)
O1—Tl1B—O2	51.18 (14)	Tl1A—O1—Tl2C ⁱ	54.32 (13)
O8—Tl1B—O2	67.03 (19)	Tl1B ⁱ —O1—Tl2C ⁱ	57.9 (3)
O7 ⁱⁱ —Tl1B—O2	109.2 (4)	Tl2A—O1—Tl2C ⁱ	112.04 (15)
O1 ⁱ —Tl1B—O2	118.1 (4)	Tl2B—O1—Tl2C ⁱ	114.66 (15)
O2 ⁱ —Tl1B—O2	168.9 (5)	Tl2C—O1—Tl2C ⁱ	111.07 (16)
O8 ⁱ —Tl1B—O2	106.8 (2)	Tl2C ^{xii} —O1—Tl2C ⁱ	42.2 (3)
O5 ⁱⁱ —Tl1B—O2	125.3 (3)	Tl2A ⁱ —O1—Tl2C ⁱ	3.11 (12)
Tl1B ⁱ —Tl1B—O12 ^{iv}	112.4 (17)	As1—O2—Tl2A	120.80 (15)
O1—Tl1B—O12 ^{iv}	60.9 (3)	As1—O2—Tl2B	114.06 (13)
O8—Tl1B—O12 ^{iv}	127.2 (4)	Tl2A—O2—Tl2B	6.91 (12)
O7 ⁱⁱ —Tl1B—O12 ^{iv}	56.4 (2)	As1—O2—Tl2C	122.7 (3)
O1 ⁱ —Tl1B—O12 ^{iv}	120.7 (3)	Tl2A—O2—Tl2C	1.9 (4)
O2 ⁱ —Tl1B—O12 ^{iv}	95.5 (3)	Tl2B—O2—Tl2C	8.8 (3)
O8 ⁱ —Tl1B—O12 ^{iv}	60.63 (19)	As1—O2—Tl1B ⁱ	99.0 (3)
O5 ⁱⁱ —Tl1B—O12 ^{iv}	106.2 (4)	Tl2A—O2—Tl1B ⁱ	79.2 (2)
O2—Tl1B—O12 ^{iv}	89.1 (2)	Tl2B—O2—Tl1B ⁱ	81.3 (2)
Tl1B ⁱ —Tl1B—O7 ⁱⁱⁱ	9.3 (16)	Tl2C—O2—Tl1B ⁱ	79.2 (3)
O1—Tl1B—O7 ⁱⁱⁱ	121.3 (3)	As1—O2—Tl1A	93.34 (9)
O8—Tl1B—O7 ⁱⁱⁱ	94.6 (3)	Tl2A—O2—Tl1A	81.85 (9)
O7 ⁱⁱ —Tl1B—O7 ⁱⁱⁱ	178.0 (3)	Tl2B—O2—Tl1A	83.31 (8)
O1 ⁱ —Tl1B—O7 ⁱⁱⁱ	47.9 (2)	Tl2C—O2—Tl1A	81.9 (2)
O2 ⁱ —Tl1B—O7 ⁱⁱⁱ	98.9 (4)	Tl1B ⁱ —O2—Tl1A	5.7 (3)
O8 ⁱ —Tl1B—O7 ⁱⁱⁱ	73.9 (3)	As1—O2—Tl1B	88.0 (3)
O5 ⁱⁱ —Tl1B—O7 ⁱⁱⁱ	130.7 (3)	Tl2A—O2—Tl1B	84.3 (2)
O2—Tl1B—O7 ⁱⁱⁱ	70.2 (2)	Tl2B—O2—Tl1B	85.2 (2)
O12 ^{iv} —Tl1B—O7 ⁱⁱⁱ	121.6 (3)	Tl2C—O2—Tl1B	84.6 (3)
Tl1B ⁱ —Tl1B—As2 ⁱⁱ	162.4 (16)	Tl1B ⁱ —O2—Tl1B	11.1 (5)
O1—Tl1B—As2 ⁱⁱ	79.5 (4)	Tl1A—O2—Tl1B	5.4 (3)
O8—Tl1B—As2 ⁱⁱ	80.1 (3)	As1—O2—Tl2B ^{vi}	71.06 (10)
O7 ⁱⁱ —Tl1B—As2 ⁱⁱ	26.69 (11)	Tl2A—O2—Tl2B ^{vi}	109.95 (13)
O1 ⁱ —Tl1B—As2 ⁱⁱ	111.5 (2)	Tl2B—O2—Tl2B ^{vi}	107.08 (11)
O2 ⁱ —Tl1B—As2 ⁱⁱ	63.25 (18)	Tl2C—O2—Tl2B ^{vi}	110.3 (3)
O8 ⁱ —Tl1B—As2 ⁱⁱ	110.9 (3)	Tl1B ⁱ —O2—Tl2B ^{vi}	168.9 (3)
O5 ⁱⁱ —Tl1B—As2 ⁱⁱ	26.86 (11)	Tl1A—O2—Tl2B ^{vi}	163.67 (10)
O2—Tl1B—As2 ⁱⁱ	127.7 (4)	Tl1B—O2—Tl2B ^{vi}	158.5 (3)
O12 ^{iv} —Tl1B—As2 ⁱⁱ	79.4 (3)	As1—O2—Tl2A ^{vi}	67.86 (10)
O7 ⁱⁱ —Tl1B—As2 ⁱⁱ	155.0 (3)	Tl2A—O2—Tl2A ^{vi}	107.71 (11)
Tl1B ⁱ —Tl1B—As1	95.1 (14)	Tl2B—O2—Tl2A ^{vi}	104.32 (10)
O1—Tl1B—As1	24.26 (9)	Tl2C—O2—Tl2A ^{vi}	108.2 (3)
O8—Tl1B—As1	60.26 (18)	Tl1B ⁱ —O2—Tl2A ^{vi}	166.9 (3)

O7 ⁱⁱ —Tl1B—As1	81.8 (3)	Tl1A—O2—Tl2A ^{vi}	161.19 (9)
O1 ⁱ —Tl1B—As1	145.5 (4)	Tl1B—O2—Tl2A ^{vi}	155.8 (3)
O2 ⁱ —Tl1B—As1	163.4 (5)	Tl2B ^{vi} —O2—Tl2A ^{vi}	5.22 (6)
O8 ⁱ —Tl1B—As1	119.0 (2)	As1—O2—Tl2C ^{vi}	65.1 (2)
O5 ⁱⁱ —Tl1B—As1	104.8 (3)	Tl2A—O2—Tl2C ^{vi}	111.0 (2)
O2—Tl1B—As1	27.68 (8)	Tl2B—O2—Tl2C ^{vi}	107.5 (2)
O12 ^{iv} —Tl1B—As1	76.7 (2)	Tl2C—O2—Tl2C ^{vi}	111.5 (2)
O7 ⁱⁱⁱ —Tl1B—As1	97.7 (2)	Tl1B ⁱ —O2—Tl2C ^{vi}	163.8 (3)
As2 ⁱⁱ —Tl1B—As1	100.6 (3)	Tl1A—O2—Tl2C ^{vi}	158.2 (2)
Tl1B ⁱ —Tl1B—O12 ^v	58.4 (17)	Tl1B—O2—Tl2C ^{vi}	152.9 (3)
O1—Tl1B—O12 ^v	121.9 (3)	Tl2B ^{vi} —O2—Tl2C ^{vi}	6.2 (2)
O8—Tl1B—O12 ^v	58.5 (2)	Tl2A ^{vi} —O2—Tl2C ^{vi}	3.62 (15)
O7 ⁱⁱ —Tl1B—O12 ^v	132.8 (3)	As1—O2—H2	113 (3)
O1 ⁱ —Tl1B—O12 ^v	54.7 (2)	Tl2A—O2—H2	111 (3)
O2 ⁱ —Tl1B—O12 ^v	87.0 (3)	Tl2B—O2—H2	114 (3)
O8 ⁱ —Tl1B—O12 ^v	112.6 (4)	Tl2C—O2—H2	109 (3)
O5 ⁱⁱ —Tl1B—O12 ^v	82.9 (2)	Tl1B ⁱ —O2—H2	131 (3)
O2—Tl1B—O12 ^v	87.0 (3)	Tl1A—O2—H2	135 (3)
O12 ^{iv} —Tl1B—O12 ^v	170.8 (4)	Tl1B—O2—H2	139 (3)
O7 ⁱⁱⁱ —Tl1B—O12 ^v	49.2 (2)	Tl2B ^{vi} —O2—H2	52 (3)
As2 ⁱⁱ —Tl1B—O12 ^v	109.6 (2)	Tl2A ^{vi} —O2—H2	58 (3)
As1—Tl1B—O12 ^v	103.2 (3)	Tl2C ^{vi} —O2—H2	58 (3)
Tl1B ⁱ —Tl1B—O5 ⁱⁱⁱ	33.9 (14)	As1—O3—Fe2 ^{iv}	131.25 (12)
O1—Tl1B—O5 ⁱⁱⁱ	93.69 (19)	As1—O3—Tl2C ^{vi}	112.9 (3)
O8—Tl1B—O5 ⁱⁱⁱ	116.0 (3)	Fe2 ^{iv} —O3—Tl2C ^{vi}	110.1 (3)
O7 ⁱⁱ —Tl1B—O5 ⁱⁱⁱ	135.1 (3)	As1—O3—Tl2B ^{vi}	109.61 (14)
O1 ⁱ —Tl1B—O5 ⁱⁱⁱ	76.4 (3)	Fe2 ^{iv} —O3—Tl2B ^{vi}	108.65 (11)
O2 ⁱ —Tl1B—O5 ⁱⁱⁱ	115.3 (3)	Tl2C ^{vi} —O3—Tl2B ^{vi}	10.1 (4)
O8 ⁱ —Tl1B—O5 ⁱⁱⁱ	54.44 (17)	As1—O3—Tl2A ^{vi}	107.96 (12)
O5 ⁱⁱ —Tl1B—O5 ⁱⁱⁱ	173.6 (5)	Fe2 ^{iv} —O3—Tl2A ^{vi}	113.66 (11)
O2—Tl1B—O5 ⁱⁱⁱ	55.60 (15)	Tl2C ^{vi} —O3—Tl2A ^{vi}	5.4 (2)
O12 ^{iv} —Tl1B—O5 ⁱⁱⁱ	79.93 (17)	Tl2B ^{vi} —O3—Tl2A ^{vi}	7.66 (10)
O7 ⁱⁱⁱ —Tl1B—O5 ⁱⁱⁱ	42.95 (15)	As1—O3—Tl1B ^{iv}	135.47 (14)
As2 ⁱⁱ —Tl1B—O5 ⁱⁱⁱ	159.0 (4)	Fe2 ^{iv} —O3—Tl1B ^{iv}	55.10 (13)
As1—Tl1B—O5 ⁱⁱⁱ	78.19 (14)	Tl2C ^{vi} —O3—Tl1B ^{iv}	98.4 (3)
O12 ^v —Tl1B—O5 ⁱⁱⁱ	91.0 (3)	Tl2B ^{vi} —O3—Tl1B ^{iv}	106.05 (16)
O3 ^{vi} —Tl2A—O2	110.62 (13)	Tl2A ^{vi} —O3—Tl1B ^{iv}	103.81 (15)
O3 ^{vi} —Tl2A—O6 ⁱⁱⁱ	84.49 (12)	As1—O3—Tl2C ^{xiii}	134.1 (2)
O2—Tl2A—O6 ⁱⁱⁱ	63.62 (10)	Fe2 ^{iv} —O3—Tl2C ^{xiii}	91.18 (19)
O3 ^{vi} —Tl2A—O12 ^v	135.34 (15)	Tl2C ^{vi} —O3—Tl2C ^{xiii}	51.0 (4)
O2—Tl2A—O12 ^v	113.29 (14)	Tl2B ^{vi} —O3—Tl2C ^{xiii}	60.46 (16)
O6 ⁱⁱⁱ —Tl2A—O12 ^v	107.85 (16)	Tl2A ^{vi} —O3—Tl2C ^{xiii}	55.88 (18)
O3 ^{vi} —Tl2A—O8	136.34 (18)	Tl1B ^{iv} —O3—Tl2C ^{xiii}	50.50 (18)
O2—Tl2A—O8	72.45 (11)	As1—O3—Tl2A ^{xiii}	135.71 (10)
O6 ⁱⁱⁱ —Tl2A—O8	129.21 (14)	Fe2 ^{iv} —O3—Tl2A ^{xiii}	88.82 (8)
O12 ^v —Tl2A—O8	67.16 (10)	Tl2C ^{vi} —O3—Tl2A ^{xiii}	53.5 (3)
O3 ^{vi} —Tl2A—O7 ⁱⁱⁱ	124.09 (17)	Tl2B ^{vi} —O3—Tl2A ^{xiii}	62.88 (9)
O2—Tl2A—O7 ⁱⁱⁱ	80.54 (12)	Tl2A ^{vi} —O3—Tl2A ^{xiii}	58.48 (13)

O6 ⁱⁱⁱ —Tl2A—O7 ⁱⁱⁱ	50.58 (9)	Tl1B ^{iv} —O3—Tl2A ^{xiii}	47.62 (12)
O12 ^v —Tl2A—O7 ⁱⁱⁱ	57.75 (9)	Tl2C ^{xiii} —O3—Tl2A ^{xiii}	2.89 (14)
O8—Tl2A—O7 ⁱⁱⁱ	99.55 (11)	As1—O3—Tl1A ^{xiii}	132.86 (9)
O3 ^{vi} —Tl2A—O7 ^{vii}	51.02 (8)	Fe2 ^{iv} —O3—Tl1A ^{xiii}	56.68 (5)
O2—Tl2A—O7 ^{vii}	161.15 (13)	Tl2C ^{vi} —O3—Tl1A ^{xiii}	100.0 (3)
O6 ⁱⁱⁱ —Tl2A—O7 ^{vii}	106.12 (14)	Tl2B ^{vi} —O3—Tl1A ^{xiii}	107.82 (12)
O12 ^v —Tl2A—O7 ^{vii}	84.49 (11)	Tl2A ^{vi} —O3—Tl1A ^{xiii}	105.31 (10)
O8—Tl2A—O7 ^{vii}	122.69 (13)	Tl1B ^{iv} —O3—Tl1A ^{xiii}	2.65 (11)
O7 ⁱⁱⁱ —Tl2A—O7 ^{vii}	105.65 (13)	Tl2C ^{xiii} —O3—Tl1A ^{xiii}	51.31 (14)
O3 ^{vi} —Tl2A—O9 ^{viii}	67.53 (10)	Tl2A ^{xiii} —O3—Tl1A ^{xiii}	48.45 (5)
O2—Tl2A—O9 ^{viii}	84.95 (13)	As1—O3—Tl2B ^{xiii}	132.28 (9)
O6 ⁱⁱⁱ —Tl2A—O9 ^{viii}	127.21 (12)	Fe2 ^{iv} —O3—Tl2B ^{xiii}	91.64 (8)
O12 ^v —Tl2A—O9 ^{viii}	123.73 (15)	Tl2C ^{vi} —O3—Tl2B ^{xiii}	54.3 (3)
O8—Tl2A—O9 ^{viii}	69.50 (12)	Tl2B ^{vi} —O3—Tl2B ^{xiii}	63.88 (13)
O7 ⁱⁱⁱ —Tl2A—O9 ^{viii}	164.03 (13)	Tl2A ^{vi} —O3—Tl2B ^{xiii}	59.06 (9)
O7 ^{vii} —Tl2A—O9 ^{viii}	90.22 (11)	Tl1B ^{iv} —O3—Tl2B ^{xiii}	48.44 (13)
O3 ^{vi} —Tl2A—O10 ^{viii}	50.72 (8)	Tl2C ^{xiii} —O3—Tl2B ^{xiii}	3.8 (2)
O2—Tl2A—O10 ^{viii}	129.09 (16)	Tl2A ^{xiii} —O3—Tl2B ^{xiii}	3.54 (5)
O6 ⁱⁱⁱ —Tl2A—O10 ^{viii}	135.10 (13)	Tl1A ^{xiii} —O3—Tl2B ^{xiii}	49.07 (6)
O12 ^v —Tl2A—O10 ^{viii}	103.61 (12)	As1—O3—Tl1B	26.48 (12)
O8—Tl2A—O10 ^{viii}	92.25 (13)	Fe2 ^{iv} —O3—Tl1B	105.07 (14)
O7 ⁱⁱⁱ —Tl2A—O10 ^{viii}	150.35 (13)	Tl2C ^{vi} —O3—Tl1B	131.6 (3)
O7 ^{vii} —Tl2A—O10 ^{viii}	46.17 (7)	Tl2B ^{vi} —O3—Tl1B	124.7 (2)
O9 ^{viii} —Tl2A—O10 ^{viii}	44.78 (7)	Tl2A ^{vi} —O3—Tl1B	126.15 (18)
O3 ^{vi} —Tl2A—O12 ^{vi}	48.01 (9)	Tl1B ^{iv} —O3—Tl1B	129.18 (12)
O2—Tl2A—O12 ^{vi}	114.65 (14)	Tl2C ^{xiii} —O3—Tl1B	158.3 (2)
O6 ⁱⁱⁱ —Tl2A—O12 ^{vi}	54.68 (9)	Tl2A ^{xiii} —O3—Tl1B	158.75 (14)
O12 ^v —Tl2A—O12 ^{vi}	104.24 (13)	Tl1A ^{xiii} —O3—Tl1B	127.28 (17)
O8—Tl2A—O12 ^{vi}	171.01 (13)	Tl2B ^{xiii} —O3—Tl1B	155.26 (13)
O7 ⁱⁱⁱ —Tl2A—O12 ^{vi}	76.97 (12)	As1—O3—Tl1B ^{xiii}	130.50 (12)
O7 ^{vii} —Tl2A—O12 ^{vi}	51.73 (8)	Fe2 ^{iv} —O3—Tl1B ^{xiii}	58.15 (12)
O9 ^{viii} —Tl2A—O12 ^{vi}	115.55 (11)	Tl2C ^{vi} —O3—Tl1B ^{xiii}	101.3 (3)
O10 ^{viii} —Tl2A—O12 ^{vi}	87.20 (9)	Tl2B ^{vi} —O3—Tl1B ^{xiii}	109.41 (15)
O3 ^{vi} —Tl2A—As1 ^{vi}	25.72 (5)	Tl2A ^{vi} —O3—Tl1B ^{xiii}	106.65 (14)
O2—Tl2A—As1 ^{vi}	84.90 (10)	Tl1B ^{iv} —O3—Tl1B ^{xiii}	5.04 (19)
O6 ⁱⁱⁱ —Tl2A—As1 ^{vi}	72.19 (9)	Tl2C ^{xiii} —O3—Tl1B ^{xiii}	52.12 (17)
O12 ^v —Tl2A—As1 ^{vi}	160.16 (14)	Tl2A ^{xiii} —O3—Tl1B ^{xiii}	49.29 (11)
O8—Tl2A—As1 ^{vi}	128.92 (15)	Tl1A ^{xiii} —O3—Tl1B ^{xiii}	2.40 (9)
O7 ⁱⁱⁱ —Tl2A—As1 ^{vi}	121.50 (13)	Tl2B ^{xiii} —O3—Tl1B ^{xiii}	49.72 (12)
O7 ^{vii} —Tl2A—As1 ^{vi}	76.68 (8)	Tl1B—O3—Tl1B ^{xiii}	125.5 (2)
O9 ^{viii} —Tl2A—As1 ^{vi}	63.26 (8)	As1—O4—Fe1	166.48 (15)
O10 ^{viii} —Tl2A—As1 ^{vi}	67.47 (8)	As1—O4—Tl2B	89.90 (10)
O12 ^{vi} —Tl2A—As1 ^{vi}	58.90 (7)	Fe1—O4—Tl2B	103.33 (9)
O3 ^{vi} —Tl2A—O4 ^{vi}	46.68 (8)	As1—O4—Tl2A ^{vi}	76.96 (11)
O2—Tl2A—O4 ^{vi}	68.41 (9)	Fe1—O4—Tl2A ^{vi}	98.20 (11)
O6 ⁱⁱⁱ —Tl2A—O4 ^{vi}	47.49 (8)	Tl2B—O4—Tl2A ^{vi}	97.68 (9)
O12 ^v —Tl2A—O4 ^{vi}	153.38 (18)	As1—O4—Tl2C ^{vi}	75.8 (3)
O8—Tl2A—O4 ^{vi}	133.41 (14)	Fe1—O4—Tl2C ^{vi}	98.5 (3)

O7 ⁱⁱⁱ —Tl2A—O4 ^{vi}	97.99 (12)	Tl2B—O4—Tl2C ^{vi}	101.6 (2)
O7 ^{vii} —Tl2A—O4 ^{vi}	92.92 (10)	Tl2A ^{vi} —O4—Tl2C ^{vi}	4.18 (17)
O9 ^{viii} —Tl2A—O4 ^{vi}	82.69 (9)	As1—O4—Tl2A	84.81 (11)
O10 ^{viii} —Tl2A—O4 ^{vi}	93.26 (10)	Fe1—O4—Tl2A	108.35 (11)
O12 ^{vi} —Tl2A—O4 ^{vi}	55.57 (8)	Tl2B—O4—Tl2A	5.20 (7)
As1 ^{vi} —Tl2A—O4 ^{vi}	25.87 (4)	Tl2A ^{vi} —O4—Tl2A	95.45 (10)
O3 ^{vi} —Tl2A—As2 ⁱⁱⁱ	107.80 (14)	Tl2C ^{vi} —O4—Tl2A	99.3 (2)
O2—Tl2A—As2 ⁱⁱⁱ	64.63 (10)	As1—O4—Tl2B ^{vi}	72.21 (9)
O6 ⁱⁱⁱ —Tl2A—As2 ⁱⁱⁱ	25.22 (6)	Fe1—O4—Tl2B ^{vi}	103.35 (9)
O12 ^v —Tl2A—As2 ⁱⁱⁱ	84.29 (12)	Tl2B—O4—Tl2B ^{vi}	95.21 (11)
O8—Tl2A—As2 ⁱⁱⁱ	111.92 (11)	Tl2A ^{vi} —O4—Tl2B ^{vi}	5.28 (8)
O7 ⁱⁱⁱ —Tl2A—As2 ⁱⁱⁱ	26.59 (5)	Tl2C ^{vi} —O4—Tl2B ^{vi}	7.2 (3)
O7 ^{vii} —Tl2A—As2 ⁱⁱⁱ	113.46 (13)	Tl2A—O4—Tl2B ^{vi}	92.62 (11)
O9 ^{viii} —Tl2A—As2 ⁱⁱⁱ	145.94 (11)	As1—O4—Tl2C	86.4 (3)
O10 ^{viii} —Tl2A—As2 ⁱⁱⁱ	155.68 (13)	Fe1—O4—Tl2C	106.8 (2)
O12 ^{vi} —Tl2A—As2 ⁱⁱⁱ	68.51 (9)	Tl2B—O4—Tl2C	3.7 (3)
As1 ^{vi} —Tl2A—As2 ⁱⁱⁱ	97.41 (10)	Tl2A ^{vi} —O4—Tl2C	95.8 (2)
O4 ^{vi} —Tl2A—As2 ⁱⁱⁱ	72.43 (9)	Tl2C ^{vi} —O4—Tl2C	99.6 (2)
O3 ^{vi} —Tl2A—O4	100.56 (13)	Tl2A—O4—Tl2C	1.6 (3)
O2—Tl2A—O4	44.83 (9)	Tl2B ^{vi} —O4—Tl2C	93.1 (2)
O6 ⁱⁱⁱ —Tl2A—O4	105.38 (11)	As1—O4—Tl1B	50.23 (13)
O12 ^v —Tl2A—O4	116.01 (13)	Fe1—O4—Tl1B	139.29 (14)
O8—Tl2A—O4	49.45 (9)	Tl2B—O4—Tl1B	62.09 (19)
O7 ⁱⁱⁱ —Tl2A—O4	120.12 (11)	Tl2A ^{vi} —O4—Tl1B	120.48 (15)
O7 ^{vii} —Tl2A—O4	134.10 (14)	Tl2C ^{vi} —O4—Tl1B	121.0 (3)
O9 ^{viii} —Tl2A—O4	43.94 (7)	Tl2A—O4—Tl1B	59.2 (2)
O10 ^{viii} —Tl2A—O4	88.11 (12)	Tl2B ^{vi} —O4—Tl1B	115.20 (13)
O12 ^{vi} —Tl2A—O4	139.43 (11)	Tl2C—O4—Tl1B	60.4 (3)
As1 ^{vi} —Tl2A—O4	82.21 (9)	As1—O4—Tl1A	49.70 (7)
O4 ^{vi} —Tl2A—O4	84.55 (10)	Fe1—O4—Tl1A	140.71 (10)
As2 ⁱⁱⁱ —Tl2A—O4	109.33 (10)	Tl2B—O4—Tl1A	58.81 (5)
O3 ^{vi} —Tl2A—Tl1B ⁱ	161.45 (17)	Tl2A ^{vi} —O4—Tl1A	117.68 (9)
O2—Tl2A—Tl1B ⁱ	53.76 (17)	Tl2C ^{vi} —O4—Tl1A	118.5 (3)
O6 ⁱⁱⁱ —Tl2A—Tl1B ⁱ	79.28 (18)	Tl2A—O4—Tl1A	55.77 (6)
O12 ^v —Tl2A—Tl1B ⁱ	59.60 (16)	Tl2B ^{vi} —O4—Tl1A	112.41 (7)
O8—Tl2A—Tl1B ⁱ	53.9 (2)	Tl2C—O4—Tl1A	56.96 (19)
O7 ⁱⁱⁱ —Tl2A—Tl1B ⁱ	49.1 (2)	Tl1B—O4—Tl1A	4.04 (18)
O7 ^{vii} —Tl2A—Tl1B ⁱ	143.0 (2)	As1—O4—Tl1B ⁱ	49.42 (13)
O9 ^{viii} —Tl2A—Tl1B ⁱ	116.1 (2)	Fe1—O4—Tl1B ⁱ	141.78 (14)
O10 ^{viii} —Tl2A—Tl1B ⁱ	145.3 (2)	Tl2B—O4—Tl1B ⁱ	55.70 (18)
O12 ^{vi} —Tl2A—Tl1B ⁱ	124.9 (2)	Tl2A ^{vi} —O4—Tl1B ⁱ	114.90 (14)
As1 ^{vi} —Tl2A—Tl1B ⁱ	137.33 (16)	Tl2C ^{vi} —O4—Tl1B ⁱ	115.9 (3)
O4 ^{vi} —Tl2A—Tl1B ⁱ	114.80 (15)	Tl2A—O4—Tl1B ⁱ	52.46 (19)
As2 ⁱⁱⁱ —Tl2A—Tl1B ⁱ	58.25 (19)	Tl2B ^{vi} —O4—Tl1B ⁱ	109.66 (13)
O4—Tl2A—Tl1B ⁱ	75.5 (2)	Tl2C—O4—Tl1B ⁱ	53.7 (3)
O3 ^{vi} —Tl2B—O8	149.22 (12)	Tl1B—O4—Tl1B ⁱ	7.9 (3)
O3 ^{vi} —Tl2B—O2	108.16 (12)	Tl1A—O4—Tl1B ⁱ	3.91 (17)
O8—Tl2B—O2	73.17 (13)	As2—O5—Fe2	142.35 (13)

O3 ^{vi} —Tl2B—O12 ^v	134.7 (2)	As2—O5—Tl1B ⁱⁱ	90.4 (3)
O8—Tl2B—O12 ^v	68.56 (8)	Fe2—O5—Tl1B ⁱⁱ	126.1 (2)
O2—Tl2B—O12 ^v	108.07 (11)	As2—O5—Tl1A ^{xi}	93.59 (9)
O3 ^{vi} —Tl2B—O9 ^{viii}	73.06 (8)	Fe2—O5—Tl1A ^{xi}	123.14 (9)
O8—Tl2B—O9 ^{viii}	76.24 (10)	Tl1B ⁱⁱ —O5—Tl1A ^{xi}	3.4 (2)
O2—Tl2B—O9 ^{viii}	88.85 (14)	As2—O5—Tl1B ^{xi}	96.3 (2)
O12 ^v —Tl2B—O9 ^{viii}	133.58 (9)	Fe2—O5—Tl1B ^{xi}	120.6 (2)
O3 ^{vi} —Tl2B—O10 ^{viii}	54.99 (8)	Tl1B ⁱⁱ —O5—Tl1B ^{xi}	6.4 (5)
O8—Tl2B—O10 ^{viii}	102.08 (8)	Tl1A ^{xi} —O5—Tl1B ^{xi}	3.0 (2)
O2—Tl2B—O10 ^{viii}	136.68 (14)	As2—O5—Tl1B	80.61 (19)
O12 ^v —Tl2B—O10 ^{viii}	109.78 (14)	Fe2—O5—Tl1B	68.44 (17)
O9 ^{viii} —Tl2B—O10 ^{viii}	49.37 (6)	Tl1B ⁱⁱ —O5—Tl1B	131.69 (18)
O3 ^{vi} —Tl2B—O6 ⁱⁱⁱ	78.90 (8)	Tl1A ^{xi} —O5—Tl1B	133.51 (11)
O8—Tl2B—O6 ⁱⁱⁱ	122.70 (14)	Tl1B ^{xi} —O5—Tl1B	135.0 (2)
O2—Tl2B—O6 ⁱⁱⁱ	58.07 (8)	As2—O5—Tl1A	78.54 (8)
O12 ^v —Tl2B—O6 ⁱⁱⁱ	98.30 (9)	Fe2—O5—Tl1A	69.75 (6)
O9 ^{viii} —Tl2B—O6 ⁱⁱⁱ	126.44 (12)	Tl1B ⁱⁱ —O5—Tl1A	133.1 (2)
O10 ^{viii} —Tl2B—O6 ⁱⁱⁱ	133.58 (11)	Tl1A ^{xi} —O5—Tl1A	135.05 (6)
O3 ^{vi} —Tl2B—O7 ^{vii}	52.16 (10)	Tl1B ^{xi} —O5—Tl1A	136.64 (17)
O8—Tl2B—O7 ^{vii}	131.34 (12)	Tl1B—O5—Tl1A	2.70 (16)
O2—Tl2B—O7 ^{vii}	155.48 (9)	As2—O5—Tl2A ^{xi}	49.78 (8)
O12 ^v —Tl2B—O7 ^{vii}	84.81 (13)	Fe2—O5—Tl2A ^{xi}	157.69 (10)
O9 ^{viii} —Tl2B—O7 ^{vii}	97.20 (9)	Tl1B ⁱⁱ —O5—Tl2A ^{xi}	54.9 (2)
O10 ^{viii} —Tl2B—O7 ^{vii}	48.95 (8)	Tl1A ^{xi} —O5—Tl2A ^{xi}	56.74 (6)
O6 ⁱⁱⁱ —Tl2B—O7 ^{vii}	100.23 (12)	Tl1B ^{xi} —O5—Tl2A ^{xi}	58.40 (17)
O3 ^{vi} —Tl2B—O4	105.48 (12)	Tl1B—O5—Tl2A ^{xi}	129.96 (19)
O8—Tl2B—O4	52.13 (10)	Tl1A—O5—Tl2A ^{xi}	128.08 (7)
O2—Tl2B—O4	46.54 (9)	As2—O5—Tl1B ⁱ	76.70 (17)
O12 ^v —Tl2B—O4	119.12 (12)	Fe2—O5—Tl1B ⁱ	70.94 (16)
O9 ^{viii} —Tl2B—O4	46.87 (8)	Tl1B ⁱⁱ —O5—Tl1B ⁱ	134.2 (3)
O10 ^{viii} —Tl2B—O4	95.76 (9)	Tl1A ^{xi} —O5—Tl1B ⁱ	136.33 (10)
O6 ⁱⁱⁱ —Tl2B—O4	101.98 (13)	Tl1B ^{xi} —O5—Tl1B ⁱ	138.05 (15)
O7 ^{vii} —Tl2B—O4	144.05 (8)	Tl1B—O5—Tl1B ⁱ	5.1 (3)
O3 ^{vi} —Tl2B—As1 ^{vi}	25.50 (5)	Tl1A—O5—Tl1B ⁱ	2.40 (13)
O8—Tl2B—As1 ^{vi}	135.81 (15)	Tl2A ^{xi} —O5—Tl1B ⁱ	126.37 (17)
O2—Tl2B—As1 ^{vi}	83.25 (10)	As2—O5—Tl2C ^{xi}	46.81 (17)
O12 ^v —Tl2B—As1 ^{vi}	155.60 (15)	Fe2—O5—Tl2C ^{xi}	160.19 (18)
O9 ^{viii} —Tl2B—As1 ^{vi}	66.26 (6)	Tl1B ⁱⁱ —O5—Tl2C ^{xi}	56.2 (3)
O10 ^{viii} —Tl2B—As1 ^{vi}	70.68 (6)	Tl1A ^{xi} —O5—Tl2C ^{xi}	58.14 (17)
O6 ⁱⁱⁱ —Tl2B—As1 ^{vi}	68.82 (6)	Tl1B ^{xi} —O5—Tl2C ^{xi}	59.9 (2)
O7 ^{vii} —Tl2B—As1 ^{vi}	77.62 (8)	Tl1B—O5—Tl2C ^{xi}	126.9 (2)
O4—Tl2B—As1 ^{vi}	84.53 (9)	Tl1A—O5—Tl2C ^{xi}	125.04 (17)
O3 ^{vi} —Tl2B—O7 ⁱⁱⁱ	114.48 (10)	Tl2A ^{xi} —O5—Tl2C ^{xi}	3.08 (18)
O8—Tl2B—O7 ⁱⁱⁱ	95.62 (9)	Tl1B ⁱ —O5—Tl2C ^{xi}	123.3 (2)
O2—Tl2B—O7 ⁱⁱⁱ	73.45 (8)	As2—O5—Tl2B ^{xi}	51.91 (8)
O12 ^v —Tl2B—O7 ⁱⁱⁱ	53.44 (7)	Fe2—O5—Tl2B ^{xi}	156.29 (10)
O9 ^{viii} —Tl2B—O7 ⁱⁱⁱ	162.11 (18)	Tl1B ⁱⁱ —O5—Tl2B ^{xi}	53.55 (19)
O10 ^{viii} —Tl2B—O7 ⁱⁱⁱ	148.46 (17)	Tl1A ^{xi} —O5—Tl2B ^{xi}	55.28 (5)

O6 ⁱⁱⁱ —Tl2B—O7 ⁱⁱⁱ	45.34 (6)	Tl1B ^{xi} —O5—Tl2B ^{xi}	56.85 (17)
O7 ^{vii} —Tl2B—O7 ⁱⁱⁱ	100.05 (12)	Tl1B—O5—Tl2B ^{xi}	132.05 (19)
O4—Tl2B—O7 ⁱⁱⁱ	115.66 (12)	Tl1A—O5—Tl2B ^{xi}	130.19 (7)
As1 ^{vi} —Tl2B—O7 ⁱⁱⁱ	113.00 (6)	Tl2A ^{xi} —O5—Tl2B ^{xi}	2.14 (10)
O3 ^{vi} —Tl2B—O4 ^{vi}	44.76 (7)	Tl1B ⁱ —O5—Tl2B ^{xi}	128.49 (17)
O8—Tl2B—O4 ^{vi}	134.38 (18)	Tl2C ^{xi} —O5—Tl2B ^{xi}	5.15 (19)
O2—Tl2B—O4 ^{vi}	65.24 (9)	As2—O6—Fe1	126.05 (12)
O12 ^v —Tl2B—O4 ^{vi}	141.63 (9)	As2—O6—Tl2A ^{xi}	106.26 (12)
O9 ^{viii} —Tl2B—O4 ^{vi}	84.79 (8)	Fe1—O6—Tl2A ^{xi}	124.82 (12)
O10 ^{viii} —Tl2B—O4 ^{vi}	95.78 (8)	As2—O6—Tl2C ^{xi}	106.3 (3)
O6 ⁱⁱⁱ —Tl2B—O4 ^{vi}	44.76 (6)	Fe1—O6—Tl2C ^{xi}	126.3 (3)
O7 ^{vii} —Tl2B—O4 ^{vi}	91.56 (9)	Tl2A ^{xi} —O6—Tl2C ^{xi}	5.3 (2)
O4—Tl2B—O4 ^{vi}	84.79 (11)	As2—O6—Tl2B ^{xi}	108.64 (10)
As1 ^{vi} —Tl2B—O4 ^{vi}	25.29 (4)	Fe1—O6—Tl2B ^{xi}	122.23 (10)
O7 ⁱⁱⁱ —Tl2B—O4 ^{vi}	90.02 (7)	Tl2A ^{xi} —O6—Tl2B ^{xi}	2.60 (10)
O3 ^{vi} —Tl2B—O12 ^{vi}	45.24 (8)	Tl2C ^{xi} —O6—Tl2B ^{xi}	6.8 (3)
O8—Tl2B—O12 ^{vi}	165.47 (10)	As2—O6—Tl2C ^{vii}	78.7 (2)
O2—Tl2B—O12 ^{vi}	106.12 (8)	Fe1—O6—Tl2C ^{vii}	135.73 (19)
O12 ^v —Tl2B—O12 ^{vi}	98.54 (12)	Tl2A ^{xi} —O6—Tl2C ^{vii}	64.8 (2)
O9 ^{viii} —Tl2B—O12 ^{vi}	118.27 (9)	Tl2C ^{xi} —O6—Tl2C ^{vii}	59.8 (4)
O10 ^{viii} —Tl2B—O12 ^{vi}	88.37 (11)	Tl2B ^{xi} —O6—Tl2C ^{vii}	66.6 (3)
O6 ⁱⁱⁱ —Tl2B—O12 ^{vi}	50.52 (7)	As2—O6—Tl2B ^{vii}	76.31 (8)
O7 ^{vii} —Tl2B—O12 ^{vi}	50.28 (8)	Fe1—O6—Tl2B ^{vii}	133.00 (9)
O4—Tl2B—O12 ^{vi}	137.64 (10)	Tl2A ^{xi} —O6—Tl2B ^{vii}	70.73 (9)
As1 ^{vi} —Tl2B—O12 ^{vi}	57.16 (6)	Tl2C ^{xi} —O6—Tl2B ^{vii}	65.8 (2)
O7 ⁱⁱⁱ —Tl2B—O12 ^{vi}	70.64 (7)	Tl2B ^{xi} —O6—Tl2B ^{vii}	72.57 (11)
O4 ^{vi} —Tl2B—O12 ^{vi}	52.86 (6)	Tl2C ^{vii} —O6—Tl2B ^{vii}	6.0 (3)
O3 ^{vi} —Tl2B—O2 ^{vi}	46.10 (7)	As2—O6—Tl2A ^{vii}	79.49 (9)
O8—Tl2B—O2 ^{vi}	109.73 (14)	Fe1—O6—Tl2A ^{vii}	133.98 (9)
O2—Tl2B—O2 ^{vi}	72.92 (11)	Tl2A ^{xi} —O6—Tl2A ^{vii}	65.97 (14)
O12 ^v —Tl2B—O2 ^{vi}	177.42 (8)	Tl2C ^{xi} —O6—Tl2A ^{vii}	61.0 (2)
O9 ^{viii} —Tl2B—O2 ^{vi}	43.85 (7)	Tl2B ^{xi} —O6—Tl2A ^{vii}	67.76 (10)
O10 ^{viii} —Tl2B—O2 ^{vi}	68.46 (7)	Tl2C ^{vii} —O6—Tl2A ^{vii}	1.8 (2)
O6 ⁱⁱⁱ —Tl2B—O2 ^{vi}	84.25 (9)	Tl2B ^{vii} —O6—Tl2A ^{vii}	4.97 (7)
O7 ^{vii} —Tl2B—O2 ^{vi}	95.15 (8)	As2—O6—Tl1B ⁱⁱ	55.67 (16)
O4—Tl2B—O2 ^{vi}	59.71 (8)	Fe1—O6—Tl1B ⁱⁱ	138.50 (18)
As1 ^{vi} —Tl2B—O2 ^{vi}	26.23 (4)	Tl2A ^{xi} —O6—Tl1B ⁱⁱ	59.44 (15)
O7 ⁱⁱⁱ —Tl2B—O2 ^{vi}	129.04 (9)	Tl2C ^{xi} —O6—Tl1B ⁱⁱ	62.4 (3)
O4 ^{vi} —Tl2B—O2 ^{vi}	40.95 (6)	Tl2B ^{xi} —O6—Tl1B ⁱⁱ	60.96 (14)
O12 ^{vi} —Tl2B—O2 ^{vi}	83.38 (7)	Tl2C ^{vii} —O6—Tl1B ⁱⁱ	85.3 (2)
O3 ^{vi} —Tl2B—As3 ^{viii}	66.57 (6)	Tl2B ^{vii} —O6—Tl1B ⁱⁱ	88.46 (17)
O8—Tl2B—As3 ^{viii}	84.53 (8)	Tl2A ^{vii} —O6—Tl1B ⁱⁱ	87.14 (17)
O2—Tl2B—As3 ^{viii}	114.04 (13)	As2—O6—Tl2B	75.09 (8)
O12 ^v —Tl2B—As3 ^{viii}	119.79 (9)	Fe1—O6—Tl2B	76.97 (8)
O9 ^{viii} —Tl2B—As3 ^{viii}	25.19 (4)	Tl2A ^{xi} —O6—Tl2B	139.02 (8)
O10 ^{viii} —Tl2B—As3 ^{viii}	25.27 (4)	Tl2C ^{xi} —O6—Tl2B	133.7 (2)
O6 ⁱⁱⁱ —Tl2B—As3 ^{viii}	140.22 (8)	Tl2B ^{xi} —O6—Tl2B	140.17 (16)
O7 ^{vii} —Tl2B—As3 ^{viii}	74.20 (7)	Tl2C ^{vii} —O6—Tl2B	75.8 (3)

O4—Tl2B—As3 ^{viii}	70.61 (7)	Tl2B ^{vii} —O6—Tl2B	69.97 (6)
As1 ^{vi} —Tl2B—As3 ^{viii}	71.55 (5)	Tl2A ^{vii} —O6—Tl2B	74.36 (11)
O7 ⁱⁱⁱ —Tl2B—As3 ^{viii}	172.07 (14)	Tl1B ⁱⁱ —O6—Tl2B	129.88 (17)
O4 ^{vi} —Tl2B—As3 ^{viii}	95.54 (7)	As2—O6—Tl1A ^{xi}	57.71 (7)
O12 ^{vi} —Tl2B—As3 ^{viii}	108.40 (9)	Fe1—O6—Tl1A ^{xi}	136.87 (8)
O2 ^{vi} —Tl2B—As3 ^{viii}	57.80 (6)	Tl2A ^{xi} —O6—Tl1A ^{xi}	58.46 (8)
O3 ^{vi} —Tl2C—O12 ^v	145.5 (4)	Tl2C ^{xi} —O6—Tl1A ^{xi}	61.6 (2)
O3 ^{vi} —Tl2C—O6 ⁱⁱⁱ	85.5 (4)	Tl2B ^{xi} —O6—Tl1A ^{xi}	59.90 (7)
O12 ^v —Tl2C—O6 ⁱⁱⁱ	109.3 (5)	Tl2C ^{vii} —O6—Tl1A ^{xi}	86.74 (19)
O3 ^{vi} —Tl2C—O2	105.8 (4)	Tl2B ^{vii} —O6—Tl1A ^{xi}	90.01 (6)
O12 ^v —Tl2C—O2	108.6 (4)	Tl2A ^{vii} —O6—Tl1A ^{xi}	88.54 (7)
O6 ⁱⁱⁱ —Tl2C—O2	60.2 (3)	Tl1B ⁱⁱ —O6—Tl1A ^{xi}	2.28 (17)
O3 ^{vi} —Tl2C—O7 ^{vii}	54.9 (2)	Tl2B—O6—Tl1A ^{xi}	132.08 (6)
O12 ^v —Tl2C—O7 ^{vii}	90.7 (3)	As2—O6—Tl2A	73.27 (9)
O6 ⁱⁱⁱ —Tl2C—O7 ^{vii}	112.0 (4)	Fe1—O6—Tl2A	76.91 (8)
O2—Tl2C—O7 ^{vii}	160.6 (5)	Tl2A ^{xi} —O6—Tl2A	141.05 (13)
O3 ^{vi} —Tl2C—O8	132.8 (6)	Tl2C ^{xi} —O6—Tl2A	135.7 (3)
O12 ^v —Tl2C—O8	66.0 (3)	Tl2B ^{xi} —O6—Tl2A	142.30 (9)
O6 ⁱⁱⁱ —Tl2C—O8	121.8 (4)	Tl2C ^{vii} —O6—Tl2A	77.4 (2)
O2—Tl2C—O8	67.0 (2)	Tl2B ^{vii} —O6—Tl2A	71.48 (7)
O7 ^{vii} —Tl2C—O8	125.7 (5)	Tl2A ^{vii} —O6—Tl2A	75.96 (9)
O3 ^{vi} —Tl2C—O7 ⁱⁱⁱ	128.4 (6)	Tl1B ⁱⁱ —O6—Tl2A	128.38 (17)
O12 ^v —Tl2C—O7 ⁱⁱⁱ	58.8 (3)	Tl2B—O6—Tl2A	2.59 (8)
O6 ⁱⁱⁱ —Tl2C—O7 ⁱⁱⁱ	50.6 (3)	Tl1A ^{xi} —O6—Tl2A	130.56 (6)
O2—Tl2C—O7 ⁱⁱⁱ	77.4 (3)	As2—O7—Fe2 ⁱⁱ	122.44 (11)
O7 ^{vii} —Tl2C—O7 ⁱⁱⁱ	112.3 (4)	As2—O7—Tl1B ⁱⁱ	99.60 (17)
O8—Tl2C—O7 ⁱⁱⁱ	96.7 (3)	Fe2 ⁱⁱ —O7—Tl1B ⁱⁱ	97.94 (18)
O3 ^{vi} —Tl2C—O12 ^{vi}	50.8 (2)	As2—O7—Tl2C ^{vii}	110.0 (3)
O12 ^v —Tl2C—O12 ^{vi}	111.0 (4)	Fe2 ⁱⁱ —O7—Tl2C ^{vii}	94.7 (3)
O6 ⁱⁱⁱ —Tl2C—O12 ^{vi}	56.8 (3)	Tl1B ⁱⁱ —O7—Tl2C ^{vii}	134.3 (4)
O2—Tl2C—O12 ^{vi}	113.1 (5)	As2—O7—Tl2C ^{xi}	92.1 (3)
O7 ^{vii} —Tl2C—O12 ^{vi}	55.3 (2)	Fe2 ⁱⁱ —O7—Tl2C ^{xi}	145.3 (3)
O8—Tl2C—O12 ^{vi}	176.4 (5)	Tl1B ⁱⁱ —O7—Tl2C ^{xi}	77.4 (3)
O7 ⁱⁱⁱ —Tl2C—O12 ^{vi}	79.9 (4)	Tl2C ^{vii} —O7—Tl2C ^{xi}	67.7 (4)
O3 ^{vi} —Tl2C—O10 ^{viii}	52.4 (3)	As2—O7—Tl1A ^{xi}	100.56 (9)
O12 ^v —Tl2C—O10 ^{viii}	107.9 (5)	Fe2 ⁱⁱ —O7—Tl1A ^{xi}	97.82 (8)
O6 ⁱⁱⁱ —Tl2C—O10 ^{viii}	137.8 (4)	Tl1B ⁱⁱ —O7—Tl1A ^{xi}	1.10 (17)
O2—Tl2C—O10 ^{viii}	123.5 (5)	Tl2C ^{vii} —O7—Tl1A ^{xi}	133.2 (3)
O7 ^{vii} —Tl2C—O10 ^{viii}	48.5 (2)	Tl2C ^{xi} —O7—Tl1A ^{xi}	76.9 (2)
O8—Tl2C—O10 ^{viii}	91.2 (4)	As2—O7—Tl2A ^{xi}	90.08 (10)
O7 ⁱⁱⁱ —Tl2C—O10 ^{viii}	159.0 (4)	Fe2 ⁱⁱ —O7—Tl2A ^{xi}	147.47 (11)
O12 ^{vi} —Tl2C—O10 ^{viii}	91.7 (3)	Tl1B ⁱⁱ —O7—Tl2A ^{xi}	73.5 (2)
O3 ^{vi} —Tl2C—O9 ^{viii}	66.5 (3)	Tl2C ^{vii} —O7—Tl2A ^{xi}	72.4 (3)
O12 ^v —Tl2C—O9 ^{viii}	122.7 (5)	Tl2C ^{xi} —O7—Tl2A ^{xi}	4.73 (18)
O6 ⁱⁱⁱ —Tl2C—O9 ^{viii}	122.0 (4)	Tl1A ^{xi} —O7—Tl2A ^{xi}	73.06 (8)
O2—Tl2C—O9 ^{viii}	79.4 (3)	As2—O7—Tl2B ^{vii}	108.05 (10)
O7 ^{vii} —Tl2C—O9 ^{viii}	92.3 (4)	Fe2 ⁱⁱ —O7—Tl2B ^{vii}	89.65 (8)
O8—Tl2C—O9 ^{viii}	66.3 (3)	Tl1B ⁱⁱ —O7—Tl2B ^{vii}	141.32 (19)

O7 ⁱⁱⁱ —Tl2C—O9 ^{viii}	155.4 (4)	Tl2C ^{vii} —O7—Tl2B ^{vii}	7.8 (3)
O12 ^{vi} —Tl2C—O9 ^{viii}	117.3 (4)	Tl2C ^{xi} —O7—Tl2B ^{vii}	75.10 (18)
O10 ^{viii} —Tl2C—O9 ^{viii}	44.6 (2)	Tl1A ^{xi} —O7—Tl2B ^{vii}	140.26 (7)
O3 ^{vi} —Tl2C—Tl2C ^{ix}	93.7 (5)	Tl2A ^{xi} —O7—Tl2B ^{vii}	79.80 (8)
O12 ^v —Tl2C—Tl2C ^{ix}	62.3 (4)	As2—O7—Tl2A ^{vii}	110.54 (11)
O6 ⁱⁱⁱ —Tl2C—Tl2C ^{ix}	75.3 (6)	Fe2 ⁱⁱ —O7—Tl2A ^{vii}	92.84 (10)
O2—Tl2C—Tl2C ^{ix}	128.9 (8)	Tl1B ⁱⁱ —O7—Tl2A ^{vii}	135.4 (2)
O7 ^{vii} —Tl2C—Tl2C ^{ix}	58.0 (3)	Tl2C ^{vii} —O7—Tl2A ^{vii}	2.0 (3)
O8—Tl2C—Tl2C ^{ix}	128.2 (6)	Tl2C ^{xi} —O7—Tl2A ^{vii}	69.6 (2)
O7 ⁱⁱⁱ —Tl2C—Tl2C ^{ix}	54.3 (4)	Tl1A ^{xi} —O7—Tl2A ^{vii}	134.39 (10)
O12 ^{vi} —Tl2C—Tl2C ^{ix}	48.7 (3)	Tl2A ^{xi} —O7—Tl2A ^{vii}	74.35 (13)
O10 ^{viii} —Tl2C—Tl2C ^{ix}	105.9 (5)	Tl2B ^{vii} —O7—Tl2A ^{vii}	6.18 (9)
O9 ^{viii} —Tl2C—Tl2C ^{ix}	150.3 (6)	As2—O7—Tl1B ^{xi}	101.35 (15)
O3 ^{vi} —Tl2C—As1 ^{vi}	24.72 (13)	Fe2 ⁱⁱ —O7—Tl1B ^{xi}	97.73 (15)
O12 ^v —Tl2C—As1 ^{vi}	169.5 (4)	Tl1B ⁱⁱ —O7—Tl1B ^{xi}	2.0 (3)
O6 ⁱⁱⁱ —Tl2C—As1 ^{vi}	71.6 (3)	Tl2C ^{vii} —O7—Tl1B ^{xi}	132.4 (4)
O2—Tl2C—As1 ^{vi}	81.2 (3)	Tl2C ^{xi} —O7—Tl1B ^{xi}	76.5 (3)
O7 ^{vii} —Tl2C—As1 ^{vi}	79.5 (3)	Tl1A ^{xi} —O7—Tl1B ^{xi}	0.90 (14)
O8—Tl2C—As1 ^{vi}	122.9 (4)	Tl2A ^{xi} —O7—Tl1B ^{xi}	72.67 (17)
O7 ⁱⁱⁱ —Tl2C—As1 ^{vi}	121.7 (5)	Tl2B ^{vii} —O7—Tl1B ^{xi}	139.38 (16)
O12 ^{vi} —Tl2C—As1 ^{vi}	60.3 (2)	Tl2A ^{vii} —O7—Tl1B ^{xi}	133.53 (18)
O10 ^{viii} —Tl2C—As1 ^{vi}	68.2 (3)	As2—O7—Tl2B ^{xi}	92.59 (10)
O9 ^{viii} —Tl2C—As1 ^{vi}	62.0 (2)	Fe2 ⁱⁱ —O7—Tl2B ^{xi}	144.92 (10)
Tl2C ^{ix} —Tl2C—As1 ^{vi}	108.7 (5)	Tl1B ⁱⁱ —O7—Tl2B ^{xi}	72.2 (2)
O3 ^{vi} —Tl2C—O4 ^{vi}	46.0 (2)	Tl2C ^{vii} —O7—Tl2B ^{xi}	72.5 (3)
O12 ^v —Tl2C—O4 ^{vi}	155.8 (6)	Tl2C ^{xi} —O7—Tl2B ^{xi}	5.3 (2)
O6 ⁱⁱⁱ —Tl2C—O4 ^{vi}	46.7 (2)	Tl1A ^{xi} —O7—Tl2B ^{xi}	71.63 (8)
O2—Tl2C—O4 ^{vi}	65.4 (3)	Tl2A ^{xi} —O7—Tl2B ^{xi}	2.70 (7)
O7 ^{vii} —Tl2C—O4 ^{vi}	96.1 (3)	Tl2B ^{vii} —O7—Tl2B ^{xi}	79.95 (12)
O8—Tl2C—O4 ^{vi}	125.5 (3)	Tl2A ^{vii} —O7—Tl2B ^{xi}	74.37 (10)
O7 ⁱⁱⁱ —Tl2C—O4 ^{vi}	97.3 (4)	Tl1B ^{xi} —O7—Tl2B ^{xi}	71.21 (17)
O12 ^{vi} —Tl2C—O4 ^{vi}	56.5 (2)	As2—O7—Tl1B	52.90 (12)
O10 ^{viii} —Tl2C—O4 ^{vi}	93.8 (3)	Fe2 ⁱⁱ —O7—Tl1B	69.77 (11)
O9 ^{viii} —Tl2C—O4 ^{vi}	80.4 (3)	Tl1B ⁱⁱ —O7—Tl1B	113.2 (2)
Tl2C ^{ix} —Tl2C—O4 ^{vi}	102.1 (6)	Tl2C ^{vii} —O7—Tl1B	112.4 (4)
As1 ^{vi} —Tl2C—O4 ^{vi}	25.60 (10)	Tl2C ^{xi} —O7—Tl1B	143.9 (3)
O3 ^{vi} —Tl2C—As2 ⁱⁱⁱ	109.1 (5)	Tl1A ^{xi} —O7—Tl1B	114.21 (18)
O12 ^v —Tl2C—As2 ⁱⁱⁱ	84.9 (4)	Tl2A ^{xi} —O7—Tl1B	142.66 (12)
O6 ⁱⁱⁱ —Tl2C—As2 ⁱⁱⁱ	25.01 (15)	Tl2B ^{vii} —O7—Tl1B	105.03 (18)
O2—Tl2C—As2 ⁱⁱⁱ	62.3 (3)	Tl2A ^{vii} —O7—Tl1B	111.1 (2)
O7 ^{vii} —Tl2C—As2 ⁱⁱⁱ	119.1 (4)	Tl1B ^{xi} —O7—Tl1B	115.0 (3)
O8—Tl2C—As2 ⁱⁱⁱ	107.4 (3)	Tl2B ^{xi} —O7—Tl1B	145.27 (11)
O7 ⁱⁱⁱ —Tl2C—As2 ⁱⁱⁱ	26.34 (14)	As2—O8—Tl2B	140.00 (13)
O12 ^{vi} —Tl2C—As2 ⁱⁱⁱ	70.0 (3)	As2—O8—Tl1B	122.2 (3)
O10 ^{viii} —Tl2C—As2 ⁱⁱⁱ	160.7 (4)	Tl2B—O8—Tl1B	92.5 (3)
O9 ^{viii} —Tl2C—As2 ⁱⁱⁱ	139.2 (4)	As2—O8—Tl2A	145.64 (14)
Tl2C ^{ix} —Tl2C—As2 ⁱⁱⁱ	66.7 (5)	Tl2B—O8—Tl2A	6.34 (9)
As1 ^{vi} —Tl2C—As2 ⁱⁱⁱ	96.6 (4)	Tl1B—O8—Tl2A	86.2 (3)

O4 ^{vi} —Tl2C—As2 ⁱⁱⁱ	71.5 (3)	As2—O8—Tl1A	128.10 (11)
O3 ^{vi} —Tl2C—Tl2A ^{ix}	92.3 (3)	Tl2B—O8—Tl1A	86.74 (7)
O12 ^v —Tl2C—Tl2A ^{ix}	62.8 (2)	Tl1B—O8—Tl1A	6.0 (3)
O6 ⁱⁱⁱ —Tl2C—Tl2A ^{ix}	77.0 (3)	Tl2A—O8—Tl1A	80.39 (10)
O2—Tl2C—Tl2A ^{ix}	131.1 (5)	As2—O8—Tl1B ⁱ	133.6 (3)
O7 ^{vii} —Tl2C—Tl2A ^{ix}	55.8 (2)	Tl2B—O8—Tl1B ⁱ	81.3 (2)
O8—Tl2C—Tl2A ^{ix}	128.8 (3)	Tl1B—O8—Tl1B ⁱ	11.6 (5)
O7 ⁱⁱⁱ —Tl2C—Tl2A ^{ix}	56.5 (2)	Tl2A—O8—Tl1B ⁱ	74.9 (3)
O12 ^{vi} —Tl2C—Tl2A ^{ix}	48.24 (18)	Tl1A—O8—Tl1B ⁱ	5.6 (3)
O10 ^{viii} —Tl2C—Tl2A ^{ix}	103.7 (3)	As2—O8—Tl2C	146.3 (3)
O9 ^{viii} —Tl2C—Tl2A ^{ix}	148.1 (4)	Tl2B—O8—Tl2C	6.4 (3)
Tl2C ^{ix} —Tl2C—Tl2A ^{ix}	2.3 (3)	Tl1B—O8—Tl2C	87.6 (4)
As1 ^{vi} —Tl2C—Tl2A ^{ix}	108.0 (3)	Tl2A—O8—Tl2C	4.0 (2)
O4 ^{vi} —Tl2C—Tl2A ^{ix}	102.4 (3)	Tl1A—O8—Tl2C	81.7 (3)
As2 ⁱⁱⁱ —Tl2C—Tl2A ^{ix}	68.9 (2)	Tl1B ⁱ —O8—Tl2C	76.2 (4)
O4 ^{viii} —Fe1—O4	180.0	As2—O8—Tl2B ^{vii}	78.89 (10)
O4 ^{viii} —Fe1—O6 ^{viii}	91.70 (10)	Tl2B—O8—Tl2B ^{vii}	88.66 (8)
O4—Fe1—O6 ^{viii}	88.30 (10)	Tl1B—O8—Tl2B ^{vii}	137.2 (2)
O4 ^{viii} —Fe1—O6	88.30 (10)	Tl2A—O8—Tl2B ^{vii}	93.12 (12)
O4—Fe1—O6	91.70 (10)	Tl1A—O8—Tl2B ^{vii}	135.59 (8)
O6 ^{viii} —Fe1—O6	180.0	Tl1B ⁱ —O8—Tl2B ^{vii}	133.6 (2)
O4 ^{viii} —Fe1—O9	87.04 (9)	Tl2C—O8—Tl2B ^{vii}	89.6 (3)
O4—Fe1—O9	92.96 (9)	As2—O8—Tl2C ^{vii}	72.5 (2)
O6 ^{viii} —Fe1—O9	92.17 (9)	Tl2B—O8—Tl2C ^{vii}	93.0 (2)
O6—Fe1—O9	87.83 (9)	Tl1B—O8—Tl2C ^{vii}	141.7 (3)
O4 ^{viii} —Fe1—O9 ^{viii}	92.96 (9)	Tl2A—O8—Tl2C ^{vii}	97.78 (17)
O4—Fe1—O9 ^{viii}	87.04 (9)	Tl1A—O8—Tl2C ^{vii}	140.7 (2)
O6 ^{viii} —Fe1—O9 ^{viii}	87.83 (9)	Tl1B ⁱ —O8—Tl2C ^{vii}	139.2 (3)
O6—Fe1—O9 ^{viii}	92.17 (9)	Tl2C—O8—Tl2C ^{vii}	94.4 (4)
O9—Fe1—O9 ^{viii}	180.00 (12)	Tl2B ^{vii} —O8—Tl2C ^{vii}	6.5 (2)
O4 ^{viii} —Fe1—Tl2A ^{vi}	124.04 (9)	As2—O8—Tl2A ^{vii}	75.34 (10)
O4—Fe1—Tl2A ^{vi}	55.96 (9)	Tl2B—O8—Tl2A ^{vii}	90.71 (13)
O6 ^{viii} —Fe1—Tl2A ^{vi}	33.14 (8)	Tl1B—O8—Tl2A ^{vii}	140.2 (2)
O6—Fe1—Tl2A ^{vi}	146.86 (8)	Tl2A—O8—Tl2A ^{vii}	95.41 (11)
O9—Fe1—Tl2A ^{vi}	99.80 (8)	Tl1A—O8—Tl2A ^{vii}	138.90 (9)
O9 ^{viii} —Fe1—Tl2A ^{vi}	80.20 (8)	Tl1B ⁱ —O8—Tl2A ^{vii}	137.1 (2)
O4 ^{viii} —Fe1—Tl2A ^{xi}	55.96 (9)	Tl2C—O8—Tl2A ^{vii}	92.0 (2)
O4—Fe1—Tl2A ^{xi}	124.04 (9)	Tl2B ^{vii} —O8—Tl2A ^{vii}	3.75 (10)
O6 ^{viii} —Fe1—Tl2A ^{xi}	146.86 (8)	Tl2C ^{vii} —O8—Tl2A ^{vii}	2.8 (2)
O6—Fe1—Tl2A ^{xi}	33.14 (8)	As2—O8—Tl2C ^{xi}	32.11 (14)
O9—Fe1—Tl2A ^{xi}	80.20 (8)	Tl2B—O8—Tl2C ^{xi}	115.00 (14)
O9 ^{viii} —Fe1—Tl2A ^{xi}	99.80 (8)	Tl1B—O8—Tl2C ^{xi}	152.4 (3)
Tl2A ^{vi} —Fe1—Tl2A ^{xi}	180.0	Tl2A—O8—Tl2C ^{xi}	121.35 (16)
O4 ^{viii} —Fe1—Tl2C ^{vi}	123.9 (2)	Tl1A—O8—Tl2C ^{xi}	158.25 (14)
O4—Fe1—Tl2C ^{vi}	56.1 (2)	Tl1B ⁱ —O8—Tl2C ^{xi}	163.7 (3)
O6 ^{viii} —Fe1—Tl2C ^{vi}	32.4 (2)	Tl2C—O8—Tl2C ^{xi}	120.0 (4)
O6—Fe1—Tl2C ^{vi}	147.6 (2)	Tl2B ^{vii} —O8—Tl2C ^{xi}	50.72 (11)
O9—Fe1—Tl2C ^{vi}	96.31 (16)	Tl2C ^{vii} —O8—Tl2C ^{xi}	44.3 (3)

O9 ^{viii} —Fe1—Tl2C ^{vi}	83.69 (16)	Tl2A ^{vii} —O8—Tl2C ^{xi}	46.97 (15)
Tl2A ^{vi} —Fe1—Tl2C ^{vi}	3.50 (15)	As3—O9—Fe1	126.14 (11)
Tl2A ^{xi} —Fe1—Tl2C ^{vi}	176.50 (15)	As3—O9—Tl2B ^{viii}	100.51 (12)
O4 ^{viii} —Fe1—Tl2C ^{xi}	56.1 (2)	Fe1—O9—Tl2B ^{viii}	116.35 (12)
O4—Fe1—Tl2C ^{xi}	123.9 (2)	As3—O9—Tl2A ^{viii}	103.06 (11)
O6 ^{viii} —Fe1—Tl2C ^{xi}	147.6 (2)	Fe1—O9—Tl2A ^{viii}	115.76 (10)
O6—Fe1—Tl2C ^{xi}	32.4 (2)	Tl2B ^{viii} —O9—Tl2A ^{viii}	3.35 (9)
O9—Fe1—Tl2C ^{xi}	83.69 (16)	As3—O9—Tl2C ^{viii}	99.2 (2)
O9 ^{viii} —Fe1—Tl2C ^{xi}	96.31 (16)	Fe1—O9—Tl2C ^{viii}	119.46 (19)
Tl2A ^{vi} —Fe1—Tl2C ^{xi}	176.50 (15)	Tl2B ^{viii} —O9—Tl2C ^{viii}	3.5 (2)
Tl2A ^{xi} —Fe1—Tl2C ^{xi}	3.50 (15)	Tl2A ^{viii} —O9—Tl2C ^{viii}	4.02 (19)
Tl2C ^{vi} —Fe1—Tl2C ^{xi}	180.0	As3—O9—Tl2A ^{xi}	148.12 (11)
O4 ^{viii} —Fe1—Tl2B ^{viii}	51.92 (9)	Fe1—O9—Tl2A ^{xi}	73.23 (8)
O4—Fe1—Tl2B ^{viii}	128.08 (9)	Tl2B ^{viii} —O9—Tl2A ^{xi}	89.41 (8)
O6 ^{viii} —Fe1—Tl2B ^{viii}	77.24 (7)	Tl2A ^{viii} —O9—Tl2A ^{xi}	86.11 (9)
O6—Fe1—Tl2B ^{viii}	102.76 (7)	Tl2C ^{viii} —O9—Tl2A ^{xi}	88.9 (3)
O9—Fe1—Tl2B ^{viii}	39.51 (8)	As3—O9—Tl2C ^{xi}	149.74 (18)
O9 ^{viii} —Fe1—Tl2B ^{viii}	140.49 (8)	Fe1—O9—Tl2C ^{xi}	70.55 (18)
Tl2A ^{vi} —Fe1—Tl2B ^{viii}	103.44 (5)	Tl2B ^{viii} —O9—Tl2C ^{xi}	90.8 (2)
Tl2A ^{xi} —Fe1—Tl2B ^{viii}	76.56 (5)	Tl2A ^{viii} —O9—Tl2C ^{xi}	87.6 (2)
Tl2C ^{vi} —Fe1—Tl2B ^{viii}	100.63 (18)	Tl2C ^{viii} —O9—Tl2C ^{xi}	90.4 (2)
Tl2C ^{xi} —Fe1—Tl2B ^{viii}	79.37 (18)	Tl2A ^{xi} —O9—Tl2C ^{xi}	2.7 (2)
O4 ^{viii} —Fe1—Tl2B	128.08 (9)	As3—O9—Tl2B ^{xi}	148.77 (10)
O4—Fe1—Tl2B	51.92 (9)	Fe1—O9—Tl2B ^{xi}	75.38 (8)
O6 ^{viii} —Fe1—Tl2B	102.76 (7)	Tl2B ^{viii} —O9—Tl2B ^{xi}	85.66 (11)
O6—Fe1—Tl2B	77.24 (7)	Tl2A ^{viii} —O9—Tl2B ^{xi}	82.35 (7)
O9—Fe1—Tl2B	140.49 (8)	Tl2C ^{viii} —O9—Tl2B ^{xi}	85.1 (2)
O9 ^{viii} —Fe1—Tl2B	39.51 (8)	Tl2A ^{xi} —O9—Tl2B ^{xi}	3.77 (8)
Tl2A ^{vi} —Fe1—Tl2B	76.56 (5)	Tl2C ^{xi} —O9—Tl2B ^{xi}	5.8 (2)
Tl2A ^{xi} —Fe1—Tl2B	103.44 (5)	As3—O9—Tl2C ^{xii}	56.57 (16)
Tl2C ^{vi} —Fe1—Tl2B	79.37 (18)	Fe1—O9—Tl2C ^{xii}	95.39 (15)
Tl2C ^{xi} —Fe1—Tl2B	100.63 (18)	Tl2B ^{viii} —O9—Tl2C ^{xii}	75.0 (2)
Tl2B ^{viii} —Fe1—Tl2B	180.0	Tl2A ^{viii} —O9—Tl2C ^{xii}	78.28 (18)
O5—Fe2—O11	95.79 (10)	Tl2C ^{viii} —O9—Tl2C ^{xii}	76.7 (4)
O5—Fe2—O1	95.83 (9)	Tl2A ^{xi} —O9—Tl2C ^{xii}	154.43 (14)
O11—Fe2—O1	94.90 (9)	Tl2C ^{xi} —O9—Tl2C ^{xii}	153.4 (3)
O5—Fe2—O10 ^x	87.53 (9)	Tl2B ^{xi} —O9—Tl2C ^{xii}	152.26 (17)
O11—Fe2—O10 ^x	91.37 (9)	As3—O9—Tl2C ^{vi}	71.33 (15)
O1—Fe2—O10 ^x	172.54 (9)	Fe1—O9—Tl2C ^{vi}	60.13 (14)
O5—Fe2—O7 ⁱⁱ	94.10 (9)	Tl2B ^{viii} —O9—Tl2C ^{vi}	110.09 (17)
O11—Fe2—O7 ⁱⁱ	169.50 (9)	Tl2A ^{viii} —O9—Tl2C ^{vi}	112.86 (18)
O1—Fe2—O7 ⁱⁱ	87.58 (9)	Tl2C ^{viii} —O9—Tl2C ^{vi}	112.9 (3)
O10 ^x —Fe2—O7 ⁱⁱ	85.53 (9)	Tl2A ^{xi} —O9—Tl2C ^{vi}	133.37 (12)
O5—Fe2—O3 ^{iv}	174.72 (8)	Tl2C ^{xi} —O9—Tl2C ^{vi}	130.68 (17)
O11—Fe2—O3 ^{iv}	85.61 (9)	Tl2B ^{xi} —O9—Tl2C ^{vi}	135.38 (17)
O1—Fe2—O3 ^{iv}	89.11 (8)	Tl2C ^{xii} —O9—Tl2C ^{vi}	41.7 (3)
O10 ^x —Fe2—O3 ^{iv}	87.34 (8)	As3—O9—Tl2B ^{xiii}	56.73 (8)
O7 ⁱⁱ —Fe2—O3 ^{iv}	84.23 (9)	Fe1—O9—Tl2B ^{xiii}	99.49 (9)

O5—Fe2—Tl1B	83.71 (16)	Tl2B ^{viii} —O9—Tl2B ^{xiii}	70.07 (7)
O11—Fe2—Tl1B	134.23 (14)	Tl2A ^{viii} —O9—Tl2B ^{xiii}	73.39 (8)
O1—Fe2—Tl1B	40.21 (13)	Tl2C ^{viii} —O9—Tl2B ^{xiii}	71.7 (2)
O10 ^x —Fe2—Tl1B	134.14 (13)	Tl2A ^{xi} —O9—Tl2B ^{xiii}	152.83 (7)
O7 ⁱⁱ —Fe2—Tl1B	50.57 (15)	Tl2C ^{xi} —O9—Tl2B ^{xiii}	152.35 (17)
O3 ^{iv} —Fe2—Tl1B	98.97 (16)	Tl2B ^{xi} —O9—Tl2B ^{xiii}	150.11 (7)
O5—Fe2—Tl2C ^{xii}	135.2 (2)	Tl2C ^{xiii} —O9—Tl2B ^{xiii}	5.39 (19)
O11—Fe2—Tl2C ^{xii}	115.68 (19)	Tl2C ^{vi} —O9—Tl2B ^{xiii}	46.99 (13)
O1—Fe2—Tl2C ^{xii}	111.3 (3)	As3—O10—Fe2 ^x	135.25 (12)
O10 ^x —Fe2—Tl2C ^{xii}	62.1 (3)	As3—O10—Tl2B ^{viii}	98.29 (12)
O7 ⁱⁱ —Fe2—Tl2C ^{xii}	54.13 (19)	Fe2 ^x —O10—Tl2B ^{viii}	93.44 (9)
O3 ^{iv} —Fe2—Tl2C ^{xii}	40.4 (2)	As3—O10—Tl2C ^{viii}	105.5 (2)
Tl1B—Fe2—Tl2C ^{xii}	94.5 (3)	Fe2 ^x —O10—Tl2C ^{viii}	87.1 (2)
O5—Fe2—Tl2B ^{xii}	133.55 (8)	Tl2B ^{viii} —O10—Tl2C ^{viii}	7.4 (3)
O11—Fe2—Tl2B ^{xii}	111.03 (9)	As3—O10—Tl2A ^{viii}	101.32 (11)
O1—Fe2—Tl2B ^{xii}	117.77 (7)	Fe2 ^x —O10—Tl2A ^{viii}	89.85 (10)
O10 ^x —Fe2—Tl2B ^{xii}	55.86 (7)	Tl2B ^{viii} —O10—Tl2A ^{viii}	3.64 (12)
O7 ⁱⁱ —Fe2—Tl2B ^{xii}	59.09 (9)	Tl2C ^{viii} —O10—Tl2A ^{viii}	4.2 (2)
O3 ^{iv} —Fe2—Tl2B ^{xii}	41.56 (7)	As3—O10—Tl1B ^{xiii}	95.8 (2)
Tl1B—Fe2—Tl2B ^{xii}	101.28 (17)	Fe2 ^x —O10—Tl1B ^{xiii}	101.6 (2)
Tl2C ^{xii} —Fe2—Tl2B ^{xii}	7.1 (2)	Tl2B ^{viii} —O10—Tl1B ^{xiii}	140.98 (15)
O5—Fe2—Tl2A ^{xii}	136.51 (9)	Tl2C ^{viii} —O10—Tl1B ^{xiii}	139.3 (3)
O11—Fe2—Tl2A ^{xii}	112.58 (9)	Tl2A ^{viii} —O10—Tl1B ^{xiii}	141.70 (15)
O1—Fe2—Tl2A ^{xii}	112.92 (9)	As3—O10—Tl1A ^{xiii}	91.72 (8)
O10 ^x —Fe2—Tl2A ^{xii}	60.69 (9)	Fe2 ^x —O10—Tl1A ^{xiii}	106.28 (8)
O7 ⁱⁱ —Fe2—Tl2A ^{xii}	57.26 (8)	Tl2B ^{viii} —O10—Tl1A ^{xiii}	139.97 (8)
O3 ^{iv} —Fe2—Tl2A ^{xii}	38.83 (8)	Tl2C ^{viii} —O10—Tl1A ^{xiii}	139.3 (2)
Tl1B—Fe2—Tl2A ^{xii}	97.41 (17)	Tl2A ^{viii} —O10—Tl1A ^{xiii}	141.15 (8)
Tl2C ^{xii} —Fe2—Tl2A ^{xii}	3.2 (2)	Tl1B ^{xiii} —O10—Tl1A ^{xiii}	4.7 (2)
Tl2B ^{xii} —Fe2—Tl2A ^{xii}	4.85 (8)	As3—O10—Tl1B ^{iv}	87.8 (2)
O5—Fe2—Tl1A	84.15 (7)	Fe2 ^x —O10—Tl1B ^{iv}	110.8 (2)
O11—Fe2—Tl1A	131.70 (7)	Tl2B ^{viii} —O10—Tl1B ^{iv}	138.59 (14)
O1—Fe2—Tl1A	37.68 (6)	Tl2C ^{viii} —O10—Tl1B ^{iv}	138.8 (3)
O10 ^x —Fe2—Tl1A	136.69 (6)	Tl2A ^{viii} —O10—Tl1B ^{iv}	140.17 (14)
O7 ⁱⁱ —Fe2—Tl1A	52.97 (6)	Tl1B ^{xiii} —O10—Tl1B ^{iv}	9.3 (4)
O3 ^{iv} —Fe2—Tl1A	98.74 (6)	Tl1A ^{xiii} —O10—Tl1B ^{iv}	4.6 (2)
Tl1B—Fe2—Tl1A	2.55 (12)	As3—O10—Tl2B ^{xiii}	84.04 (10)
Tl2C ^{xii} —Fe2—Tl1A	95.9 (2)	Fe2 ^x —O10—Tl2B ^{xiii}	140.47 (10)
Tl2B ^{xii} —Fe2—Tl1A	102.81 (6)	Tl2B ^{viii} —O10—Tl2B ^{xiii}	82.48 (8)
Tl2A ^{xii} —Fe2—Tl1A	98.84 (7)	Tl2C ^{viii} —O10—Tl2B ^{xiii}	84.9 (2)
O5—Fe2—Tl1B ⁱ	84.53 (14)	Tl2A ^{viii} —O10—Tl2B ^{xiii}	84.87 (9)
O11—Fe2—Tl1B ⁱ	129.48 (12)	Tl1B ^{xiii} —O10—Tl2B ^{xiii}	63.04 (16)
O1—Fe2—Tl1B ⁱ	35.47 (11)	Tl1A ^{xiii} —O10—Tl2B ^{xiii}	60.05 (6)
O10 ^x —Fe2—Tl1B ⁱ	138.92 (11)	Tl1B ^{iv} —O10—Tl2B ^{xiii}	57.31 (15)
O7 ⁱⁱ —Fe2—Tl1B ⁱ	55.08 (13)	As3—O10—Tl2A ^{xiii}	81.21 (9)
O3 ^{iv} —Fe2—Tl1B ⁱ	98.53 (14)	Fe2 ^x —O10—Tl2A ^{xiii}	142.78 (10)
Tl1B—Fe2—Tl1B ⁱ	4.8 (2)	Tl2B ^{viii} —O10—Tl2A ^{xiii}	86.56 (9)
Tl2C ^{xii} —Fe2—Tl1B ⁱ	97.2 (3)	Tl2C ^{viii} —O10—Tl2A ^{xiii}	89.2 (2)

Tl2B ^{xii} —Fe2—Tl1B ⁱ	104.14 (15)	Tl2A ^{viii} —O10—Tl2A ^{xiii}	89.05 (10)
Tl2A ^{xii} —Fe2—Tl1B ⁱ	100.08 (15)	Tl1B ^{xiii} —O10—Tl2A ^{xiii}	59.95 (17)
Tl1A—Fe2—Tl1B ⁱ	2.23 (10)	Tl1A ^{xiii} —O10—Tl2A ^{xiii}	56.72 (6)
O4—As1—O1	111.35 (11)	Tl1B ^{iv} —O10—Tl2A ^{xiii}	53.75 (16)
O4—As1—O3	108.09 (11)	Tl2B ^{xiii} —O10—Tl2A ^{xiii}	4.64 (6)
O1—As1—O3	117.28 (10)	As3—O10—Tl2C ^{xiii}	78.23 (19)
O4—As1—O2	105.89 (12)	Fe2 ^x —O10—Tl2C ^{xiii}	146.03 (18)
O1—As1—O2	103.87 (11)	Tl2B ^{viii} —O10—Tl2C ^{xiii}	85.1 (2)
O3—As1—O2	109.74 (11)	Tl2C ^{viii} —O10—Tl2C ^{xiii}	88.2 (4)
O4—As1—Tl2B ^{vi}	82.50 (10)	Tl2A ^{viii} —O10—Tl2C ^{xiii}	87.7 (2)
O1—As1—Tl2B ^{vi}	161.67 (10)	Tl1B ^{xiii} —O10—Tl2C ^{xiii}	62.5 (2)
O3—As1—Tl2B ^{vi}	44.89 (11)	Tl1A ^{xiii} —O10—Tl2C ^{xiii}	59.12 (19)
O2—As1—Tl2B ^{vi}	82.71 (11)	Tl1B ^{iv} —O10—Tl2C ^{xiii}	55.9 (2)
O4—As1—Tl2A ^{vi}	77.17 (11)	Tl2B ^{xiii} —O10—Tl2C ^{xiii}	6.0 (2)
O1—As1—Tl2A ^{vi}	163.46 (9)	Tl2A ^{xiii} —O10—Tl2C ^{xiii}	3.57 (13)
O3—As1—Tl2A ^{vi}	46.32 (9)	As3—O11—Fe2	147.97 (13)
O2—As1—Tl2A ^{vi}	86.55 (11)	As3—O11—Tl1B ^{iv}	74.11 (15)
Tl2B ^{vi} —As1—Tl2A ^{vi}	5.82 (8)	Fe2—O11—Tl1B ^{iv}	136.20 (15)
O4—As1—Tl1B	109.71 (17)	As3—O11—Tl1A ^{xiii}	74.20 (8)
O1—As1—Tl1B	41.4 (2)	Fe2—O11—Tl1A ^{xiii}	136.91 (9)
O3—As1—Tl1B	141.82 (17)	Tl1B ^{iv} —O11—Tl1A ^{xiii}	4.21 (18)
O2—As1—Tl1B	64.3 (2)	As3—O11—Tl1B ^{xiii}	74.37 (14)
Tl2B ^{vi} —As1—Tl1B	146.8 (2)	Fe2—O11—Tl1B ^{xiii}	137.28 (15)
Tl2A ^{vi} —As1—Tl1B	150.9 (2)	Tl1B ^{iv} —O11—Tl1B ^{xiii}	8.3 (4)
O4—As1—Tl2C ^{vi}	78.6 (3)	Tl1A ^{xiii} —O11—Tl1B ^{xiii}	4.13 (17)
O1—As1—Tl2C ^{vi}	159.27 (18)	As3—O11—Tl2B ^{xii}	159.69 (11)
O3—As1—Tl2C ^{vi}	42.3 (2)	Fe2—O11—Tl2B ^{xii}	47.38 (8)
O2—As1—Tl2C ^{vi}	90.0 (2)	Tl1B ^{iv} —O11—Tl2B ^{xii}	97.08 (15)
Tl2B ^{vi} —As1—Tl2C ^{vi}	7.5 (3)	Tl1A ^{xiii} —O11—Tl2B ^{xii}	95.68 (7)
Tl2A ^{vi} —As1—Tl2C ^{vi}	4.29 (16)	Tl1B ^{xiii} —O11—Tl2B ^{xii}	94.27 (15)
Tl1B—As1—Tl2C ^{vi}	154.2 (3)	As3—O11—Tl2C ^{xii}	164.81 (18)
O4—As1—Tl1A	110.64 (9)	Fe2—O11—Tl2C ^{xii}	43.96 (14)
O1—As1—Tl1A	46.10 (7)	Tl1B ^{iv} —O11—Tl2C ^{xii}	98.2 (2)
O3—As1—Tl1A	141.27 (7)	Tl1A ^{xiii} —O11—Tl2C ^{xii}	97.17 (15)
O2—As1—Tl1A	59.36 (9)	Tl1B ^{xiii} —O11—Tl2C ^{xii}	96.12 (19)
Tl2B ^{vi} —As1—Tl1A	141.78 (6)	Tl2B ^{xii} —O11—Tl2C ^{xii}	5.36 (18)
Tl2A ^{vi} —As1—Tl1A	145.90 (8)	As3—O12—Tl2C ^{xiii}	142.6 (4)
Tl1B—As1—Tl1A	5.0 (2)	As3—O12—Tl2A ^{xiii}	140.85 (15)
Tl2C ^{vi} —As1—Tl1A	149.2 (2)	Tl2C ^{xiii} —O12—Tl2A ^{xiii}	5.1 (2)
O4—As1—Tl1B ⁱ	111.38 (17)	As3—O12—Tl2B ^{xiii}	134.29 (12)
O1—As1—Tl1B ⁱ	50.7 (2)	Tl2C ^{xiii} —O12—Tl2B ^{xiii}	8.8 (3)
O3—As1—Tl1B ⁱ	140.23 (15)	Tl2A ^{xiii} —O12—Tl2B ^{xiii}	6.95 (9)
O2—As1—Tl1B ⁱ	54.5 (2)	As3—O12—Tl2C ^{vi}	136.8 (2)
Tl2B ^{vi} —As1—Tl1B ⁱ	137.0 (2)	Tl2C ^{xiii} —O12—Tl2C ^{vi}	69.0 (4)
Tl2A ^{vi} —As1—Tl1B ⁱ	141.1 (2)	Tl2A ^{xiii} —O12—Tl2C ^{vi}	73.2 (2)
Tl1B—As1—Tl1B ⁱ	9.8 (4)	Tl2B ^{xiii} —O12—Tl2C ^{vi}	77.4 (2)
Tl2C ^{vi} —As1—Tl1B ⁱ	144.4 (3)	As3—O12—Tl1B ^{iv}	105.94 (19)
Tl1A—As1—Tl1B ⁱ	4.8 (2)	Tl2C ^{xiii} —O12—Tl1B ^{iv}	76.4 (3)

O4—As1—Tl2B	65.74 (9)	Tl2A ^{xiii} —O12—Tl1B ^{iv}	71.88 (15)
O1—As1—Tl2B	104.61 (8)	Tl2B ^{xiii} —O12—Tl1B ^{iv}	74.80 (17)
O3—As1—Tl2B	135.82 (8)	Tl2C ^{vi} —O12—Tl1B ^{iv}	111.5 (3)
O2—As1—Tl2B	42.84 (9)	As3—O12—Tl1A ^{xiii}	101.85 (10)
Tl2B ^{vi} —As1—Tl2B	91.89 (9)	Tl2C ^{xiii} —O12—Tl1A ^{xiii}	78.1 (2)
Tl2A ^{vi} —As1—Tl2B	91.78 (7)	Tl2A ^{xiii} —O12—Tl1A ^{xiii}	73.36 (9)
Tl1B—As1—Tl2B	67.5 (2)	Tl2B ^{xiii} —O12—Tl1A ^{xiii}	75.74 (10)
Tl2C ^{vi} —As1—Tl2B	96.05 (17)	Tl2C ^{vi} —O12—Tl1A ^{xiii}	116.3 (2)
Tl1A—As1—Tl2B	64.33 (4)	Tl1B ^{iv} —O12—Tl1A ^{xiii}	4.8 (2)
Tl1B ⁱ —As1—Tl2B	61.4 (2)	As3—O12—Tl2A ^{vi}	133.49 (12)
O4—As1—Tl2A	70.99 (11)	Tl2C ^{xiii} —O12—Tl2A ^{vi}	71.4 (3)
O1—As1—Tl2A	103.97 (9)	Tl2A ^{xiii} —O12—Tl2A ^{vi}	75.76 (13)
O3—As1—Tl2A	134.43 (9)	Tl2B ^{xiii} —O12—Tl2A ^{vi}	79.68 (10)
O2—As1—Tl2A	37.60 (11)	Tl2C ^{vi} —O12—Tl2A ^{vi}	3.4 (2)
Tl2B ^{vi} —As1—Tl2A	91.71 (10)	Tl1B ^{iv} —O12—Tl2A ^{vi}	114.7 (2)
Tl2A ^{vi} —As1—Tl2A	92.14 (8)	Tl1A ^{xiii} —O12—Tl2A ^{vi}	119.42 (8)
Tl1B—As1—Tl2A	65.3 (2)	As3—O12—Tl1B ^{xiii}	98.06 (16)
Tl2C ^{vi} —As1—Tl2A	96.43 (18)	Tl2C ^{xiii} —O12—Tl1B ^{xiii}	79.6 (3)
Tl1A—As1—Tl2A	61.81 (6)	Tl2A ^{xiii} —O12—Tl1B ^{xiii}	74.82 (14)
Tl1B ⁱ —As1—Tl2A	58.5 (2)	Tl2B ^{xiii} —O12—Tl1B ^{xiii}	76.69 (16)
Tl2B—As1—Tl2A	5.35 (7)	Tl2C ^{vi} —O12—Tl1B ^{xiii}	120.6 (3)
O6—As2—O5	112.19 (11)	Tl1B ^{iv} —O12—Tl1B ^{xiii}	9.2 (4)
O6—As2—O7	108.23 (11)	Tl1A ^{xiii} —O12—Tl1B ^{xiii}	4.42 (17)
O5—As2—O7	109.50 (11)	Tl2A ^{vi} —O12—Tl1B ^{xiii}	123.78 (19)
O6—As2—O8	108.63 (11)	As3—O12—Tl2B ^{vi}	134.55 (12)
O5—As2—O8	111.53 (11)	Tl2C ^{xiii} —O12—Tl2B ^{vi}	73.0 (3)
O7—As2—O8	106.56 (10)	Tl2A ^{xiii} —O12—Tl2B ^{vi}	77.09 (9)
O6—As2—Tl1B ⁱⁱ	102.43 (17)	Tl2B ^{xiii} —O12—Tl2B ^{vi}	81.46 (12)
O5—As2—Tl1B ⁱⁱ	62.73 (19)	Tl2C ^{vi} —O12—Tl2B ^{vi}	4.5 (2)
O7—As2—Tl1B ⁱⁱ	53.70 (19)	Tl1B ^{iv} —O12—Tl2B ^{vi}	111.1 (2)
O8—As2—Tl1B ⁱⁱ	147.66 (17)	Tl1A ^{xiii} —O12—Tl2B ^{vi}	115.93 (9)
O6—As2—Tl2A ^{xi}	48.51 (9)	Tl2A ^{vi} —O12—Tl2B ^{vi}	4.80 (8)
O5—As2—Tl2A ^{xi}	110.40 (10)	Tl1B ^{xiii} —O12—Tl2B ^{vi}	120.33 (19)
O7—As2—Tl2A ^{xi}	63.33 (9)	As3—O12—Tl2B ^{viii}	57.27 (8)
O8—As2—Tl2A ^{xi}	137.72 (10)	Tl2C ^{xiii} —O12—Tl2B ^{viii}	87.6 (4)
Tl1B ⁱⁱ —As2—Tl2A ^{xi}	61.81 (17)	Tl2A ^{xiii} —O12—Tl2B ^{viii}	87.72 (12)
O6—As2—Tl2C ^{xi}	48.7 (2)	Tl2B ^{xiii} —O12—Tl2B ^{viii}	80.79 (8)
O5—As2—Tl2C ^{xi}	114.46 (19)	Tl2C ^{vi} —O12—Tl2B ^{viii}	119.4 (3)
O7—As2—Tl2C ^{xi}	61.6 (2)	Tl1B ^{iv} —O12—Tl2B ^{viii}	115.9 (2)
O8—As2—Tl2C ^{xi}	133.80 (19)	Tl1A ^{xiii} —O12—Tl2B ^{viii}	111.69 (9)
Tl1B ⁱⁱ —As2—Tl2C ^{xi}	64.3 (2)	Tl2A ^{vi} —O12—Tl2B ^{viii}	117.69 (10)
Tl2A ^{xi} —As2—Tl2C ^{xi}	4.18 (17)	Tl1B ^{xiii} —O12—Tl2B ^{viii}	107.8 (2)
O6—As2—Tl1A ^{xi}	101.68 (8)	Tl2B ^{vi} —O12—Tl2B ^{viii}	122.47 (11)
O5—As2—Tl1A ^{xi}	61.84 (8)	As3—O12—Tl2A ^{viii}	57.41 (8)
O7—As2—Tl1A ^{xi}	55.05 (7)	Tl2C ^{xiii} —O12—Tl2A ^{viii}	87.4 (4)
O8—As2—Tl1A ^{xi}	148.71 (8)	Tl2A ^{xiii} —O12—Tl2A ^{viii}	87.47 (11)
Tl1B ⁱⁱ —As2—Tl1A ^{xi}	1.42 (17)	Tl2B ^{xiii} —O12—Tl2A ^{viii}	80.53 (8)
Tl2A ^{xi} —As2—Tl1A ^{xi}	61.71 (6)	Tl2C ^{vi} —O12—Tl2A ^{viii}	119.6 (3)

Tl2C ^{xi} —As2—Tl1A ^{xi}	64.28 (19)	Tl1B ^{iv} —O12—Tl2A ^{viii}	115.5 (2)
O6—As2—Tl2C ^{vii}	77.7 (2)	Tl1A ^{xiii} —O12—Tl2A ^{viii}	111.30 (7)
O5—As2—Tl2C ^{vii}	156.3 (2)	Tl2A ^{vi} —O12—Tl2A ^{viii}	117.93 (10)
O7—As2—Tl2C ^{vii}	47.2 (2)	Tl1B ^{xiii} —O12—Tl2A ^{viii}	107.4 (2)
O8—As2—Tl2C ^{vii}	83.6 (3)	Tl2B ^{vi} —O12—Tl2A ^{viii}	122.72 (7)
Tl1B ⁱⁱ —As2—Tl2C ^{vii}	94.6 (3)	Tl2B ^{viii} —O12—Tl2A ^{viii}	0.42 (11)
Tl2A ^{xi} —As2—Tl2C ^{vii}	59.0 (2)	As3—O12—H12	101 (3)
Tl2C ^{xi} —As2—Tl2C ^{vii}	54.9 (4)	Tl2C ^{xiii} —O12—H12	116 (3)
Tl1A ^{xi} —As2—Tl2C ^{vii}	95.6 (2)	Tl2A ^{xiii} —O12—H12	118 (3)
O6—As2—Tl2B ^{xi}	48.84 (8)	Tl2B ^{xiii} —O12—H12	125 (3)
O5—As2—Tl2B ^{xi}	109.53 (11)	Tl2C ^{vi} —O12—H12	56 (3)
O7—As2—Tl2B ^{xi}	63.38 (9)	Tl1B ^{iv} —O12—H12	95 (3)
O8—As2—Tl2B ^{xi}	138.60 (11)	Tl1A ^{xiii} —O12—H12	98 (3)
Tl1B ⁱⁱ —As2—Tl2B ^{xi}	61.06 (16)	Tl2A ^{vi} —O12—H12	56 (3)
Tl2A ^{xi} —As2—Tl2B ^{xi}	0.88 (12)	Tl1B ^{xiii} —O12—H12	101 (3)
Tl2C ^{xi} —As2—Tl2B ^{xi}	5.0 (2)	Tl2B ^{vi} —O12—H12	52 (3)
Tl1A ^{xi} —As2—Tl2B ^{xi}	60.95 (5)	Tl2B ^{viii} —O12—H12	146 (3)
Tl2C ^{vii} —As2—Tl2B ^{xi}	59.7 (2)	Tl2A ^{viii} —O12—H12	146 (3)
O6—As2—Tl1B	136.29 (14)		

Symmetry codes: (i) $-x+1, -y+2, -z$; (ii) $-x, -y+2, -z$; (iii) $x+1, y, z$; (iv) $-x+1, -y+1, -z$; (v) $x, y+1, z$; (vi) $-x+1, -y+1, -z+1$; (vii) $-x, -y+2, -z+1$; (viii) $-x, -y+1, -z+1$; (ix) $-x+1, -y+2, -z+1$; (x) $-x, -y+1, -z$; (xi) $x-1, y, z$; (xii) $x, y, z-1$; (xiii) $x, y-1, z$.

Hydrogen-bond geometry (\AA , $^\circ$)

$D\text{—H}\cdots A$	$D\text{—H}$	$H\cdots A$	$D\cdots A$	$D\text{—H}\cdots A$
O2—H2 \cdots O9 ⁱⁱⁱ	0.85 (3)	1.86 (3)	2.707 (3)	176 (5)
O8—H8 \cdots O10 ^v	0.982 (2)	1.598 (2)	2.569 (3)	169.44 (15)
O12—H12 \cdots O3	0.88 (3)	1.86 (3)	2.729 (3)	172 (5)

Symmetry codes: (iii) $x+1, y, z$; (v) $x, y+1, z$.