


P12.11.44

Acta Cryst. (2008). A64, C560**Mechanism and kinetics of pore formation in membranes by water-soluble amphipathic peptides**Ming-Tao Lee¹, Wei-Chin Hung², Fang-Yu Chen³, Huey W. Huang⁴¹National Synchrotron Radiation Research Center, Soft matter science group, 101 Hsin-Ann Road, Hsinchu Science Park, Hsinchu, Taiwan, 30076, Taiwan, ²Department of Physics, Chinese Military Academy, Fengshan, Kaohsiung, 83055 Taiwan, ³Department of Physics, National Central University, Chung-Li, 32054 Taiwan, ⁴Department of Physics & Astronomy, Rice University, Houston, Texas 77251, E-mail: mtlee@nsrc.org.tw

How antimicrobial peptides form pores in membranes is of interest as a fundamental membrane process. However, the underlying molecular mechanism, which has potential applications in therapeutics, nonviral gene transfer and drug delivery, has been in dispute. We have resolved this mechanism by observing the time-dependent process of pore formation in individual giant unilamellar vesicles (GUVs) exposed to a melittin solution. Individual GUV first expanded its surface area at constant volume and then suddenly reversed to expanding its volume at constant area. The area expansion, the volume expansion and the point of reversal all match the results of equilibrium measurements performed on peptide-lipid mixtures. The mechanism includes a negative feedback that makes peptide-induced pores stable with a well-defined size, contrary to the suggestion that peptides disintegrate the membrane in a detergent-like manner.



Keywords: membrane, antimicrobial peptides, pore formation

P12.11.45

Acta Cryst. (2008). A64, C560**Probing slow dynamics on glass transition in thin polystyrene films by X-ray reflectivity**

Chunming Yang, Hikaru Terauchi, Isao Takahashi

Kwansei Gakuin University, Faculty of Science and Technology, Gakuen 2-1, Sanda, Hyogo, 669-1323, Japan, E-mail: ais78403@ksc.kwansei.ac.jp

Glass transition temperature (T_g) is known to vary with heating/cooling rate for glass-forming materials. Especially for ultrathin films with thickness comparable to the length scale of cooperative rearranging region, rearrangement of the segments would be strongly influenced by the confined geometry to produce a noticeable dependence of T_g on the heating/cooling rate. It is thus interesting to observe how T_g varies in a thin glass-forming polymer under different heating/cooling conditions, which would serve us to get precious information about how dynamical behavior is hindered.

In the present study, we investigate glass transition temperature in polystyrene films spin-coated on Si substrates under different heating rates of 0.5 K/min., 0.05 K/min., and 0.01 K/min. Temperature-dependent film thickness, surface roughness, and electron density are precisely obtained by X-ray reflectivity for the films with thickness ranging from 60 nm to 3.7 nm. The thickest film comparable to ten times of radius of gyration corresponds to the maximum thickness where the reduction of T_g was observed in [1] and [2]. Dewetting phenomenon during the annealing at 430K was found to be inevitable for films less than 3.7 nm thick. $\log_{10}(\text{heating rate})$ vs. $1/T_g$ shows a slow dynamics obeying the Arrhenius behavior characterized by a decrease in activation energy with decreasing the thickness. T_g of 3.7 nm thick film was determined to be 327K (= $T_g(\text{bulk})-46$ K) under the heating rate of 0.01 K/min. It almost reaches the limiting value ($T_g(\text{bulk})-51.6$ K) with the infinite relaxation time predicted by WLF equation.

[1] Zahra Fakhraai and James A. Forrest, *Phys. Rev. L.*, 95, 025703 (2005)

[2] C. M. Roland and R. Casalini, *J. Chem. Phys.* 119, 1838 (2003)

Keywords: glass transition, X-ray reflectivity, slow dynamics

P12.11.46

Acta Cryst. (2008). A64, C560**Molecular aggregation states of crystalline fluorinated polymer thin films**Koji Honda¹, Masamichi Morita², Sono Sasaki³, Osami Sakata³, Atsushi Takahara^{1,4}¹Kyushu University, 744 Motoooka, Nishi-ku, Fukuoka, Fukuoka, 819-0395, Japan, ²Daikin Industries, Ltd., 1-1 Nishi Hitotsuya, Settsu-shi, Osaka 566-8585, Japan, ³Japan Synchrotron Radiation Research Institute, Sayo, Hyogo 679-5198, Japan, ⁴Institute of Materials Chemistry and Engineering, Kyushu University, 744 Motoooka, Nishi-ku, Fukuoka 819-0395, Japan, E-mail: k-honda@cstf.kyushu-u.ac.jp

Polymer with long fluoroalkyl (Rf) groups has high water and oil repellency and they are widely used for surface modifiers. In this paper, the authors report the molecular aggregation states of poly(fluoroalkyl acrylate) [PFA-Cy, where y is the fluoromethylene number of the Rf groups] were evaluated by in-plane and out-of-plane grazing-incidence X-ray diffraction (GIXD). Figure 1 shows the in-plane and out-of-plane GIXD profiles measured at surface regions for PFA-Cy with y = 8, 10 thin films. Sharp and strong peaks were measured in each profile. These peaks were assignable to the packing of Rf groups and the lamellar structure, respectively. Bragg diffraction from crystallographic planes perpendicular and parallel to the film surface were observed by in-plane and out-of-plane GIXD, respectively, indicating that the Rf groups are oriented almost perpendicular to the film surface and the bilayer lamellae structure is oriented parallel to the film surface. Moreover, the molecular aggregation states of poly(fluoroalkyl methacrylate) [PFMA-Cy] thin films and the nano-textured PFA-C8 thin film, which was formed by nanoimprint lithography, were also evaluated.

Keywords: fluorine compounds, grazing incidence, nanostructures