

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

Ethyl 2-benzyl-1-propyl-1*H*-indole-3-carboxylate

Peifan Li,* Wenjie Wang, Caiyun Li and Xiaoxia Bian

Department of Pharmaceuticals, Tianjin Medical College, Tianjin 300222, People's Republic of China

Correspondence e-mail: austinmm@126.com

Received 29 April 2009; accepted 2 May 2009


Key indicators: single-crystal X-ray study; $T = 113$ K; mean $\sigma(\text{C}-\text{C}) = 0.003$ Å; R factor = 0.044; wR factor = 0.102; data-to-parameter ratio = 10.0.

In the title compound, $\text{C}_{21}\text{H}_{23}\text{NO}_2$, the dihedral angle between the indole ring system and the benzyl ring is $75.92(9)^\circ$. The crystal packing is controlled by $\text{C}-\text{H}\cdots\text{O}$ and $\text{C}-\text{H}\cdots\pi$ interactions.

Related literature

For the synthesis of the title compound, see: Du *et al.* (2006).

For its precursor, see: Jin *et al.* (2009).



Experimental

Crystal data

$\text{C}_{21}\text{H}_{23}\text{NO}_2$

$M_r = 321.40$

Orthorhombic, $Pna2_1$

$a = 16.231(3)$ Å

$b = 19.479(4)$ Å

$c = 5.5226(11)$ Å

$V = 1746.0(6)$ Å³

$Z = 4$

Mo $K\alpha$ radiation

$\mu = 0.08$ mm⁻¹

$T = 113$ K

$0.20 \times 0.16 \times 0.12$ mm

Data collection

Rigaku Saturn CCD area-detector diffractometer

Absorption correction: multi-scan (*CrystalClear*; Rigaku/MSC, 2005)

$T_{\min} = 0.985$, $T_{\max} = 0.991$

13765 measured reflections

2204 independent reflections

2060 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.044$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.044$

$wR(F^2) = 0.102$

$S = 1.07$

2204 reflections

220 parameters

1 restraint

H-atom parameters constrained

$\Delta\rho_{\text{max}} = 0.18$ e Å⁻³

$\Delta\rho_{\text{min}} = -0.15$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
$\text{C2}-\text{H2}\cdots\text{O1}^i$	0.95	2.71	3.653 (3)	173
$\text{C9}-\text{H9B}\cdots\text{O1}^i$	0.99	2.88	3.680 (3)	138
$\text{C11}-\text{H11A}\cdots\text{O1}^i$	0.98	2.69	3.514 (3)	142
$\text{C12}-\text{H12A}\cdots\text{O1}$	0.99	2.39	3.044 (3)	123
$\text{C18}-\text{H18}\cdots\text{O1}$	0.95	2.96	3.620 (3)	128
$\text{C21}-\text{H21A}\cdots\text{O2}^{ii}$	0.98	2.91	3.555 (3)	124
$\text{C3}-\text{H3}\cdots\text{Cg}^{iii}$	0.95	2.82	3.632 (3)	144

Symmetry codes: (i) $x + \frac{1}{2}, -y + \frac{1}{2}, z$; (ii) $-x + 1, -y + 1, z - \frac{1}{2}$; (iii) $x + \frac{1}{2}, -y + \frac{1}{2}, z - 1$. Cg is the centroid of the C13–C18 ring.

Data collection: *CrystalClear* (Rigaku/MSC, 2005); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *CrystalStructure* (Rigaku/MSC, 2005).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB2963).

References

- Du, Y., Liu, R., Linn, G. & Zhao, K. (2006). *Org. Lett.* **8**, 5919–5922.
 Jin, H., Li, P., Liu, B. & Cheng, X. (2009). *Acta Cryst.* **E65**, o236.
 Rigaku/MSC (2005). *CrystalClear* and *CrystalStructure*. Rigaku Corporation, Tokyo, Japan.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2009). E65, o1284 [doi:10.1107/S1600536809016493]

Ethyl 2-benzyl-1-propyl-1*H*-indole-3-carboxylate

Peifan Li, Wenjie Wang, Caiyun Li and Xiaoxia Bian

S1. Comment

Indole chemistry continue to capture the attention of synthetic organic chemists due to indole's pharmaceutical properties. Recently we have reported the crystal structure of (*Z*)-ethyl 2,4-diphenyl-3-(propylamino)-but-2-enoate (Jin *et al.*, 2009). Starting from this precursor, its indole derivative was prepared according to the method of Du and coworkers. To further study the SAR, we determine the crystal structure of this indole derivative.


In the molecular structure, (I) (Fig. 1), the indole ring is coplanar with a dihedral angle of 0.21 (12)° between its pyrrole ring and fused benzene ring. The indole ring forms an angle of 75.92 (9)° with the benzyl ring.

S2. Experimental

The title compound was prepared according to the method of the literature (Du *et al.*, 2006). The crystals fit for X-ray diffraction were grown from a mixture of ethyl acetate and petroleum ether.

S3. Refinement

All H atoms were positioned geometrically (C—H = 0.93–0.97 Å) and refined as riding with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{CH})$ and $1.5U_{\text{eq}}(\text{CH}_3)$. Friedel Pairs were merged before refinement.

**Figure 1**

The molecular structure of molecule one of (I) with the atom-numbering scheme and 50% probability displacement ellipsoids.

Ethyl 2-benzyl-1-propyl-1*H*-indole-3-carboxylate

Crystal data

$C_{21}H_{23}NO_2$

$M_r = 321.40$

Orthorhombic, $Pna2_1$

Hall symbol: $P\ 2c\ -2n$

$a = 16.231\ (3)\ \text{\AA}$

$b = 19.479\ (4)\ \text{\AA}$

$c = 5.5226\ (11)\ \text{\AA}$

$V = 1746.0\ (6)\ \text{\AA}^3$

$Z = 4$

$F(000) = 688$

$D_x = 1.223\ \text{Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 5126 reflections

$\theta = 2.4\text{--}27.5^\circ$

$\mu = 0.08\ \text{mm}^{-1}$

$T = 113\ \text{K}$

Needle, colourless

$0.20 \times 0.16 \times 0.12\ \text{mm}$

Data collection

Rigaku Saturn CCD area-detector
diffractometer

Radiation source: rotating anode

Confocal monochromator

Detector resolution: $7.31\ \text{pixels mm}^{-1}$

ω and φ scans

Absorption correction: multi-scan

(*CrystalClear*; Rigaku/MSC, 2005)

$T_{\min} = 0.985$, $T_{\max} = 0.991$

13765 measured reflections

2204 independent reflections

2060 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.044$

$\theta_{\max} = 27.5^\circ$, $\theta_{\min} = 2.4^\circ$

$h = -21 \rightarrow 20$

$k = -25 \rightarrow 25$

$l = -4 \rightarrow 7$

*Refinement*Refinement on F^2

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.044$ $wR(F^2) = 0.102$ $S = 1.07$

2204 reflections

220 parameters

1 restraint

Primary atom site location: structure-invariant
direct methodsSecondary atom site location: difference Fourier
mapHydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0496P)^2 + 0.3147P]$ where $P = (F_o^2 + 2F_c^2)/3$ $(\Delta/\sigma)_{\max} < 0.001$ $\Delta\rho_{\max} = 0.18 \text{ e } \text{\AA}^{-3}$ $\Delta\rho_{\min} = -0.15 \text{ e } \text{\AA}^{-3}$ Extinction correction: *SHELXL*, $F_c^* = kF_c[1 + 0.001 \times F_c^2 \lambda^3 / \sin(2\theta)]^{-1/4}$

Extinction coefficient: 0.044 (4)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
O1	0.38761 (9)	0.34048 (8)	0.2851 (4)	0.0430 (5)
O2	0.45086 (8)	0.40505 (7)	0.0042 (3)	0.0357 (4)
N1	0.62712 (10)	0.24714 (8)	0.3130 (4)	0.0294 (4)
C1	0.66004 (12)	0.28279 (10)	0.1183 (4)	0.0300 (5)
C2	0.73763 (13)	0.27623 (11)	0.0133 (5)	0.0355 (5)
H2	0.7768	0.2440	0.0718	0.043*
C3	0.75495 (13)	0.31898 (11)	-0.1805 (5)	0.0392 (6)
H3	0.8075	0.3164	-0.2557	0.047*
C4	0.69695 (14)	0.36590 (11)	-0.2680 (5)	0.0383 (6)
H4	0.7107	0.3941	-0.4023	0.046*
C5	0.62019 (13)	0.37209 (10)	-0.1635 (5)	0.0339 (5)
H5	0.5813	0.4042	-0.2245	0.041*
C6	0.60052 (12)	0.33007 (10)	0.0348 (4)	0.0288 (4)
C7	0.52909 (13)	0.32030 (9)	0.1883 (4)	0.0288 (5)
C8	0.54835 (12)	0.26987 (10)	0.3565 (5)	0.0290 (4)
C9	0.67057 (12)	0.19227 (10)	0.4394 (5)	0.0326 (5)
H9A	0.6472	0.1873	0.6041	0.039*
H9B	0.7293	0.2052	0.4568	0.039*
C10	0.66510 (12)	0.12335 (10)	0.3092 (5)	0.0336 (5)
H10A	0.6066	0.1103	0.2890	0.040*
H10B	0.6901	0.1273	0.1464	0.040*
C11	0.70976 (14)	0.06838 (11)	0.4534 (5)	0.0404 (6)
H11A	0.7673	0.0821	0.4774	0.061*

H11B	0.7079	0.0248	0.3647	0.061*
H11C	0.6830	0.0627	0.6112	0.061*
C12	0.49933 (13)	0.24338 (10)	0.5656 (4)	0.0315 (5)
H12A	0.4530	0.2753	0.5963	0.038*
H12B	0.5348	0.2433	0.7115	0.038*
C13	0.46466 (12)	0.17145 (10)	0.5295 (4)	0.0271 (4)
C14	0.47834 (13)	0.12068 (10)	0.7011 (4)	0.0317 (5)
H14	0.5121	0.1302	0.8376	0.038*
C15	0.44300 (14)	0.05585 (11)	0.6750 (5)	0.0360 (5)
H15	0.4527	0.0214	0.7933	0.043*
C16	0.39379 (13)	0.04180 (11)	0.4763 (5)	0.0350 (5)
H16	0.3692	-0.0022	0.4589	0.042*
C17	0.38041 (13)	0.09212 (10)	0.3027 (5)	0.0331 (5)
H17	0.3470	0.0825	0.1656	0.040*
C18	0.41579 (12)	0.15656 (10)	0.3295 (4)	0.0296 (4)
H18	0.4065	0.1908	0.2100	0.036*
C19	0.44951 (13)	0.35436 (10)	0.1705 (4)	0.0308 (5)
C20	0.37460 (14)	0.44182 (11)	-0.0340 (6)	0.0410 (6)
H20A	0.3565	0.4641	0.1180	0.049*
H20B	0.3308	0.4099	-0.0879	0.049*
C21	0.39091 (15)	0.49475 (12)	-0.2251 (5)	0.0442 (6)
H21A	0.4351	0.5254	-0.1710	0.066*
H21B	0.3407	0.5215	-0.2539	0.066*
H21C	0.4076	0.4719	-0.3755	0.066*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
O1	0.0300 (8)	0.0423 (8)	0.0567 (13)	0.0019 (6)	0.0131 (9)	0.0115 (9)
O2	0.0274 (7)	0.0368 (8)	0.0430 (10)	-0.0020 (6)	0.0009 (8)	0.0075 (8)
N1	0.0260 (8)	0.0311 (8)	0.0312 (10)	-0.0032 (6)	0.0012 (8)	-0.0027 (8)
C1	0.0266 (10)	0.0306 (9)	0.0327 (12)	-0.0088 (8)	0.0015 (9)	-0.0073 (9)
C2	0.0254 (10)	0.0386 (10)	0.0426 (14)	-0.0055 (8)	0.0034 (10)	-0.0085 (10)
C3	0.0303 (11)	0.0443 (11)	0.0430 (15)	-0.0113 (9)	0.0102 (11)	-0.0075 (12)
C4	0.0378 (12)	0.0397 (11)	0.0375 (14)	-0.0123 (9)	0.0062 (11)	-0.0025 (11)
C5	0.0336 (11)	0.0316 (9)	0.0365 (12)	-0.0097 (8)	0.0031 (10)	-0.0032 (10)
C6	0.0280 (10)	0.0285 (9)	0.0299 (11)	-0.0067 (7)	0.0022 (9)	-0.0053 (9)
C7	0.0274 (10)	0.0270 (9)	0.0319 (12)	-0.0055 (7)	0.0028 (9)	-0.0027 (9)
C8	0.0268 (10)	0.0302 (9)	0.0299 (11)	-0.0059 (8)	0.0008 (9)	-0.0049 (9)
C9	0.0292 (10)	0.0361 (10)	0.0325 (12)	-0.0017 (8)	-0.0030 (10)	-0.0023 (10)
C10	0.0289 (10)	0.0353 (10)	0.0366 (13)	-0.0010 (8)	-0.0005 (10)	-0.0015 (10)
C11	0.0380 (12)	0.0375 (11)	0.0457 (14)	-0.0001 (9)	-0.0005 (12)	0.0050 (11)
C12	0.0324 (10)	0.0342 (10)	0.0278 (12)	-0.0020 (8)	0.0032 (9)	-0.0037 (9)
C13	0.0231 (9)	0.0308 (9)	0.0273 (11)	0.0012 (7)	0.0046 (8)	-0.0017 (9)
C14	0.0288 (10)	0.0400 (10)	0.0262 (11)	-0.0006 (9)	0.0007 (9)	0.0025 (10)
C15	0.0359 (11)	0.0382 (11)	0.0338 (12)	0.0039 (9)	0.0005 (10)	0.0059 (10)
C16	0.0388 (11)	0.0308 (9)	0.0352 (13)	-0.0024 (8)	0.0057 (10)	-0.0003 (10)
C17	0.0336 (11)	0.0373 (10)	0.0283 (12)	-0.0038 (8)	-0.0018 (10)	-0.0016 (10)

C18	0.0306 (10)	0.0313 (9)	0.0271 (11)	-0.0001 (8)	0.0008 (9)	0.0017 (9)
C19	0.0292 (10)	0.0280 (9)	0.0353 (12)	-0.0052 (8)	0.0025 (10)	-0.0018 (9)
C20	0.0327 (11)	0.0392 (11)	0.0512 (16)	0.0003 (9)	0.0010 (11)	0.0093 (12)
C21	0.0441 (13)	0.0411 (11)	0.0474 (16)	-0.0055 (10)	-0.0029 (12)	0.0099 (12)

Geometric parameters (Å, °)

O1—C19	1.218 (3)	C10—H10B	0.9900
O2—C19	1.349 (3)	C11—H11A	0.9800
O2—C20	1.446 (3)	C11—H11B	0.9800
N1—C8	1.374 (3)	C11—H11C	0.9800
N1—C1	1.387 (3)	C12—C13	1.523 (3)
N1—C9	1.458 (3)	C12—H12A	0.9900
C1—C2	1.392 (3)	C12—H12B	0.9900
C1—C6	1.412 (3)	C13—C14	1.387 (3)
C2—C3	1.385 (4)	C13—C18	1.391 (3)
C2—H2	0.9500	C14—C15	1.394 (3)
C3—C4	1.398 (3)	C14—H14	0.9500
C3—H3	0.9500	C15—C16	1.384 (3)
C4—C5	1.378 (3)	C15—H15	0.9500
C4—H4	0.9500	C16—C17	1.388 (3)
C5—C6	1.404 (3)	C16—H16	0.9500
C5—H5	0.9500	C17—C18	1.388 (3)
C6—C7	1.449 (3)	C17—H17	0.9500
C7—C8	1.388 (3)	C18—H18	0.9500
C7—C19	1.455 (3)	C20—C21	1.499 (4)
C8—C12	1.494 (3)	C20—H20A	0.9900
C9—C10	1.526 (3)	C20—H20B	0.9900
C9—H9A	0.9900	C21—H21A	0.9800
C9—H9B	0.9900	C21—H21B	0.9800
C10—C11	1.518 (3)	C21—H21C	0.9800
C10—H10A	0.9900		
C19—O2—C20	116.62 (17)	C10—C11—H11C	109.5
C8—N1—C1	109.44 (18)	H11A—C11—H11C	109.5
C8—N1—C9	127.0 (2)	H11B—C11—H11C	109.5
C1—N1—C9	123.49 (17)	C8—C12—C13	114.42 (18)
N1—C1—C2	128.7 (2)	C8—C12—H12A	108.7
N1—C1—C6	108.43 (17)	C13—C12—H12A	108.7
C2—C1—C6	122.9 (2)	C8—C12—H12B	108.7
C3—C2—C1	116.8 (2)	C13—C12—H12B	108.7
C3—C2—H2	121.6	H12A—C12—H12B	107.6
C1—C2—H2	121.6	C14—C13—C18	119.03 (18)
C2—C3—C4	121.6 (2)	C14—C13—C12	120.5 (2)
C2—C3—H3	119.2	C18—C13—C12	120.43 (19)
C4—C3—H3	119.2	C13—C14—C15	120.6 (2)
C5—C4—C3	121.4 (2)	C13—C14—H14	119.7
C5—C4—H4	119.3	C15—C14—H14	119.7

C3—C4—H4	119.3	C16—C15—C14	119.9 (2)
C4—C5—C6	118.8 (2)	C16—C15—H15	120.1
C4—C5—H5	120.6	C14—C15—H15	120.1
C6—C5—H5	120.6	C15—C16—C17	119.9 (2)
C5—C6—C1	118.65 (19)	C15—C16—H16	120.1
C5—C6—C7	135.6 (2)	C17—C16—H16	120.1
C1—C6—C7	105.70 (19)	C18—C17—C16	120.0 (2)
C8—C7—C6	107.73 (18)	C18—C17—H17	120.0
C8—C7—C19	124.58 (19)	C16—C17—H17	120.0
C6—C7—C19	127.7 (2)	C17—C18—C13	120.6 (2)
N1—C8—C7	108.7 (2)	C17—C18—H18	119.7
N1—C8—C12	121.3 (2)	C13—C18—H18	119.7
C7—C8—C12	129.92 (19)	O1—C19—O2	121.99 (19)
N1—C9—C10	113.02 (19)	O1—C19—C7	126.6 (2)
N1—C9—H9A	109.0	O2—C19—C7	111.41 (18)
C10—C9—H9A	109.0	O2—C20—C21	106.99 (19)
N1—C9—H9B	109.0	O2—C20—H20A	110.3
C10—C9—H9B	109.0	C21—C20—H20A	110.3
H9A—C9—H9B	107.8	O2—C20—H20B	110.3
C11—C10—C9	110.2 (2)	C21—C20—H20B	110.3
C11—C10—H10A	109.6	H20A—C20—H20B	108.6
C9—C10—H10A	109.6	C20—C21—H21A	109.5
C11—C10—H10B	109.6	C20—C21—H21B	109.5
C9—C10—H10B	109.6	H21A—C21—H21B	109.5
H10A—C10—H10B	108.1	C20—C21—H21C	109.5
C10—C11—H11A	109.5	H21A—C21—H21C	109.5
C10—C11—H11B	109.5	H21B—C21—H21C	109.5
H11A—C11—H11B	109.5		
C8—N1—C1—C2	-180.0 (2)	C6—C7—C8—C12	175.6 (2)
C9—N1—C1—C2	-2.4 (3)	C19—C7—C8—C12	-6.3 (4)
C8—N1—C1—C6	0.2 (2)	C8—N1—C9—C10	96.0 (3)
C9—N1—C1—C6	177.74 (19)	C1—N1—C9—C10	-81.1 (2)
N1—C1—C2—C3	-179.6 (2)	N1—C9—C10—C11	-178.64 (18)
C6—C1—C2—C3	0.2 (3)	N1—C8—C12—C13	-75.8 (3)
C1—C2—C3—C4	-0.7 (3)	C7—C8—C12—C13	107.9 (2)
C2—C3—C4—C5	0.6 (4)	C8—C12—C13—C14	127.6 (2)
C3—C4—C5—C6	-0.1 (3)	C8—C12—C13—C18	-55.3 (3)
C4—C5—C6—C1	-0.4 (3)	C18—C13—C14—C15	-0.6 (3)
C4—C5—C6—C7	-179.1 (2)	C12—C13—C14—C15	176.5 (2)
N1—C1—C6—C5	-179.83 (18)	C13—C14—C15—C16	0.0 (3)
C2—C1—C6—C5	0.3 (3)	C14—C15—C16—C17	0.6 (3)
N1—C1—C6—C7	-0.8 (2)	C15—C16—C17—C18	-0.5 (3)
C2—C1—C6—C7	179.4 (2)	C16—C17—C18—C13	-0.1 (3)
C5—C6—C7—C8	179.9 (2)	C14—C13—C18—C17	0.7 (3)
C1—C6—C7—C8	1.1 (2)	C12—C13—C18—C17	-176.49 (19)
C5—C6—C7—C19	1.8 (4)	C20—O2—C19—O1	-0.7 (3)
C1—C6—C7—C19	-177.0 (2)	C20—O2—C19—C7	178.6 (2)

C1—N1—C8—C7	0.5 (2)	C8—C7—C19—O1	-5.9 (4)
C9—N1—C8—C7	-176.92 (19)	C6—C7—C19—O1	171.8 (2)
C1—N1—C8—C12	-176.43 (18)	C8—C7—C19—O2	174.8 (2)
C9—N1—C8—C12	6.1 (3)	C6—C7—C19—O2	-7.5 (3)
C6—C7—C8—N1	-1.0 (2)	C19—O2—C20—C21	-179.8 (2)
C19—C7—C8—N1	177.15 (19)		

Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
C2—H2...O1 ⁱ	0.95	2.71	3.653 (3)	173
C9—H9B...O1 ⁱ	0.99	2.88	3.680 (3)	138
C11—H11A...O1 ⁱ	0.98	2.69	3.514 (3)	142
C12—H12A...O1	0.99	2.39	3.044 (3)	123
C18—H18...O1	0.95	2.96	3.620 (3)	128
C21—H21A...O2 ⁱⁱ	0.98	2.91	3.555 (3)	124
C3—H3...Cg ⁱⁱⁱ	0.95	2.82	3.632 (3)	144

Symmetry codes: (i) $x+1/2, -y+1/2, z$; (ii) $-x+1, -y+1, z-1/2$; (iii) $x+1/2, -y+1/2, z-1$.