

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

4-(4-Chlorophenyl)-6-hydroxy-5-(2-thienylcarbonyl)-6-(trifluoromethyl)-3,4,5,6-tetrahydropyrimidin-2(1H)-one monohydrate

Mohammad Hossein Mosslemin,* Mohammad Reza Nateghi, Hesamaddin Sadoughi and Asal Lamei

 Department of Chemistry, Islamic Azad University, Yazd Branch, Yazd, Iran
 Correspondence e-mail: mosleminemh@yahoo.com


Received 3 May 2009; accepted 6 May 2009

 Key indicators: single-crystal X-ray study; $T = 298$ K; mean $\sigma(\text{C}-\text{C}) = 0.006$ Å; R factor = 0.055; wR factor = 0.146; data-to-parameter ratio = 18.1.

The asymmetric unit of the title compound, $\text{C}_{16}\text{H}_{12}\text{ClF}_3\text{N}_2\text{O}_3\text{S}\cdot\text{H}_2\text{O}$, contains two crystallographically independent organic molecules and two water molecules. The organic species are linked by an intermolecular $\text{O}-\text{H}\cdots\text{O}$ hydrogen bond, while the water molecules are connected to them through intermolecular $\text{O}-\text{H}\cdots\text{N}$ hydrogen bonds. The thiophene and phenyl rings are oriented at dihedral angles of $62.35(4)^\circ$ in the first independent molecule and $60.74(5)^\circ$ in the second, while the pyrimidine rings adopt twisted conformations in both molecules. Intramolecular $\text{N}-\text{H}\cdots\text{F}$ interactions result in the formation of two five-membered rings having envelope conformations. In the crystal structure, further intermolecular $\text{O}-\text{H}\cdots\text{O}$ and $\text{N}-\text{H}\cdots\text{O}$ hydrogen bonds link the molecules into chains.

Related literature

For related structures, see: Paraskar *et al.* (2003); Peng & Deng (2001). For bond-length data, see: Allen *et al.* (1987).



Experimental

Crystal data

$\text{C}_{16}\text{H}_{12}\text{ClF}_3\text{N}_2\text{O}_3\text{S}\cdot\text{H}_2\text{O}$	$a = 9.1156(6)$ Å
$M_r = 422.81$	$b = 14.1582(7)$ Å
Orthorhombic, $Pbn2_1$	$c = 27.6012(17)$ Å

$V = 3562.2(4)$ Å ³
$Z = 8$
Mo $K\alpha$ radiation

$\mu = 0.39$ mm ⁻¹
$T = 298$ K
$0.5 \times 0.3 \times 0.2$ mm

Data collection

Bruker SMART CCD area-detector diffractometer	19595 measured reflections
Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 1998)	9251 independent reflections
$T_{\min} = 0.860$, $T_{\max} = 0.923$	7478 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.032$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.055$	$\Delta\rho_{\text{max}} = 0.41$ e Å ⁻³
$wR(F^2) = 0.146$	$\Delta\rho_{\text{min}} = -0.47$ e Å ⁻³
$S = 1.07$	Absolute structure: Flack (1983),
9251 reflections	4326 Friedel pairs
511 parameters	Flack parameter: 0.18 (8)
H atoms treated by a mixture of independent and constrained refinement	

Table 1

Hydrogen-bond geometry (Å, °).

$D-\text{H}\cdots A$	$D-\text{H}$	$\text{H}\cdots A$	$D\cdots A$	$D-\text{H}\cdots A$
$\text{N1}-\text{H1A}\cdots\text{F3}$	0.86	2.38	2.719 (4)	104
$\text{N1}-\text{H1A}\cdots\text{O7}^i$	0.86	2.37	3.022 (4)	132
$\text{N2}-\text{H2A}\cdots\text{O7}$	0.86	2.15	2.914 (4)	147
$\text{O2}-\text{H2B}\cdots\text{O6}^{ii}$	0.89 (4)	1.85 (4)	2.694 (4)	156 (3)
$\text{N3}-\text{H3A}\cdots\text{F4}$	0.86	2.41	2.733 (4)	103
$\text{N3}-\text{H3A}\cdots\text{O8}^{iii}$	0.86	2.34	3.007 (4)	134
$\text{N4}-\text{H4A}\cdots\text{O8}$	0.86	2.14	2.921 (4)	151
$\text{O5}-\text{H5}\cdots\text{O3}$	0.98 (6)	1.72 (6)	2.686 (4)	169 (6)
$\text{O7}-\text{H7A}\cdots\text{O6}^{iii}$	0.84 (7)	2.27 (7)	2.879 (4)	130 (5)
$\text{O7}-\text{H7B}\cdots\text{O4}^{iv}$	0.86 (6)	2.36 (6)	2.996 (5)	131 (5)
$\text{O7}-\text{H7B}\cdots\text{O5}^{iv}$	0.86 (6)	2.18 (6)	2.859 (4)	135 (5)
$\text{O8}-\text{H8A}\cdots\text{O3}^v$	0.75 (5)	2.21 (5)	2.897 (4)	153 (4)
$\text{O8}-\text{H8B}\cdots\text{O1}^i$	0.83 (5)	2.22 (6)	2.968 (5)	150 (5)
$\text{O8}-\text{H8B}\cdots\text{O2}^i$	0.83 (5)	2.27 (6)	2.861 (4)	128 (5)

Symmetry codes: (i) $-x + \frac{1}{2}, y - \frac{1}{2}, z$; (ii) $x - 1, y, z$; (iii) $-x + \frac{3}{2}, y + \frac{1}{2}, z$; (iv) $-x + \frac{1}{2}, y + \frac{1}{2}, z$; (v) $-x + \frac{3}{2}, y - \frac{1}{2}, z$.

Data collection: *SMART* (Bruker, 1998); cell refinement: *SAINT* (Bruker, 1998); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *ORTEP-3 for Windows* (Farrugia, 1997); software used to prepare material for publication: *WinGX* (Farrugia, 1999).

The authors are grateful to Islamic Azad University, Yazd Branch, for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HK2682).

References

- Allen, F. H., Kennard, O., Watson, D. G., Brammer, L., Orpen, A. G. & Taylor, R. (1987). *J. Chem. Soc. Perkin Trans. 2*, pp. S1–19.
- Bruker (1998). *SMART* and *SAINT*. Bruker AXS, Madison, Wisconsin, USA.
- Farrugia, L. J. (1997). *J. Appl. Cryst.* **30**, 565.
- Farrugia, L. J. (1999). *J. Appl. Cryst.* **32**, 837–838.
- Flack, H. D. (1983). *Acta Cryst.* **A39**, 876–881.
- Paraskar, A. S., Dewkar, G. K. & Sudalai, A. (2003). *Tetrahedron Lett.* **44**, 3305–3308.
- Peng, J. & Deng, Y. (2001). *Tetrahedron Lett.* **42**, 5917–5919.
- Sheldrick, G. M. (1998). *SADABS*. Bruker AXS, Madison, Wisconsin, USA.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2009). E65, o1339 [doi:10.1107/S1600536809017097]

4-(4-Chlorophenyl)-6-hydroxy-5-(2-thienylcarbonyl)-6-(trifluoromethyl)-3,4,5,6-tetrahydropyrimidin-2(1*H*)-one monohydrate

Mohammad Hossein Mosslemin, Mohammad Reza Nateghi, Hesamaddin Sadoughi and Asal Lamei

S1. Comment

In recent years, several modified and improved procedures for one-pot synthesis of dihydropyrimidine-2(1*H*)-ones have been reported (Paraskar *et al.*, 2003; Peng & Deng, 2001). However, in spite of their potential utility, many of these methods suffer from drawback like longer reaction times, unsatisfactory yields and cumbersome product isolation procedures. We report herein the synthesis and crystal structure of the title compound.

The asymmetric unit of the title compound contains two crystallographically independent molecules and two water molecules (Fig. 1), in which the bond lengths (Allen *et al.*, 1987) and angles are within normal ranges. Rings A (S1/C1–C4), C (C11–C16) and D (S2/C17–C20), F (C27–C32) are, of course, planar and they are oriented at dihedral angles of A/C = 62.35 (4)° and D/F = 60.74 (5)°. Rings B (N1/N2/C6/C7/C9/C10) and E (N3/N4/C22/C23/C25/C26) adopt twisted conformations. Intramolecular N—H···F interactions (Table 1) result in the formations of two five-membered rings G (N1/F3/C7/C8/H1A) and H (N3/F4/C23/C24/H3A) having envelope conformations with atoms C8 and C24 displaced by 0.594 (4) and -0.603 (5) Å from the planes of the other rings atoms. Intramolecular O—H···O hydrogen bond (Table 1) link the two molecules, while the water molecules are connected to them through the intramolecular N—H···O hydrogen bonds (Table 1).

In the crystal structure, intermolecular O—H···O and N—H···O hydrogen bonds (Table 1) link the molecules into chains (Fig. 2), in which they may be effective in the stabilization of the structure.

S2. Experimental

For the preparation of the title compound, a mixture of 1-(2-thenoyl)-3,3,3-trifluoroacetone (0.222 g, 1 mmol), 4-chlorobenzaldehyde (0.141 g, 1 mmol), urea (0.18 g, 3 mmol) and ammonium chloride (0.005 g, 0.1 mmol) were heated at 373 K under stirring for 20 min. After cooling, the reaction mixture was poured onto crushed ice (20 g). The separated solid was filtered, washed with cold water (20 ml) and recrystallized from ethylacetate–hexane (1:3) to afford pure product (yield; 78%, 0.330 g).

S3. Refinement

H atoms of water molecules and OH groups were located in difference Fourier map and refined isotropically. The remaining H atoms were positioned geometrically with N—H = 0.86 Å (for NH) and C—H = 0.93 and 0.98 Å, for aromatic and methine H atoms, respectively, and constrained to ride on their parent atoms, with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{C}, \text{N})$.




Figure 1

The molecular structure of the title molecule, with the atom-numbering scheme. Displacement ellipsoids are drawn at the 50% probability level.




Figure 2

A partial packing diagram of the title compound viewed down the *a* axis. Hydrogen bonds are shown as dashed lines.

4-(4-Chlorophenyl)-6-hydroxy-5-(2-thienylcarbonyl)-6-(trifluoromethyl)-3,4,5,6-tetrahydropyrimidin-2(1*H*)-one monohydrate

Crystal data

$C_{16}H_{12}ClF_3N_2O_3S \cdot H_2O$

$M_r = 422.81$

Orthorhombic, *Pbn*2₁

Hall symbol: P 2c -2ab

$a = 9.1156$ (6) Å

$b = 14.1582$ (7) Å

$c = 27.6012$ (17) Å

$V = 3562.2$ (4) Å³

$Z = 8$

$F(000) = 1728$

$D_x = 1.577$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 1879 reflections

$\theta = 2.4$ – 29.2°

$\mu = 0.39$ mm⁻¹

$T = 298$ K

Block, colourless

$0.5 \times 0.3 \times 0.2$ mm

Data collection

Bruker SMART CCD area-detector
diffractometer
 φ and ω scans
Absorption correction: multi-scan
(*SADABS*; Sheldrick, 1998)
 $T_{\min} = 0.860$, $T_{\max} = 0.923$
19595 measured reflections

9251 independent reflections
7478 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.032$
 $\theta_{\max} = 29.2^\circ$, $\theta_{\min} = 2.4^\circ$
 $h = -11 \rightarrow 12$
 $k = -19 \rightarrow 19$
 $l = -37 \rightarrow 36$

Refinement

Refinement on F^2
Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.055$
 $wR(F^2) = 0.146$
 $S = 1.07$
9251 reflections
511 parameters
H atoms treated by a mixture of independent
and constrained refinement

$w = 1/[\sigma^2(F_o^2) + (0.0679P)^2 + 1.8489P]$
where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.012$
 $\Delta\rho_{\max} = 0.41 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.47 \text{ e } \text{\AA}^{-3}$
Absolute structure: Flack (1983), 4326 Friedel
pairs
Absolute structure parameter: 0.18 (8)

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C11	0.20863 (18)	1.18591 (11)	0.10132 (6)	0.0800 (4)
C12	0.71737 (17)	0.07620 (11)	0.51510 (6)	0.0829 (5)
S1	-0.37400 (15)	0.85338 (12)	0.12927 (6)	0.0797 (4)
S2	0.13318 (16)	0.40572 (12)	0.48988 (7)	0.0805 (4)
O1	-0.2355 (3)	0.8588 (2)	0.22653 (14)	0.0540 (8)
O2	-0.0969 (3)	0.71519 (19)	0.27993 (10)	0.0401 (6)
H2B	-0.086 (4)	0.665 (3)	0.2992 (15)	0.028 (10)*
O3	0.3549 (3)	0.69972 (17)	0.28201 (10)	0.0414 (6)
O4	0.2597 (3)	0.4046 (3)	0.39238 (14)	0.0539 (8)
O5	0.4027 (3)	0.54419 (17)	0.33543 (9)	0.0394 (5)
H5	0.396 (7)	0.604 (4)	0.318 (2)	0.088 (18)*
O6	0.8546 (3)	0.55885 (17)	0.33323 (10)	0.0413 (6)
O7	0.3736 (3)	0.9773 (2)	0.30044 (11)	0.0433 (6)
H7A	0.459 (8)	0.964 (4)	0.309 (2)	0.09 (2)*
H7B	0.321 (7)	0.993 (4)	0.325 (2)	0.080 (18)*
O8	0.8726 (3)	0.2819 (2)	0.31572 (11)	0.0423 (6)
H8A	0.946 (6)	0.278 (3)	0.3038 (17)	0.045 (13)*
H8B	0.820 (6)	0.283 (4)	0.291 (2)	0.066 (15)*
N1	0.1334 (3)	0.66639 (19)	0.24968 (11)	0.0335 (6)
H1A	0.1546	0.6074	0.247	0.04*
N2	0.2184 (4)	0.8206 (2)	0.25512 (13)	0.0408 (7)

H2A	0.291	0.8579	0.2605	0.049*
N3	0.6328 (3)	0.59341 (18)	0.36587 (10)	0.0314 (5)
H3A	0.6543	0.6524	0.3679	0.038*
N4	0.7153 (4)	0.43923 (19)	0.36029 (13)	0.0385 (7)
H4A	0.7864	0.4015	0.3535	0.046*
F1	-0.0306 (3)	0.61345 (17)	0.16413 (9)	0.0574 (6)
F2	-0.2295 (3)	0.6369 (2)	0.20268 (16)	0.0684 (9)
F3	-0.0748 (3)	0.53514 (14)	0.22866 (10)	0.0553 (6)
F4	0.4222 (3)	0.72493 (15)	0.38632 (10)	0.0572 (6)
F5	0.2705 (3)	0.6231 (2)	0.41348 (15)	0.0686 (9)
F6	0.4700 (3)	0.64863 (18)	0.45092 (9)	0.0618 (7)
C1	-0.3412 (9)	0.8435 (4)	0.0706 (3)	0.094 (2)
H1	-0.4133	0.8506	0.047	0.112*
C2	-0.2010 (10)	0.8242 (5)	0.0601 (2)	0.084 (2)
H2	-0.1682	0.8161	0.0285	0.1*
C3	-0.1067 (5)	0.8169 (3)	0.10026 (15)	0.0440 (8)
H3	-0.0063	0.8051	0.0994	0.053*
C4	-0.1978 (4)	0.8318 (3)	0.14442 (15)	0.0426 (8)
C5	-0.1541 (4)	0.8292 (2)	0.19488 (13)	0.0343 (7)
C6	-0.0040 (3)	0.7890 (2)	0.20871 (12)	0.0286 (6)
H6	0.0497	0.7749	0.1788	0.034*
C7	-0.0144 (3)	0.6974 (2)	0.23879 (11)	0.0288 (6)
C8	-0.0881 (4)	0.6194 (2)	0.20873 (13)	0.0366 (7)
C9	0.2396 (3)	0.7281 (3)	0.26401 (15)	0.0311 (7)
C10	0.0830 (4)	0.8633 (2)	0.23712 (12)	0.0314 (6)
H10	0.0241	0.8855	0.2646	0.038*
C11	0.1184 (3)	0.9461 (2)	0.20424 (12)	0.0319 (6)
C12	0.2245 (5)	0.9376 (3)	0.1683 (2)	0.0462 (9)
H12	0.2777	0.8818	0.1655	0.055*
C13	0.2516 (4)	1.0109 (3)	0.13683 (18)	0.0466 (11)
H13	0.3236	1.0052	0.1131	0.056*
C14	0.1722 (4)	1.0921 (3)	0.14066 (14)	0.0453 (8)
C15	0.0667 (5)	1.1025 (3)	0.17562 (15)	0.0461 (9)
H15	0.0139	1.1586	0.178	0.055*
C16	0.0395 (4)	1.0292 (2)	0.20716 (14)	0.0397 (7)
H16	-0.0328	1.0358	0.2307	0.048*
C17	0.1708 (9)	0.4116 (5)	0.5484 (3)	0.088 (2)
H17	0.0997	0.4045	0.5723	0.105*
C18	0.3112 (9)	0.4273 (4)	0.5583 (2)	0.0804 (18)
H18	0.3463	0.4308	0.5899	0.096*
C19	0.4056 (5)	0.4386 (3)	0.51657 (13)	0.0444 (8)
H19	0.506	0.4501	0.5167	0.053*
C20	0.3103 (4)	0.4283 (3)	0.47414 (15)	0.0421 (8)
C21	0.3463 (4)	0.4322 (2)	0.42239 (14)	0.0365 (7)
C22	0.4972 (3)	0.4722 (2)	0.40755 (11)	0.0287 (6)
H22	0.5523	0.4871	0.4371	0.034*
C23	0.4852 (3)	0.5625 (2)	0.37684 (11)	0.0285 (6)
C24	0.4120 (4)	0.6412 (2)	0.40686 (14)	0.0386 (7)

C25	0.7380 (4)	0.5309 (2)	0.35238 (16)	0.0331 (8)
C26	0.5819 (3)	0.3969 (2)	0.37927 (12)	0.0307 (6)
H26	0.5215	0.3742	0.3523	0.037*
C27	0.6181 (3)	0.3148 (2)	0.41269 (12)	0.0307 (6)
C28	0.5391 (4)	0.2319 (2)	0.40975 (14)	0.0401 (7)
H28	0.4665	0.2253	0.3863	0.048*
C29	0.5675 (4)	0.1575 (3)	0.44180 (17)	0.0499 (9)
H29	0.5138	0.1017	0.4402	0.06*
C30	0.6760 (4)	0.1689 (3)	0.47547 (15)	0.0492 (10)
C31	0.7576 (5)	0.2514 (3)	0.4788 (2)	0.0515 (12)
H31	0.8306	0.2575	0.5021	0.062*
C32	0.7287 (4)	0.3237 (3)	0.44722 (16)	0.0398 (8)
H32	0.7833	0.3791	0.4488	0.048*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Cl1	0.0826 (8)	0.0777 (8)	0.0797 (9)	-0.0138 (7)	0.0002 (8)	0.0486 (7)
Cl2	0.0798 (8)	0.0833 (8)	0.0856 (10)	0.0318 (7)	0.0201 (8)	0.0568 (8)
S1	0.0514 (6)	0.0965 (10)	0.0912 (11)	0.0052 (7)	-0.0265 (7)	0.0229 (8)
S2	0.0571 (7)	0.0907 (10)	0.0937 (11)	-0.0052 (7)	0.0273 (8)	0.0203 (8)
O1	0.0466 (16)	0.0612 (18)	0.054 (2)	0.0213 (13)	0.0096 (13)	0.0121 (15)
O2	0.0436 (14)	0.0339 (12)	0.0427 (14)	0.0050 (11)	0.0152 (11)	0.0097 (11)
O3	0.0324 (12)	0.0356 (12)	0.0561 (16)	-0.0016 (9)	-0.0148 (11)	0.0126 (11)
O4	0.0398 (15)	0.0719 (19)	0.050 (2)	-0.0212 (13)	-0.0117 (12)	0.0137 (15)
O5	0.0443 (13)	0.0339 (12)	0.0400 (13)	-0.0061 (10)	-0.0126 (11)	0.0086 (10)
O6	0.0356 (12)	0.0367 (12)	0.0515 (15)	0.0034 (10)	0.0149 (11)	0.0112 (11)
O7	0.0327 (13)	0.0486 (15)	0.0486 (16)	-0.0070 (11)	0.0040 (11)	-0.0024 (12)
O8	0.0315 (13)	0.0482 (15)	0.0472 (15)	0.0060 (11)	-0.0037 (12)	-0.0004 (12)
N1	0.0298 (12)	0.0255 (12)	0.0451 (17)	0.0001 (10)	-0.0053 (11)	0.0014 (11)
N2	0.0395 (14)	0.0272 (13)	0.056 (2)	-0.0045 (12)	-0.0210 (15)	0.0089 (12)
N3	0.0281 (12)	0.0246 (11)	0.0414 (15)	-0.0004 (9)	0.0072 (11)	0.0021 (10)
N4	0.0399 (14)	0.0280 (12)	0.0475 (18)	0.0089 (12)	0.0166 (14)	0.0047 (11)
F1	0.0750 (16)	0.0529 (13)	0.0443 (13)	-0.0109 (12)	-0.0044 (12)	-0.0085 (11)
F2	0.0333 (11)	0.0598 (15)	0.112 (3)	-0.0091 (11)	-0.0239 (15)	0.0002 (16)
F3	0.0688 (15)	0.0297 (9)	0.0674 (16)	-0.0121 (10)	-0.0203 (13)	0.0055 (10)
F4	0.0739 (16)	0.0313 (10)	0.0664 (16)	0.0138 (10)	0.0233 (13)	0.0062 (10)
F5	0.0312 (10)	0.0600 (15)	0.115 (3)	0.0080 (10)	0.0226 (15)	-0.0060 (16)
F6	0.0785 (18)	0.0637 (14)	0.0433 (13)	0.0138 (13)	0.0042 (12)	-0.0161 (11)
C1	0.115 (5)	0.076 (4)	0.090 (5)	0.007 (4)	-0.071 (4)	0.007 (3)
C2	0.132 (6)	0.077 (4)	0.041 (3)	0.015 (4)	-0.022 (3)	0.003 (2)
C3	0.053 (2)	0.0481 (19)	0.0310 (17)	0.0122 (16)	-0.0079 (16)	0.0067 (15)
C4	0.0383 (18)	0.0404 (17)	0.049 (2)	0.0002 (14)	-0.0079 (15)	0.0121 (16)
C5	0.0302 (15)	0.0331 (15)	0.0397 (18)	0.0016 (12)	0.0018 (12)	0.0065 (13)
C6	0.0256 (13)	0.0301 (13)	0.0302 (15)	-0.0005 (10)	0.0013 (11)	0.0037 (12)
C7	0.0250 (13)	0.0266 (12)	0.0348 (15)	-0.0014 (10)	-0.0003 (11)	0.0006 (11)
C8	0.0340 (15)	0.0332 (15)	0.0427 (18)	-0.0031 (12)	-0.0074 (14)	0.0016 (13)
C9	0.0307 (16)	0.0329 (15)	0.0297 (19)	-0.0014 (12)	-0.0019 (11)	0.0048 (13)

C10	0.0381 (16)	0.0238 (12)	0.0322 (16)	0.0010 (11)	-0.0003 (12)	0.0029 (11)
C11	0.0342 (15)	0.0302 (14)	0.0312 (15)	-0.0020 (11)	-0.0042 (12)	0.0048 (12)
C12	0.0484 (19)	0.0333 (17)	0.057 (3)	0.0017 (15)	0.012 (2)	-0.0047 (16)
C13	0.051 (3)	0.051 (2)	0.037 (3)	-0.0155 (17)	0.0098 (15)	0.0014 (18)
C14	0.0478 (19)	0.0446 (19)	0.0435 (19)	-0.0134 (16)	-0.0069 (16)	0.0182 (16)
C15	0.047 (2)	0.0348 (16)	0.056 (2)	0.0060 (15)	-0.0049 (17)	0.0120 (16)
C16	0.0369 (16)	0.0360 (16)	0.0464 (19)	0.0024 (13)	0.0037 (15)	0.0045 (15)
C17	0.106 (5)	0.074 (4)	0.083 (4)	0.001 (3)	0.059 (4)	0.014 (3)
C18	0.122 (6)	0.070 (3)	0.050 (3)	0.0003 (3)	0.017 (3)	0.015 (2)
C19	0.054 (2)	0.052 (2)	0.0271 (17)	0.0350 (3)	0.0152 (15)	0.0050 (15)
C20	0.0339 (17)	0.0429 (18)	0.050 (2)	0.0030 (14)	0.0108 (15)	0.0132 (15)
C21	0.0302 (15)	0.0361 (15)	0.0431 (18)	-0.0016 (12)	0.0007 (13)	0.0118 (14)
C22	0.0261 (13)	0.0304 (13)	0.0297 (15)	-0.0015 (10)	-0.0009 (11)	0.0030 (11)
C23	0.0252 (13)	0.0282 (13)	0.0321 (15)	-0.0007 (10)	-0.0010 (11)	0.0027 (11)
C24	0.0289 (14)	0.0389 (16)	0.048 (2)	0.0046 (12)	0.0079 (14)	0.0032 (14)
C25	0.0289 (16)	0.0306 (15)	0.040 (2)	0.0029 (11)	0.0083 (12)	0.0042 (14)
C26	0.0335 (14)	0.0278 (13)	0.0309 (15)	-0.0023 (11)	0.0024 (12)	0.0058 (11)
C27	0.0295 (13)	0.0270 (13)	0.0355 (16)	0.0035 (11)	0.0015 (12)	0.0037 (12)
C28	0.0408 (16)	0.0333 (15)	0.046 (2)	-0.0028 (13)	0.0000 (15)	0.0101 (14)
C29	0.047 (2)	0.0364 (17)	0.067 (3)	-0.0020 (15)	0.0094 (19)	0.0194 (17)
C30	0.0469 (19)	0.052 (2)	0.049 (2)	0.0184 (17)	0.0188 (17)	0.0210 (18)
C31	0.053 (3)	0.055 (2)	0.046 (3)	0.0143 (18)	-0.0053 (17)	0.004 (2)
C32	0.0390 (17)	0.0401 (17)	0.040 (2)	0.0013 (14)	-0.0057 (15)	0.0058 (15)

Geometric parameters (Å, °)

O2—H2B	0.89 (4)	C14—C15	1.370 (6)
O5—H5	0.99 (6)	C14—C11	1.747 (4)
O7—H7A	0.84 (7)	C15—C16	1.377 (5)
O7—H7B	0.87 (7)	C15—H15	0.93
O8—H8A	0.75 (5)	C16—H16	0.93
O8—H8B	0.84 (6)	C17—C18	1.328 (11)
N1—H1A	0.86	C17—S2	1.652 (8)
N2—H2A	0.86	C17—H17	0.93
N3—H3A	0.86	C18—C19	1.448 (7)
N4—H4A	0.86	C18—H18	0.93
C1—C2	1.338 (11)	C19—C20	1.465 (6)
C1—S1	1.653 (8)	C19—H19	0.93
C1—H1	0.93	C20—C21	1.467 (5)
C2—C3	1.407 (7)	C20—S2	1.703 (4)
C2—H2	0.93	C21—O4	1.209 (5)
C3—C4	1.490 (6)	C21—C22	1.542 (4)
C3—H3	0.93	C22—C26	1.530 (4)
C4—C5	1.449 (5)	C22—C23	1.538 (4)
C4—S1	1.688 (4)	C22—H22	0.98
C5—O1	1.221 (5)	C23—O5	1.393 (4)
C5—C6	1.530 (4)	C23—N3	1.447 (4)
C6—C10	1.533 (4)	C23—C24	1.541 (4)

C6—C7	1.543 (4)	C24—F4	1.317 (4)
C6—H6	0.98	C24—F5	1.328 (4)
C7—O2	1.385 (4)	C24—F6	1.330 (5)
C7—N1	1.448 (4)	C25—O6	1.252 (4)
C7—C8	1.536 (4)	C25—N4	1.332 (4)
C8—F3	1.319 (4)	C25—N3	1.357 (4)
C8—F2	1.323 (4)	C26—N4	1.453 (4)
C8—F1	1.340 (4)	C26—C27	1.520 (4)
C9—O3	1.230 (4)	C26—H26	0.98
C9—N2	1.347 (4)	C27—C28	1.380 (5)
C9—N1	1.363 (4)	C27—C32	1.393 (5)
C10—N2	1.461 (4)	C28—C29	1.399 (5)
C10—C11	1.517 (4)	C28—H28	0.93
C10—H10	0.98	C29—C30	1.367 (6)
C11—C16	1.382 (5)	C29—H29	0.93
C11—C12	1.391 (5)	C30—C31	1.388 (7)
C12—C13	1.376 (6)	C30—C12	1.750 (4)
C12—H12	0.93	C31—C32	1.370 (6)
C13—C14	1.363 (6)	C31—H31	0.93
C13—H13	0.93	C32—H32	0.93
C1—S1—C4	93.2 (3)	C13—C14—C15	121.2 (4)
C17—S2—C20	92.5 (3)	C13—C14—C11	119.5 (3)
C7—O2—H2B	107 (3)	C15—C14—C11	119.3 (3)
C23—O5—H5	106 (4)	C14—C15—C16	119.4 (3)
H7A—O7—H7B	110 (6)	C14—C15—H15	120.3
H8A—O8—H8B	99 (5)	C16—C15—H15	120.3
C7—N1—H1A	119.1	C15—C16—C11	120.8 (3)
C9—N1—C7	121.8 (3)	C15—C16—H16	119.6
C9—N1—H1A	119.1	C11—C16—H16	119.6
C9—N2—C10	125.9 (3)	C18—C17—S2	114.3 (4)
C9—N2—H2A	117.1	C18—C17—H17	122.9
C10—N2—H2A	117.1	S2—C17—H17	122.9
C23—N3—H3A	119.4	C17—C18—C19	115.2 (5)
C25—N3—C23	121.1 (3)	C17—C18—H18	122.4
C25—N3—H3A	119.4	C19—C18—H18	122.4
C25—N4—C26	126.2 (3)	C18—C19—C20	105.9 (4)
C25—N4—H4A	116.9	C18—C19—H19	127.1
C26—N4—H4A	116.9	C20—C19—H19	127.1
C2—C1—S1	113.7 (4)	C19—C20—C21	130.0 (3)
C2—C1—H1	123.2	C19—C20—S2	112.1 (3)
S1—C1—H1	123.2	C21—C20—S2	117.9 (3)
C1—C2—C3	115.4 (6)	O4—C21—C20	120.6 (3)
C1—C2—H2	122.3	O4—C21—C22	121.3 (3)
C3—C2—H2	122.3	C20—C21—C22	118.2 (3)
C2—C3—C4	107.1 (4)	C26—C22—C23	109.5 (2)
C2—C3—H3	126.5	C26—C22—C21	109.3 (2)
C4—C3—H3	126.5	C23—C22—C21	112.8 (2)

C5—C4—C3	129.0 (3)	C26—C22—H22	108.4
C5—C4—S1	120.3 (3)	C23—C22—H22	108.4
C3—C4—S1	110.7 (3)	C21—C22—H22	108.4
O1—C5—C4	120.8 (3)	O5—C23—N3	112.8 (3)
O1—C5—C6	119.5 (3)	O5—C23—C22	109.6 (2)
C4—C5—C6	119.7 (3)	N3—C23—C22	107.5 (2)
C5—C6—C10	109.6 (2)	O5—C23—C24	110.0 (3)
C5—C6—C7	113.1 (2)	N3—C23—C24	107.3 (2)
C10—C6—C7	109.5 (2)	C22—C23—C24	109.6 (2)
C5—C6—H6	108.2	F4—C24—F5	107.6 (3)
C10—C6—H6	108.2	F4—C24—F6	107.1 (3)
C7—C6—H6	108.2	F5—C24—F6	106.0 (3)
O2—C7—N1	112.9 (3)	F4—C24—C23	112.9 (3)
O2—C7—C8	109.6 (3)	F5—C24—C23	110.8 (3)
N1—C7—C8	107.5 (2)	F6—C24—C23	112.1 (3)
O2—C7—C6	108.8 (2)	O6—C25—N4	120.6 (3)
N1—C7—C6	108.0 (2)	O6—C25—N3	120.6 (3)
C8—C7—C6	109.9 (2)	N4—C25—N3	118.8 (3)
F3—C8—F2	108.2 (3)	N4—C26—C27	110.6 (3)
F3—C8—F1	106.9 (3)	N4—C26—C22	108.6 (2)
F2—C8—F1	106.0 (3)	C27—C26—C22	109.4 (3)
F3—C8—C7	112.7 (3)	N4—C26—H26	109.4
F2—C8—C7	111.0 (3)	C27—C26—H26	109.4
F1—C8—C7	111.7 (3)	C22—C26—H26	109.4
O3—C9—N2	120.9 (3)	C28—C27—C32	119.6 (3)
O3—C9—N1	121.0 (3)	C28—C27—C26	120.1 (3)
N2—C9—N1	118.0 (3)	C32—C27—C26	120.2 (3)
N2—C10—C11	110.1 (3)	C27—C28—C29	120.5 (4)
N2—C10—C6	109.1 (2)	C27—C28—H28	119.8
C11—C10—C6	109.5 (3)	C29—C28—H28	119.8
N2—C10—H10	109.4	C30—C29—C28	118.3 (4)
C11—C10—H10	109.4	C30—C29—H29	120.8
C6—C10—H10	109.4	C28—C29—H29	120.8
C16—C11—C12	118.5 (3)	C29—C30—C31	122.2 (4)
C16—C11—C10	120.8 (3)	C29—C30—C12	119.5 (3)
C12—C11—C10	120.5 (3)	C31—C30—C12	118.3 (4)
C13—C12—C11	120.6 (4)	C32—C31—C30	118.9 (4)
C13—C12—H12	119.7	C32—C31—H31	120.6
C11—C12—H12	119.7	C30—C31—H31	120.6
C14—C13—C12	119.5 (4)	C31—C32—C27	120.5 (4)
C14—C13—H13	120.3	C31—C32—H32	119.7
C12—C13—H13	120.3	C27—C32—H32	119.7
S1—C1—C2—C3	-0.8 (8)	C26—C22—C23—O5	64.1 (3)
C1—C2—C3—C4	1.3 (7)	C21—C22—C23—O5	-57.8 (3)
C2—C3—C4—C5	178.4 (5)	C26—C22—C23—N3	-58.8 (3)
C2—C3—C4—S1	-1.2 (5)	C21—C22—C23—N3	179.3 (3)
C3—C4—C5—O1	167.1 (4)	C26—C22—C23—C24	-175.1 (3)

S1—C4—C5—O1	-13.2 (5)	C21—C22—C23—C24	63.0 (3)
C3—C4—C5—C6	-12.8 (6)	O5—C23—C24—F4	-71.1 (3)
S1—C4—C5—C6	166.8 (3)	N3—C23—C24—F4	51.9 (4)
O1—C5—C6—C10	-56.5 (4)	C22—C23—C24—F4	168.3 (3)
C4—C5—C6—C10	123.4 (3)	O5—C23—C24—F5	49.6 (4)
O1—C5—C6—C7	65.9 (4)	N3—C23—C24—F5	172.6 (3)
C4—C5—C6—C7	-114.1 (3)	C22—C23—C24—F5	-71.0 (4)
C5—C6—C7—O2	-57.0 (3)	O5—C23—C24—F6	167.8 (3)
C10—C6—C7—O2	65.5 (3)	N3—C23—C24—F6	-69.2 (3)
C5—C6—C7—N1	-179.9 (3)	C22—C23—C24—F6	47.2 (4)
C10—C6—C7—N1	-57.4 (3)	C23—C22—C26—N4	48.8 (3)
C5—C6—C7—C8	63.1 (3)	C21—C22—C26—N4	172.8 (3)
C10—C6—C7—C8	-174.5 (3)	C23—C22—C26—C27	169.7 (2)
O2—C7—C8—F3	-72.8 (4)	C21—C22—C26—C27	-66.3 (3)
N1—C7—C8—F3	50.3 (4)	N4—C26—C27—C28	-136.7 (3)
C6—C7—C8—F3	167.7 (3)	C22—C26—C27—C28	103.7 (4)
O2—C7—C8—F2	48.7 (4)	N4—C26—C27—C32	44.8 (4)
N1—C7—C8—F2	171.8 (3)	C22—C26—C27—C32	-74.8 (4)
C6—C7—C8—F2	-70.8 (4)	C32—C27—C28—C29	1.3 (6)
O2—C7—C8—F1	166.9 (3)	C26—C27—C28—C29	-177.2 (3)
N1—C7—C8—F1	-70.0 (3)	C27—C28—C29—C30	-0.7 (6)
C6—C7—C8—F1	47.3 (3)	C28—C29—C30—C31	0.2 (6)
C5—C6—C10—N2	173.3 (3)	C28—C29—C30—C12	-178.4 (3)
C7—C6—C10—N2	48.7 (3)	C29—C30—C31—C32	-0.2 (7)
C5—C6—C10—C11	-66.2 (3)	C12—C30—C31—C32	178.4 (3)
C7—C6—C10—C11	169.2 (3)	C30—C31—C32—C27	0.8 (7)
N2—C10—C11—C16	-137.7 (3)	C28—C27—C32—C31	-1.3 (6)
C6—C10—C11—C16	102.4 (4)	C26—C27—C32—C31	177.2 (4)
N2—C10—C11—C12	46.7 (4)	O3—C9—N1—C7	165.8 (4)
C6—C10—C11—C12	-73.2 (4)	N2—C9—N1—C7	-18.2 (5)
C16—C11—C12—C13	1.0 (6)	O2—C7—N1—C9	-77.2 (4)
C10—C11—C12—C13	176.7 (4)	C8—C7—N1—C9	161.8 (3)
C11—C12—C13—C14	-0.9 (7)	C6—C7—N1—C9	43.2 (4)
C12—C13—C14—C15	0.7 (7)	O3—C9—N2—C10	-175.4 (4)
C12—C13—C14—C11	179.0 (4)	N1—C9—N2—C10	8.6 (6)
C13—C14—C15—C16	-0.6 (6)	C11—C10—N2—C9	-145.7 (4)
C11—C14—C15—C16	-179.0 (3)	C6—C10—N2—C9	-25.5 (5)
C14—C15—C16—C11	0.7 (6)	O6—C25—N3—C23	164.7 (4)
C12—C11—C16—C15	-0.9 (6)	N4—C25—N3—C23	-15.9 (6)
C10—C11—C16—C15	-176.6 (3)	O5—C23—N3—C25	-77.9 (4)
S2—C17—C18—C19	1.3 (7)	C22—C23—N3—C25	43.0 (4)
C17—C18—C19—C20	-0.1 (6)	C24—C23—N3—C25	160.8 (3)
C18—C19—C20—C21	-179.4 (4)	O6—C25—N4—C26	-175.8 (4)
C18—C19—C20—S2	-1.1 (4)	N3—C25—N4—C26	4.8 (7)
C19—C20—C21—O4	165.8 (4)	C27—C26—N4—C25	-142.9 (4)
S2—C20—C21—O4	-12.3 (5)	C22—C26—N4—C25	-22.8 (5)
C19—C20—C21—C22	-14.0 (6)	C2—C1—S1—C4	0.0 (6)
S2—C20—C21—C22	167.8 (2)	C5—C4—S1—C1	-179.0 (4)

O4—C21—C22—C26	-58.9 (4)	C3—C4—S1—C1	0.8 (4)
C20—C21—C22—C26	120.9 (3)	C18—C17—S2—C20	-1.7 (5)
O4—C21—C22—C23	63.1 (4)	C19—C20—S2—C17	1.6 (4)
C20—C21—C22—C23	-117.0 (3)	C21—C20—S2—C17	-179.9 (4)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H... <i>A</i>	<i>D</i> —H	H... <i>A</i>	<i>D</i> ... <i>A</i>	<i>D</i> —H... <i>A</i>
N1—H1 <i>A</i> ...F3	0.86	2.38	2.719 (4)	104
N1—H1 <i>A</i> ...O7 ⁱ	0.86	2.37	3.022 (4)	132
N2—H2 <i>A</i> ...O7	0.86	2.15	2.914 (4)	147
O2—H2 <i>B</i> ...O6 ⁱⁱ	0.89 (4)	1.85 (4)	2.694 (4)	156 (3)
N3—H3 <i>A</i> ...F4	0.86	2.41	2.733 (4)	103
N3—H3 <i>A</i> ...O8 ⁱⁱⁱ	0.86	2.34	3.007 (4)	134
N4—H4 <i>A</i> ...O8	0.86	2.14	2.921 (4)	151
O5—H5...O3	0.98 (6)	1.72 (6)	2.686 (4)	169 (6)
O7—H7 <i>A</i> ...O6 ⁱⁱⁱ	0.84 (7)	2.27 (7)	2.879 (4)	130 (5)
O7—H7 <i>B</i> ...O4 ^{iv}	0.86 (6)	2.36 (6)	2.996 (5)	131 (5)
O7—H7 <i>B</i> ...O5 ^{iv}	0.86 (6)	2.18 (6)	2.859 (4)	135 (5)
O8—H8 <i>A</i> ...O3 ^v	0.75 (5)	2.21 (5)	2.897 (4)	153 (4)
O8—H8 <i>B</i> ...O1 ⁱ	0.83 (5)	2.22 (6)	2.968 (5)	150 (5)
O8—H8 <i>B</i> ...O2 ⁱ	0.83 (5)	2.27 (6)	2.861 (4)	128 (5)

Symmetry codes: (i) $-x+1/2, y-1/2, z$; (ii) $x-1, y, z$; (iii) $-x+3/2, y+1/2, z$; (iv) $-x+1/2, y+1/2, z$; (v) $-x+3/2, y-1/2, z$.