



Received 21 September 2022 Accepted 30 January 2023

Edited by I. Robinson, UCL, United Kingdom

Keywords: human lamellar bone; X-ray scattering tensor tomography; Haversian system; cement lines; SAXS; WAXS

Bone mineral properties and 3D orientation of human lamellar bone around cement lines and the Haversian system. Corrigendum

Tilman A. Grünewald, a,b* Andreas Johannes, Nina K. Wittig, Jonas Palle, Alexander Rack, Manfred Burghammer and Henrik Birkedalc*


^aThe European Synchrotron, Avenue des Martyrs 71, Grenoble 38000, France, ^bAix-Marseille Université, CNRS, Centrale Marseille, Institut Fresnel, Marseille 13013, France, and ^cDepartment of Chemistry and iNANO, Aarhus University, Gustav Wieds vej 14, Aarhus 8000, Denmark. *Correspondence e-mail: tilman.grunewald@fresnel.fr, hbirkedal@chem.au.dk

The article by Grünewald et al. [IUCrJ (2023). 10, 189-198] is corrected.

In the article by Grünewald *et al.* (2023), there was an error in the units in the calculation of the X-ray dose deposited. The units of N_0 should read ph cm⁻² and the reported value is indeed 1.4×10^{20} ph cm⁻². The result of the dose calculation is not affected by this. The authors regret the confusion this may have caused.

References

Grünewald, T. A., Johannes, A., Wittig, N. K., Palle, J., Rack, A., Burghammer, M. & Birkedal, H. (2023). *IUCrJ*, **10**, 189–198.





Published under a CC BY 4.0 licence