

The disulfonate anions can be used as versatile ligands in the design of metallorganic frameworks, when they are used in combination with metals with variable coordination number. In this way, by using anthraquinone-2,6-disulfonate (AQDS) anions and rare-earth cations, ytterbium in this case, two different structural types have been obtained. The first of them, named layered rare-earth hydroxide, is a new type of crystalline material, very related to the LDH family of compounds. In the compound, cationic layers of ytterbium hydroxides are created, with molecular formula $[\text{Yb}_4(\text{OH})_{10}(\text{H}_2\text{O})_4]^{2+}$. These layers are separated by the AQDS²⁻ anions, which are not coordinated to the rare-earth cations and neutralize the charge. The SO_3^- groups of the ligand are directed towards the sheets, being connected to them by H bonds. The second type is a 3D polymeric structure. Its molecular formula is $[\text{Yb}(\text{OH})(\text{H}_2\text{O})\text{AQDS}]$, with the sulfonate groups covalently coordinated to the metallic atoms. In this structure, a completely inorganic layer is formed, with the ytterbium atoms connected between them through hydroxyl groups, or by OSO bridges, giving rise to a (6,3) honeycomb layer. The layers are joined through the whole ligand molecules, giving rise to a binodal three dimensional network, three- and penta- connected. The two types of materials have been tested as heterogeneous catalysts, showing excellent results in the reactions of oxidation of sulphides and hydrodesulphurization of thiophene.

Keywords: metalloorganic frameworks, heterogeneous catalysis, layered structures

P11.15.102

Acta Cryst. (2008). A64, C538

A new 2D germanate formed by selective coordination of the *trans* 1,2-diaminocyclohexane to Ge atoms

Enrique Gutierrez-Puebla, Felipe Gandara, Manuela E Medina, Natalia Snejko, Berta Gomez-Lor, Marta Iglesias, Angeles Monge
 Instituto de Ciencia de Materiales de Madrid - CSIC, Campus Cantoblanco, Madrid, Madrid, 28049, Spain, E-mail : egutierrez@icmm.csic.es

ICMM9 is a new germanate, with formula $[\text{C}_6\text{H}_{10}(\text{NH}_2)_2\text{Ge}_3\text{O}_6]$. A mixture of *cis/trans* 1,2-diaminocyclohexane has been employed in the synthesis, giving rise to a layered compound in which only the *trans* molecule is present, with the nitrogen atoms covalently bonded to a germanium atom. Double layers are formed, with two different Ge atoms: one is in tetrahedral environment, and the other situated in a two-fold axis, in octahedral coordination. Tetrahedra are forming sharing vertex chains, which give rise, also by sharing vertexes with the octahedral germanium atom, to GeO_2 infinite eight-R containing layers. Every two of them are connected, in a double one, which is a new 2D binodal 4-c net, with Schläfli symbol: $(3.5^3.6^2)_2(3.5^4.8)$. Looking at the inorganic part of the structure, a correlation is established among ICMM9, pyroxene and amphibole structure types, all them having chains of sharing vertex tetrahedra and octahedral atoms. The ability of ICMM9 as heterogeneous catalyst has been examined by using it in different reactions known to be catalyzed by acid sites or basic sites. ICMM9 has proven to possess both centres and due to this bifunctional acid-base character, its activity has been examined in the synthesis of jasminaldehyde, which is usually obtained with the condensation reaction between benzaldehyde and heptanal. ICMM9 achieves 85 % conversion after 24 h of reaction time with selectivity to jasminaldehyde of > 75%.

Keywords: germanate, heterogeneous catalysis, layered compounds

P11.15.103

Acta Cryst. (2008). A64, C538

Structural characterizations of nanoporous In(III)-MOFs

Seong Huh, Kiyeok Kim

Hankuk University of Foreign Studies, Chemistry, 89 Wangsan-ri, Mohyeon-myon, Cheoin-gu, Yongin, Kyonggi-do, 449-791, Korea (S), E-mail : shuh@hufs.ac.kr

We prepared a new series of In(III)-based metal-organic frameworks and characterized them using single crystal X-ray diffraction technique. The permanent porosity of these new materials was also confirmed via N_2 and H_2 sorption analysis. Because of the unique eight coordination ability of the central In(III) ions with four polycarboxylate ligands, the new In-MOFs with various aromatic polycarboxylic acids exhibit interesting topological structures revealed by single crystal X-ray diffraction. The polycarboxylic acids such as 4,4'-biphenyldicarboxylic acid (BPDC), 2,6-naphthalenedicarboxylic acid (NDC), and 1,3,5-benzenetricarboxylic acid (BTC) could form multidimensional frameworks. For example, the In-MOF with BPDC formed a doubly-interpenetrated infinite 3D structure with 54% of solvent accessible void. The In-MOFs containing NDC and BTC exhibited catenation-free extended 3D structures having high void volumes estimated by the PLATON software, 60% and 66%, respectively. The NDC-containing In-MOF showed well-defined three independent 1D rectangular channels. The largest channel was solely occupied by water molecules which can be easily replaced by other volatile solvents. Detailed structural properties and gas storage ability of these nanoporous materials will be discussed.

Keywords: framework structures, porous materials, indium compounds

P11.15.104

Acta Cryst. (2008). A64, C538-539

In situ X-ray diffraction studies of host-guest properties in nanoporous spin crossover frameworks

Gregory J Halder¹, Karena W Chapman¹, Suzanne M Neville², Keith S Murray², Boujemaa Moubaraki², Cameron J Kepert³

¹Argonne National Laboratory, Materials Science Division, 9700 South Cass Avenue, Argonne, Illinois, 60439, USA, ²Monash University, Clayton, Victoria 3800, Australia, ³The University of Sydney, New South Wales 2006, Australia, E-mail : halder@anl.gov

The targeted development of functional metal-organic frameworks, is not only a synthetic challenge, but requires parallel characterization of their often complex structure-property relationships. Among strategic efforts to introduce specific function, the incorporation of spin crossover switching centers allows for the development of new advanced functional materials for molecular-scale electronic switching and sensing devices. Recent work has shown that such spin crossover framework materials (SCOFs) can incorporate an additional level of functionality associated with their often porous natures; guest sorption/desorption in such systems, and the associated perturbation of the iron(II) coordination environment and framework structure, provide a unique avenue for investigating the spin crossover phenomenon in the solid state. To this end we have developed *in situ* synchrotron-based powder X-ray diffraction methods to simultaneously probe their guest-dependent structural and magnetic properties.

Keywords: powder and single crystal diffraction, microporous