

factors can be obtained by decomposition of variance, called (analysis of variance) ANOVA. After developing some special criteria, which depend on performance objectives, the optimal levels of the design factors were determined.

Keywords: crystal growing, Taguchi method, inorganic compounds

P16.03.51

Acta Cryst. (2008). A64, C595

Hydrothermal synthesis of yttrium silicate based phosphors using new water soluble silicon compounds

Yoshihito Suzuki, Masato Kakihana

Tohoku University, Institute of Multidisciplinary Research for Advanced Materials, 2-1-1 Katahira, Aoba-ku, Sendai, Miyagi, 980-8577, Japan, E-mail: yoshyt@tagen.tohoku.ac.jp

We developed a new stable water soluble silicon compound, which can provide up to 1M concentration of Si in water. It can be prepared by the reaction between tetraethoxysilan (TEOS) and propylene glycol. Analysis of its precise structure is currently under way. The potential of the water soluble silicon source for preparation of multicomponent oxide materials by solution based methods was investigated in synthesis of Y-Si based phosphors such as Ce³⁺ activated Y₂SiO₅(YSO:Ce) phosphor. YSO:Ce is a blue emission material used in the field emission displays. Synthesis of single phase compound by conventional solid-state reaction method is very difficult, and even a small amount of impurities significantly suppresses phosphor's emission intensity. In this work Hydrothermal Gelation Method in the combination with the prepared new water soluble silicon compound was used for synthesis of YSO:Ce. The method was previously developed by the authors, and it is based on the formation of the silicate gel network involving metal ions. For synthesis, aqueous stock solutions of soluble silicon compound, yttrium and cerium nitrates were mixed to obtain the required stoichiometry (Y:Si:Ce=1.98:1:0.02). The solution was put into hydrothermal reactor and kept at 200°C for 24 hours. The obtained colorless transparent gel was heat treated at 500°C and 800°C to remove organic compounds. Final annealing was carried out at 1400°C for 2 hours. The highest quality YSO:Ce materials up to date were obtained by the described method using new water soluble Si source. The intensity of the blue light emission from the obtained phosphor was three times higher compared to the samples synthesized by the similar method using TEOS.

Keywords: soluble silicon compounds, hydrothermal sol-gel method, phosphors

P16.03.52

Acta Cryst. (2008). A64, C595

Morphological control of meso- and single- crystals of Perovskite under solvothermal conditions

Mingmei Wu¹, Xianfeng Yang¹, Junxiang Fu¹, Shouhua Feng²

¹Sun Yat-Sen (Zhongshan) University, School of Chemistry and Chemical Engineering, School of Chemistry and Chemical Engineering, Sun Yat-Sen (Zhongshan) University, Guangzhou, Guangdong, 510275, China, ²State Key Laboratory of Inorganic Synthesis and Preparative Chemistry, Jilin University, Changchun 130023, China, E-mail: ceswmm@mail.sysu.edu.cn

The preparation, dielectric properties, optical properties and

temperature-dependent phase changes of CaTiO₃ have been attracted extensive research interest in last decades. However, CaTiO₃-based materials are in common fabricated by sol-gel chemistry and solid-state reactions at elevated temperatures and their morphologies are not favorable to be controlled. CaTiO₃, the nomenclature Perovskite named from, existing as a unique pseudocubic but orthorhombic symmetry, might be appearing as a variety of morphological derivatives in solvent. Herein, we will present the growth of meso- and single-crystals of Perovskite CaTiO₃ with tunable morphology by the assistant of organic molecules under solvo- and hydrothermal conditions. Several CaTiO₃ nanostructures, such as textured hollow mesocages built by self-assembled nanocrystals, mesoboxes with twinned or single-crystal nanowalls, as well as sub-microrods, butterfly-like nanodendrites and cross-linked nanotubes were synthesized under different growth conditions. According to the detailed structural analyses by X-ray and electron diffraction, cubic phase and orthorhombic {112} twined nanostructure were detected for hollow CaTiO₃ nanostructures obtained via a facile growth procedure. In addition, a "top to down" growth mechanism of the butterfly-like CaTiO₃ nanodendrites has been observed by varying experimental conditions. The growth of these CaTiO₃ crystals might shed new light on crystallographic structure-related morphology-evolution and open a new window to modify nanostructure-related physical and chemical performances. For example, unique Raman spectra were obtained from the as-prepared CaTiO₃ mesoboxes with twinned structures, which is obviously different from previous CaTiO₃ bulk materials.

Keywords: perovskite oxides, nanocrystals, hydrothermal mineralization

P16.03.53

Acta Cryst. (2008). A64, C595

Single crystal growth of nonlinear optical chalcone derivative

Dharmaprakash M Sampyady¹, Ravindra J Hoovina²

¹Mangalore University, Physics, Mangalagangothri, Mangalore, Karnataka, 574199, India, ²Mangalore University, Mangalagangothri, Mangalore, Karnataka, 574199, India, E-mail: smdharma@yahoo.com

A donor substituted chalcone derivative has been synthesized by Claisen-Schmidt condensation reaction. Single crystals of chalcone derivative have been grown by isothermal solution growth technique. The X-ray diffraction analysis indicated that the new chalcone derivative crystallizes in noncentrosymmetric space group and generates optical second harmonic of Nd: YAG laser operating at 1063nm. The relative second harmonic generation (SHG) efficiency of the donor substituted chalcone is determined to be eight times greater than that of urea. The ease of crystal growth, high SHG efficiency, good thermal stability and transparency down to 440nm makes it to be a promising material for blue light generation from current laser diodes.

Keywords: crystal growth from solution, X-ray diffraction, second harmonic generation

P16.03.54

Acta Cryst. (2008). A64, C595-596

In situ observation of the joint gel/impurity effect on protein crystal growth kinetics

Alexander E.S. Van Driessche¹, Fermin Otorola¹, Jose A. Gavira¹,