

A FOUNDATIONS ADVANCES

ISSN 2053-2733

Received 10 August 2018 Accepted 10 August 2018

Keywords: electron nanocrystallography; Timepix quantum area detector; carbamazepine; nicotinic acid; electron diffraction structure determination CCDC references: 1438802; 1438803; 1438804; 1438805; 1438806

Supporting information: this article has supporting information at journals.iucr.org/a

Ab initio structure determination of nanocrystals of organic pharmaceutical compounds by electron diffraction at room temperature using a Timepix quantum area direct electron detector. Corrigendum

E. van Genderen,<sup>a,b</sup> M. T. B. Clabbers,<sup>a,b</sup> P. P. Das,<sup>c</sup> A. Stewart,<sup>d</sup> I. Nederlof,<sup>a,e</sup> K. C. Barentsen,<sup>a</sup> Q. Portillo,<sup>c,f</sup> N. S. Pannu,<sup>a</sup> S. Nicolopoulos,<sup>c</sup> T. Gruene<sup>g\*</sup> and J. P. Abrahams<sup>a,b,g\*</sup>

<sup>a</sup>Biophysical Structural Chemistry, Leiden University, Einsteinweg 55, 2333 CC Leiden, The Netherlands, <sup>b</sup>Center for Cellular Imaging and NanoAnalytics (C-CINA), Biozentrum, University of Basel, CH-4058 Basel, Switzerland, <sup>c</sup>Nanomegas SPRL, Boulevard Edmond Machtens 79, B 1080, Brussels, Belgium, <sup>d</sup>Department of Physics and Energy, Materials and Surface Science Institute (MSSI), University of Limerick, Limerick, Ireland, <sup>e</sup>Amsterdam Scientific Instruments, Postbus 41882, 1009 DB Amsterdam, The Netherlands, <sup>f</sup>Centres Científics i Tecnològics de la Universitat de Barcelona, University of Barcelona, Carrer de Lluís Solé i Sabaris, 1-3, Barcelona, Spain, and <sup>g</sup>Biology and Chemistry, Laboratory of Biomolecular Research, Paul Scherrer Institute (PSI), 5232 Villigen, Switzerland. \*Correspondence e-mail: tim.gruene@psi.ch, jp.abrahams@unibas.ch

Corrections are made to Table 1 in the article by van Genderen *et al.* [*Acta Cryst.* (2016), A**72**, 236–242].

In the article by van Genderen *et al.* (2016), the scattering factors used in the refinements and in the CIF file were for X-ray scattering rather than for electron scattering. The correct scattering factors have now been used and the statistics that were affected by this error (model statistics  $R_{\text{complete}}$ , R1 and wR2) have been recalculated.

This affects six entries in Table 1 of the original publication. The correct values are given here. The corrected CIF and supporting information are also made available.

Table 1 Corrected statistics.

	Carbamazepine	Nicotinic acid
Refinement statisti	cs	
$R_{\text{complete}}^{\dagger}$	31.8	37.7
R1 (%)	27.9	34.1
wR2 (%)	55.2	60.1


† Luebben & Gruene (2015).

## Acknowledgements

The authors are grateful to Professor Ton Spek, Utrecht University, The Netherlands, for alerting them to this error.

## References

Genderen, E. van, Clabbers, M. T. B., Das, P. P., Stewart, A., Nederlof, I., Barentsen, K. C., Portillo, Q., Pannu, N. S., Nicolopoulos, S., Gruene, T. & Abrahams, J. P. (2016). *Acta Cryst.* A72, 236–242.
Luebben, J. & Gruene, T. (2015). *Proc. Natl Acad. Sci. USA*, 112, 8999–9003.



OPEN d ACCESS