

Symmetry Analysis of the Toroidal Moment in Magnetoelectric Crystalline Materials

Stephanie Gnewuch,*¹ Efrain Rodriguez¹

¹Department of Chemistry and Biochemistry, 8051 Regents Drive, University of Maryland,
College Park, MD 20742, USA

*sgnewuch@umd.edu

In ferroic materials, the direction of the net electric polarization, magnetization, or strain is dictated by its symmetry. The electric dipole moments, magnetic moments, and strain will only spontaneously align if the thermodynamic conditions induce a crystallographic transition to a phase which permits them. These transitions are then characterized by which symmetry elements are no longer present across the transition.

A fourth type of ferroic order has been theorized, in which the induced magnetic structure would permit a net toroidal moment. In a toroidized material, pairs of anti-aligned spins permit terms in the magnetoelectric susceptibility tensor which correspond to a toroidal moment perpendicular to the ring of spins. The candidate material LiCoPO_4 ($Pnma'$) has received particular attention recently, since it fulfills key requirements of ferrotoroidicity.[1] We have been interested in other structural analogs as well. The magnetic symmetry of both LiFePO_4 ($Pnma'$) and LiNiPO_4 ($Pnm'a$) also permits a toroidal moment, while it is not permitted in LiMnPO_4 ($Pn'm'a'$).

In the previous year at this conference, I presented the results of neutron diffraction experiments studying the evolution of the magnetic ordering in the series $\text{LiMn}_x\text{Co}_{1-x}\text{PO}_4$ and its end members. The results were that all members studied in the solid solution series gave the same magnetic ordering as LiCoPO_4 , similar to our results for the $\text{LiMn}_x\text{Fe}_{1-x}\text{PO}_4$ series. The purpose of this presentation is to present the full symmetry analysis of the magnetic structures in olivine materials to clarify which symmetry elements are required to permit a toroidal moment. This will be compared to the magnetic symmetry observed in other candidates, to clarify why toroidal moments are only predicted in a subset of antiferromagnetic materials. [2]

References:

- (1) Zimmerman, A. *et al. Nature Comm.* **2014**, 5, 4796.
- (2) Gnewuch, S. and E. Rodriguez. *J. Solid State Chem.* **2018**, 271, 175-190.