

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

2-Butyl-1,3-diphenyl-2,3-dihydro-1H-naphtho[1,2-e][1,3]oxazine

Yong Hua Li,* Min Min Zhao and Yuan Zhang

Ordered Matter Science Research Center, College of Chemistry and Chemical Engineering, Southeast University, Nanjing 211189, People's Republic of China
Correspondence e-mail: liyhju@hotmail.com


Received 20 August 2008; accepted 13 September 2008

Key indicators: single-crystal X-ray study; $T = 293$ K; mean $\sigma(\text{C}-\text{C}) = 0.005$ Å;
 R factor = 0.073; wR factor = 0.263; data-to-parameter ratio = 15.8.

In the title compound, $\text{C}_{28}\text{H}_{27}\text{NO}$, the oxazine ring adopts a half-chair conformation. The dihedral angles between the phenyl rings and the naphthyl ring system are 15.34 (1) and 76.51 (1)°.

Related literature

For general background on oxazine compounds, see: Barker *et al.* (2006); Ren *et al.* (2001); Petterson *et al.* (1990); Peglion *et al.* (1997). For related structures, see: Alfonsov *et al.* (2007); Ji *et al.* (2005).



Experimental

Crystal data

$\text{C}_{28}\text{H}_{27}\text{NO}$
 $M_r = 393.51$
Triclinic, $P\bar{1}$
 $a = 8.8959$ (15) Å
 $b = 10.7589$ (16) Å
 $c = 11.8401$ (18) Å
 $\alpha = 96.219$ (1)°
 $\beta = 98.366$ (2)°
 $\gamma = 97.274$ (2)°
 $V = 1102.8$ (3) Å³
 $Z = 2$
Mo $K\alpha$ radiation
 $\mu = 0.07$ mm⁻¹
 $T = 293$ (2) K
 $0.20 \times 0.18 \times 0.15$ mm

Data collection

Rigaku SCXmini diffractometer
Absorption correction: multi-scan
(*CrystalClear*; Rigaku, 2005)
 $T_{\min} = 0.965$, $T_{\max} = 0.977$
10108 measured reflections
4302 independent reflections
2352 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.041$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.072$
 $wR(F^2) = 0.262$
 $S = 1.02$
4302 reflections
272 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.26$ e Å⁻³
 $\Delta\rho_{\min} = -0.34$ e Å⁻³

Data collection: *CrystalClear* (Rigaku, 2005); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL/PC* (Sheldrick, 2008); software used to prepare material for publication: *SHELXTL/PC*.

This work was supported by a start-up grant from Southeast University to Professor Yong-Hua Li.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: PV2101).

References

- Alfonsov, V. A., Metlushka, K. E., McKenna, C. E., Kashemirov, B. A., Kataeva, O. N., Zheltukhin, V. F., Sadkova, D. N. & Dobrynin, A. B. (2007). *Synlett*, **3**, 488–490.
- Barker, M., Clackers, M., Copley, R., Demaine, D. A., Humphreys, D., Inglis, G. G. A., Johnston, M. J., Jones, H. T., Haase, M. V., House, D., Loiseau, R., Nisbet, L., Pacquet, F., Skone, P. A. & Shanahan, S. E. (2006). *J. Med. Chem.* **49**, 4216–4231.
- Ji, M., Chen, H. & Miao, S. (2005). *Anal. Sci. X-ray Struct. Anal. Online*, **21**, x29.
- Peglion, J. L., Vian, J., Gourment, B., Despau, N., Audinot, V. & Millan, M. (1997). *Bioorg. Med. Chem. Lett.* **7**, 881–886.
- Petterson, I., Liljefors, T. & Bodeso, K. (1990). *J. Med. Chem.* **33**, 2197–2204.
- Ren, H. Y., Grady, S., Gamenara, D., Heinzen, H., Moyna, P., Croft, S. L., Kendrick, H., Yardley, V. & Moyna, G. (2001). *Bioorg. Med. Chem. Lett.* **11**, 1851–1854.
- Rigaku (2005). *CrystalClear*. Rigaku Corporation, Tokyo, Japan.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.

supporting information

Acta Cryst. (2008). E64, o1972 [doi:10.1107/S1600536808029383]

2-Butyl-1,3-diphenyl-2,3-dihydro-1*H*-naphtho[1,2-*e*][1,3]oxazine**Yong Hua Li, Min Min Zhao and Yuan Zhang****S1. Comment**

Continuing efforts have been made to synthesize oxazine compounds because they are widely used as antipsychotic agents (Barker *et al.*, 2006), antimalarial agents (Ren *et al.*, 2001) and serotonin, dopamine receptors agonists (Pettersson *et al.*, 1990; Peglion *et al.*, 1997). We have prepared a novel compound, 2-butyl-1,3-diphenyl-2,3-dihydro-1*H*-naphtho[1,2-*e*][1,3]oxazine, (I), by the reaction of 2-naphthol, benzaldehyde and *n*-butylamine. In this paper, we present the synthesis and crystal structure of (I). The structures of some closely related compounds have been reported (Alfonsov *et al.*, 2007; Ji *et al.* 2005).

In the molecule of the title compound (Fig. 1), the oxazine ring adopts a half chair conformation. An intra-molecular interaction, C17—H15···O1, is observed in the crystal structure, but no inter-molecular hydrogen bonding was present. The dihedral angle between the C16—C21 phenyl ring and naphthyl system is 15.34 (1)° and the dihedral angle between the C23—C28 phenyl ring and naphthyl system is 76.51 (1)°.

S2. Experimental

The title compound was one of the products of the reaction between 2-naphthol, *n*-butylamine and an excess amount of benzaldehyde. Benzaldehyde (22.05 g, 0.208 mol) was added to a solution of 2-naphthol (15 g, 0.104 mol) in 20 ml 95% ethanol. *n*-Butylamine (7.65 g, 0.104 mol) was added dropwise with cooling to 273 K to this solution. The mixture was stirred at room temperature for 6 days and the precipitate was filtrated and washed with a small amount of 95% ethanol. The title compound was isolated using column chromatography (petroleum ether: ethyl acetate - 30:1). Single crystals suitable for X-ray diffraction analysis were obtained from slow evaporation of an ethanol solution.

S3. Refinement

H atoms were positioned geometrically, with C—H = 0.93, 0.98, 0.97 and 0.96 Å for aromatic, methine, methylene and methyl groups, respectively, and constrained to ride on their parent atoms with $U_{\text{iso}}(\text{H}) = xU_{\text{eq}}(\text{C})$, where $x = 1.5$ for methyl H and $x = 1.2$ for all other H atoms.




Figure 1

The molecular structure of the title compound, showing the atomic numbering scheme. Displacement ellipsoids are drawn at the 30% probability level.

2-Butyl-1,3-diphenyl-2,3-dihydro-1H-naphtho[1,2-e][1,3]oxazine

Crystal data

$C_{28}H_{27}NO$

$M_r = 393.51$

Triclinic, $P\bar{1}$

Hall symbol: $-P\ 1$

$a = 8.8959$ (15) Å

$b = 10.7589$ (16) Å

$c = 11.8401$ (18) Å

$\alpha = 96.219$ (1)°

$\beta = 98.366$ (2)°

$\gamma = 97.274$ (2)°

$V = 1102.8$ (3) Å³

$Z = 2$

$F(000) = 420$

$D_x = 1.185$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 2254 reflections

$\theta = 2.3$ – 27.5 °

$\mu = 0.07$ mm⁻¹

$T = 293$ K

Prism, colourless

$0.20 \times 0.18 \times 0.15$ mm

Data collection

Rigaku SCXmini

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

Detector resolution: 13.6612 pixels mm⁻¹

ω scan

Absorption correction: multi-scan

(*CrystalClear*; Rigaku, 2005)

$T_{\min} = 0.965$, $T_{\max} = 0.977$

10108 measured reflections

4302 independent reflections

2352 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.041$

$\theta_{\max} = 26.0$ °, $\theta_{\min} = 2.3$ °

$h = -10 \rightarrow 10$

$k = -13 \rightarrow 13$

$l = -14 \rightarrow 14$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.072$
 $wR(F^2) = 0.262$
 $S = 1.02$
 4302 reflections
 272 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.1501P)^2]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} < 0.001$
 $\Delta\rho_{\max} = 0.26 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.34 \text{ e } \text{\AA}^{-3}$

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) etc. and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
C1	-0.0487 (3)	0.6705 (3)	0.1444 (2)	0.0520 (7)
C10	-0.0728 (3)	0.7223 (3)	0.2512 (2)	0.0486 (7)
C16	0.3447 (3)	0.8083 (3)	0.1275 (2)	0.0489 (7)
C9	-0.2156 (3)	0.6833 (3)	0.2883 (3)	0.0551 (7)
C11	0.0504 (3)	0.8228 (3)	0.3234 (2)	0.0522 (7)
H5	-0.0016	0.8926	0.3505	0.063*
C2	-0.1621 (3)	0.5819 (3)	0.0713 (3)	0.0604 (8)
H6	-0.1439	0.5486	-0.0004	0.073*
C22	0.2099 (3)	0.7704 (3)	0.1862 (2)	0.0505 (7)
H7	0.2422	0.7124	0.2402	0.061*
C4	-0.3288 (3)	0.5932 (3)	0.2146 (3)	0.0599 (8)
C23	0.1350 (3)	0.7789 (3)	0.4296 (2)	0.0517 (7)
C12	0.1042 (3)	0.9693 (3)	0.1822 (2)	0.0571 (7)
H10A	-0.0048	0.9450	0.1546	0.069*
H10B	0.1561	0.9711	0.1156	0.069*
C21	0.4792 (3)	0.8709 (3)	0.1948 (3)	0.0621 (8)
H11	0.4811	0.8926	0.2732	0.074*
C3	-0.2976 (3)	0.5457 (3)	0.1064 (3)	0.0689 (9)
H12	-0.3719	0.4880	0.0575	0.083*
C8	-0.2484 (4)	0.7299 (3)	0.3967 (3)	0.0677 (9)
H13	-0.1762	0.7890	0.4460	0.081*
C24	0.1235 (3)	0.6555 (3)	0.4499 (2)	0.0560 (7)
H14	0.0583	0.5941	0.3977	0.067*
C17	0.3449 (4)	0.7784 (3)	0.0112 (3)	0.0641 (8)
H15	0.2562	0.7370	-0.0362	0.077*

C5	-0.4699 (3)	0.5539 (4)	0.2525 (4)	0.0777 (10)
H16	-0.5451	0.4959	0.2046	0.093*
C13	0.1311 (4)	1.1005 (3)	0.2498 (3)	0.0712 (9)
H17A	0.0864	1.0966	0.3196	0.085*
H17B	0.2408	1.1267	0.2724	0.085*
C19	0.6094 (4)	0.8710 (3)	0.0332 (3)	0.0733 (10)
H18	0.6979	0.8914	0.0018	0.088*
C18	0.4781 (4)	0.8101 (4)	-0.0357 (3)	0.0799 (10)
H19	0.4773	0.7898	-0.1141	0.096*
C7	-0.3862 (4)	0.6891 (4)	0.4304 (3)	0.0834 (11)
H20	-0.4062	0.7209	0.5021	0.100*
C20	0.6101 (4)	0.9016 (3)	0.1482 (3)	0.0717 (9)
H21	0.6991	0.9434	0.1952	0.086*
C14	0.0657 (5)	1.1976 (4)	0.1856 (3)	0.0914 (12)
H4	-0.0446	1.1733	0.1661	0.110*
H22B	0.1067	1.1986	0.1141	0.110*
C25	0.2064 (4)	0.6200 (4)	0.5459 (3)	0.0716 (9)
H23	0.1957	0.5354	0.5574	0.086*
C6	-0.4955 (4)	0.6004 (4)	0.3579 (4)	0.0896 (12)
H24	-0.5874	0.5726	0.3821	0.108*
C28	0.2381 (4)	0.8682 (3)	0.5083 (3)	0.0834 (11)
H25	0.2524	0.9524	0.4960	0.100*
C26	0.3032 (5)	0.7066 (4)	0.6236 (3)	0.0845 (11)
H26	0.3579	0.6821	0.6885	0.101*
C27	0.3192 (5)	0.8298 (4)	0.6054 (3)	0.1023 (14)
H27	0.3853	0.8896	0.6585	0.123*
C15	0.0978 (6)	1.3295 (4)	0.2499 (4)	0.1108 (15)
H3	0.0502	1.3314	0.3177	0.166*
H2	0.0570	1.3872	0.2013	0.166*
H1	0.2067	1.3539	0.2716	0.166*
N1	0.1605 (2)	0.8740 (2)	0.25219 (18)	0.0489 (6)
O1	0.0848 (2)	0.69988 (18)	0.10138 (16)	0.0578 (6)

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
C1	0.0460 (15)	0.0516 (17)	0.0593 (16)	0.0120 (12)	0.0086 (13)	0.0048 (13)
C10	0.0449 (14)	0.0492 (16)	0.0540 (15)	0.0082 (11)	0.0119 (12)	0.0108 (12)
C16	0.0508 (15)	0.0450 (15)	0.0544 (15)	0.0123 (11)	0.0143 (13)	0.0080 (12)
C9	0.0489 (16)	0.0567 (18)	0.0652 (18)	0.0162 (13)	0.0125 (14)	0.0187 (14)
C11	0.0547 (16)	0.0477 (16)	0.0566 (16)	0.0118 (12)	0.0161 (13)	0.0024 (12)
C2	0.0490 (17)	0.0607 (19)	0.0671 (18)	0.0078 (13)	0.0032 (14)	-0.0033 (15)
C22	0.0513 (16)	0.0473 (16)	0.0521 (15)	0.0100 (12)	0.0067 (13)	0.0010 (12)
C4	0.0422 (15)	0.0596 (19)	0.082 (2)	0.0098 (13)	0.0107 (15)	0.0226 (16)
C23	0.0565 (16)	0.0527 (17)	0.0462 (14)	0.0079 (12)	0.0123 (13)	0.0020 (12)
C12	0.0645 (17)	0.0514 (17)	0.0589 (17)	0.0157 (13)	0.0144 (14)	0.0083 (13)
C21	0.0573 (18)	0.066 (2)	0.0652 (18)	0.0055 (14)	0.0170 (15)	0.0125 (15)
C3	0.0478 (17)	0.060 (2)	0.093 (2)	0.0083 (14)	-0.0060 (17)	0.0046 (17)

C8	0.0602 (18)	0.075 (2)	0.075 (2)	0.0158 (15)	0.0238 (16)	0.0203 (17)
C24	0.0505 (16)	0.0596 (19)	0.0590 (17)	0.0018 (13)	0.0138 (13)	0.0127 (14)
C17	0.0610 (18)	0.070 (2)	0.0643 (18)	0.0091 (15)	0.0206 (15)	0.0082 (15)
C5	0.0448 (17)	0.081 (2)	0.112 (3)	0.0058 (15)	0.0152 (19)	0.033 (2)
C13	0.090 (2)	0.0544 (19)	0.073 (2)	0.0154 (16)	0.0162 (18)	0.0122 (15)
C19	0.063 (2)	0.071 (2)	0.098 (3)	0.0118 (16)	0.041 (2)	0.0249 (19)
C18	0.094 (3)	0.088 (3)	0.067 (2)	0.018 (2)	0.038 (2)	0.0108 (18)
C7	0.068 (2)	0.107 (3)	0.094 (3)	0.025 (2)	0.044 (2)	0.036 (2)
C20	0.0578 (19)	0.069 (2)	0.090 (2)	0.0049 (15)	0.0180 (18)	0.0160 (18)
C14	0.125 (3)	0.066 (2)	0.097 (3)	0.034 (2)	0.033 (3)	0.024 (2)
C25	0.070 (2)	0.082 (2)	0.069 (2)	0.0103 (17)	0.0176 (18)	0.0276 (18)
C6	0.054 (2)	0.112 (3)	0.118 (3)	0.020 (2)	0.029 (2)	0.048 (3)
C28	0.111 (3)	0.062 (2)	0.068 (2)	0.0097 (19)	-0.001 (2)	-0.0060 (17)
C26	0.101 (3)	0.098 (3)	0.057 (2)	0.021 (2)	0.008 (2)	0.021 (2)
C27	0.130 (4)	0.096 (3)	0.064 (2)	0.018 (3)	-0.024 (2)	-0.015 (2)
C15	0.165 (4)	0.064 (3)	0.117 (3)	0.037 (3)	0.050 (3)	0.012 (2)
N1	0.0543 (13)	0.0453 (13)	0.0494 (12)	0.0119 (10)	0.0120 (10)	0.0063 (10)
O1	0.0514 (11)	0.0605 (13)	0.0576 (12)	0.0002 (9)	0.0120 (9)	-0.0051 (9)

Geometric parameters (Å, °)

C1—O1	1.373 (3)	C24—C25	1.379 (4)
C1—C10	1.383 (4)	C24—H14	0.9300
C1—C2	1.414 (4)	C17—C18	1.399 (4)
C10—C9	1.432 (4)	C17—H15	0.9300
C10—C11	1.526 (4)	C5—C6	1.355 (5)
C16—C17	1.379 (4)	C5—H16	0.9300
C16—C21	1.386 (4)	C13—C14	1.485 (5)
C16—C22	1.506 (4)	C13—H17A	0.9700
C9—C8	1.411 (4)	C13—H17B	0.9700
C9—C4	1.425 (4)	C19—C20	1.364 (5)
C11—N1	1.477 (3)	C19—C18	1.368 (5)
C11—C23	1.520 (4)	C19—H18	0.9300
C11—H5	0.9800	C18—H19	0.9300
C2—C3	1.356 (4)	C7—C6	1.392 (5)
C2—H6	0.9300	C7—H20	0.9300
C22—N1	1.443 (3)	C20—H21	0.9300
C22—O1	1.456 (3)	C14—C15	1.508 (5)
C22—H7	0.9800	C14—H4	0.9700
C4—C3	1.406 (5)	C14—H22B	0.9700
C4—C5	1.424 (4)	C25—C26	1.356 (5)
C23—C24	1.369 (4)	C25—H23	0.9300
C23—C28	1.402 (4)	C6—H24	0.9300
C12—N1	1.477 (3)	C28—C27	1.396 (5)
C12—C13	1.519 (4)	C28—H25	0.9300
C12—H10A	0.9700	C26—C27	1.358 (6)
C12—H10B	0.9700	C26—H26	0.9300
C21—C20	1.379 (4)	C27—H27	0.9300

C21—H11	0.9300	C15—H3	0.9600
C3—H12	0.9300	C15—H2	0.9600
C8—C7	1.378 (4)	C15—H1	0.9600
C8—H13	0.9300		
O1—C1—C10	123.4 (2)	C18—C17—H15	119.8
O1—C1—C2	115.1 (2)	C6—C5—C4	120.4 (4)
C10—C1—C2	121.5 (3)	C6—C5—H16	119.8
C1—C10—C9	118.7 (3)	C4—C5—H16	119.8
C1—C10—C11	119.1 (2)	C14—C13—C12	114.1 (3)
C9—C10—C11	122.1 (2)	C14—C13—H17A	108.7
C17—C16—C21	117.9 (3)	C12—C13—H17A	108.7
C17—C16—C22	123.8 (3)	C14—C13—H17B	108.7
C21—C16—C22	118.3 (2)	C12—C13—H17B	108.7
C8—C9—C4	118.2 (3)	H17A—C13—H17B	107.6
C8—C9—C10	122.3 (3)	C20—C19—C18	119.7 (3)
C4—C9—C10	119.4 (3)	C20—C19—H18	120.1
N1—C11—C23	110.4 (2)	C18—C19—H18	120.1
N1—C11—C10	110.7 (2)	C19—C18—C17	120.4 (3)
C23—C11—C10	114.3 (2)	C19—C18—H19	119.8
N1—C11—H5	107.0	C17—C18—H19	119.8
C23—C11—H5	107.0	C8—C7—C6	120.3 (4)
C10—C11—H5	107.0	C8—C7—H20	119.8
C3—C2—C1	119.6 (3)	C6—C7—H20	119.8
C3—C2—H6	120.2	C19—C20—C21	120.1 (3)
C1—C2—H6	120.2	C19—C20—H21	120.0
N1—C22—O1	111.8 (2)	C21—C20—H21	120.0
N1—C22—C16	114.3 (2)	C13—C14—C15	114.6 (4)
O1—C22—C16	109.3 (2)	C13—C14—H4	108.6
N1—C22—H7	107.0	C15—C14—H4	108.6
O1—C22—H7	107.0	C13—C14—H22B	108.6
C16—C22—H7	107.0	C15—C14—H22B	108.6
C3—C4—C5	122.0 (3)	H4—C14—H22B	107.6
C3—C4—C9	118.9 (3)	C26—C25—C24	120.9 (3)
C5—C4—C9	119.2 (3)	C26—C25—H23	119.5
C24—C23—C28	117.5 (3)	C24—C25—H23	119.5
C24—C23—C11	123.8 (2)	C5—C6—C7	121.0 (3)
C28—C23—C11	118.6 (3)	C5—C6—H24	119.5
N1—C12—C13	112.2 (2)	C7—C6—H24	119.5
N1—C12—H10A	109.2	C27—C28—C23	119.6 (3)
C13—C12—H10A	109.2	C27—C28—H25	120.2
N1—C12—H10B	109.2	C23—C28—H25	120.2
C13—C12—H10B	109.2	C25—C26—C27	119.1 (3)
H10A—C12—H10B	107.9	C25—C26—H26	120.4
C20—C21—C16	121.6 (3)	C27—C26—H26	120.4
C20—C21—H11	119.2	C26—C27—C28	121.2 (4)
C16—C21—H11	119.2	C26—C27—H27	119.4
C2—C3—C4	121.8 (3)	C28—C27—H27	119.4

C2—C3—H12	119.1	C14—C15—H3	109.5
C4—C3—H12	119.1	C14—C15—H2	109.5
C7—C8—C9	120.9 (3)	H3—C15—H2	109.5
C7—C8—H13	119.6	C14—C15—H1	109.5
C9—C8—H13	119.6	H3—C15—H1	109.5
C23—C24—C25	121.6 (3)	H2—C15—H1	109.5
C23—C24—H14	119.2	C22—N1—C11	109.0 (2)
C25—C24—H14	119.2	C22—N1—C12	113.8 (2)
C16—C17—C18	120.3 (3)	C11—N1—C12	113.8 (2)
C16—C17—H15	119.8	C1—O1—C22	113.8 (2)
O1—C1—C10—C9	-179.0 (2)	C11—C23—C24—C25	178.0 (3)
C2—C1—C10—C9	0.9 (4)	C21—C16—C17—C18	0.5 (5)
O1—C1—C10—C11	3.4 (4)	C22—C16—C17—C18	-176.0 (3)
C2—C1—C10—C11	-176.7 (2)	C3—C4—C5—C6	179.2 (3)
C1—C10—C9—C8	178.9 (3)	C9—C4—C5—C6	-0.8 (5)
C11—C10—C9—C8	-3.6 (4)	N1—C12—C13—C14	-175.6 (3)
C1—C10—C9—C4	-0.3 (4)	C20—C19—C18—C17	-0.5 (5)
C11—C10—C9—C4	177.2 (2)	C16—C17—C18—C19	0.0 (5)
C1—C10—C11—N1	15.7 (3)	C9—C8—C7—C6	0.2 (5)
C9—C10—C11—N1	-161.8 (2)	C18—C19—C20—C21	0.3 (5)
C1—C10—C11—C23	-109.8 (3)	C16—C21—C20—C19	0.2 (5)
C9—C10—C11—C23	72.7 (3)	C12—C13—C14—C15	-177.4 (3)
O1—C1—C2—C3	179.4 (2)	C23—C24—C25—C26	-0.3 (5)
C10—C1—C2—C3	-0.5 (4)	C4—C5—C6—C7	1.2 (6)
C17—C16—C22—N1	-126.3 (3)	C8—C7—C6—C5	-0.9 (6)
C21—C16—C22—N1	57.3 (3)	C24—C23—C28—C27	-2.6 (5)
C17—C16—C22—O1	-0.2 (4)	C11—C23—C28—C27	-178.9 (3)
C21—C16—C22—O1	-176.6 (2)	C24—C25—C26—C27	-0.6 (6)
C8—C9—C4—C3	-179.9 (3)	C25—C26—C27—C28	-0.1 (7)
C10—C9—C4—C3	-0.6 (4)	C23—C28—C27—C26	1.8 (6)
C8—C9—C4—C5	0.1 (4)	O1—C22—N1—C11	66.5 (3)
C10—C9—C4—C5	179.4 (3)	C16—C22—N1—C11	-168.7 (2)
N1—C11—C23—C24	-114.6 (3)	O1—C22—N1—C12	-61.7 (3)
C10—C11—C23—C24	11.1 (4)	C16—C22—N1—C12	63.1 (3)
N1—C11—C23—C28	61.4 (3)	C23—C11—N1—C22	79.0 (3)
C10—C11—C23—C28	-172.9 (3)	C10—C11—N1—C22	-48.7 (3)
C17—C16—C21—C20	-0.6 (4)	C23—C11—N1—C12	-152.9 (2)
C22—C16—C21—C20	176.0 (3)	C10—C11—N1—C12	79.5 (3)
C1—C2—C3—C4	-0.5 (5)	C13—C12—N1—C22	-150.4 (3)
C5—C4—C3—C2	-179.0 (3)	C13—C12—N1—C11	84.0 (3)
C9—C4—C3—C2	1.1 (5)	C10—C1—O1—C22	11.7 (4)
C4—C9—C8—C7	0.2 (4)	C2—C1—O1—C22	-168.2 (2)
C10—C9—C8—C7	-179.1 (3)	N1—C22—O1—C1	-47.0 (3)
C28—C23—C24—C25	1.9 (4)	C16—C22—O1—C1	-174.6 (2)

Hydrogen-bond geometry (Å, °)

<i>D—H···A</i>	<i>D—H</i>	<i>H···A</i>	<i>D···A</i>	<i>D—H···A</i>
C17—H15···O1	0.93	2.42	2.762 (4)	102
