

## Chloridotris(4-chlorobenzyl- $\kappa C$ )- (triphenylarsine oxide- $\kappa O$ )tin(IV)

Nur Hamimah Johari, Kong Mun Lo and Seik Weng Ng\*

Department of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia  
Correspondence e-mail: seikweng@um.edu.my


Received 10 June 2009; accepted 11 June 2009

Key indicators: single-crystal X-ray study;  $T = 140\text{ K}$ ; mean  $\sigma(\text{C}-\text{C}) = 0.003\text{ \AA}$ ;  
 $R$  factor = 0.023;  $wR$  factor = 0.062; data-to-parameter ratio = 19.7.

The  $\text{Sn}^{\text{IV}}$  atom in the title compound,  $[\text{Sn}(\text{C}_7\text{H}_6\text{Cl})_3\text{Cl}(\text{C}_{18}\text{H}_{15}\text{AsO})]$ , shows a distorted  $\text{C}_3\text{ClOSn}$  trigonal bipyramidal coordination; the axial  $\text{O}-\text{Sn}-\text{Cl}$  angle is  $170.22(4)^\circ$ .

### Related literature

For the synthesis of tri(4-chlorobenzyl)tin chloride, see: Sisido *et al.* (1961). Triphenylarsine oxide affords a small number of adducts with triorganotin(IV) Lewis acids; see: Lo *et al.* (2000); Nardelli *et al.* (1977); Ng & Kumar Das (1993).



### Experimental

#### Crystal data

$[\text{Sn}(\text{C}_7\text{H}_6\text{Cl})_3\text{Cl}(\text{C}_{18}\text{H}_{15}\text{AsO})]$	$V = 3586.2(1)\text{ \AA}^3$
$M_r = 853.06$	$Z = 4$
Monoclinic, $P2_1/n$	Mo $K\alpha$ radiation
$a = 17.5639(2)\text{ \AA}$	$\mu = 1.96\text{ mm}^{-1}$
$b = 11.0471(2)\text{ \AA}$	$T = 140\text{ K}$
$c = 18.5782(3)\text{ \AA}$	$0.35 \times 0.30 \times 0.25\text{ mm}$
$\beta = 95.818(1)^\circ$	

#### Data collection

Bruker SMART APEX	24453 measured reflections
diffractometer	8174 independent reflections
Absorption correction: multi-scan	7220 reflections with $I > 2\sigma(I)$
(SADABS; Sheldrick, 1996)	$R_{\text{int}} = 0.018$
	$T_{\min} = 0.548$ , $T_{\max} = 0.640$

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.023$	415 parameters
$wR(F^2) = 0.062$	H-atom parameters constrained
$S = 1.01$	$\Delta\rho_{\max} = 1.16\text{ e \AA}^{-3}$
8174 reflections	$\Delta\rho_{\min} = -0.68\text{ e \AA}^{-3}$

Data collection: *APEX2* (Bruker, 2007); cell refinement: *SAINT* (Bruker, 2007); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *X-SEED* (Barbour, 2001); software used to prepare material for publication: *publCIF* (Westrip, 2009).

We thank the University of Malaya (RG020/09AFR) for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: TK2475).

### References

- Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.
- Bruker (2007). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Lo, K. M., Niu, J.-Y. & Wang, J.-P. (2000). *Chin. J. Inorg. Chem.* **16**, 763–768.
- Nardelli, M., Pelizzetti, C. & Pelizzetti, G. (1977). *J. Organomet. Chem.* **125**, 161–172.
- Ng, S. W. & Kumar Das, V. G. (1993). *Acta Cryst. C* **49**, 758–760.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A* **64**, 112–122.
- Sisido, K., Takeda, Y. & Kinugawa, Z. (1961). *J. Am. Chem. Soc.* **83**, 538–541.
- Westrip, S. P. (2009). *publCIF*. In preparation.

# supporting information

*Acta Cryst.* (2009). E65, m815 [doi:10.1107/S1600536809022247]

## Chloridotris(4-chlorobenzyl- $\kappa$ C)(triphenylarsine oxide- $\kappa$ O)tin(IV)


Nur Hamimah Johari, Kong Mun Lo and Seik Weng Ng

### S1. Experimental

Tri(4-chlorobenzyl)tin chloride (0.5 g, 0.93 mmol) and triphenylarsine oxide (0.3 g, 0.93 mmol) were dissolved in chloroform (50 ml). Slow evaporation of the solvent gave large, well-formed colorless crystals.

### S2. Refinement

Hydrogen atoms were placed at calculated positions (C–H 0.95–0.99 Å) and were treated as riding on their parent atoms with  $U(H)$  set to  $1.2U_{eq}(C)$ . The final difference Fourier map had a large peak/deep hole in the vicinity of the Sn1 atom.



**Figure 1**

Thermal ellipsoid plot (Barbour, 2001) of  $(4\text{-ClC}_7\text{H}_6)_3\text{SnClOAs}(\text{C}_6\text{H}_5)_3$  drawn at the 70% probability level. Hydrogen atoms are drawn as spheres of arbitrary radius.

**Chloridotris(4-chlorobenzyl- $\kappa$ C)(triphenylarsine oxide- $\kappa$ O)tin(IV)***Crystal data* $[\text{Sn}(\text{C}_7\text{H}_6\text{Cl})_3\text{Cl}(\text{C}_{18}\text{H}_{15}\text{AsO})]$  $M_r = 853.06$ Monoclinic,  $P2_1/n$ 

Hall symbol: -P 2yn

 $a = 17.5639 (2) \text{ \AA}$  $b = 11.0471 (2) \text{ \AA}$  $c = 18.5782 (3) \text{ \AA}$  $\beta = 95.818 (1)^\circ$  $V = 3586.2 (1) \text{ \AA}^3$  $Z = 4$  $F(000) = 1704$  $D_x = 1.580 \text{ Mg m}^{-3}$ Mo  $K\alpha$  radiation,  $\lambda = 0.71073 \text{ \AA}$ 

Cell parameters from 9948 reflections

 $\theta = 2.2\text{--}28.3^\circ$  $\mu = 1.96 \text{ mm}^{-1}$  $T = 140 \text{ K}$ 

Block, colorless

 $0.35 \times 0.30 \times 0.25 \text{ mm}$ *Data collection*

Bruker SMART APEX

diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator

 $\omega$  scans

Absorption correction: multi-scan

(SADABS; Sheldrick, 1996)

 $T_{\min} = 0.548$ ,  $T_{\max} = 0.640$ 

24453 measured reflections

8174 independent reflections

7220 reflections with  $I > 2\sigma(I)$  $R_{\text{int}} = 0.018$  $\theta_{\max} = 27.5^\circ$ ,  $\theta_{\min} = 1.5^\circ$  $h = -22 \rightarrow 21$  $k = -14 \rightarrow 14$  $l = -24 \rightarrow 24$ *Refinement*Refinement on  $F^2$ 

Least-squares matrix: full

 $R[F^2 > 2\sigma(F^2)] = 0.023$  $wR(F^2) = 0.062$  $S = 1.01$ 

8174 reflections

415 parameters

0 restraints

Primary atom site location: structure-invariant

direct methods

Secondary atom site location: difference Fourier map

Hydrogen site location: inferred from neighbouring sites

H-atom parameters constrained

 $w = 1/[\sigma^2(F_o^2) + (0.0322P)^2 + 2.7522P]$   
where  $P = (F_o^2 + 2F_c^2)/3$  $(\Delta/\sigma)_{\max} = 0.001$  $\Delta\rho_{\max} = 1.16 \text{ e \AA}^{-3}$  $\Delta\rho_{\min} = -0.68 \text{ e \AA}^{-3}$ *Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ( $\text{\AA}^2$ )*

	$x$	$y$	$z$	$U_{\text{iso}}^*/U_{\text{eq}}$
Sn1	0.528165 (8)	0.820625 (12)	0.354278 (7)	0.01905 (4)
As1	0.454087 (11)	0.583674 (17)	0.216927 (10)	0.01551 (5)
Cl1	0.75643 (4)	0.27072 (6)	0.36668 (4)	0.04362 (15)
Cl2	0.53088 (6)	1.22894 (8)	0.06049 (5)	0.0676 (3)
Cl3	0.14901 (4)	0.57827 (6)	0.35680 (4)	0.04224 (15)
Cl4	0.59378 (3)	0.98287 (6)	0.43764 (3)	0.03751 (14)
O1	0.46947 (8)	0.70565 (13)	0.26848 (8)	0.0232 (3)
C1	0.54406 (13)	0.67840 (19)	0.43391 (11)	0.0251 (4)
H1A	0.5636	0.7150	0.4808	0.030*
H1B	0.4935	0.6423	0.4399	0.030*
C2	0.59846 (13)	0.5769 (2)	0.41676 (11)	0.0250 (4)
C3	0.67409 (13)	0.5993 (2)	0.40221 (11)	0.0271 (5)
H3	0.6921	0.6803	0.4021	0.032*

C4	0.72318 (12)	0.5056 (2)	0.38797 (12)	0.0264 (4)
H4	0.7745	0.5222	0.3793	0.032*
C5	0.69646 (13)	0.3884 (2)	0.38653 (12)	0.0272 (5)
C6	0.62260 (13)	0.3621 (2)	0.40032 (12)	0.0274 (5)
H6	0.6049	0.2808	0.3993	0.033*
C7	0.57433 (13)	0.4566 (2)	0.41573 (11)	0.0273 (5)
H7	0.5236	0.4386	0.4258	0.033*
C8	0.61717 (12)	0.8449 (2)	0.28349 (11)	0.0245 (4)
H8A	0.6654	0.8672	0.3128	0.029*
H8B	0.6258	0.7672	0.2590	0.029*
C9	0.59781 (12)	0.94030 (19)	0.22769 (12)	0.0237 (4)
C10	0.55992 (13)	0.9105 (2)	0.16050 (12)	0.0290 (5)
H10	0.5480	0.8282	0.1498	0.035*
C11	0.53936 (15)	0.9984 (2)	0.10906 (13)	0.0370 (6)
H11	0.5127	0.9771	0.0638	0.044*
C12	0.55827 (15)	1.1175 (2)	0.12457 (15)	0.0384 (6)
C13	0.59802 (15)	1.1498 (2)	0.18935 (15)	0.0379 (6)
H13	0.6125	1.2316	0.1986	0.045*
C14	0.61650 (13)	1.0615 (2)	0.24074 (13)	0.0301 (5)
H14	0.6426	1.0839	0.2861	0.036*
C15	0.41990 (12)	0.91348 (19)	0.35346 (12)	0.0248 (4)
H15A	0.4217	0.9674	0.3962	0.030*
H15B	0.4124	0.9649	0.3097	0.030*
C16	0.35285 (11)	0.83011 (18)	0.35436 (11)	0.0209 (4)
C17	0.33463 (12)	0.7764 (2)	0.41844 (11)	0.0251 (4)
H17	0.3659	0.7925	0.4622	0.030*
C18	0.27199 (13)	0.7000 (2)	0.41991 (12)	0.0277 (5)
H18	0.2600	0.6654	0.4642	0.033*
C19	0.22742 (12)	0.67529 (19)	0.35625 (13)	0.0266 (5)
C20	0.24387 (12)	0.7258 (2)	0.29136 (12)	0.0259 (4)
H20	0.2131	0.7075	0.2477	0.031*
C21	0.30588 (12)	0.80338 (19)	0.29101 (11)	0.0231 (4)
H21	0.3167	0.8392	0.2467	0.028*
C22	0.54389 (11)	0.54327 (17)	0.17158 (10)	0.0181 (4)
C23	0.60824 (12)	0.50616 (19)	0.21602 (11)	0.0223 (4)
H23	0.6059	0.4977	0.2666	0.027*
C24	0.67555 (12)	0.4817 (2)	0.18610 (12)	0.0260 (4)
H24	0.7196	0.4562	0.2161	0.031*
C25	0.67849 (13)	0.4944 (2)	0.11210 (13)	0.0304 (5)
H25	0.7247	0.4773	0.0915	0.036*
C26	0.61465 (14)	0.5319 (2)	0.06813 (12)	0.0333 (5)
H26	0.6173	0.5412	0.0176	0.040*
C27	0.54664 (12)	0.5560 (2)	0.09760 (11)	0.0257 (4)
H27	0.5025	0.5810	0.0674	0.031*
C28	0.42859 (11)	0.44932 (18)	0.27411 (10)	0.0182 (4)
C29	0.45851 (12)	0.33508 (18)	0.26293 (11)	0.0222 (4)
H29	0.4878	0.3211	0.2235	0.027*
C30	0.44512 (12)	0.24176 (19)	0.31007 (12)	0.0263 (4)

H30	0.4663	0.1639	0.3036	0.032*
C31	0.40078 (13)	0.2620 (2)	0.36661 (12)	0.0273 (5)
H31	0.3919	0.1980	0.3989	0.033*
C32	0.36943 (13)	0.3753 (2)	0.37621 (11)	0.0273 (5)
H32	0.3381	0.3881	0.4143	0.033*
C33	0.38362 (11)	0.47015 (19)	0.33051 (11)	0.0224 (4)
H33	0.3630	0.5482	0.3376	0.027*
C34	0.37257 (11)	0.61817 (18)	0.14396 (10)	0.0177 (4)
C35	0.31898 (12)	0.53077 (19)	0.12201 (11)	0.0222 (4)
H35	0.3221	0.4524	0.1432	0.027*
C36	0.26039 (12)	0.5586 (2)	0.06862 (11)	0.0251 (4)
H36	0.2230	0.4994	0.0532	0.030*
C37	0.25667 (12)	0.6729 (2)	0.03795 (11)	0.0249 (4)
H37	0.2167	0.6915	0.0013	0.030*
C38	0.31019 (13)	0.7599 (2)	0.05986 (12)	0.0271 (5)
H38	0.3071	0.8379	0.0382	0.033*
C39	0.36853 (12)	0.73361 (19)	0.11349 (11)	0.0244 (4)
H39	0.4053	0.7935	0.1293	0.029*

Atomic displacement parameters ( $\text{\AA}^2$ )

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Sn1	0.01672 (7)	0.02216 (7)	0.01808 (7)	-0.00160 (5)	0.00075 (5)	-0.00196 (5)
As1	0.01499 (10)	0.01635 (9)	0.01506 (9)	0.00023 (7)	0.00087 (7)	-0.00054 (7)
C11	0.0367 (3)	0.0308 (3)	0.0643 (4)	0.0084 (3)	0.0100 (3)	-0.0015 (3)
Cl2	0.0820 (6)	0.0479 (4)	0.0774 (6)	0.0187 (4)	0.0303 (5)	0.0393 (4)
Cl3	0.0293 (3)	0.0391 (3)	0.0582 (4)	-0.0119 (3)	0.0035 (3)	0.0056 (3)
Cl4	0.0298 (3)	0.0443 (3)	0.0368 (3)	-0.0077 (2)	-0.0044 (2)	-0.0183 (3)
O1	0.0232 (7)	0.0220 (7)	0.0240 (7)	-0.0009 (6)	0.0006 (6)	-0.0071 (6)
C1	0.0311 (12)	0.0295 (11)	0.0144 (9)	0.0038 (9)	0.0004 (8)	0.0053 (8)
C2	0.0272 (11)	0.0312 (11)	0.0158 (9)	0.0025 (9)	-0.0021 (8)	0.0031 (8)
C3	0.0295 (12)	0.0247 (11)	0.0258 (10)	-0.0020 (9)	-0.0038 (9)	-0.0006 (8)
C4	0.0205 (10)	0.0320 (11)	0.0260 (10)	-0.0003 (9)	-0.0011 (8)	0.0000 (9)
C5	0.0276 (11)	0.0277 (11)	0.0256 (10)	0.0044 (9)	-0.0001 (9)	0.0018 (8)
C6	0.0275 (11)	0.0275 (11)	0.0264 (10)	-0.0018 (9)	-0.0023 (9)	0.0052 (9)
C7	0.0232 (11)	0.0344 (12)	0.0237 (10)	-0.0020 (9)	-0.0003 (8)	0.0073 (9)
C8	0.0197 (10)	0.0277 (11)	0.0266 (10)	-0.0019 (8)	0.0055 (8)	-0.0004 (8)
C9	0.0179 (10)	0.0230 (10)	0.0317 (11)	-0.0010 (8)	0.0097 (8)	-0.0013 (8)
C10	0.0322 (12)	0.0238 (11)	0.0316 (11)	-0.0040 (9)	0.0054 (9)	0.0018 (9)
C11	0.0437 (15)	0.0361 (13)	0.0319 (12)	-0.0014 (11)	0.0064 (11)	0.0078 (10)
C12	0.0399 (14)	0.0286 (12)	0.0498 (15)	0.0084 (11)	0.0203 (12)	0.0170 (11)
C13	0.0378 (14)	0.0203 (11)	0.0592 (16)	-0.0010 (10)	0.0228 (12)	-0.0026 (11)
C14	0.0268 (11)	0.0250 (11)	0.0404 (13)	-0.0023 (9)	0.0137 (10)	-0.0080 (9)
C15	0.0245 (11)	0.0195 (10)	0.0303 (11)	-0.0006 (8)	0.0015 (9)	-0.0032 (8)
C16	0.0187 (10)	0.0175 (9)	0.0264 (10)	0.0045 (7)	0.0027 (8)	-0.0040 (8)
C17	0.0265 (11)	0.0254 (10)	0.0227 (10)	0.0025 (9)	-0.0010 (8)	-0.0038 (8)
C18	0.0282 (11)	0.0289 (11)	0.0270 (11)	0.0016 (9)	0.0071 (9)	0.0026 (9)
C19	0.0169 (10)	0.0241 (10)	0.0388 (12)	-0.0007 (8)	0.0036 (9)	0.0000 (9)

C20	0.0189 (10)	0.0298 (11)	0.0280 (10)	0.0023 (8)	-0.0028 (8)	-0.0021 (9)
C21	0.0209 (10)	0.0253 (10)	0.0230 (10)	0.0038 (8)	0.0014 (8)	0.0014 (8)
C22	0.0164 (9)	0.0173 (9)	0.0211 (9)	-0.0013 (7)	0.0040 (7)	-0.0021 (7)
C23	0.0217 (10)	0.0225 (10)	0.0226 (10)	0.0001 (8)	0.0022 (8)	0.0004 (8)
C24	0.0163 (10)	0.0279 (11)	0.0338 (11)	0.0003 (8)	0.0028 (8)	-0.0041 (9)
C25	0.0227 (11)	0.0334 (12)	0.0368 (12)	-0.0017 (9)	0.0116 (9)	-0.0115 (10)
C26	0.0353 (13)	0.0427 (14)	0.0233 (11)	-0.0032 (11)	0.0102 (9)	-0.0057 (10)
C27	0.0244 (11)	0.0319 (11)	0.0207 (10)	0.0004 (9)	0.0018 (8)	-0.0029 (8)
C28	0.0167 (9)	0.0202 (9)	0.0171 (9)	-0.0002 (7)	-0.0005 (7)	0.0020 (7)
C29	0.0204 (10)	0.0224 (10)	0.0240 (10)	-0.0007 (8)	0.0035 (8)	-0.0022 (8)
C30	0.0251 (11)	0.0176 (10)	0.0354 (11)	-0.0024 (8)	0.0003 (9)	0.0012 (8)
C31	0.0296 (12)	0.0251 (11)	0.0266 (11)	-0.0071 (9)	0.0000 (9)	0.0059 (8)
C32	0.0270 (11)	0.0326 (12)	0.0232 (10)	-0.0026 (9)	0.0062 (9)	0.0029 (9)
C33	0.0202 (10)	0.0242 (10)	0.0231 (10)	0.0027 (8)	0.0034 (8)	0.0011 (8)
C34	0.0153 (9)	0.0213 (10)	0.0164 (9)	0.0020 (7)	0.0019 (7)	-0.0009 (7)
C35	0.0232 (10)	0.0212 (10)	0.0219 (10)	-0.0033 (8)	0.0011 (8)	0.0033 (8)
C36	0.0200 (10)	0.0315 (11)	0.0231 (10)	-0.0059 (8)	-0.0009 (8)	0.0004 (8)
C37	0.0204 (10)	0.0345 (12)	0.0190 (9)	0.0055 (9)	-0.0012 (8)	0.0017 (8)
C38	0.0305 (12)	0.0233 (10)	0.0270 (11)	0.0046 (9)	0.0002 (9)	0.0072 (8)
C39	0.0235 (10)	0.0211 (10)	0.0279 (11)	-0.0020 (8)	-0.0002 (8)	0.0009 (8)

*Geometric parameters ( $\text{\AA}$ ,  $\text{^{\circ}}$ )*

Sn1—C1	2.157 (2)	C16—C21	1.399 (3)
Sn1—C8	2.159 (2)	C17—C18	1.389 (3)
Sn1—C15	2.159 (2)	C17—H17	0.9500
Sn1—O1	2.210 (1)	C18—C19	1.378 (3)
Sn1—Cl4	2.5646 (5)	C18—H18	0.9500
As1—O1	1.6594 (14)	C19—C20	1.385 (3)
As1—C28	1.9049 (19)	C20—C21	1.387 (3)
As1—C34	1.9076 (18)	C20—H20	0.9500
As1—C22	1.915 (2)	C21—H21	0.9500
C11—C5	1.736 (2)	C22—C27	1.387 (3)
C12—C12	1.746 (2)	C22—C23	1.392 (3)
C13—C19	1.746 (2)	C23—C24	1.383 (3)
C1—C2	1.528 (3)	C23—H23	0.9500
C1—H1A	0.9900	C24—C25	1.388 (3)
C1—H1B	0.9900	C24—H24	0.9500
C2—C7	1.394 (3)	C25—C26	1.382 (3)
C2—C3	1.404 (3)	C25—H25	0.9500
C3—C4	1.389 (3)	C26—C27	1.389 (3)
C3—H3	0.9500	C26—H26	0.9500
C4—C5	1.376 (3)	C27—H27	0.9500
C4—H4	0.9500	C28—C29	1.391 (3)
C5—C6	1.379 (3)	C28—C33	1.394 (3)
C6—C7	1.392 (3)	C29—C30	1.388 (3)
C6—H6	0.9500	C29—H29	0.9500
C7—H7	0.9500	C30—C31	1.388 (3)

C8—C9	1.493 (3)	C30—H30	0.9500
C8—H8A	0.9900	C31—C32	1.386 (3)
C8—H8B	0.9900	C31—H31	0.9500
C9—C14	1.394 (3)	C32—C33	1.387 (3)
C9—C10	1.393 (3)	C32—H32	0.9500
C10—C11	1.384 (3)	C33—H33	0.9500
C10—H10	0.9500	C34—C35	1.381 (3)
C11—C12	1.380 (4)	C34—C39	1.394 (3)
C11—H11	0.9500	C35—C36	1.389 (3)
C12—C13	1.376 (4)	C35—H35	0.9500
C13—C14	1.380 (4)	C36—C37	1.384 (3)
C13—H13	0.9500	C36—H36	0.9500
C14—H14	0.9500	C37—C38	1.377 (3)
C15—C16	1.496 (3)	C37—H37	0.9500
C15—H15A	0.9900	C38—C39	1.386 (3)
C15—H15B	0.9900	C38—H38	0.9500
C16—C17	1.396 (3)	C39—H39	0.9500
C1—Sn1—C15	113.80 (8)	C17—C16—C15	121.31 (18)
C1—Sn1—C8	117.18 (8)	C21—C16—C15	121.21 (19)
C15—Sn1—C8	128.92 (8)	C18—C17—C16	121.69 (19)
C1—Sn1—O1	95.43 (7)	C18—C17—H17	119.2
C15—Sn1—O1	85.52 (7)	C16—C17—H17	119.2
C8—Sn1—O1	86.88 (7)	C19—C18—C17	119.1 (2)
C1—Sn1—Cl4	94.35 (6)	C19—C18—H18	120.5
C15—Sn1—Cl4	90.79 (6)	C17—C18—H18	120.5
C8—Sn1—Cl4	88.42 (6)	C18—C19—C20	121.1 (2)
O1—Sn1—Cl4	170.22 (4)	C18—C19—Cl3	119.78 (18)
O1—As1—C28	110.16 (8)	C20—C19—Cl3	119.11 (17)
O1—As1—C34	108.33 (8)	C21—C20—C19	119.10 (19)
C28—As1—C34	110.49 (8)	C21—C20—H20	120.5
O1—As1—C22	110.49 (8)	C19—C20—H20	120.5
C28—As1—C22	108.33 (8)	C20—C21—C16	121.5 (2)
C34—As1—C22	109.05 (8)	C20—C21—H21	119.2
As1—O1—Sn1	156.89 (9)	C16—C21—H21	119.2
C2—C1—Sn1	115.60 (14)	C27—C22—C23	120.65 (19)
C2—C1—H1A	108.4	C27—C22—As1	121.68 (15)
Sn1—C1—H1A	108.4	C23—C22—As1	117.59 (15)
C2—C1—H1B	108.4	C24—C23—C22	119.66 (19)
Sn1—C1—H1B	108.4	C24—C23—H23	120.2
H1A—C1—H1B	107.4	C22—C23—H23	120.2
C7—C2—C3	117.2 (2)	C23—C24—C25	119.8 (2)
C7—C2—C1	120.5 (2)	C23—C24—H24	120.1
C3—C2—C1	122.3 (2)	C25—C24—H24	120.1
C4—C3—C2	121.5 (2)	C26—C25—C24	120.4 (2)
C4—C3—H3	119.2	C26—C25—H25	119.8
C2—C3—H3	119.2	C24—C25—H25	119.8
C5—C4—C3	119.2 (2)	C25—C26—C27	120.2 (2)

C5—C4—H4	120.4	C25—C26—H26	119.9
C3—C4—H4	120.4	C27—C26—H26	119.9
C4—C5—C6	121.3 (2)	C22—C27—C26	119.2 (2)
C4—C5—Cl1	119.70 (18)	C22—C27—H27	120.4
C6—C5—Cl1	118.98 (18)	C26—C27—H27	120.4
C5—C6—C7	119.0 (2)	C29—C28—C33	120.91 (19)
C5—C6—H6	120.5	C29—C28—As1	120.67 (15)
C7—C6—H6	120.5	C33—C28—As1	118.28 (15)
C6—C7—C2	121.8 (2)	C30—C29—C28	119.3 (2)
C6—C7—H7	119.1	C30—C29—H29	120.4
C2—C7—H7	119.1	C28—C29—H29	120.4
C9—C8—Sn1	112.48 (14)	C29—C30—C31	120.1 (2)
C9—C8—H8A	109.1	C29—C30—H30	119.9
Sn1—C8—H8A	109.1	C31—C30—H30	119.9
C9—C8—H8B	109.1	C32—C31—C30	120.3 (2)
Sn1—C8—H8B	109.1	C32—C31—H31	119.9
H8A—C8—H8B	107.8	C30—C31—H31	119.9
C14—C9—C10	117.7 (2)	C31—C32—C33	120.3 (2)
C14—C9—C8	121.6 (2)	C31—C32—H32	119.8
C10—C9—C8	120.63 (19)	C33—C32—H32	119.8
C11—C10—C9	121.3 (2)	C32—C33—C28	119.1 (2)
C11—C10—H10	119.3	C32—C33—H33	120.5
C9—C10—H10	119.3	C28—C33—H33	120.5
C12—C11—C10	119.0 (2)	C35—C34—C39	120.96 (18)
C12—C11—H11	120.5	C35—C34—As1	120.68 (15)
C10—C11—H11	120.5	C39—C34—As1	118.36 (14)
C11—C12—C13	121.3 (2)	C34—C35—C36	119.32 (19)
C11—C12—Cl2	119.1 (2)	C34—C35—H35	120.3
C13—C12—Cl2	119.6 (2)	C36—C35—H35	120.3
C12—C13—C14	119.0 (2)	C37—C36—C35	119.76 (19)
C12—C13—H13	120.5	C37—C36—H36	120.1
C14—C13—H13	120.5	C35—C36—H36	120.1
C13—C14—C9	121.6 (2)	C38—C37—C36	120.86 (19)
C13—C14—H14	119.2	C38—C37—H37	119.6
C9—C14—H14	119.2	C36—C37—H37	119.6
C16—C15—Sn1	113.64 (13)	C37—C38—C39	119.9 (2)
C16—C15—H15A	108.8	C37—C38—H38	120.0
Sn1—C15—H15A	108.8	C39—C38—H38	120.0
C16—C15—H15B	108.8	C38—C39—C34	119.18 (19)
Sn1—C15—H15B	108.8	C38—C39—H39	120.4
H15A—C15—H15B	107.7	C34—C39—H39	120.4
C17—C16—C21	117.47 (19)		
C28—As1—O1—Sn1	65.5 (2)	C17—C18—C19—Cl3	179.33 (17)
C34—As1—O1—Sn1	-173.5 (2)	C18—C19—C20—C21	-0.6 (3)
C22—As1—O1—Sn1	-54.1 (2)	Cl3—C19—C20—C21	179.63 (16)
C1—Sn1—O1—As1	-44.1 (2)	C19—C20—C21—C16	1.1 (3)
C15—Sn1—O1—As1	-157.6 (2)	C17—C16—C21—C20	-0.5 (3)

C8—Sn1—O1—As1	72.9 (2)	C15—C16—C21—C20	179.69 (19)
C15—Sn1—C1—C2	154.03 (15)	O1—As1—C22—C27	-110.97 (17)
C8—Sn1—C1—C2	-22.72 (19)	C28—As1—C22—C27	128.28 (17)
O1—Sn1—C1—C2	66.55 (16)	C34—As1—C22—C27	7.98 (19)
Cl4—Sn1—C1—C2	-113.18 (15)	O1—As1—C22—C23	65.81 (17)
Sn1—C1—C2—C7	-125.17 (18)	C28—As1—C22—C23	-54.94 (17)
Sn1—C1—C2—C3	55.5 (2)	C34—As1—C22—C23	-175.24 (15)
C7—C2—C3—C4	-0.5 (3)	C27—C22—C23—C24	-0.1 (3)
C1—C2—C3—C4	178.85 (19)	As1—C22—C23—C24	-176.89 (16)
C2—C3—C4—C5	1.5 (3)	C22—C23—C24—C25	0.1 (3)
C3—C4—C5—C6	-1.3 (3)	C23—C24—C25—C26	0.2 (3)
C3—C4—C5—Cl1	178.47 (16)	C24—C25—C26—C27	-0.6 (4)
C4—C5—C6—C7	0.2 (3)	C23—C22—C27—C26	-0.3 (3)
Cl1—C5—C6—C7	-179.55 (16)	As1—C22—C27—C26	176.38 (17)
C5—C6—C7—C2	0.7 (3)	C25—C26—C27—C22	0.7 (4)
C3—C2—C7—C6	-0.6 (3)	O1—As1—C28—C29	-138.58 (15)
C1—C2—C7—C6	-179.98 (18)	C34—As1—C28—C29	101.77 (17)
C1—Sn1—C8—C9	176.35 (14)	C22—As1—C28—C29	-17.62 (18)
C15—Sn1—C8—C9	0.2 (2)	O1—As1—C28—C33	37.06 (17)
O1—Sn1—C8—C9	81.86 (15)	C34—As1—C28—C33	-82.60 (16)
Cl4—Sn1—C8—C9	-89.56 (14)	C22—As1—C28—C33	158.01 (15)
Sn1—C8—C9—C14	88.9 (2)	C33—C28—C29—C30	-2.0 (3)
Sn1—C8—C9—C10	-90.9 (2)	As1—C28—C29—C30	173.57 (15)
C14—C9—C10—C11	-1.9 (3)	C28—C29—C30—C31	1.5 (3)
C8—C9—C10—C11	177.9 (2)	C29—C30—C31—C32	0.2 (3)
C9—C10—C11—C12	1.2 (4)	C30—C31—C32—C33	-1.6 (3)
C10—C11—C12—C13	1.1 (4)	C31—C32—C33—C28	1.2 (3)
C10—C11—C12—Cl2	-178.8 (2)	C29—C28—C33—C32	0.6 (3)
C11—C12—C13—C14	-2.6 (4)	As1—C28—C33—C32	-175.03 (15)
Cl2—C12—C13—C14	177.29 (19)	O1—As1—C34—C35	-142.08 (16)
C12—C13—C14—C9	1.9 (4)	C28—As1—C34—C35	-21.33 (19)
C10—C9—C14—C13	0.3 (3)	C22—As1—C34—C35	97.62 (18)
C8—C9—C14—C13	-179.5 (2)	O1—As1—C34—C39	37.90 (18)
C1—Sn1—C15—C16	-47.10 (17)	C28—As1—C34—C39	158.65 (16)
C8—Sn1—C15—C16	129.19 (15)	C22—As1—C34—C39	-82.40 (17)
O1—Sn1—C15—C16	46.86 (15)	C39—C34—C35—C36	0.2 (3)
Cl4—Sn1—C15—C16	-142.21 (14)	As1—C34—C35—C36	-179.85 (16)
Sn1—C15—C16—C17	79.8 (2)	C34—C35—C36—C37	0.3 (3)
Sn1—C15—C16—C21	-100.4 (2)	C35—C36—C37—C38	-0.3 (3)
C21—C16—C17—C18	-0.6 (3)	C36—C37—C38—C39	-0.3 (3)
C15—C16—C17—C18	179.2 (2)	C37—C38—C39—C34	0.8 (3)
C16—C17—C18—C19	1.0 (3)	C35—C34—C39—C38	-0.7 (3)
C17—C18—C19—C20	-0.4 (3)	As1—C34—C39—C38	179.31 (17)