

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

1,3-Dimethyl-1H-indole-2-carbonitrile

Jiang-Sheng Li* and Peng-Mian Huang

 School of Chemistry and Biological Engineering, Changsha University of Science & Technology, Changsha 410004, People's Republic of China
 Correspondence e-mail: js_li@yahoo.com.cn


Received 23 June 2009; accepted 27 June 2009

 Key indicators: single-crystal X-ray study; $T = 113$ K; mean $\sigma(\text{C}-\text{C}) = 0.002$ Å; R factor = 0.048; wR factor = 0.132; data-to-parameter ratio = 18.1.

The title compound, $\text{C}_{11}\text{H}_{10}\text{N}_2$, crystallizes with two molecules in the asymmetric unit, both of which are essentially planar (r.m.s. deviations = 0.014 and 0.016 Å). In the crystal, aromatic $\pi-\pi$ stacking interactions occur [shortest centroid-centroid separation = 3.5569 (11) Å].

Related literature

For the synthesis, see: Snyder & Eliel (1948).



Experimental

Crystal data

$\text{C}_{11}\text{H}_{10}\text{N}_2$	$V = 1814.4 (7) \text{ \AA}^3$
$M_r = 170.21$	$Z = 8$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation
$a = 8.8066 (18) \text{ \AA}$	$\mu = 0.08 \text{ mm}^{-1}$
$b = 15.359 (3) \text{ \AA}$	$T = 113 \text{ K}$
$c = 13.480 (3) \text{ \AA}$	$0.20 \times 0.18 \times 0.14 \text{ mm}$
$\beta = 95.67 (3)^\circ$	

Data collection

Rigaku Saturn CCD area-detector diffractometer	16175 measured reflections
Absorption correction: multi-scan (<i>CrystalClear</i> ; Rigaku/MSC, 2005)	4303 independent reflections
$T_{\min} = 0.985$, $T_{\max} = 0.990$	3462 reflections with $I > 2\sigma(I)$
	$R_{\text{int}} = 0.035$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.048$	238 parameters
$wR(F^2) = 0.132$	H-atom parameters constrained
$S = 1.03$	$\Delta\rho_{\text{max}} = 0.29 \text{ e \AA}^{-3}$
4303 reflections	$\Delta\rho_{\text{min}} = -0.28 \text{ e \AA}^{-3}$

Data collection: *CrystalClear* (Rigaku/MSC, 2005); cell refinement: *CrystalClear*; data reduction: *CrystalClear*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *SHELXTL* (Sheldrick, 2008); software used to prepare material for publication: *CrystalStructure* (Rigaku/MSC, 2005).

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: HB5013).

References

- Rigaku/MSC (2005). *CrystalClear* and *CrystalStructure*. Rigaku Corporation, Tokyo, Japan.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Snyder, H. R. & Eliel, E. L. (1948). *J. Am. Chem. Soc.* **70**, 1703–1705.

supporting information

Acta Cryst. (2009). E65, o1759 [doi:10.1107/S1600536809024817]

1,3-Dimethyl-1*H*-indole-2-carbonitrile

Jiang-Sheng Li and Peng-Mian Huang

S1. Comment

The asymmetric unit of (I) comprises of two molecules (Fig. 1), in which the indole ring is each almost coplanar with a dihedral angle of 1.32 (7)° and 0.75 (7)°, respectively, between its pyrrole ring and fused benzene ring.

In the crystal packing, strong π - π stacking interactions help establishing the molecular packing.

S2. Experimental

The title compound was prepared according to the modified method of Snyder & Eliel (1948), as Scheme 1 shows. 1-Methyl-3-dimethylaminomethylindole was added to an ethanolic-aqueous solution (15%, 100 ml) of sodium cyanide (1.87 g, 0.038 mol), and then the resulting mixture was refluxed for 2 h, with the process monitored by TLC. After the reaction ceased, the reaction mixture was extracted with CH₂Cl₂ (3 × 50 ml), dried over anhydrous Na₂SO₄, and separated by flash chromatography (ethyl acetate-petroleum 10/90 v/v) to provide the major product 1-methylindole-3-acetonitrile (yield 3.68 g, 57%, m.p. 328–330 K) and its isomeric substance 1,3-dimethyl-1*H*-indole-2-carbonitrile (yield 0.97 g, 15%, m.p. 339–340 K). Colourless blocks of (I) were grown from a mixture of ethyl acetate and petroleum ether (1:1 v/v).

S3. Refinement

All H atoms were positioned geometrically (C—H = 0.95–0.98 Å) and refined as riding with $U_{\text{iso}}(\text{H}) = 1.2U_{\text{eq}}(\text{CH})$ or $1.5U_{\text{eq}}(\text{CH}_3)$.




Figure 1

The two molecular structure of (I) in the asymmetrical unit with the atom-numbering scheme and 50% probability displacement ellipsoids.




Figure 2

The formation of the title compound.

1,3-Dimethyl-1H-indole-2-carbonitrile

Crystal data

$\text{C}_{11}\text{H}_{10}\text{N}_2$

$M_r = 170.21$

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 8.8066$ (18) Å

$b = 15.359$ (3) Å

$c = 13.480$ (3) Å

$\beta = 95.67$ (3)°

$V = 1814.4$ (7) Å³

$Z = 8$

$F(000) = 720$

$D_x = 1.246$ Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 5208 reflections

$\theta = 2.0$ – 27.9 °

$\mu = 0.08$ mm⁻¹

$T = 113$ K

Block, colourless

$0.20 \times 0.18 \times 0.14$ mm

Data collection

Rigaku Saturn CCD area-detector
diffractometer

Radiation source: rotating anode

Confocla monochromator

Detector resolution: 7.31 pixels mm⁻¹

ω and φ scans

Absorption correction: multi-scan

(*CrystalClear*; Rigaku/MSO, 2005)

$T_{\min} = 0.985$, $T_{\max} = 0.990$

16175 measured reflections

4303 independent reflections

3462 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.035$

$\theta_{\max} = 27.9$ °, $\theta_{\min} = 2.0$ °

$h = -11 \rightarrow 7$

$k = -20 \rightarrow 20$

$l = -17 \rightarrow 17$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.048$

$wR(F^2) = 0.132$

$S = 1.03$

4303 reflections

238 parameters

0 restraints

Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map

Hydrogen site location: inferred from
neighbouring sites

H-atom parameters constrained

$w = 1/[\sigma^2(F_o^2) + (0.0783P)^2 + 0.2443P]$

where $P = (F_o^2 + 2F_c^2)/3$

$(\Delta/\sigma)_{\max} = 0.003$

$\Delta\rho_{\max} = 0.29$ e Å⁻³

$\Delta\rho_{\min} = -0.28$ e Å⁻³

Special details

Geometry. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

Refinement. Refinement of F^2 against ALL reflections. The weighted R -factor wR and goodness of fit S are based on F^2 , conventional R -factors R are based on F , with F set to zero for negative F^2 . The threshold expression of $F^2 > \sigma(F^2)$ is used only for calculating R -factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. R -factors based on F^2 are statistically about twice as large as those based on F , and R -factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
N1	0.82816 (12)	0.53565 (7)	0.89373 (8)	0.0220 (2)
N2	0.54466 (13)	0.37505 (8)	0.91305 (9)	0.0323 (3)
N3	0.68373 (12)	0.02746 (7)	0.89897 (8)	0.0234 (3)
N4	0.88484 (17)	-0.16898 (9)	0.90325 (11)	0.0447 (4)
C1	0.94864 (16)	0.30650 (8)	0.85689 (11)	0.0294 (3)
H1A	1.0143	0.2841	0.9142	0.044*
H1B	0.9950	0.2936	0.7954	0.044*
H1C	0.8482	0.2786	0.8544	0.044*
C2	0.93090 (14)	0.40280 (8)	0.86704 (9)	0.0210 (3)
C3	1.04387 (14)	0.46744 (8)	0.85879 (9)	0.0201 (3)
C4	1.19845 (15)	0.46347 (8)	0.84089 (9)	0.0237 (3)
H4	1.2462	0.4092	0.8308	0.028*
C5	1.27868 (15)	0.54002 (9)	0.83840 (10)	0.0286 (3)
H5	1.3834	0.5382	0.8271	0.034*
C6	1.20941 (16)	0.62085 (9)	0.85218 (10)	0.0285 (3)
H6	1.2680	0.6725	0.8488	0.034*
C7	1.05797 (15)	0.62722 (8)	0.87060 (9)	0.0247 (3)
H7	1.0114	0.6820	0.8800	0.030*
C8	0.97653 (14)	0.54941 (8)	0.87480 (9)	0.0200 (3)
C9	0.80186 (14)	0.44673 (8)	0.88817 (9)	0.0211 (3)
C10	0.65833 (15)	0.40909 (8)	0.90293 (10)	0.0242 (3)
C11	0.71576 (15)	0.60235 (9)	0.91016 (10)	0.0278 (3)
H11A	0.7664	0.6514	0.9463	0.042*
H11B	0.6382	0.5779	0.9495	0.042*
H11C	0.6670	0.6226	0.8458	0.042*
C12	0.43756 (19)	-0.16808 (9)	0.85253 (11)	0.0339 (3)
H12A	0.4196	-0.1801	0.7825	0.051*
H12B	0.3426	-0.1699	0.8818	0.051*
H12C	0.5057	-0.2110	0.8837	0.051*
C13	0.50716 (16)	-0.07991 (8)	0.86744 (9)	0.0239 (3)
C14	0.43132 (15)	0.00185 (8)	0.86448 (9)	0.0223 (3)
C15	0.27685 (15)	0.02613 (9)	0.84775 (9)	0.0258 (3)
H15	0.1994	-0.0167	0.8352	0.031*
C16	0.24020 (16)	0.11338 (9)	0.85001 (10)	0.0280 (3)
H16	0.1363	0.1307	0.8392	0.034*

C17	0.35452 (16)	0.17728 (9)	0.86808 (10)	0.0277 (3)
H17	0.3258	0.2369	0.8689	0.033*
C18	0.50620 (16)	0.15567 (8)	0.88453 (10)	0.0244 (3)
H18	0.5827	0.1991	0.8961	0.029*
C19	0.54362 (14)	0.06698 (8)	0.88352 (9)	0.0205 (3)
C20	0.66012 (16)	-0.06165 (8)	0.88826 (9)	0.0241 (3)
C21	0.78416 (17)	-0.12122 (9)	0.89733 (11)	0.0306 (3)
C22	0.83057 (15)	0.07062 (9)	0.91704 (11)	0.0300 (3)
H22A	0.8496	0.1053	0.8585	0.045*
H22B	0.9112	0.0268	0.9295	0.045*
H22C	0.8301	0.1088	0.9753	0.045*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
N1	0.0207 (5)	0.0209 (5)	0.0245 (6)	0.0012 (4)	0.0027 (4)	-0.0009 (4)
N2	0.0231 (6)	0.0319 (6)	0.0425 (7)	-0.0034 (5)	0.0063 (5)	-0.0043 (5)
N3	0.0229 (6)	0.0213 (5)	0.0262 (6)	0.0001 (4)	0.0027 (4)	0.0008 (4)
N4	0.0502 (9)	0.0360 (7)	0.0480 (9)	0.0171 (7)	0.0053 (7)	0.0000 (6)
C1	0.0278 (7)	0.0219 (6)	0.0387 (8)	0.0004 (5)	0.0039 (6)	0.0009 (5)
C2	0.0196 (6)	0.0219 (6)	0.0211 (6)	-0.0003 (5)	0.0001 (5)	0.0009 (5)
C3	0.0202 (6)	0.0211 (6)	0.0189 (6)	-0.0001 (5)	0.0007 (5)	0.0012 (4)
C4	0.0210 (6)	0.0268 (6)	0.0232 (6)	0.0013 (5)	0.0023 (5)	0.0017 (5)
C5	0.0211 (6)	0.0385 (8)	0.0264 (7)	-0.0046 (6)	0.0028 (5)	0.0034 (6)
C6	0.0296 (7)	0.0278 (7)	0.0277 (7)	-0.0104 (6)	0.0010 (6)	0.0027 (5)
C7	0.0283 (7)	0.0212 (6)	0.0242 (7)	-0.0019 (5)	0.0008 (5)	-0.0004 (5)
C8	0.0202 (6)	0.0220 (6)	0.0174 (6)	0.0005 (5)	0.0001 (5)	0.0007 (4)
C9	0.0199 (6)	0.0222 (6)	0.0210 (6)	-0.0018 (5)	0.0011 (5)	0.0010 (5)
C10	0.0226 (6)	0.0245 (6)	0.0254 (7)	0.0011 (5)	0.0022 (5)	-0.0022 (5)
C11	0.0246 (7)	0.0275 (6)	0.0321 (7)	0.0058 (5)	0.0064 (6)	-0.0014 (5)
C12	0.0435 (9)	0.0250 (7)	0.0330 (8)	-0.0067 (6)	0.0024 (6)	-0.0010 (5)
C13	0.0305 (7)	0.0211 (6)	0.0201 (6)	-0.0028 (5)	0.0028 (5)	0.0001 (5)
C14	0.0252 (7)	0.0236 (6)	0.0182 (6)	-0.0034 (5)	0.0030 (5)	-0.0010 (5)
C15	0.0237 (7)	0.0317 (7)	0.0220 (7)	-0.0034 (6)	0.0015 (5)	-0.0013 (5)
C16	0.0234 (7)	0.0355 (7)	0.0248 (7)	0.0037 (6)	0.0013 (5)	0.0005 (5)
C17	0.0300 (7)	0.0254 (6)	0.0276 (7)	0.0055 (6)	0.0024 (6)	0.0018 (5)
C18	0.0266 (7)	0.0213 (6)	0.0252 (7)	-0.0016 (5)	0.0019 (5)	0.0010 (5)
C19	0.0204 (6)	0.0220 (6)	0.0192 (6)	-0.0001 (5)	0.0018 (5)	0.0009 (4)
C20	0.0296 (7)	0.0200 (6)	0.0231 (6)	0.0026 (5)	0.0045 (5)	0.0013 (5)
C21	0.0382 (8)	0.0249 (6)	0.0292 (7)	0.0052 (6)	0.0053 (6)	-0.0001 (5)
C22	0.0216 (7)	0.0292 (7)	0.0384 (8)	-0.0025 (6)	-0.0013 (6)	0.0030 (6)

Geometric parameters (Å, °)

N1—C8	1.3722 (16)	C9—C10	1.4217 (17)
N1—C9	1.3860 (16)	C11—H11A	0.9800
N1—C11	1.4566 (16)	C11—H11B	0.9800
N2—C10	1.1493 (17)	C11—H11C	0.9800

N3—C19	1.3724 (16)	C12—C13	1.4917 (18)
N3—C20	1.3897 (16)	C12—H12A	0.9600
N3—C22	1.4522 (17)	C12—H12B	0.9600
N4—C21	1.1474 (19)	C12—H12C	0.9600
C1—C2	1.4949 (17)	C13—C20	1.3774 (19)
C1—H1A	0.9800	C13—C14	1.4211 (18)
C1—H1B	0.9800	C14—C15	1.4071 (19)
C1—H1C	0.9800	C14—C19	1.4123 (18)
C2—C9	1.3754 (17)	C15—C16	1.3794 (19)
C2—C3	1.4177 (17)	C15—H15	0.9500
C3—C4	1.4072 (18)	C16—C17	1.410 (2)
C3—C8	1.4172 (17)	C16—H16	0.9500
C4—C5	1.3739 (19)	C17—C18	1.3730 (19)
C4—H4	0.9500	C17—H17	0.9500
C5—C6	1.404 (2)	C18—C19	1.4019 (17)
C5—H5	0.9500	C18—H18	0.9500
C6—C7	1.384 (2)	C20—C21	1.4209 (19)
C6—H6	0.9500	C22—H22A	0.9800
C7—C8	1.3978 (17)	C22—H22B	0.9800
C7—H7	0.9500	C22—H22C	0.9800
C8—N1—C9	107.39 (10)	N1—C11—H11C	109.5
C8—N1—C11	126.43 (11)	H11A—C11—H11C	109.5
C9—N1—C11	126.07 (11)	H11B—C11—H11C	109.5
C19—N3—C20	107.26 (11)	C13—C12—H12A	109.4
C19—N3—C22	126.58 (11)	C13—C12—H12B	109.5
C20—N3—C22	126.05 (11)	H12A—C12—H12B	109.5
C2—C1—H1A	109.5	C13—C12—H12C	109.5
C2—C1—H1B	109.5	H12A—C12—H12C	109.5
H1A—C1—H1B	109.5	H12B—C12—H12C	109.5
C2—C1—H1C	109.5	C20—C13—C14	105.86 (11)
H1A—C1—H1C	109.5	C20—C13—C12	126.36 (12)
H1B—C1—H1C	109.5	C14—C13—C12	127.78 (13)
C9—C2—C3	105.86 (11)	C15—C14—C19	119.34 (12)
C9—C2—C1	126.89 (12)	C15—C14—C13	133.08 (12)
C3—C2—C1	127.24 (11)	C19—C14—C13	107.58 (12)
C4—C3—C8	119.41 (11)	C16—C15—C14	118.59 (12)
C4—C3—C2	132.95 (11)	C16—C15—H15	120.7
C8—C3—C2	107.62 (11)	C14—C15—H15	120.7
C5—C4—C3	118.40 (12)	C15—C16—C17	121.03 (13)
C5—C4—H4	120.8	C15—C16—H16	119.5
C3—C4—H4	120.8	C17—C16—H16	119.5
C4—C5—C6	121.49 (13)	C18—C17—C16	121.76 (12)
C4—C5—H5	119.3	C18—C17—H17	119.1
C6—C5—H5	119.3	C16—C17—H17	119.1
C7—C6—C5	121.70 (12)	C17—C18—C19	117.34 (12)
C7—C6—H6	119.2	C17—C18—H18	121.3
C5—C6—H6	119.2	C19—C18—H18	121.3

C6—C7—C8	117.01 (12)	N3—C19—C18	129.57 (12)
C6—C7—H7	121.5	N3—C19—C14	108.50 (11)
C8—C7—H7	121.5	C18—C19—C14	121.94 (12)
N1—C8—C7	129.87 (11)	C13—C20—N3	110.79 (11)
N1—C8—C3	108.18 (10)	C13—C20—C21	127.91 (12)
C7—C8—C3	121.96 (12)	N3—C20—C21	121.29 (12)
C2—C9—N1	110.94 (11)	N4—C21—C20	178.97 (16)
C2—C9—C10	126.43 (12)	N3—C22—H22A	109.5
N1—C9—C10	122.63 (11)	N3—C22—H22B	109.5
N2—C10—C9	176.77 (14)	H22A—C22—H22B	109.5
N1—C11—H11A	109.5	N3—C22—H22C	109.5
N1—C11—H11B	109.5	H22A—C22—H22C	109.5
H11A—C11—H11B	109.5	H22B—C22—H22C	109.5
C9—C2—C3—C4	178.15 (14)	C20—C13—C14—C15	-179.38 (13)
C1—C2—C3—C4	-0.8 (2)	C12—C13—C14—C15	-0.1 (2)
C9—C2—C3—C8	-0.48 (14)	C20—C13—C14—C19	0.25 (14)
C1—C2—C3—C8	-179.42 (12)	C12—C13—C14—C19	179.58 (13)
C8—C3—C4—C5	-0.77 (19)	C19—C14—C15—C16	0.34 (18)
C2—C3—C4—C5	-179.27 (13)	C13—C14—C15—C16	179.94 (13)
C3—C4—C5—C6	-0.7 (2)	C14—C15—C16—C17	0.36 (19)
C4—C5—C6—C7	1.1 (2)	C15—C16—C17—C18	-0.3 (2)
C5—C6—C7—C8	-0.1 (2)	C16—C17—C18—C19	-0.5 (2)
C9—N1—C8—C7	179.28 (12)	C20—N3—C19—C18	-178.96 (13)
C11—N1—C8—C7	2.9 (2)	C22—N3—C19—C18	-2.4 (2)
C9—N1—C8—C3	-0.91 (14)	C20—N3—C19—C14	0.89 (14)
C11—N1—C8—C3	-177.24 (11)	C22—N3—C19—C14	177.41 (12)
C6—C7—C8—N1	178.39 (12)	C17—C18—C19—N3	-178.95 (12)
C6—C7—C8—C3	-1.40 (19)	C17—C18—C19—C14	1.23 (19)
C4—C3—C8—N1	-177.98 (11)	C15—C14—C19—N3	178.98 (11)
C2—C3—C8—N1	0.87 (14)	C13—C14—C19—N3	-0.71 (14)
C4—C3—C8—C7	1.85 (19)	C15—C14—C19—C18	-1.17 (19)
C2—C3—C8—C7	-179.30 (11)	C13—C14—C19—C18	179.14 (11)
C3—C2—C9—N1	-0.08 (14)	C14—C13—C20—N3	0.30 (14)
C1—C2—C9—N1	178.86 (12)	C12—C13—C20—N3	-179.04 (12)
C3—C2—C9—C10	179.90 (12)	C14—C13—C20—C21	-178.78 (13)
C1—C2—C9—C10	-1.2 (2)	C12—C13—C20—C21	1.9 (2)
C8—N1—C9—C2	0.62 (14)	C19—N3—C20—C13	-0.75 (14)
C11—N1—C9—C2	176.97 (12)	C22—N3—C20—C13	-177.29 (12)
C8—N1—C9—C10	-179.36 (11)	C19—N3—C20—C21	178.41 (12)
C11—N1—C9—C10	-3.01 (19)	C22—N3—C20—C21	1.86 (19)
C2—C9—C10—N2	-13 (3)	C13—C20—C21—N4	103 (10)
N1—C9—C10—N2	167 (3)	N3—C20—C21—N4	-76 (10)