

Acta Crystallographica Section E

### **Structure Reports**

Online

ISSN 1600-5368

# [(Methylcarbamothioyl)disulfanyl]methyl N-methylcarbamodithioate

### Hizbullah Khan,<sup>a</sup>\* Muhammad Aziz,<sup>b</sup> Christine Neuhausen,<sup>c</sup> Ghulam Murtaza<sup>a</sup> and Farkhanda Shaheen<sup>a</sup>

<sup>a</sup>Department of Chemistry, Quaid-i-Azam University, Islamabad, Pakistan, <sup>b</sup>Department of Chemistry, University of Science and Technology, Mirpur AJK, Pakistan, and <sup>c</sup>Laboratoire de Cristallographie, Ecole Polytechnique Fédérale de Lausanne, Switzerland

Correspondence e-mail: hizbmarwat@yahoo.com

Received 19 August 2010; accepted 25 September 2010

Key indicators: single-crystal X-ray study; T = 293 K; mean  $\sigma(N-C) = 0.003$  Å; R factor = 0.040; wR factor = 0.103; data-to-parameter ratio = 18.7.

The title compound,  $C_5H_{10}N_2S_5$ , was unintentionally obtained as the product of an attempted synthesis of a methylcarbamodithioic acid using methylamine and carbon disulfide. In the molecule, two dithiocarbamate groups are bridged by a  $-CH_2S$ - unit. The C-S-S-C torsion angle is -90.13 (11)°. The crystal structure is stabilized by  $N-H\cdots S$  interactions between neighbouring molecules. An intramolecular  $N-H\cdots S$  hydrogen bond also occurs.

#### **Related literature**

For dithiocarbamate ligands, see: Cox et al. (1999); Liu & Bao (2007); Nair et al. (2002).

#### **Experimental**

Crystal data C<sub>5</sub>H<sub>10</sub>N<sub>2</sub>S<sub>5</sub>

 $M_r = 258.45$ 

Triclinic, P1	$V = 546.0 (2) \text{ Å}^3$
a = 7.188 (1)  Å	Z = 2
b = 7.884 (2)  Å	Mo $K\alpha$ radiation
c = 10.219 (2)  Å	$\mu = 1.01 \text{ mm}^{-1}$
$\alpha = 101.23 \ (3)^{\circ}$	T = 293  K
$\beta = 96.85 (3)^{\circ}$	$0.30 \times 0.11 \times 0.10 \text{ mm}$
$\gamma = 102.74 (3)^{\circ}$	

#### Data collection

Stoe IPDS diffractometer 1924 reflections with  $I>2\sigma(I)$  4080 measured reflections  $R_{\rm int}=0.101$ 

#### Refinement

 $\begin{array}{ll} R[F^2 > 2\sigma(F^2)] = 0.040 & 111 \ {\rm parameters} \\ WR(F^2) = 0.103 & {\rm H-atom\ parameters\ constrained} \\ S = 1.15 & \Delta\rho_{\rm max} = 0.53\ {\rm e\ \mathring{A}^{-3}} \\ 2077\ {\rm reflections} & \Delta\rho_{\rm min} = -0.37\ {\rm e\ \mathring{A}^{-3}} \end{array}$ 

**Table 1** Hydrogen-bond geometry (Å, °).

$D-H\cdots A$	D-H	$H \cdot \cdot \cdot A$	$D \cdot \cdot \cdot A$	$D-\mathrm{H}\cdots A$
$\begin{array}{c} \hline N1-H1\cdots S3 \\ N1-H1\cdots S3^{i} \\ N2-H2\cdots S1^{ii} \\ \end{array}$	0.86	2.50	3.073 (2)	125
	0.86	3.02	3.595 (2)	127
	0.86	2.67	3.515 (2)	168

Symmetry codes: (i) -x, -y + 1, -z + 1; (ii) x, y, z + 1.

Data collection: X-AREA (Stoe & Cie, 2002); cell refinement: X-RED32 (Stoe & Cie, 2002); data reduction: X-RED32; program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: DIAMOND (Brandenburg, 2007); software used to prepare material for publication: enCIFer (Allen et al., 2004).

The authors thank the Higher Education Commission of Pakistan (HEC) for financial support.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: OM2358).

#### References

Allen, F. H., Johnson, O., Shields, G. P., Smith, B. R. & Towler, M. (2004). J. Appl. Cryst. 37, 335–338.

Brandenburg, K. (2007). *DIAMOND*. Crystal Impact GbR, Bonn, Germany. Cox, M. J. & Tiekink, E. R. T. (1999). *Z. Kristallogr.* **214**, 486–491.

Liu, Y. Y. & Bao, W. L. (2007). Tetrahedron Lett. 48, 4785-4788.

Nair, P. S., Radhakrishan, T., Revaprasadu, N., Kolawole, G. A. & O' Brien, P. (2002). J. Mater. Chem. 12, 2722–2725.

Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.

Stoe & Cie (2002). X-AREA and X-RED32. Stoe & Cie, Darmstadt, Germany.

# supporting information

Acta Cryst. (2010). E66, o2671 [doi:10.1107/S160053681003833X]

# [(Methylcarbamothioyl)disulfanyl]methyl N-methylcarbamodithioate

# Hizbullah Khan, Muhammad Aziz, Christine Neuhausen, Ghulam Murtaza and Farkhanda Shaheen

#### S1. Comment

Sulfur-containing organic compounds like dithiocarbamates and xanthates have been used as exceleant metal complexing agents. They have applications as fungicides, pesticides, chelating agents for removal of heavy metal ions from toxic waste, precursors for metal-organic chemical vapour deposition (MOCVD) and synthesis of semi-conductor nanoparticles (Cox & Tiekink, *et al.*, 1999; Nair *et al.*, 2002.) Dithiocarbamates have also been used as protection groups in peptide synthesis, as linkers in solid phase organic synthesis and recently in the synthesis of ionic ligands (Liu *et al.*, 2007.) In the title compound (Fig. 1), the disulfide portion is substatially twisted, with C–S–S–C torsion angle of -90.13 (11)°. The molecular packing also features intra- and intermolecular N—H···S interactions (Table 1).

#### S2. Experimental

Distilled methylamine (3.00 g, 96.8 mmol) was added in purified methanol (30 ml) in a two neck flask (250 ml) and stirred for ten minutes at 273 K. Carbon disulfide 7.4 ml (117 mmol) was added drop by drop into the two neck flask containing methylamine and a colorless precipitate was formed at once. The stirring was continued for three hours to complete the reaction. The solvent was removed by vacuum distillation. The solid product was washed several times with methanol. The colorless product was purified by recrystallization from 1,1-dichloromethane/pet ether (8:2) V/V), to give fine crystals of the title compound with an overall yield of 85%.

#### S3. Refinement

All hydrogen atoms were initially located in a difference Fourier map. H atoms on C and N were refined with a riding model, C-H = 0.96 Å with  $U_{iso(H)}$  = 1.5 $U_{eq}$ (C) for methyl groups, C-H = 0.97 Å with  $U_{iso(H)}$  = 1.2  $U_{eq}$ (C) for methylene groups, and N-H = 0.86 Å with  $U_{iso(H)}$  = 1.2  $U_{eq}$ (C).

Acta Cryst. (2010). E66, o2671 Sup-1




Figure 1 The molecular structure with atom labels and 50% probability displacement ellipsoids for non-H atoms.

## $[(Methylcarbamothioyl) disulfanyl] methyl \ \textit{N-}methylcarbamodithioate}$

$C_5H_{10}N_2S_5$	$V = 546.0 (2) \text{ Å}^3$
$M_r = 258.45$	Z=2
Triclinic, $P\overline{1}$	F(000) = 268
a = 7.188 (1)  Å	$D_{\rm x} = 1.572 \; {\rm Mg \; m^{-3}}$
b = 7.884 (2)  Å	Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ Å}$
c = 10.219 (2) Å	$\mu = 1.01 \text{ mm}^{-1}$
$\alpha = 101.23 (3)^{\circ}$	T = 293  K
$\beta = 96.85 (3)^{\circ}$	Needle, yellow
$\gamma = 102.74 (3)^{\circ}$	$0.30 \times 0.11 \times 0.10 \text{ mm}$

Data collection	
Stoe IPDS	1924 reflections with $I > 2\sigma(I)$
diffractometer	$R_{\rm int} = 0.101$
Radiation source: fine-focus sealed tube	$\theta_{\text{max}} = 26.4^{\circ}, \ \theta_{\text{min}} = 4.1^{\circ}$
Graphite monochromator	$h = -8 \longrightarrow 8$
$\omega$ scans	$k = -9 \rightarrow 9$
4080 measured reflections	$l = -12 \rightarrow 12$
2077 independent reflections	

Refinement	
Refinement on $F^2$	Secondary atom site location: difference Fourier
Least-squares matrix: full	map
$R[F^2 > 2\sigma(F^2)] = 0.040$	Hydrogen site location: inferred from
$wR(F^2) = 0.103$	neighbouring sites
S = 1.15	H-atom parameters constrained
2077 reflections	$w = 1/[\sigma^2(F_0^2) + (0.0496P)^2 + 0.0335P]$
111 parameters	where $P = (F_0^2 + 2F_c^2)/3$
0 restraints	$(\Delta/\sigma)_{\rm max} = 0.001$
Primary atom site location: structure-invariant	$\Delta  ho_{ m max}$ = 0.53 e Å <sup>-3</sup>
direct methods	$\Delta \rho_{\min} = -0.37 \text{ e Å}^{-3}$

sup-2 Acta Cryst. (2010). E66, o2671

#### Special details

**Geometry**. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement.** Refinement of  $F^2$  against ALL reflections. The weighted R-factor wR and goodness of fit S are based on  $F^2$ , conventional R-factors R are based on F, with F set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating R-factors(gt) etc. and is not relevant to the choice of reflections for refinement. R-factors based on  $F^2$  are statistically about twice as large as those based on F, and F-factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters  $(\mathring{A}^2)$ 

	х	у	Z	$U_{ m iso}$ */ $U_{ m eq}$
S1	0.24777 (9)	0.73176 (9)	0.11879 (5)	0.04736 (19)
S2	0.39011 (7)	0.69015 (8)	0.38202 (5)	0.03952 (18)
S3	0.28393 (7)	0.64232 (7)	0.55098 (5)	0.03611 (17)
S4	0.22813 (8)	0.85040 (8)	0.80525 (5)	0.04221 (18)
S5	-0.14480(9)	0.82971 (9)	0.62019 (6)	0.04559 (19)
N1	0.0187 (3)	0.6694(2)	0.30088 (18)	0.0370 (4)
H1	0.0090	0.6510	0.3803	0.044*
N2	-0.1092(3)	0.7742 (3)	0.86906 (19)	0.0440 (5)
H2	-0.0358	0.7639	0.9384	0.053*
C1	-0.1562(3)	0.6703 (4)	0.2139 (3)	0.0485 (6)
H1A	-0.1370	0.7799	0.1837	0.073*
H1B	-0.2619	0.6604	0.2634	0.073*
H1C	-0.1851	0.5713	0.1369	0.073*
C2	0.1897 (3)	0.6948 (3)	0.26569 (19)	0.0333 (4)
C3	0.3067 (3)	0.8671 (3)	0.6478 (2)	0.0390 (5)
H3A	0.4402	0.9359	0.6636	0.047*
Н3В	0.2275	0.9267	0.5983	0.047*
C4	-0.0280(3)	0.8118 (3)	0.7646 (2)	0.0346 (4)
C5	-0.3151 (3)	0.7494 (4)	0.8732 (3)	0.0488 (6)
H5A	-0.3432	0.8638	0.8978	0.073*
H5B	-0.3498	0.6812	0.9388	0.073*
H5C	-0.3881	0.6867	0.7856	0.073*

#### Atomic displacement parameters $(\mathring{A}^2)$

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
S1	0.0507 (4)	0.0674 (4)	0.0306(3)	0.0158 (3)	0.0153 (2)	0.0206(3)
S2	0.0326(3)	0.0578 (4)	0.0331(3)	0.0132(2)	0.0107(2)	0.0168(3)
S3	0.0393(3)	0.0427(3)	0.0300(3)	0.0103(2)	0.0079(2)	0.0157(2)
S4	0.0366(3)	0.0623 (4)	0.0270(3)	0.0115 (3)	0.0030(2)	0.0107(3)
S5	0.0446(3)	0.0627 (4)	0.0328(3)	0.0181(3)	0.0012(2)	0.0168(3)
N1	0.0357 (9)	0.0483 (10)	0.0304(8)	0.0113 (8)	0.0081 (7)	0.0145 (8)
N2	0.0385 (10)	0.0645 (12)	0.0333 (9)	0.0154 (9)	0.0056 (8)	0.0187 (9)
C1	0.0379 (13)	0.0657 (15)	0.0452 (12)	0.0161 (11)	0.0032 (10)	0.0193 (12)
C2	0.0388 (11)	0.0358 (9)	0.0276 (9)	0.0105 (8)	0.0077 (8)	0.0104 (8)
C3	0.0413 (11)	0.0417 (11)	0.0331 (10)	0.0045 (9)	0.0093 (9)	0.0116 (9)

Acta Cryst. (2010). E66, o2671 Sup-3

# supporting information

cometric parameters (Å, °)       1.6671 (18)       N2—C5       1.456 (3)         —C2       1.767 (2)       N2—H2       0.8600         —S3       2.0364 (8)       C1—H1A       0.9600         —C3       1.816 (2)       C1—H1B       0.9600         —C4       1.782 (2)       C1—H1C       0.9600         —C3       1.787 (2)       C3—H3A       0.9700         —C4       1.655 (2)       C3—H3B       0.9700         —C2       1.306 (3)       C5—H5A       0.9600         —C1       1.453 (3)       C5—H5B       0.9600         —H1       0.8600       C5—H5C       0.9600         —C4       1.328 (3)       107.88 (10)         —S2—S3       105.99 (7)       S1—C2—S2       113.24 (12)         —S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         —S4—C3       103.25 (10)       S4—C3—H3A       110.1         —N1—C1       123.90 (17)       S3—C3—H3A       110.1         —N1—H1       118.0       S4—C3—H3B       110.1         —N1—H1       118.0       S4—C3—H3B       110.1	C4 C5	0.0385 (11) 0.0395 (13)	0.0382 (10) 0.0686 (16)	0.0290 (9) 0.0417 (12)	0.0136 (8) 0.0180 (12)	0.0061 (8) 0.0101 (10)	0.0073 (8) 0.0137 (12)	
-C2		0.0373 (13)	0.0000 (10)	0.0417 (12)	0.0100 (12)	0.0101 (10)	0.0137 (12)	
—C2     1.767 (2)     N2—H2     0.8600       —S3     2.0364 (8)     C1—H1A     0.9600       —C3     1.816 (2)     C1—H1B     0.9600       —C4     1.782 (2)     C1—H1C     0.9600       —C3     1.787 (2)     C3—H3A     0.9700       —C4     1.655 (2)     C3—H3B     0.9700       —C2     1.306 (3)     C5—H5A     0.9600       —C1     1.453 (3)     C5—H5B     0.9600       —H1     0.8600     C5—H5C     0.9600       —C4     1.328 (3)       —S2—S3     105.99 (7)     S1—C2—S2     113.24 (12)       —S3—S2     101.85 (7)     S4—C3—S3     107.88 (10)       —S4—C3     103.25 (10)     S4—C3—H3A     110.1       —N1—C1     123.90 (17)     S3—C3—H3A     110.1       —N1—H1     118.0     S4—C3—H3B     110.1       —N1—H1     118.0     S3—C3—H3B     110.1       —N2—C5     123.93 (18)     H3A—C3—H3B     108.4       —N2—H2     118.0     N2—C4—S5     125.43 (17)       —N2—H2     118.0     N2—C4—S4     109.93 (14)       —C1—H1B     109.5     N2—C5—H5A     109.5	Geome	etric parameters (À	Î, °)					
-S3	S1—C	22	1.6671	(18)	N2—C5	1.	456 (3)	
—C3       1.816 (2)       C1—H1B       0.9600         —C4       1.782 (2)       C1—H1C       0.9600         —C3       1.787 (2)       C3—H3A       0.9700         —C4       1.655 (2)       C3—H3B       0.9700         —C2       1.306 (3)       C5—H5A       0.9600         —C1       1.453 (3)       C5—H5B       0.9600         —H1       0.8600       C5—H5C       0.9600         —C4       1.328 (3)       0.9600         —S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         —S4—C3       103.25 (10)       S4—C3—H3A       110.1         —N1—C1       123.90 (17)       S3—C3—H3A       110.1         —N1—H1       118.0       S4—C3—H3B       110.1         —N1—H1       118.0       S3—C3—H3B       110.1         —N2—C5       123.93 (18)       H3A—C3—H3B       108.4         —N2—H2       118.0       N2—C4—S5       125.43 (17)         —N2—H2       118.0       N2—C4—S4       109.93 (14)         —C1—H1B       109.5       N2—C5—H5A       109.5	S2—C	22	1.767 (2	2)	N2—H2	0.	8600	
-C4       1.782 (2)       C1—H1C       0.9600         -C3       1.787 (2)       C3—H3A       0.9700         -C4       1.655 (2)       C3—H3B       0.9700         -C2       1.306 (3)       C5—H5A       0.9600         -C1       1.453 (3)       C5—H5B       0.9600         -H1       0.8600       C5—H5C       0.9600         -C4       1.328 (3)       0.9600         -S2—S3       105.99 (7)       S1—C2—S2       113.24 (12)         -S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         -S4—C3       103.25 (10)       S4—C3—H3A       110.1         -N1—C1       123.90 (17)       S3—C3—H3A       110.1         -N1—H1       118.0       S4—C3—H3B       110.1         -N1—H1       118.0       S3—C3—H3B       110.1         -N2—C5       123.93 (18)       H3A—C3—H3B       108.4         -N2—H2       118.0       N2—C4—S5       125.43 (17)         -N2—H2       118.0       N2—C4—S4       109.93 (14)         -C1—H1B       109.5       N2—C5—H5A       109.5	S2—S	3	2.0364	(8)	C1—H1A	0.	9600	
-C3       1.787 (2)       C3—H3A       0.9700         -C4       1.655 (2)       C3—H3B       0.9700         -C2       1.306 (3)       C5—H5A       0.9600         -C1       1.453 (3)       C5—H5B       0.9600         -H1       0.8600       C5—H5C       0.9600         -C4       1.328 (3)       0.9600         -S2—S3       105.99 (7)       S1—C2—S2       113.24 (12)         -S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         -S4—C3       103.25 (10)       S4—C3—H3A       110.1         -N1—C1       123.90 (17)       S3—C3—H3A       110.1         -N1—H1       118.0       S4—C3—H3B       110.1         -N1—H1       118.0       S3—C3—H3B       110.1         -N2—C5       123.93 (18)       H3A—C3—H3B       108.4         -N2—H2       118.0       N2—C4—S5       125.43 (17)         -N2—H2       118.0       N2—C4—S4       109.93 (14)         -C1—H1A       109.5       S5—C4—S4       124.59 (12)         -C1—H1B       109.5       N2—C5—H5A       109.5	S3—C	23	1.816 (	2)	C1—H1B	0.	9600	
—C4       1.655 (2)       C3—H3B       0.9700         —C2       1.306 (3)       C5—H5A       0.9600         —C1       1.453 (3)       C5—H5B       0.9600         —H1       0.8600       C5—H5C       0.9600         —C4       1.328 (3)       0.9600         —S2—S3       105.99 (7)       S1—C2—S2       113.24 (12)         —S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         —S4—C3       103.25 (10)       S4—C3—H3A       110.1         —N1—C1       123.90 (17)       S3—C3—H3A       110.1         —N1—H1       118.0       S4—C3—H3B       110.1         —N1—H1       118.0       S3—C3—H3B       110.1         —N2—C5       123.93 (18)       H3A—C3—H3B       108.4         —N2—H2       118.0       N2—C4—S5       125.43 (17)         —N2—H2       118.0       N2—C4—S4       109.93 (14)         —C1—H1A       109.5       S5—C4—S4       124.59 (12)         —C1—H1B       109.5       N2—C5—H5A       109.5	S4—C	24	1.782 (	2)	C1—H1C	0.	9600	
—C2       1.306 (3)       C5—H5A       0.9600         —C1       1.453 (3)       C5—H5B       0.9600         —H1       0.8600       C5—H5C       0.9600         —C4       1.328 (3)         —S2—S3       105.99 (7)       S1—C2—S2       113.24 (12)         —S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         —S4—C3       103.25 (10)       S4—C3—H3A       110.1         —N1—C1       123.90 (17)       S3—C3—H3A       110.1         —N1—H1       118.0       S4—C3—H3B       110.1         —N1—H1       118.0       S3—C3—H3B       110.1         —N2—C5       123.93 (18)       H3A—C3—H3B       108.4         —N2—H2       118.0       N2—C4—S5       125.43 (17)         —N2—H2       118.0       N2—C4—S4       109.93 (14)         —C1—H1A       109.5       S5—C4—S4       124.59 (12)         —C1—H1B       109.5       N2—C5—H5A       109.5	S4—C	23	,	<i>'</i>		0.	9700	
—C1       1.453 (3)       C5—H5B       0.9600         —H1       0.8600       C5—H5C       0.9600         —C4       1.328 (3)       0.9600         —S2—S3       105.99 (7)       S1—C2—S2       113.24 (12)         —S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         —S4—C3       103.25 (10)       S4—C3—H3A       110.1         —N1—C1       123.90 (17)       S3—C3—H3A       110.1         —N1—H1       118.0       S4—C3—H3B       110.1         —N1—H1       118.0       S3—C3—H3B       110.1         —N2—C5       123.93 (18)       H3A—C3—H3B       108.4         —N2—H2       118.0       N2—C4—S5       125.43 (17)         —N2—H2       118.0       N2—C4—S4       109.93 (14)         —C1—H1A       109.5       S5—C4—S4       124.59 (12)         —C1—H1B       109.5       N2—C5—H5A       109.5	S5—C		`	· /		0.	9700	
—H1       0.8600       C5—H5C       0.9600         —C4       1.328 (3)       0.9600         —S2—S3       105.99 (7)       S1—C2—S2       113.24 (12)         —S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         —S4—C3       103.25 (10)       S4—C3—H3A       110.1         —N1—C1       123.90 (17)       S3—C3—H3A       110.1         —N1—H1       118.0       S4—C3—H3B       110.1         —N1—H1       118.0       S3—C3—H3B       110.1         —N2—C5       123.93 (18)       H3A—C3—H3B       108.4         —N2—H2       118.0       N2—C4—S5       125.43 (17)         —N2—H2       118.0       N2—C4—S4       109.93 (14)         —C1—H1A       109.5       S5—C4—S4       124.59 (12)         —C1—H1B       109.5       N2—C5—H5A       109.5	N1—C	C2	1.306 (	3)	C5—H5A 0.9600		9600	
-C4 1.328 (3)  -S2—S3 105.99 (7) S1—C2—S2 113.24 (12) -S3—S2 101.85 (7) S4—C3—S3 107.88 (10) -S4—C3 103.25 (10) S4—C3—H3A 110.1 -N1—C1 123.90 (17) S3—C3—H3A 110.1 -N1—H1 118.0 S4—C3—H3B 110.1 -N1—H1 118.0 S3—C3—H3B 110.1 -N2—C5 123.93 (18) H3A—C3—H3B 108.4 -N2—H2 118.0 N2—C4—S5 125.43 (17) -N2—H2 118.0 N2—C4—S4 109.93 (14) -C1—H1B 109.5 S5—C4—S4 124.59 (12) -C1—H1B 109.5 N2—C5—H5A 109.5	N1—C		`	/	C5—H5B 0.9600			
—S2—S3       105.99 (7)       S1—C2—S2       113.24 (12)         —S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         —S4—C3       103.25 (10)       S4—C3—H3A       110.1         —N1—C1       123.90 (17)       S3—C3—H3A       110.1         —N1—H1       118.0       S4—C3—H3B       110.1         —N1—H1       118.0       S3—C3—H3B       110.1         —N2—C5       123.93 (18)       H3A—C3—H3B       108.4         —N2—H2       118.0       N2—C4—S5       125.43 (17)         —N2—H2       118.0       N2—C4—S4       109.93 (14)         —C1—H1A       109.5       S5—C4—S4       124.59 (12)         —C1—H1B       109.5       N2—C5—H5A       109.5	N1—F	<del>1</del> 1	0.8600	•	C5—H5C	0.9600		
—S3—S2       101.85 (7)       S4—C3—S3       107.88 (10)         —S4—C3       103.25 (10)       S4—C3—H3A       110.1         —N1—C1       123.90 (17)       S3—C3—H3A       110.1         —N1—H1       118.0       S4—C3—H3B       110.1         —N1—H1       118.0       S3—C3—H3B       110.1         —N2—C5       123.93 (18)       H3A—C3—H3B       108.4         —N2—H2       118.0       N2—C4—S5       125.43 (17)         —N2—H2       118.0       N2—C4—S4       109.93 (14)         —C1—H1A       109.5       S5—C4—S4       124.59 (12)         —C1—H1B       109.5       N2—C5—H5A       109.5	N2—C	C4	1.328 (	3)				
—S4—C3       103.25 (10)       S4—C3—H3A       110.1         —N1—C1       123.90 (17)       S3—C3—H3A       110.1         —N1—H1       118.0       S4—C3—H3B       110.1         —N1—H1       118.0       S3—C3—H3B       110.1         —N2—C5       123.93 (18)       H3A—C3—H3B       108.4         —N2—H2       118.0       N2—C4—S5       125.43 (17)         —N2—H2       118.0       N2—C4—S4       109.93 (14)         —C1—H1A       109.5       S5—C4—S4       124.59 (12)         —C1—H1B       109.5       N2—C5—H5A       109.5	C2—S	S2—S3	105.99	(7)	S1—C2—S2	11	3.24 (12)	
-N1—C1       123.90 (17)       S3—C3—H3A       110.1         -N1—H1       118.0       S4—C3—H3B       110.1         -N1—H1       118.0       S3—C3—H3B       110.1         -N2—C5       123.93 (18)       H3A—C3—H3B       108.4         -N2—H2       118.0       N2—C4—S5       125.43 (17)         -N2—H2       118.0       N2—C4—S4       109.93 (14)         -C1—H1A       109.5       S5—C4—S4       124.59 (12)         -C1—H1B       109.5       N2—C5—H5A       109.5	C3—S	S3—S2	101.85	(7)	S4—C3—S3 107.88 (		07.88 (10)	
-N1—H1       118.0       S4—C3—H3B       110.1         -N1—H1       118.0       S3—C3—H3B       110.1         -N2—C5       123.93 (18)       H3A—C3—H3B       108.4         -N2—H2       118.0       N2—C4—S5       125.43 (17)         -N2—H2       118.0       N2—C4—S4       109.93 (14)         -C1—H1A       109.5       S5—C4—S4       124.59 (12)         -C1—H1B       109.5       N2—C5—H5A       109.5	C4—S	S4—C3	103.25	(10)	S4—C3—H3A	11	0.1	
-N1—H1       118.0       S3—C3—H3B       110.1         -N2—C5       123.93 (18)       H3A—C3—H3B       108.4         -N2—H2       118.0       N2—C4—S5       125.43 (17)         -N2—H2       118.0       N2—C4—S4       109.93 (14)         -C1—H1A       109.5       S5—C4—S4       124.59 (12)         -C1—H1B       109.5       N2—C5—H5A       109.5	C2—N	N1—C1	123.90	(17)	S3—C3—H3A	11	0.1	
-N2—C5       123.93 (18)       H3A—C3—H3B       108.4         -N2—H2       118.0       N2—C4—S5       125.43 (17)         -N2—H2       118.0       N2—C4—S4       109.93 (14)         -C1—H1A       109.5       S5—C4—S4       124.59 (12)         -C1—H1B       109.5       N2—C5—H5A       109.5	C2—N	N1—H1	118.0	:	S4—C3—H3B		0.1	
-N2—H2       118.0       N2—C4—S5       125.43 (17)         -N2—H2       118.0       N2—C4—S4       109.93 (14)         -C1—H1A       109.5       S5—C4—S4       124.59 (12)         -C1—H1B       109.5       N2—C5—H5A       109.5	C1—N	N1—H1	118.0	:	S3—C3—H3B 110.1		0.1	
-N2—H2       118.0       N2—C4—S4       109.93 (14)         -C1—H1A       109.5       S5—C4—S4       124.59 (12)         -C1—H1B       109.5       N2—C5—H5A       109.5	C4—N	C4—N2—C5 123.93 (18)		(18)	НЗА—СЗ—НЗВ	10	108.4	
—C1—H1A       109.5       S5—C4—S4       124.59 (12)         —C1—H1B       109.5       N2—C5—H5A       109.5	C4—N	N2—H2	118.0	]	N2—C4—S5			
-C1-H1B 109.5 N2-C5-H5A 109.5	C5—N	N2—H2	118.0	]	N2—C4—S4	10	09.93 (14)	
	N1—C	C1—H1A	109.5	;	S5—C4—S4	12	124.59 (12)	
A—C1—H1B 109.5 N2—C5—H5B 109.5	N1—C	C1—H1B	109.5	]	N2—C5—H5A	10	9.5	
	H1A-	-C1H1B	109.5	]	N2—C5—H5B	10	9.5	

# C1-N1-C2-S1 C1-N1-C2-S2

C2—S2—S3—C3

N1—C1—H1C

H1A--C1--H1C

H1B-C1-H1C

N1—C2—S1

N1—C2—S2

S3-S2-C2-N1 S3—S2—C2—S1

C4—S4—C3—S3

-90.13 (11)
-0.4(3)
179.97 (18)
-0.01(19)

127.70 (16)

119.06 (14)

109.5

109.5

109.5

-179.71(9)-83.86(14)

S2—S3—C3—S4
C5—N2—C4—S5
C5—N2—C4—S4
C3—S4—C4—N2

H5A—C5—H5B

H5A—C5—H5C

H5B—C5—H5C

N2—C5—H5C

C3—S4—C4—S5

109.5 109.5 109.5

109.5

109.5

-177.57(9)-2.4(3)175.1 (2)

172.23 (16) -10.31(17)

### Hydrogen-bond geometry (Å, °)

<i>D</i> —H··· <i>A</i>	<i>D</i> —H	$H\cdots A$	D··· $A$	<i>D</i> —H··· <i>A</i>
N1—H1···S3	0.86	2.50	3.073 (2)	125

sup-4 Acta Cryst. (2010). E66, o2671

# supporting information

N1—H1···S3 <sup>i</sup>	0.86	3.02	3.595 (2)	127	
N2—H2···S1 <sup>ii</sup>	0.86	2.67	3.515 (2)	168	

Symmetry codes: (i) -x, -y+1, -z+1; (ii) x, y, z+1.

Acta Cryst. (2010). E66, o2671 sup-5