

5,5''-Dibromo-1,1''-bis(prop-2-en-1-yl)-1,1'',2,2''-tetrahydrodispiro[indole-3,7'-[6,9]diazatricyclo[7.3.0.0^{2,6}]dodecane-8',3''-indole]-2,2''-dione

Khalil Al Mamari,^a Hamid Ennajih,^a Rachid Bouhfid,^b El Mokhtar Essassi^a and Seik Weng Ng^{c,d*}

^aLaboratoire de Chimie Organique Hétérocyclique, Pôle de Compétences Pharmacochimie, Université Mohammed V-Agdal, BP 1014 Avenue Ibn Batout, Rabat, Morocco, ^bInstitute of Nanomaterials and Nanotechnology MAScIR, Avenue de l'Armée Royale, Rabat, Morocco, ^cDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia, and ^dChemistry Department, King Abdulaziz University, PO Box 80203 Jeddah, Saudi Arabia

Correspondence e-mail: seikweng@um.edu.my


Received 28 April 2012; accepted 29 April 2012

Key indicators: single-crystal X-ray study; $T = 293\text{ K}$; mean $\sigma(\text{C}-\text{C}) = 0.004\text{ \AA}$; R factor = 0.040; wR factor = 0.113; data-to-parameter ratio = 19.4.

In the molecule of the title compound, $\text{C}_{30}\text{H}_{30}\text{Br}_2\text{N}_4\text{O}_2$, the piperazine ring adopts a chair conformation. The pyrrolidine rings that are fused to the piperazine ring adopt envelope conformations (in which the N atom represents the flap). The indoline fused-ring systems are nearly planar (r.m.s. deviations = 0.009 and 0.019 \AA); the two fused rings are aligned at $60.63(6)^\circ$.

Related literature

For background to the class of dispiro compounds, see: Al Mamari *et al.* (2012a). For a related structure, see: Al Mamari *et al.* (2012b).



Experimental

Crystal data

$\text{C}_{30}\text{H}_{30}\text{Br}_2\text{N}_4\text{O}_2$	$V = 2802.30(9)\text{ \AA}^3$
$M_r = 638.40$	$Z = 4$
Monoclinic, $P2_1/c$	Mo $K\alpha$ radiation
$a = 14.1658(3)\text{ \AA}$	$\mu = 2.93\text{ mm}^{-1}$
$b = 9.7203(2)\text{ \AA}$	$T = 293\text{ K}$
$c = 20.6677(3)\text{ \AA}$	$0.30 \times 0.28 \times 0.26\text{ mm}$
$\beta = 100.037(1)^\circ$	

Data collection

Bruker APEX DUO diffractometer	31592 measured reflections
Absorption correction: multi-scan (<i>SADABS</i> ; Sheldrick, 1996)	6671 independent reflections
$(SADABS; Sheldrick, 1996)$	4152 reflections with $I > 2\sigma(I)$
$T_{\min} = 0.474$, $T_{\max} = 0.517$	$R_{\text{int}} = 0.050$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.040$	343 parameters
$wR(F^2) = 0.113$	H-atom parameters constrained
$S = 0.96$	$\Delta\rho_{\max} = 0.54\text{ e \AA}^{-3}$
6671 reflections	$\Delta\rho_{\min} = -0.61\text{ e \AA}^{-3}$

Data collection: *APEX2* (Bruker, 2010); cell refinement: *SAINT* (Bruker, 2010); data reduction: *SAINT*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *X-SEED* (Barbour, 2001); software used to prepare material for publication: *publCIF* (Westrip, 2010).

We thank Université Mohammed V-Agdal, and the Ministry of Higher Education of Malaysia (grant No. UM.C/HIR/MOHE/SC/12) for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: XU5528).

References

- Al Mamari, K., Ennajih, H., Bouhfid, R., Essassi, E. M. & Ng, S. W. (2012b). *Acta Cryst. E68*, o1637.
- Al Mamari, K., Ennajih, H., Zouihri, H., Bouhfid, R., Ng, S. W. & Essassi, E. M. (2012a). *Tetrahedron Lett.* **53**, 2328–2331.
- Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.
- Bruker (2010). *APEX2* and *SAINT*. Bruker AXS Inc., Madison, Wisconsin, USA.
- Sheldrick, G. M. (1996). *SADABS*. University of Göttingen, Germany.
- Sheldrick, G. M. (2008). *Acta Cryst. A64*, 112–122.
- Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.

supporting information

Acta Cryst. (2012). E68, o1638 [doi:10.1107/S1600536812019228]

5,5''-Dibromo-1,1''-bis(prop-2-en-1-yl)-1,1'',2,2''-tetrahydrodispiro-[indole-3,7'-[6,9]diazatricyclo[7.3.0.0^{2,6}]dodecane-8',3''-indole]-2,2''-dione

Khalil Al Mamari, Hamid Ennajih, Rachid Bouhfid, El Mokhtar Essassi and Seik Weng Ng

S1. Comment

We reported the 1,3-dipolar cycloaddition of 1-allyl-5-haloisatin derivatives as dipolarophiles with the azomethine ylides generated *in situ* from *N*-allylisatin and L-proline to yield dispiro-oxindoles (Al Mamari *et al.*, 2012a). Although one of the reactants is optically active, the product, C₃₀H₃₀Br₂N₄O₂, crystallizes in a centrosymmetric space group, as does the bromo analog (Scheme I). However, the bromo analog is not isostructural; the two compounds have different cell dimensions. The piperazine ring adopts a chair conformation. The pyrrolidine rings that are fused to the piperazine ring adopt envelope conformations (in which the N atom represents the flap) (Fig. 1). The indoline fused-ring systems are nearly planar (r.m.s. deviation 0.009, 0.019 Å); the two fused-rings are aligned at 60.63 (6) °.


S2. Experimental

A mixture of 1-allyl-5-bromo-indoline-2,3-dione (1 g, 0.005 mol) and proline (0.5 g, 0.004 mole) in ethanol (20 ml) was heated for 2 hours. On completion of the reaction as indicated by TLC, water (50 ml) was added. The precipitate was collected and recrystallized from ethanol to yield colorless crystals.

S3. Refinement

The aromatic and methylene H-atoms were placed in calculated positions (C–H 0.93–0.97 Å) and were included in the refinement in the riding model approximation, with *U*(H) set to 1.2*U*(C).

The (0 0 2) and (0 1 1) reflections were omitted owing to bad disagreement.

**Figure 1**

Thermal ellipsoid plot (Barbour, 2001) of $C_{30}H_{30}Br_2N_4O_2$ at the 50% probability level.

5,5''-Dibromo-1,1''-bis(prop-2-en-1-yl)-1,1'',2,2''-tetrahydrodispiro[indole-3,7'-[6,9]diazatricyclo[7.3.0.0^{2,6}]dodecane-8',3''-indole]-2,2''-dione

Crystal data

$C_{30}H_{30}Br_2N_4O_2$

$M_r = 638.40$

Monoclinic, $P2_1/c$

Hall symbol: -P 2ybc

$a = 14.1658 (3)$ Å

$b = 9.7203 (2)$ Å

$c = 20.6677 (3)$ Å

$\beta = 100.037 (1)^\circ$

$V = 2802.30 (9)$ Å³

$Z = 4$

$F(000) = 1296$

$D_x = 1.513 \text{ Mg m}^{-3}$

$Mo K\alpha$ radiation, $\lambda = 0.71073$ Å

Cell parameters from 8234 reflections

$\theta = 2.3\text{--}24.1^\circ$

$\mu = 2.93 \text{ mm}^{-1}$

$T = 293$ K

Prism, colorless

$0.30 \times 0.28 \times 0.26$ mm

Data collection

Bruker APEX DUO
diffractometer

Radiation source: fine-focus sealed tube

Graphite monochromator
 ω scans

Absorption correction: multi-scan
 (SADABS; Sheldrick, 1996)
 $T_{\min} = 0.474$, $T_{\max} = 0.517$
 31592 measured reflections
 6671 independent reflections
 4152 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.050$
 $\theta_{\max} = 27.9^\circ$, $\theta_{\min} = 2.6^\circ$
 $h = -18 \rightarrow 17$
 $k = -9 \rightarrow 12$
 $l = -27 \rightarrow 27$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.040$
 $wR(F^2) = 0.113$
 $S = 0.96$
 6671 reflections
 343 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0541P)^2 + 1.2207P]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.54 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -0.61 \text{ e } \text{\AA}^{-3}$

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	x	y	z	$U_{\text{iso}}^*/U_{\text{eq}}$
Br1	0.58304 (2)	0.77248 (4)	0.418209 (16)	0.06146 (13)
Br2	0.21952 (4)	0.00640 (4)	0.46489 (2)	0.09482 (18)
O1	0.07667 (13)	0.4625 (2)	0.35513 (9)	0.0494 (5)
O2	0.36870 (13)	0.5244 (2)	0.22067 (9)	0.0453 (5)
C1	0.29680 (18)	0.5642 (3)	0.44015 (12)	0.0359 (6)
C2	0.3608 (2)	0.5972 (3)	0.49586 (13)	0.0512 (8)
H2	0.3468	0.5796	0.5374	0.061*
C3	0.4470 (2)	0.6575 (3)	0.48829 (14)	0.0504 (7)
H3	0.4923	0.6797	0.5250	0.061*
C4	0.46540 (18)	0.6846 (3)	0.42628 (13)	0.0411 (6)
C5	0.40107 (17)	0.6518 (3)	0.37021 (12)	0.0340 (6)
H5	0.4145	0.6719	0.3288	0.041*
C6	0.31608 (16)	0.5884 (2)	0.37742 (11)	0.0301 (5)
C7	0.23255 (17)	0.5410 (3)	0.32613 (12)	0.0308 (5)
C8	0.15937 (18)	0.4978 (3)	0.37166 (13)	0.0351 (6)
C9	0.1613 (2)	0.4637 (3)	0.49103 (14)	0.0476 (7)
H9A	0.2106	0.4221	0.5236	0.057*
H9B	0.1142	0.3931	0.4759	0.057*
C10	0.1140 (2)	0.5741 (4)	0.52322 (14)	0.0525 (8)
H10	0.0930	0.5513	0.5621	0.063*
C11	0.0991 (3)	0.6987 (4)	0.50244 (18)	0.0718 (10)
H11A	0.1188	0.7263	0.4638	0.086*
H11B	0.0687	0.7610	0.5261	0.086*
C12	0.1692 (2)	0.7781 (3)	0.30457 (15)	0.0487 (7)
H12A	0.2250	0.8309	0.3243	0.058*
H12B	0.1281	0.7640	0.3370	0.058*
C13	0.1150 (3)	0.8498 (4)	0.24315 (16)	0.0647 (9)
H13A	0.0556	0.8892	0.2520	0.078*

H13B	0.1537	0.9229	0.2294	0.078*
C14	0.0943 (2)	0.7407 (3)	0.19024 (16)	0.0561 (8)
H14A	0.1349	0.7528	0.1574	0.067*
H14B	0.0277	0.7438	0.1689	0.067*
C15	0.11682 (18)	0.6059 (3)	0.22698 (13)	0.0401 (6)
H15	0.0620	0.5774	0.2468	0.048*
C16	0.14914 (19)	0.4891 (3)	0.18941 (13)	0.0407 (6)
H16	0.2029	0.5189	0.1687	0.049*
C17	0.0744 (2)	0.4164 (4)	0.13854 (15)	0.0578 (8)
H17A	0.0115	0.4209	0.1509	0.069*
H17B	0.0712	0.4578	0.0955	0.069*
C18	0.1094 (3)	0.2683 (4)	0.13855 (19)	0.0803 (12)
H18A	0.0586	0.2052	0.1446	0.096*
H18B	0.1298	0.2469	0.0973	0.096*
C19	0.1929 (2)	0.2564 (3)	0.19506 (16)	0.0566 (8)
H19A	0.1897	0.1714	0.2192	0.068*
H19B	0.2537	0.2603	0.1795	0.068*
C20	0.35499 (18)	0.4387 (3)	0.26056 (13)	0.0356 (6)
C21	0.26015 (17)	0.4105 (2)	0.28799 (12)	0.0339 (6)
C22	0.29012 (19)	0.2894 (3)	0.33298 (13)	0.0398 (6)
C23	0.2387 (2)	0.2126 (3)	0.37111 (15)	0.0494 (7)
H23	0.1746	0.2315	0.3721	0.059*
C24	0.2863 (3)	0.1059 (3)	0.40796 (15)	0.0590 (9)
C25	0.3796 (3)	0.0721 (3)	0.40497 (17)	0.0662 (10)
H25	0.4086	-0.0010	0.4298	0.079*
C26	0.4307 (2)	0.1456 (3)	0.36554 (16)	0.0586 (8)
H26	0.4936	0.1226	0.3627	0.070*
C27	0.3849 (2)	0.2546 (3)	0.33049 (14)	0.0428 (7)
C28	0.5159 (2)	0.3350 (4)	0.26852 (15)	0.0544 (8)
H28A	0.5108	0.3652	0.2233	0.065*
H28B	0.5363	0.2396	0.2706	0.065*
C29	0.5904 (2)	0.4189 (5)	0.31056 (19)	0.0817 (12)
H29	0.5719	0.5061	0.3220	0.098*
C30	0.6727 (3)	0.3861 (7)	0.3315 (2)	0.133 (2)
H30A	0.6950	0.3001	0.3215	0.159*
H30B	0.7135	0.4470	0.3575	0.159*
N1	0.20466 (15)	0.5078 (2)	0.43570 (11)	0.0387 (5)
N2	0.19727 (14)	0.6467 (2)	0.27880 (10)	0.0334 (5)
N3	0.18063 (14)	0.3764 (2)	0.23592 (10)	0.0381 (5)
N4	0.42146 (16)	0.3437 (2)	0.28745 (11)	0.0430 (5)

Atomic displacement parameters (\AA^2)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Br1	0.03869 (17)	0.0799 (3)	0.0637 (2)	-0.02284 (15)	0.00310 (14)	-0.00209 (17)
Br2	0.1388 (4)	0.0657 (3)	0.0792 (3)	-0.0361 (2)	0.0167 (3)	0.0224 (2)
O1	0.0349 (10)	0.0619 (13)	0.0521 (12)	-0.0160 (9)	0.0098 (9)	-0.0044 (10)
O2	0.0421 (11)	0.0487 (12)	0.0479 (11)	-0.0025 (9)	0.0156 (9)	0.0003 (10)

C1	0.0338 (13)	0.0370 (15)	0.0373 (14)	-0.0030 (11)	0.0075 (11)	0.0020 (12)
C2	0.0512 (17)	0.070 (2)	0.0319 (14)	-0.0084 (15)	0.0054 (13)	0.0032 (14)
C3	0.0422 (16)	0.067 (2)	0.0381 (15)	-0.0104 (15)	-0.0034 (12)	-0.0031 (14)
C4	0.0318 (13)	0.0437 (16)	0.0468 (16)	-0.0067 (12)	0.0044 (12)	-0.0001 (13)
C5	0.0330 (13)	0.0355 (14)	0.0345 (13)	-0.0044 (11)	0.0087 (11)	0.0004 (11)
C6	0.0302 (12)	0.0298 (13)	0.0301 (12)	-0.0003 (10)	0.0048 (10)	-0.0022 (10)
C7	0.0290 (12)	0.0313 (13)	0.0330 (13)	-0.0028 (10)	0.0079 (10)	-0.0017 (11)
C8	0.0348 (14)	0.0328 (14)	0.0395 (14)	-0.0021 (11)	0.0113 (11)	-0.0021 (11)
C9	0.0464 (16)	0.0577 (19)	0.0410 (15)	-0.0092 (14)	0.0146 (13)	0.0076 (14)
C10	0.0531 (18)	0.067 (2)	0.0412 (16)	-0.0120 (16)	0.0201 (14)	-0.0020 (16)
C11	0.087 (3)	0.069 (3)	0.067 (2)	-0.007 (2)	0.037 (2)	-0.013 (2)
C12	0.0523 (17)	0.0370 (16)	0.0568 (18)	0.0086 (13)	0.0093 (14)	-0.0029 (14)
C13	0.081 (2)	0.053 (2)	0.062 (2)	0.0252 (18)	0.0178 (18)	0.0126 (17)
C14	0.0487 (17)	0.062 (2)	0.0545 (17)	0.0136 (15)	0.0004 (14)	0.0120 (16)
C15	0.0307 (13)	0.0494 (17)	0.0388 (14)	-0.0001 (12)	0.0020 (11)	0.0009 (13)
C16	0.0347 (14)	0.0507 (17)	0.0364 (14)	-0.0047 (12)	0.0057 (11)	-0.0035 (13)
C17	0.0502 (18)	0.080 (2)	0.0410 (16)	-0.0097 (17)	0.0022 (13)	-0.0119 (16)
C18	0.082 (3)	0.084 (3)	0.070 (2)	-0.011 (2)	-0.003 (2)	-0.039 (2)
C19	0.062 (2)	0.0503 (19)	0.0578 (19)	-0.0069 (15)	0.0118 (16)	-0.0219 (15)
C20	0.0343 (14)	0.0347 (15)	0.0384 (14)	-0.0005 (12)	0.0076 (11)	-0.0086 (12)
C21	0.0325 (13)	0.0300 (14)	0.0396 (14)	-0.0025 (11)	0.0071 (11)	-0.0034 (11)
C22	0.0470 (15)	0.0289 (14)	0.0437 (15)	-0.0013 (12)	0.0082 (12)	-0.0053 (12)
C23	0.0611 (19)	0.0333 (16)	0.0532 (17)	-0.0076 (14)	0.0086 (15)	-0.0010 (14)
C24	0.088 (3)	0.0355 (17)	0.0518 (18)	-0.0125 (17)	0.0087 (17)	0.0008 (14)
C25	0.098 (3)	0.0369 (19)	0.058 (2)	0.0124 (18)	-0.002 (2)	0.0019 (16)
C26	0.067 (2)	0.0466 (19)	0.0586 (19)	0.0157 (16)	-0.0003 (16)	-0.0007 (16)
C27	0.0491 (16)	0.0332 (15)	0.0447 (15)	0.0044 (12)	0.0040 (13)	-0.0086 (12)
C28	0.0423 (16)	0.071 (2)	0.0512 (17)	0.0166 (15)	0.0115 (14)	-0.0123 (16)
C29	0.043 (2)	0.123 (4)	0.081 (3)	0.004 (2)	0.0170 (18)	-0.035 (2)
C30	0.058 (3)	0.243 (7)	0.099 (3)	-0.011 (4)	0.018 (2)	-0.057 (4)
N1	0.0345 (12)	0.0471 (14)	0.0368 (12)	-0.0066 (10)	0.0124 (9)	0.0015 (10)
N2	0.0336 (11)	0.0312 (12)	0.0352 (11)	0.0019 (9)	0.0049 (9)	0.0003 (9)
N3	0.0362 (12)	0.0382 (13)	0.0394 (12)	-0.0048 (10)	0.0049 (10)	-0.0095 (10)
N4	0.0379 (12)	0.0431 (14)	0.0490 (13)	0.0069 (11)	0.0106 (10)	-0.0055 (11)

Geometric parameters (\AA , $^\circ$)

Br1—C4	1.906 (3)	C15—N2	1.476 (3)
Br2—C24	1.898 (3)	C15—C16	1.492 (4)
O1—C8	1.212 (3)	C15—H15	0.9800
O2—C20	1.211 (3)	C16—N3	1.474 (3)
C1—C2	1.374 (4)	C16—C17	1.528 (4)
C1—C6	1.391 (3)	C16—H16	0.9800
C1—N1	1.404 (3)	C17—C18	1.523 (5)
C2—C3	1.388 (4)	C17—H17A	0.9700
C2—H2	0.9300	C17—H17B	0.9700
C3—C4	1.377 (4)	C18—C19	1.515 (5)
C3—H3	0.9300	C18—H18A	0.9700

C4—C5	1.381 (3)	C18—H18B	0.9700
C5—C6	1.384 (3)	C19—N3	1.468 (3)
C5—H5	0.9300	C19—H19A	0.9700
C6—C7	1.516 (3)	C19—H19B	0.9700
C7—N2	1.446 (3)	C20—N4	1.365 (3)
C7—C8	1.574 (3)	C20—C21	1.571 (3)
C7—C21	1.578 (3)	C21—N3	1.454 (3)
C8—N1	1.370 (3)	C21—C22	1.514 (4)
C9—N1	1.454 (3)	C22—C23	1.382 (4)
C9—C10	1.482 (4)	C22—C27	1.394 (4)
C9—H9A	0.9700	C23—C24	1.390 (4)
C9—H9B	0.9700	C23—H23	0.9300
C10—C11	1.291 (5)	C24—C25	1.373 (5)
C10—H10	0.9300	C25—C26	1.380 (5)
C11—H11A	0.9300	C25—H25	0.9300
C11—H11B	0.9300	C26—C27	1.380 (4)
C12—N2	1.466 (3)	C26—H26	0.9300
C12—C13	1.532 (4)	C27—N4	1.404 (4)
C12—H12A	0.9700	C28—N4	1.461 (3)
C12—H12B	0.9700	C28—C29	1.488 (5)
C13—C14	1.515 (5)	C28—H28A	0.9700
C13—H13A	0.9700	C28—H28B	0.9700
C13—H13B	0.9700	C29—C30	1.214 (6)
C14—C15	1.520 (4)	C29—H29	0.9300
C14—H14A	0.9700	C30—H30A	0.9300
C14—H14B	0.9700	C30—H30B	0.9300
C2—C1—C6	122.3 (2)	C18—C17—C16	104.5 (3)
C2—C1—N1	128.0 (2)	C18—C17—H17A	110.8
C6—C1—N1	109.7 (2)	C16—C17—H17A	110.8
C1—C2—C3	118.0 (3)	C18—C17—H17B	110.8
C1—C2—H2	121.0	C16—C17—H17B	110.8
C3—C2—H2	121.0	H17A—C17—H17B	108.9
C4—C3—C2	119.9 (3)	C19—C18—C17	106.4 (3)
C4—C3—H3	120.1	C19—C18—H18A	110.4
C2—C3—H3	120.1	C17—C18—H18A	110.4
C3—C4—C5	122.2 (2)	C19—C18—H18B	110.4
C3—C4—Br1	118.5 (2)	C17—C18—H18B	110.4
C5—C4—Br1	119.3 (2)	H18A—C18—H18B	108.6
C4—C5—C6	118.1 (2)	N3—C19—C18	103.2 (3)
C4—C5—H5	120.9	N3—C19—H19A	111.1
C6—C5—H5	120.9	C18—C19—H19A	111.1
C5—C6—C1	119.5 (2)	N3—C19—H19B	111.1
C5—C6—C7	130.4 (2)	C18—C19—H19B	111.1
C1—C6—C7	110.1 (2)	H19A—C19—H19B	109.1
N2—C7—C6	113.1 (2)	O2—C20—N4	124.1 (2)
N2—C7—C8	114.1 (2)	O2—C20—C21	127.9 (2)
C6—C7—C8	100.27 (19)	N4—C20—C21	107.9 (2)

N2—C7—C21	108.64 (19)	N3—C21—C22	112.1 (2)
C6—C7—C21	111.26 (19)	N3—C21—C20	111.9 (2)
C8—C7—C21	109.31 (19)	C22—C21—C20	101.0 (2)
O1—C8—N1	124.0 (2)	N3—C21—C7	108.97 (19)
O1—C8—C7	127.8 (2)	C22—C21—C7	112.7 (2)
N1—C8—C7	108.2 (2)	C20—C21—C7	109.99 (19)
N1—C9—C10	115.2 (3)	C23—C22—C27	119.8 (3)
N1—C9—H9A	108.5	C23—C22—C21	130.6 (3)
C10—C9—H9A	108.5	C27—C22—C21	109.5 (2)
N1—C9—H9B	108.5	C22—C23—C24	117.5 (3)
C10—C9—H9B	108.5	C22—C23—H23	121.3
H9A—C9—H9B	107.5	C24—C23—H23	121.3
C11—C10—C9	126.2 (3)	C25—C24—C23	122.2 (3)
C11—C10—H10	116.9	C25—C24—Br2	119.6 (3)
C9—C10—H10	116.9	C23—C24—Br2	118.2 (3)
C10—C11—H11A	120.0	C24—C25—C26	120.7 (3)
C10—C11—H11B	120.0	C24—C25—H25	119.6
H11A—C11—H11B	120.0	C26—C25—H25	119.6
N2—C12—C13	102.9 (2)	C25—C26—C27	117.4 (3)
N2—C12—H12A	111.2	C25—C26—H26	121.3
C13—C12—H12A	111.2	C27—C26—H26	121.3
N2—C12—H12B	111.2	C26—C27—C22	122.4 (3)
C13—C12—H12B	111.2	C26—C27—N4	127.9 (3)
H12A—C12—H12B	109.1	C22—C27—N4	109.7 (2)
C14—C13—C12	106.6 (2)	N4—C28—C29	113.7 (2)
C14—C13—H13A	110.4	N4—C28—H28A	108.8
C12—C13—H13A	110.4	C29—C28—H28A	108.8
C14—C13—H13B	110.4	N4—C28—H28B	108.8
C12—C13—H13B	110.4	C29—C28—H28B	108.8
H13A—C13—H13B	108.6	H28A—C28—H28B	107.7
C13—C14—C15	104.2 (2)	C30—C29—C28	127.1 (5)
C13—C14—H14A	110.9	C30—C29—H29	116.4
C15—C14—H14A	110.9	C28—C29—H29	116.4
C13—C14—H14B	110.9	C29—C30—H30A	120.0
C15—C14—H14B	110.9	C29—C30—H30B	120.0
H14A—C14—H14B	108.9	H30A—C30—H30B	120.0
N2—C15—C16	108.3 (2)	C8—N1—C1	111.4 (2)
N2—C15—C14	101.5 (2)	C8—N1—C9	123.2 (2)
C16—C15—C14	116.9 (2)	C1—N1—C9	125.4 (2)
N2—C15—H15	109.9	C7—N2—C12	117.2 (2)
C16—C15—H15	109.9	C7—N2—C15	115.6 (2)
C14—C15—H15	109.9	C12—N2—C15	105.9 (2)
N3—C16—C15	108.1 (2)	C21—N3—C19	116.9 (2)
N3—C16—C17	101.5 (2)	C21—N3—C16	114.9 (2)
C15—C16—C17	118.1 (2)	C19—N3—C16	105.5 (2)
N3—C16—H16	109.5	C20—N4—C27	111.7 (2)
C15—C16—H16	109.5	C20—N4—C28	122.0 (2)
C17—C16—H16	109.5	C27—N4—C28	126.2 (2)

C6—C1—C2—C3	0.4 (4)	C27—C22—C23—C24	2.7 (4)
N1—C1—C2—C3	-177.4 (3)	C21—C22—C23—C24	-179.9 (3)
C1—C2—C3—C4	1.1 (5)	C22—C23—C24—C25	-3.0 (5)
C2—C3—C4—C5	-1.0 (5)	C22—C23—C24—Br2	176.1 (2)
C2—C3—C4—Br1	178.2 (2)	C23—C24—C25—C26	1.2 (5)
C3—C4—C5—C6	-0.7 (4)	Br2—C24—C25—C26	-178.0 (2)
Br1—C4—C5—C6	-179.82 (19)	C24—C25—C26—C27	1.0 (5)
C4—C5—C6—C1	2.2 (4)	C25—C26—C27—C22	-1.2 (4)
C4—C5—C6—C7	179.8 (2)	C25—C26—C27—N4	-179.9 (3)
C2—C1—C6—C5	-2.1 (4)	C23—C22—C27—C26	-0.6 (4)
N1—C1—C6—C5	176.1 (2)	C21—C22—C27—C26	-178.5 (3)
C2—C1—C6—C7	179.8 (3)	C23—C22—C27—N4	178.3 (2)
N1—C1—C6—C7	-2.0 (3)	C21—C22—C27—N4	0.4 (3)
C5—C6—C7—N2	-51.2 (3)	N4—C28—C29—C30	138.3 (5)
C1—C6—C7—N2	126.6 (2)	O1—C8—N1—C1	-174.0 (2)
C5—C6—C7—C8	-173.1 (3)	C7—C8—N1—C1	5.4 (3)
C1—C6—C7—C8	4.7 (3)	O1—C8—N1—C9	6.4 (4)
C5—C6—C7—C21	71.4 (3)	C7—C8—N1—C9	-174.2 (2)
C1—C6—C7—C21	-110.8 (2)	C2—C1—N1—C8	175.8 (3)
N2—C7—C8—O1	52.2 (3)	C6—C1—N1—C8	-2.3 (3)
C6—C7—C8—O1	173.4 (3)	C2—C1—N1—C9	-4.6 (4)
C21—C7—C8—O1	-69.6 (3)	C6—C1—N1—C9	177.3 (2)
N2—C7—C8—N1	-127.2 (2)	C10—C9—N1—C8	-96.0 (3)
C6—C7—C8—N1	-6.0 (3)	C10—C9—N1—C1	84.5 (3)
C21—C7—C8—N1	111.0 (2)	C6—C7—N2—C12	-54.9 (3)
N1—C9—C10—C11	8.1 (5)	C8—C7—N2—C12	58.9 (3)
N2—C12—C13—C14	14.0 (3)	C21—C7—N2—C12	-178.9 (2)
C12—C13—C14—C15	12.4 (3)	C6—C7—N2—C15	179.1 (2)
C13—C14—C15—N2	-33.9 (3)	C8—C7—N2—C15	-67.1 (3)
C13—C14—C15—C16	-151.5 (3)	C21—C7—N2—C15	55.1 (2)
N2—C15—C16—N3	57.9 (3)	C13—C12—N2—C7	-167.2 (2)
C14—C15—C16—N3	171.7 (2)	C13—C12—N2—C15	-36.6 (3)
N2—C15—C16—C17	172.4 (2)	C16—C15—N2—C7	-60.2 (3)
C14—C15—C16—C17	-73.9 (3)	C14—C15—N2—C7	176.2 (2)
N3—C16—C17—C18	-30.9 (3)	C16—C15—N2—C12	168.2 (2)
C15—C16—C17—C18	-148.9 (3)	C14—C15—N2—C12	44.6 (3)
C16—C17—C18—C19	7.9 (4)	C22—C21—N3—C19	-54.2 (3)
C17—C18—C19—N3	18.3 (4)	C20—C21—N3—C19	58.5 (3)
O2—C20—C21—N3	58.6 (3)	C7—C21—N3—C19	-179.6 (2)
N4—C20—C21—N3	-118.6 (2)	C22—C21—N3—C16	-178.7 (2)
O2—C20—C21—C22	178.0 (3)	C20—C21—N3—C16	-66.0 (3)
N4—C20—C21—C22	0.8 (2)	C7—C21—N3—C16	55.9 (3)
O2—C20—C21—C7	-62.7 (3)	C18—C19—N3—C21	-168.3 (3)
N4—C20—C21—C7	120.1 (2)	C18—C19—N3—C16	-39.2 (3)
N2—C7—C21—N3	-50.1 (2)	C15—C16—N3—C21	-60.8 (3)
C6—C7—C21—N3	-175.23 (19)	C17—C16—N3—C21	174.3 (2)
C8—C7—C21—N3	75.0 (2)	C15—C16—N3—C19	169.0 (2)

N2—C7—C21—C22	−175.15 (19)	C17—C16—N3—C19	44.0 (3)
C6—C7—C21—C22	59.7 (3)	O2—C20—N4—C27	−178.0 (2)
C8—C7—C21—C22	−50.1 (3)	C21—C20—N4—C27	−0.6 (3)
N2—C7—C21—C20	73.0 (2)	O2—C20—N4—C28	−1.8 (4)
C6—C7—C21—C20	−52.2 (3)	C21—C20—N4—C28	175.6 (2)
C8—C7—C21—C20	−162.0 (2)	C26—C27—N4—C20	179.0 (3)
N3—C21—C22—C23	−59.0 (4)	C22—C27—N4—C20	0.2 (3)
C20—C21—C22—C23	−178.3 (3)	C26—C27—N4—C28	3.0 (4)
C7—C21—C22—C23	64.4 (4)	C22—C27—N4—C28	−175.8 (2)
N3—C21—C22—C27	118.6 (2)	C29—C28—N4—C20	91.7 (4)
C20—C21—C22—C27	−0.7 (3)	C29—C28—N4—C27	−92.6 (4)
C7—C21—C22—C27	−118.0 (2)		