



ISSN 2056-9890

OPEN access

# Crystal structure of chlorido(2-{[2-(4chlorophenyl)hydrazin-1-ylidene- $\kappa N^{1}$ ]-(phenyl)methyl}pyridine- $\kappa N$ )( $\eta^5$ -pentamethylcyclopentadienyl)iridium(III) tetraphenylborate

### Neelakandan Devika,<sup>a</sup> Nandhagopal Raja,<sup>b</sup> Subbiah Ananthalakshmi<sup>c</sup> and Bruno Therrien<sup>b\*</sup>

<sup>a</sup>Department of Chemistry, BIT Campus, Anna University, Tiruchirappalli 620 024, Tamil Nadu State, India, <sup>b</sup>Institut de Chimie, Université de Neuchâtel, Avenue de Bellevaux 51, CH-2000 Neuchâtel, Switzerland, and CDepartment of Chemistry, Urumu Dhanalakshmi College, Tiruchirappalli 620 019, Tamil Nadu State, India. \*Correspondence e-mail: bruno.therrien@unine.ch

Received 9 February 2015; accepted 12 February 2015

Edited by C. Rizzoli, Universita degli Studi di Parma, Italy

The title compound,  $[Ir(\eta^5-C_5Me_5)Cl(C_{18}H_{14}ClN_3)]B(C_6H_5)_4$ , is chiral at the metal center and crystallizes as a racemate. In the cation, the hydrazinylidenepyridine ligand is N.N-coordinated through the N-pyridyl and N-hydrazinylidene groups forming a five-membered metallacycle. An intramolecular C-H···Cl hydrogen bond is observed. In the crystal, centrosymmetrically-related cations are connected by  $C-Cl\cdots\pi$  interactions, forming a dimeric structure. The crystal packing is further stabilized by weak interionic  $C-H\cdots\pi$  interactions.

Keywords: crystal structure; hydrazinylidenepyridine ligand; iridium(III) complex; pentamethylcyclopentadienyl; intramolecular C-H···Cl hydrogen bond; C—Cl··· $\pi$  interactions; C—H··· $\pi$  interactions.

CCDC reference: 1048992

#### 1. Related literature

For the pharmacological and catalytic properties of pentamethylcyclopentadienyl iridium complexes, see: Johnpeter et al. (2013); Liu & Sadler (2014); Raja & Therrien (2014). For background to the chemistry and properties of hydrazinylidenepyridine derivatives, see: Liu et al. (2002); Ghedini et al. (2004); Marandi et al. (2015); Devika et al. (2015); Ghosh et al. (2011, 2012). For the structures of related compounds, see: Prasad et al. (2010); Payne et al. (2013).



 $\beta = 95.860 \ (4)^{\circ}$ 

 $\gamma = 97.183 \ (4)^{\circ}$ 

Mo  $K\alpha$  radiation  $\mu = 3.19 \text{ mm}^{-1}$ 

Z = 2

T = 173 K

 $R_{\rm int} = 0.067$ 

 $V = 2201.95 (17) \text{ Å}^3$ 

 $0.23 \times 0.19 \times 0.18 \text{ mm}$ 

43057 measured reflections

11895 independent reflections

10423 reflections with  $I > 2\sigma(I)$ 

- 2. Experimental
- 2.1. Crystal data

 $[Ir(C_{10}H_{15})Cl(C_{18}H_{14}ClN_3)]$ - $(C_{24}H_{20}B)$  $M_r = 989.85$ Triclinic,  $P\overline{1}$ a = 8.9597 (4) Å b = 12.5586 (6) Å c = 20.0796 (9) Å  $\alpha = 98.228 \ (4)^{\circ}$ 

#### 2.2. Data collection

```
Stoe IPDS diffractometer
Absorption correction: empirical
  (using intensity measurements)
  (DIFABS; Walker & Stuart,
  1983)
  T_{\min} = 0.261, T_{\max} = 0.715
```

2.3. Refinement  $R[F^2 > 2\sigma(F^2)] = 0.026$ wR(F<sup>2</sup>) = 0.058 H atoms treated by a mixture of independent and constrained S = 0.95refinement  $\Delta \rho_{\rm max} = 1.58 \text{ e} \text{ Å}^{-3}$ 11895 reflections  $\Delta \rho_{\rm min} = -1.54 \text{ e} \text{ Å}^{-3}$ 541 parameters

Table 1 Hydrogen-bond geometry (Å, °).

Cg1, Cg2, Cg3, Cg4 and Cg5 are the centroids of the C29-C34, C41-C46, C35-C40, C7-C12 and C19-C23 rings, respectively.

$D - H \cdot \cdot \cdot A$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - \mathbf{H} \cdot \cdot \cdot A$
C14-H14···Cl1	0.93	2.64	3.553 (3)	168
$C2-H2\cdots Cg1$	0.93	2.71	3.463 (3)	139
$C11 - H11 \cdots Cg2^{i}$	0.93	2.61	3.365 (3)	139
$C18-H18\cdots Cg3^{ii}$	0.93	2.60	3.518 (3)	169
$C37 - H37 \cdots Cg4^{iii}$	0.93	2.65	3.489 (3)	150
$C16-Cl2\cdots Cg5^{iv}$	1.75 (1)	3.58 (1)	4.359 (3)	105 (1)

Symmetry codes: (i) x, y - 1, z; (ii) x + 1, y - 1, z; (iii) x - 1, y + 1, z; (iv) -x + 2, -y, -z.

Data collection: IPDS EXPOSE (Stoe & Cie, 2000); cell refinement: IPDS CELL (Stoe & Cie, 2000); data reduction: IPDS INTEGRATE (Stoe & Cie, 2000); program(s) used to solve structure: SHELXS97 (Sheldrick, 2008); program(s) used to refine structure: SHELXL97 (Sheldrick, 2008); molecular graphics: ORTEP-3 for Windows (Farrugia, 2012); software used to prepare material for publication: SHELXL97.

Acknowledgements

NR thanks the Swiss Confederation for a Swiss Government Scholarship.

Supporting information for this paper is available from the IUCr electronic archives (Reference: RZ5149).

#### References

- Devika, N., Raja, N., Ananthalakshmi, S. & Therrien, B. (2015). Acta Cryst. E71, 248-250.
- Farrugia, L. J. (2012). J. Appl. Cryst. 45, 849-854.
- Ghedini, M., Aiello, I., Crispini, A. & La Deda, M. (2004). *Dalton Trans.* pp. 1386–1392.
- Ghosh, K., Kumar, P., Mohan, V., Singh, U. P., Kasiri, S. & Mandal, S. S. (2012). *Inorg. Chem.* **51**, 3343–3345.

- Ghosh, K., Kumar, P., Tyagi, N., Singh, U. P., Goel, N., Chakraborty, A., Roy, P. & Baratto, M. C. (2011). *Polyhedron*, **30**, 2667–2677.
- Johnpeter, J. P., Gupta, G., Kumar, J. M., Srinivas, G., Nagesh, N. & Therrien, B. (2013). *Inorg. Chem.* 52, 13663–13673.
- Liu, Q., Mudadu, M. S., Schmider, H., Thummel, R., Tao, Y. & Wang, S. (2002). Organometallics, **21**, 4743–4749.
- Liu, Z. & Sadler, P. J. (2014). Acc. Chem. Res. 47, 1174-1185.
- Marandi, G., Saghatforoush, L., Golsanamlou, V., Tofighjoo, E., Hassanabad, F. A., Hajari, S. & Ghadimkhani, R. (2015). *Res. Chem. Intermed.* 41, 631– 636.
- Payne, R., Govender, P., Therrien, B., Clavel, C. M., Dyson, P. J. & Smith, G. S. (2013). J. Organomet. Chem. 729, 20–27.
- Prasad, K. T., Therrien, B. & Mohan Rao, K. (2010). J. Organomet. Chem. 695, 226-234.
- Raja, N. & Therrien, B. (2014). J. Organomet. Chem. 765, 1-7.
- Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.
- Stoe & Cie (2000). *IPDS EXPOSE, IPDS CELL* and *IPDS INTEGRATE.* Stoe & Cie GmbH, Darmstadt, Germany.
- Walker, N. & Stuart, D. (1983). Acta Cryst. A39, 158-166.

# supporting information

Acta Cryst. (2015). E71, m65-m66 [doi:10.1107/S2056989015003023]

# Crystal structure of chlorido(2-{[2-(4-chlorophenyl)hydrazin-1-ylidene- $\kappa N^1$ ] (phenyl)methyl}pyridine- $\kappa N$ )( $\eta^5$ -pentamethylcyclopentadienyl)iridium(III) tetraphenylborate

# Neelakandan Devika, Nandhagopal Raja, Subbiah Ananthalakshmi and Bruno Therrien

# S1. Chemical context

In recent years, pentamethylcyclopentadienyl iridium complexes have shown great promises as anticancer agents (Johnpeter *et al.*, 2013; Liu & Sadler, 2014). Moreover, pentamethylcyclopentadienyl iridium complexes are well known for their catalytic activity (Raja & Therrien, 2014). Among ligands to coordinate to a pentamethylcyclopentadienyl iridium core, hydrazinylidenepyridine derivatives are quite attractive (Liu *et al.*, 2002; Ghedini *et al.*, 2004; Marandi *et al.*, 2015). These non-symmetrical *N*,*N*-bidentate ligands introduce chirality at the metal center (Devika *et al.*, 2015), and they are also known to be biologically relevant molecules (Ghosh *et al.*, 2011, 2012).

# **S2. Structural commentary**

Herein, we present the synthesis and characterization of a chiral-at-metal pentamethylcyclopentadienyl iridium(III) hydrazinylidenepyridine complex,  $[Ir(\eta^5-C_5Me_5)Cl(C_{18}H_{14}ClN_3)]B(C_6H_5)_4$ . The molecular structure is shown in Figure 1. The cationic complex adopts a typical piano-stool geometry and it is chiral at the metal center. The salt crystallizes as a racemate in the triclinic space group *P*-1. In the cationic complex, the hydrazinylidenepyridine ligand is *N*,*N*-coordinated, the *N*-hydrazinylidene and the *N*-pyridyl groups forming with the iridium center a five-membered metallacycle. Upon coordination, the hydrazinylidenepyridine ligand is non-planar, an angle of 55.15 (6)° is observed between the planes formed by the pyridyl and {(4-chlorophenyl)hydrazinylene}methyl groups. Otherwise, all geometrical data around the iridium(III) center are similar to those found in related *N*,*N*-chelated pentamethylcyclopentadienyl iridium complexes (Prasad *et al.*, 2010; Payne *et al.*, 2013). An intramolecular C—H···Cl hydrogen bond is present (Table 1).

# **S3. Supramolecular features**

In the crystal packing of the title compound, centrosymmetrically-related cations form through the pentamethylcyclopentadienyl and 4-chlorophenyl groups a dimeric structure, the chlorine atoms sitting above the centroids of the  $C_3Me_5$ rings at 3.58Å (Fig. 2). In addition, crystal packing is stabilized by weak interionic C—H··· $\pi$  interactions (Table 1).

# S4. Synthesis and crystallization

The title compound was synthesized by reacting one equivalent of  $(\eta^5-C_5Me_5)_2Ir_2(\mu-Cl)_2Cl_2$  (100 mg, 0.126 mmol) with two equivalents of 2-{1-[2-(4-chlorophenyl)hydrazin-1-ylidene](phenyl)methyl}pyridine (Marandi *et al.*, 2015) (77 mg, 0.25 mmol) in methanol (25ml), and the mixture was refluxed for 6 hours. To the hot solution was added sodium tetraphenylborate (92 mg, 0.25 mmol). Then a reddish brown precipitate was observed, and after filtration, the solid was purified by column chromatography (silica gel, chloroform:methanol, 9.9:0.1 *v*/*v*). Crystals suitable for a single-crystal X-ray structure analysis were obtained by slow evaporation of a dichloromethane/*n*-pentane (1:1 *v*/*v*) solution of the title

compound. Yield: 60%. IR (KBr, v, cm<sup>-1</sup>): 1590 (s, C=N). <sup>1</sup>H NMR (400 MHz, CD<sub>3</sub>CN, 25°C):  $\delta$  (ppm) = 8.80 (d, <sup>3</sup>J<sub>H-H</sub> = 5.6 Hz, 1H, H<sub>ar</sub>), 8.00 (dd, <sup>3</sup>J<sub>H-H</sub> = 8.4 Hz, 1H, H<sub>ar</sub>), 7.79 (dd, <sup>3</sup>J<sub>H-H</sub> = 7.2 Hz, 1H, H<sub>ar</sub>), 7.54 (m, 10H, H<sub>ar</sub>), 7.27 (m, 8H, H<sub>B(Ph)4</sub>), 7.10 (br s, 1H, NH), 6.99 (dd, <sup>3</sup>J<sub>H-H</sub> = 7.2 Hz, 8H, H<sub>B(Ph)4</sub>), 6.84 (dd, <sup>3</sup>J<sub>H-H</sub> = 7.2 Hz, 4H, H<sub>B(Ph)4</sub>), 1.43 (s, 15H, C<sub>5</sub>Me<sub>5</sub>). MS (ESI positive mode): m/z 670.0 [M - B(Ph)<sub>4</sub>]<sup>+</sup>.

## **S5. Refinement**

Except for the amine H atom, which was located in a difference Fourier map and refined freely, all hydrogen atoms were included in calculated positions and treated as riding atoms, using SHELXL-97 default parameters, with C-H = 0.93Å for  $C_{arom}$  and 0.96Å for  $CH_3$ , with  $U_{iso}(H) = 1.2 U_{eq}(C)$  or 1.5  $U_{eq}(C)$  for methyl H atoms.



# Figure 1

The molecular structure of the title compound with displacement ellipsoids drawn at the 50% probability level.



# Figure 2

Dimeric structure involving two centrosymmetrically related cations.

# Chlorido(2-{[2-(4-chlorophenyl)hydrazin-1-ylidene- $\kappa N^1$ ](phenyl)methyl} pyridine- $\kappa N$ )( $\eta^5$ -pentamethylcyclopentadienyl)iridium(III) tetraphenylborate

### Crystal data

 $[Ir(C_{10}H_{15})Cl(C_{18}H_{14}ClN_3)](C_{24}H_{20}B)$   $M_r = 989.85$ Triclinic,  $P\overline{1}$ Hall symbol: -P 1 a = 8.9597 (4) Å b = 12.5586 (6) Å c = 20.0796 (9) Å a = 98.228 (4)°  $\beta = 95.860$  (4)°  $\gamma = 97.183$  (4)° V = 2201.95 (17) Å<sup>3</sup>

#### Data collection

Stoe IPDS diffractometer Radiation source: fine-focus sealed tube Graphite monochromator phi oscillation scans Absorption correction: empirical (using intensity measurements) (*DIFABS*; Walker & Stuart, 1983)  $T_{min} = 0.261, T_{max} = 0.715$ 

#### Refinement

Refinement on  $F^2$ Least-squares matrix: full  $R[F^2 > 2\sigma(F^2)] = 0.026$  $wR(F^2) = 0.058$ S = 0.9511895 reflections Z = 2 F(000) = 996  $D_x = 1.493 \text{ Mg m}^{-3}$ Mo K $\alpha$  radiation,  $\lambda = 0.71073 \text{ Å}$ Cell parameters from 8000 reflections  $\theta = 1.9-28.9^{\circ}$   $\mu = 3.19 \text{ mm}^{-1}$  T = 173 KBlock, red  $0.23 \times 0.19 \times 0.18 \text{ mm}$ 

43057 measured reflections 11895 independent reflections 10423 reflections with  $I > 2\sigma(I)$   $R_{int} = 0.067$   $\theta_{max} = 29.2^{\circ}, \theta_{min} = 1.7^{\circ}$   $h = -12 \rightarrow 11$   $k = -17 \rightarrow 17$  $l = -27 \rightarrow 27$ 

541 parameters0 restraintsPrimary atom site location: structure-invariant direct methodsSecondary atom site location: difference Fourier map

Hydrogen site location: inferred from	$w = 1/[\sigma^2(F_c^2) + (0.0305P)^2]$
neighbouring sites	where $P = (F_c^2 + 2F_c^2)/3$
H atoms treated by a mixture of independent	$(\Delta/\sigma)_{\rm max} = 0.002$
and constrained refinement	$\Delta \rho_{\rm max} = 1.58 \text{ e} \text{ Å}^{-3}$
	$\Delta \rho_{\rm min} = -1.54 \text{ e} \text{ Å}^{-3}$

# Special details

**Experimental**. A crystal was mounted at 173 K on a Stoe Image Plate Diffraction System (Stoe & Cie, 2000) using Mo  $K\alpha$  graphite monochromated radiation. Image plate distance 100 mm,  $\varphi$  oscillation scans 0 - 180°, step  $\Delta \varphi = 1.2^{\circ}$ , 5 minutes per frame.

**Geometry**. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement**. Refinement of  $F^2$  against ALL reflections. The weighted *R*-factor *wR* and goodness of fit *S* are based on  $F^2$ , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating *R*-factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. *R*-factors based on  $F^2$  are statistically about twice as large as those based on *F*, and *R*- factors based on ALL data will be even larger.

	X	У	Ζ	$U_{ m iso}$ */ $U_{ m eq}$	
C29	0.3816 (3)	0.68256 (18)	0.26342 (12)	0.0194 (5)	
C30	0.2854 (3)	0.6179 (2)	0.20884 (13)	0.0246 (5)	
H30	0.1834	0.6003	0.2136	0.029*	
C31	0.3370 (4)	0.5790 (2)	0.14788 (14)	0.0307 (6)	
H31	0.2698	0.5359	0.1132	0.037*	
C32	0.4876 (4)	0.6044 (2)	0.13898 (14)	0.0322 (6)	
H32	0.5220	0.5792	0.0983	0.039*	
C33	0.5866 (3)	0.6679 (2)	0.19136 (15)	0.0291 (6)	
H33	0.6882	0.6854	0.1860	0.035*	
C34	0.5338 (3)	0.7053 (2)	0.25201 (14)	0.0231 (5)	
H34	0.6024	0.7474	0.2866	0.028*	
C41	0.4432 (3)	0.75292 (19)	0.39947 (13)	0.0193 (4)	
C46	0.5465 (3)	0.6782 (2)	0.40772 (14)	0.0246 (5)	
H46	0.5484	0.6222	0.3723	0.030*	
C45	0.6455 (3)	0.6851 (2)	0.46676 (15)	0.0301 (6)	
H45	0.7123	0.6345	0.4700	0.036*	
C44	0.6449 (3)	0.7672 (2)	0.52088 (14)	0.0288 (6)	
H44	0.7106	0.7720	0.5605	0.035*	
C43	0.5444 (3)	0.8422 (2)	0.51493 (14)	0.0273 (5)	
H43	0.5420	0.8974	0.5509	0.033*	
C42	0.4476 (3)	0.8346 (2)	0.45520 (13)	0.0221 (5)	
H42	0.3826	0.8864	0.4521	0.027*	
C47	0.1657 (3)	0.6579 (2)	0.34644 (13)	0.0222 (5)	
C52	0.1789 (4)	0.5770 (3)	0.38702 (19)	0.0391 (7)	
H52	0.2746	0.5698	0.4070	0.047*	
C51	0.0544 (4)	0.5066 (3)	0.3987 (2)	0.0519 (10)	
H51	0.0688	0.4537	0.4259	0.062*	
C50	-0.0903 (4)	0.5147 (3)	0.3703 (2)	0.0420 (8)	

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters  $(\hat{A}^2)$ 

C49 $-0.1084$ (3) $0.5934$ (2) $0.32995$ (17) $0.0337$ (6)H49 $-0.2047$ $0.6004$ $0.3105$ $0.040^*$ C48 $0.0174$ (3) $0.6627$ (2) $0.31181$ (15) $0.0278$ (5)H48 $0.0021$ $0.7144$ $0.2902$ $0.033^*$ C35 $0.2753$ (3) $0.85771$ (19) $0.31755$ (13) $0.0193$ (4)C40 $0.3444$ (3) $0.9166$ (2) $0.27141$ (14) $0.0220$ (5)H39 $0.3212$ (3) $1.0221$ (2) $0.26434$ (14) $0.0257$ (5)H39 $0.3694$ $1.0576$ $0.2331$ $0.032^*$ C38 $0.2256$ (3) $1.0743$ (2) $0.30421$ (14) $0.0226$ (5)H38 $0.2120$ $1.1457$ $0.3010$ $0.031^*$ C37 $0.1590$ (3) $1.0188$ (2) $0.34875$ (14) $0.0248$ (5)H37 $0.0847$ $1.0522$ $0.3748$ $0.000^*$ C36 $0.1749$ (3) $0.9126$ (2) $0.34875$ (14) $0.0259$ (5)C16 $0.8371$ (3) $-0.1220$ $0.0707$ (14) $0.0259$ (5)C15 $0.7281$ (3) $-0.1765$ $0.296$ $0.322^*$ C14 $0.552$ $-0.0784$ (2) $0.11670$ (14) $0.0269$ (5)H15 $0.6522$ $-0.1765$ $0.2966$ $0.032^*$ C13 $0.8597$ (3) $-0.1224$ (2) $0.7430$ (14) $0.0227$ (5)H14 $0.552$ $-0.1246$ $0.1277$ $0.031^*$ C17 $0.95156$ (13) $-0.1227$ (2) $0.17430$ (14) $0.0226$ (5)H14 $0.5557$ <	H50	-0.1735	0.4681	0.3782	0.050*
H49 $-0.2047$ $0.6004$ $0.3105$ $0.040^*$ C48 $0.0174$ $0.6627$ $0.31811$ $(15)$ $0.0278$ C35 $0.2753$ $0.77144$ $0.2002$ $0.033^*$ C35 $0.2753$ $0.9160$ $0.27141$ $14$ $0.0230$ C40 $0.3444$ $0.9160$ $0.27141$ $14$ $0.0230$ C40 $0.3444$ $0.9160$ $0.27141$ $14$ $0.0230$ C39 $0.3212$ $0.9160$ $0.27141$ $14$ $0.0230$ C39 $0.3212$ $1.0221$ $0.26434$ $144$ $0.0257$ C39 $0.3212$ $1.0221$ $0.26434$ $1443$ $0.0224^*$ C37 $0.1509$ $1.0188$ $0.2301$ $0.031^*$ C37 $0.1509$ $1.0188$ $0.23475$ $140.0259$ C36 $0.1749$ $1.0522$ $0.34475$ $0.030^*$ C36 $0.1749$ $0.9126$ $0.34875$ $0.3843$ $0.026^*$ C15 $0.7281$ $0.0216$ $0.322^*$ $0.07097$ $141$ $0.0259$ C16 $0.8371$ $0.0216$ $0.022^*$ $0.11670$ $140.0238$ $0.029^*$ C14 $0.7332$ $0.0734$ $0.1695$ $0.022^*$ C14 $0.7332$ $0.0174$ $0.1670$ $0.022^*$ C14 $0.7332$ $0.0174$ $0.12770$ $0.031*$ C7 $0.7727$ $0.0216$ $0.12477$ $0.031*$ C7 $0.7727$ $0.0216$ $0.12477140$ $0.0226$ C14 $0.3536$ $0.0021^$	C49	-0.1084(3)	0.5934 (2)	0.32995 (17)	0.0337 (6)
C480.0174 (3)0.6627 (2)0.31811 (15)0.0278 (5)H480.00210.71440.29020.033*C350.2753 (3)0.85771 (19)0.31755 (13)0.0193 (4)C400.3444 (3)0.9160 (2)0.27141 (14)0.0230 (5)H400.40860.88240.24430.028*C390.3212 (3)1.0221 (2)0.26434 (14)0.0267 (5)H390.36941.05760.33110.032*C380.2256 (3)1.0743 (2)0.30421 (14)0.0259 (5)H380.21201.14570.30100.031*C370.1509 (3)1.0188 (2)0.34875 (14)0.0248 (5)H370.8471.05220.37480.026*C160.8371 (3)-0.2312 (2)0.07097 (14)0.0259 (5)C150.7281 (3)-0.1629 (2)0.6164 (14)0.0266 (5)H140.6522-0.17650.02960.032*C140.7332 (3)-0.0734 (2)0.11670 (14)0.0238 (5)H140.6522-0.02860.11500.029*C130.8507 (3)-0.01515 (18)0.16955 (12)0.0187 (4)C140.7332 (3)-0.1224 (2)0.17430 (14)0.0227 (5)H140.6582-0.02860.1500.027*C170.9515 (13)-0.2127 (2)0.24477 (14)0.028 (5)H140.6595-0.10900.21660.027*C170.727 (3)-0.1094 (14)0.0297 (5)H150.6857 <td>H49</td> <td>-0.2047</td> <td>0.6004</td> <td>0.3105</td> <td>0.040*</td>	H49	-0.2047	0.6004	0.3105	0.040*
H480.00210.71440.29020.033*C350.2753 (3)0.85771 (19)0.31755 (13)0.0193 (4)C400.3444 (3)0.9160 (2)0.27141 (14)0.0230 (5)H400.40860.88240.24430.028*C390.3212 (3)1.0221 (2)0.26434 (14)0.0267 (5)H390.36941.05760.23310.032*C380.2256 (3)1.0743 (2)0.30421 (14)0.0226* (5)H380.21201.14570.30100.031*C370.1509 (3)1.0188 (2)0.34875 (14)0.0248 (5)H370.08471.05520.37480.30*C360.1749 (3)0.9126 (2)0.35462 (13)0.0216 (5)H360.12220.87650.38430.026*C160.8371 (3)-0.2312 (2)0.07097 (14)0.0259 (5)C150.7281 (3)-0.1629 (2)0.06614 (14)0.0269 (5)H140.6582-0.02860.11500.029*C130.8507 (3)-0.0155 (18)0.16955 (12)0.0187 (4)C140.7332 (3)-0.0155 (18)0.16955 (12)0.0187 (4)C180.9592 (3)-0.1227 (2)0.12477 (14)0.0262 (5)H140.6582-0.02860.11500.027*C170.9515 (3)-0.2127 (2)0.12477 (14)0.0262 (5)H140.6587-0.04850.30770.029*C140.7354 (3)-0.0214 (2)0.4643 (15)0.0274 (6)	C48	0.0174 (3)	0.6627 (2)	0.31811 (15)	0.0278 (5)
C35 $0.2753 (3)$ $0.85771 (19)$ $0.31755 (13)$ $0.0193 (4)$ C40 $0.3444 (3)$ $0.9160 (2)$ $0.27141 (14)$ $0.028 (5)$ H40 $0.4086$ $0.8824$ $0.2443$ $0.028 (5)$ C39 $0.3212 (3)$ $1.0221 (2)$ $0.26434 (14)$ $0.0267 (5)$ H39 $0.3694$ $1.0576$ $0.2331$ $0.032 (2)$ C38 $0.2256 (3)$ $1.0743 (2)$ $0.30421 (14)$ $0.0229 (5)$ H38 $0.2120$ $1.1457$ $0.3010$ $0.031 (2)$ C37 $0.1509 (3)$ $1.0188 (2)$ $0.34875 (14)$ $0.0248 (5)$ C36 $0.1749 (3)$ $0.9126 (2)$ $0.35462 (13)$ $0.0216 (5)$ H36 $0.1222$ $0.8765$ $0.3843$ $0.026 (5)$ C15 $0.7281 (3)$ $-0.1629 (2)$ $0.0614 (14)$ $0.0229 (5)$ C15 $0.7281 (3)$ $-0.0152 (2)$ $0.0614 (14)$ $0.0229 (5)$ H14 $0.6522$ $-0.1765$ $0.0296$ $0.032 (2)$ C14 $0.7332 (3)$ $-0.0734 (2)$ $0.11670 (14)$ $0.0238 (5)$ H14 $0.6582$ $-0.0286$ $0.1150$ $0.029 (2)$ C13 $0.8507 (3)$ $-0.2127 (2)$ $0.12477 (14)$ $0.0262 (5)$ H14 $0.6582$ $-0.0286$ $0.1150$ $0.027 (5)$ H18 $1.0359$ $-0.1224 (2)$ $0.1473 (14)$ $0.0226 (5)$ H14 $0.6582$ $-0.02604$ $0.1277$ $0.031 (14)$ C13 $0.8507 (3)$ $-0.0212 (2)$ $0.146413 (15)$ $0.027 (16)$ H1	H48	0.0021	0.7144	0.2902	0.033*
$\begin{array}{ccccc} C40 & 0.3444 (3) & 0.9160 (2) & 0.27141 (14) & 0.0230 (5) \\ H40 & 0.4086 & 0.8824 & 0.2443 & 0.028* \\ C39 & 0.3212 (3) & 1.0221 (2) & 0.26434 (14) & 0.0257 (5) \\ H38 & 0.3694 & 1.0576 & 0.2331 & 0.032* \\ C38 & 0.2256 (3) & 1.0743 (2) & 0.30421 (14) & 0.0259 (5) \\ H38 & 0.2120 & 1.1457 & 0.3010 & 0.031* \\ C37 & 0.1509 (3) & 1.0188 (2) & 0.34875 (14) & 0.0248 (5) \\ H37 & 0.0847 & 1.0522 & 0.3748 & 0.030* \\ C36 & 0.1749 (3) & 0.9126 (2) & 0.35462 (13) & 0.0216 (5) \\ H36 & 0.1222 & 0.8765 & 0.3843 & 0.026* \\ C16 & 0.8371 (3) & -0.2312 (2) & 0.07097 (14) & 0.0259 (5) \\ C15 & 0.7281 (3) & -0.1629 (2) & 0.06614 (14) & 0.0269 (5) \\ H15 & 0.6522 & -0.1765 & 0.0296 & 0.032* \\ C14 & 0.7332 (3) & -0.0734 (2) & 0.11670 (14) & 0.0238 (5) \\ H14 & 0.6582 & -0.0286 & 0.1150 & 0.029* \\ C13 & 0.8507 (3) & -0.0156 (18) & 0.16955 (12) & 0.0187 (4) \\ C18 & 0.9592 (3) & -0.1224 (2) & 0.17430 (14) & 0.0227 (5) \\ H18 & 1.0359 & -0.1090 & 0.2106 & 0.027* \\ C17 & 0.9515 (3) & -0.2127 (2) & 0.12477 (14) & 0.0262 (5) \\ H17 & 1.0226 & -0.2604 & 0.1277 & 0.031* \\ C11 & 0.7662 (3) & -0.017 (2) & 0.34617 (14) & 0.0238 (5) \\ H12 & 0.6857 & -0.0485 & 0.3077 & 0.029* \\ C11 & 0.7334 (3) & -0.0017 (2) & 0.34617 (14) & 0.0238 (5) \\ H12 & 0.6857 & -0.0485 & 0.3077 & 0.029* \\ C11 & 0.7334 (3) & -0.017 (2) & 0.34617 (14) & 0.0238 (5) \\ H12 & 0.6857 & -0.0485 & 0.3077 & 0.029* \\ C11 & 0.7870 (3) & 0.0288 (2) & 0.46338 (12) & 0.019* (5) \\ C12 & 0.7334 (3) & -0.017 (2) & 0.34617 (14) & 0.0238 (5) \\ H10 & 0.8573 & 0.0020 & 0.5038 & 0.035* \\ C9 & 0.8781 (3) & 0.1384 (2) & 0.46135 (14) & 0.029* \\ C5 & 0.6489 (3) & 0.2522 & 0.3997 & 0.029* \\ C5 & 0.6489 (3) & 0.24523 (18) & 0.28198 (12) & 0.0179 (4) \\ C4 & 0.5715 (3) & 0.2802 (2) & 0.33544 (13) & 0.028* \\ C3 & 0.4887 (3) & 0.3664 (2) & 0.3371 (14) & 0.0259 (5) \\ H3 & 0.4375 & 0.3923 & 0.3663 & 0.031* \\ C2 & 0.4841 (3) & 0.4128 (2) & 0.27214 (15) & 0.022* \\ C5 & 0.6489 (3) & 0.2522 & 0.33971 (14) & 0.0259 (5) \\ H3 & 0.4375 & 0.3923 & 0.3663 & 0.031* \\ C2 & 0.4841 (3) & 0.4128 (2) & 0.2702 (14) & 0.0$	C35	0.2753 (3)	0.85771 (19)	0.31755 (13)	0.0193 (4)
H40 $0.4086^{-1}$ $0.8824^{-1}$ $0.2443^{-1}$ $0.028^{+1}$ C39 $0.3212 (3)$ $1.0221 (2)$ $0.26434 (14)$ $0.0267 (5)$ H39 $0.3694^{-1}$ $1.0576^{-1}$ $0.2331^{-1}$ $0.032^{+1}$ C38 $0.2256 (3)$ $1.0743 (2)$ $0.30421 (14)$ $0.0259 (5)$ H38 $0.2120^{-1}$ $1.1457^{-1}$ $0.3010^{-1}$ $0.031^{+1}$ C37 $0.1509 (3)$ $1.0188 (2)$ $0.34875 (14)$ $0.02248 (5)$ H37 $0.0847^{-1}$ $1.0522^{-1}$ $0.3748^{-1}$ $0.030^{+1}$ C36 $0.1749 (3)$ $0.9126 (2)$ $0.35462 (13)$ $0.0216 (5)$ H36 $0.1222^{-1}$ $0.8765^{-1}$ $0.3843^{-1}$ $0.0229 (5)$ C15 $0.7281 (3)^{-1}0.1629 (2)$ $0.06614 (14)^{-1}$ $0.0229 (5)$ H15 $0.6522^{-1}$ $-0.1765^{-1}$ $0.0296^{-1}$ $0.032^{+1}$ C14 $0.7332 (3)^{-1}0.0734 (2)^{-1}$ $0.11670 (14)^{-1}$ $0.0223 (5)$ H14 $0.6582^{-1} - 0.0286^{-1}$ $0.1150^{-1}$ $0.027^{+1}$ C13 $0.8507 (3)^{-1}0.2127 (2)^{-1}$ $0.12477 (14)^{-1}$ $0.0262 (5)$ H14 $1.0559^{-1} - 0.2604^{-1}$ $0.1277^{-1}$ $0.031^{+1}$ C17 $0.9515 (3)^{-1} - 0.2127 (2)^{-1}$ $0.12477 (14)^{-1}$ $0.0228 (5)^{-1}$ H17 $1.0226^{-1}0.2604^{-1}$ $0.1277^{-1}$ $0.031^{+1}$ C12 $0.7334 (3)^{-1} - 0.0425^{-1}$ $0.3077^{-1}$ $0.029^{+1}$ C11 $0.7662 (3)^{-1}0.147^{-1}$ $0.4643 (15)^{-1}$ $0.0227 $	C40	0.3444 (3)	0.9160 (2)	0.27141 (14)	0.0230 (5)
C39 $0.3212 (3)$ $1.0221 (2)$ $0.26434 (14)$ $0.0267 (5)$ H39 $0.3694$ $1.0576$ $0.2331$ $0.032*$ C38 $0.2256 (3)$ $1.0743 (2)$ $0.30421 (14)$ $0.0259 (5)$ H38 $0.2120$ $1.1457$ $0.3010$ $0.031*$ C37 $0.1509 (3)$ $1.0188 (2)$ $0.34875 (14)$ $0.0248 (5)$ H37 $0.0847$ $1.0522$ $0.3748$ $0.030*$ C36 $0.1749 (3)$ $0.9126 (2)$ $0.35462 (13)$ $0.0216 (5)$ H36 $0.1222$ $0.8765$ $0.3843$ $0.026*$ C16 $0.8371 (3)$ $-0.2312 (2)$ $0.07097 (14)$ $0.0259 (5)$ C15 $0.7281 (3)$ $-0.1629 (2)$ $0.06614 (14)$ $0.0269 (5)$ H15 $0.6522$ $-0.1765$ $0.296$ $0.032*$ C14 $0.7332 (3)$ $-0.0734 (2)$ $0.11670 (14)$ $0.0238 (5)$ H14 $0.6582$ $-0.0286$ $0.1150$ $0.0187 (4)$ C18 $0.9592 (3)$ $-0.1224 (2)$ $0.17430 (14)$ $0.0227 (5)$ H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515 (3)$ $-0.2127 (2)$ $0.12477 (14)$ $0.0262 (5)$ H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727 (3)$ $0.10914 (19)$ $0.3483 (12)$ $0.0196 (5)$ C12 $0.7334 (3)$ $-0.0415 (2)$ $0.4643 (15)$ $0.0271 (6)$ H10 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C7 $0.7727 (3)$ $0.1091$	H40	0.4086	0.8824	0.2443	0.028*
H39 $0.3694$ $1.0576$ $0.2331$ $0.032*$ C38 $0.2256$ (3) $1.0743$ (2) $0.30421$ (14) $0.0259$ (5)H38 $0.2120$ $1.1457$ $0.3010$ $0.031*$ C37 $0.1509$ (3) $1.0188$ (2) $0.34875$ (14) $0.02248$ (5)H37 $0.0847$ $1.0522$ $0.3748$ $0.030*$ C36 $0.1749$ (3) $0.9126$ (2) $0.35462$ (13) $0.0226$ (5)H36 $0.1222$ $0.8765$ $0.3843$ $0.0226*$ C16 $0.8371$ (3) $-0.2312$ (2) $0.07097$ (14) $0.02259$ (5)C15 $0.7281$ (3) $-0.1629$ (2) $0.06614$ (14) $0.02269$ (5)H15 $0.6522$ $-0.1765$ $0.0296$ $0.032*$ C14 $0.7332$ (3) $-0.0734$ (2) $0.11670$ (14) $0.0238$ (5)H14 $0.6582$ $-0.0286$ $0.1150$ $0.029*$ C13 $0.8507$ (3) $-0.02124$ (2) $0.17430$ (14) $0.0223$ (5)H14 $0.6582$ $-0.0286$ $0.1150$ $0.027*$ C17 $0.9515$ (3) $-0.2127$ (2) $0.12477$ (14) $0.0226$ (5)H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727$ (3) $0.10914$ (19) $0.34383$ (12) $0.0196$ (5)C12 $0.7334$ (3) $-0.0017$ (2) $0.34617$ (14) $0.0224$ (5)H12 $0.6857$ $-0.0485$ $0.3077$ $0.029*$ C13 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C14 $0.7362$ $-0.1147$ $0.40$	C39	0.3212 (3)	1.0221 (2)	0.26434 (14)	0.0267 (5)
C38 $0.2256$ (3) $1.0743$ (2) $0.30421$ (14) $0.0259$ (5)H38 $0.2120$ $1.1457$ $0.3010$ $0.031*$ C37 $0.1509$ (3) $1.0188$ (2) $0.34875$ (14) $0.0248$ (5)H37 $0.0847$ $1.0522$ $0.3748$ $0.030*$ C36 $0.1749$ (3) $0.9126$ (2) $0.35462$ (13) $0.0216$ (5)H36 $0.1222$ $0.8765$ $0.3843$ $0.02c*$ C16 $0.8371$ (3) $-0.2312$ (2) $0.07097$ (14) $0.0259$ (5)C15 $0.7281$ (3) $-0.1629$ (2) $0.06614$ (14) $0.0259$ (5)H15 $0.6522$ $-0.0734$ (2) $0.11670$ (14) $0.0238$ (5)H14 $0.6582$ $-0.0286$ $0.1150$ $0.0197$ (4)C18 $0.9592$ (3) $-0.1224$ (2) $0.11470$ (14) $0.0227$ (5)H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515$ (3) $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727$ (3) $0.10914$ (19) $0.34383$ (12) $0.0196$ (5)C12 $0.7334$ (3) $-0.0017$ (2) $0.34617$ (14) $0.023*$ (5)H14 $0.7662$ (3) $-0.0412$ (2) $0.466348$ (14) $0.027*$ C19 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C10 $0.8573$ $0.0200$ $0.5038$ $0.035*$ C11 $0.7662$ (3) $-0.1427$ $0.40541$ (13) $0.023*$ C11 $0.7662$ (3) $0.1384$ (2) $0.46135$ (14) $0.0294$ (6)H11 $0.745$	H39	0.3694	1.0576	0.2331	0.032*
H38 $0.2120$ $1.1457$ $0.3010$ $0.031*$ C37 $0.1509$ (3) $1.0188$ (2) $0.34875$ (14) $0.0248$ (5)H37 $0.0847$ $1.0522$ $0.3748$ $0.030*$ C36 $0.1749$ (3) $0.9126$ (2) $0.35462$ (13) $0.0216$ (5)H36 $0.1222$ $0.8765$ $0.3843$ $0.026*$ C16 $0.8371$ (3) $-0.2312$ (2) $0.07097$ (14) $0.0259$ (5)C15 $0.7281$ (3) $-0.1629$ (2) $0.06614$ (14) $0.0229$ (5)C14 $0.7332$ (3) $-0.0734$ (2) $0.11670$ (14) $0.0238$ (5)H14 $0.6582$ $-0.0286$ $0.1150$ $0.029*$ C13 $0.8507$ (3) $-0.05156$ (18) $0.16955$ (12) $0.0187$ (4)C18 $0.9592$ (3) $-0.1227$ (2) $0.12477$ (14) $0.0227$ (5)H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515$ (3) $-0.2127$ (2) $0.12477$ (14) $0.0262$ (5)H18 $1.0359$ $-0.0017$ (2) $0.34617$ (14) $0.0228$ (5)C12 $0.7334$ (3) $-0.0017$ (2) $0.34617$ (14) $0.0238$ (5)H12 $0.6857$ $-0.0485$ $0.3077$ $0.029*$ C11 $0.7662$ (3) $-0.0485$ $0.3077$ $0.029*$ C12 $0.7334$ (3) $0.0288$ (2) $0.46348$ (14) $0.0227$ (6)H11 $0.7405$ $-0.1147$ $0.4084$ $0.032*$ C10 $0.8370$ (3) $0.0288$ (2) $0.46348$ (14) $0.0294$ (6)H11 $0.750$	C38	0.2256 (3)	1.0743 (2)	0.30421 (14)	0.0259 (5)
C37 $0.1509(3)$ $1.0188(2)$ $0.34875(14)$ $0.0248(5)$ H37 $0.0847$ $1.0522$ $0.3748$ $0.030*$ C36 $0.1749(3)$ $0.9126(2)$ $0.35462(13)$ $0.0216(5)$ H36 $0.1222$ $0.8765$ $0.3843$ $0.025*$ C16 $0.8371(3)$ $-0.2312(2)$ $0.07097(14)$ $0.0259(5)$ C15 $0.7281(3)$ $-0.1629(2)$ $0.06614(14)$ $0.0229(5)$ H15 $0.6522$ $-0.1765$ $0.0296$ $0.032*$ C14 $0.7332(3)$ $-0.0734(2)$ $0.11670(14)$ $0.0238(5)$ H14 $0.6582$ $-0.0286$ $0.1150$ $0.029*$ C13 $0.8507(3)$ $-0.05156(18)$ $0.16955(12)$ $0.0187(4)$ C18 $0.9592(3)$ $-0.1224(2)$ $0.17430(14)$ $0.0227(5)$ H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515(3)$ $-0.2127(2)$ $0.12477(14)$ $0.0262(5)$ H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727(3)$ $0.10914(19)$ $0.34383(12)$ $0.0196(5)$ C12 $0.7334(3)$ $-0.0485$ $0.3077$ $0.029*$ C11 $0.7662(3)$ $-0.4485$ $0.3077$ $0.029*$ C11 $0.7662(3)$ $-0.1147$ $0.4084$ $0.032*$ C11 $0.7662(3)$ $-0.1147$ $0.4084$ $0.032*$ C11 $0.7662(3)$ $-0.1147$ $0.4084$ $0.029(6)$ H11 $0.730$ $0.1384(2)$ $0.46135(14)$ $0.029(6)$ <td>H38</td> <td>0.2120</td> <td>1.1457</td> <td>0.3010</td> <td>0.031*</td>	H38	0.2120	1.1457	0.3010	0.031*
H37 $0.0847$ $1.0522$ $0.3748$ $0.030^*$ C36 $0.1749(3)$ $0.9126(2)$ $0.35462(13)$ $0.0216(5)$ H36 $0.1222$ $0.8765$ $0.3843$ $0.026^*$ C16 $0.8371(3)$ $-0.2312(2)$ $0.07097(14)$ $0.0259(5)$ C15 $0.7281(3)$ $-0.1629(2)$ $0.06614(14)$ $0.0229(5)$ H15 $0.6522$ $-0.1765$ $0.0296$ $0.032^*$ C14 $0.7332(3)$ $-0.0734(2)$ $0.11670(14)$ $0.0228(5)$ H14 $0.6582$ $-0.0286$ $0.1150$ $0.029^*$ C13 $0.8507(3)$ $-0.05156(18)$ $0.16955(12)$ $0.0187(4)$ C18 $0.9592(3)$ $-0.1224(2)$ $0.17430(14)$ $0.0227(5)$ H18 $1.0359$ $-0.1090$ $0.2106$ $0.027^*$ C17 $0.9515(3)$ $-0.2127(2)$ $0.12477(14)$ $0.0262(5)$ H17 $1.0226$ $-0.2604$ $0.1277$ $0.031^*$ C7 $0.7727(3)$ $0.10914(19)$ $0.34383(12)$ $0.0196(5)$ C12 $0.7334(3)$ $-0.0017(2)$ $0.344617(14)$ $0.0238(5)$ H12 $0.6857$ $-0.0485$ $0.3077$ $0.029^*$ C11 $0.7662(3)$ $-0.4142(2)$ $0.46348(14)$ $0.029(6)$ H11 $0.7405$ $-0.1147$ $0.46348(14)$ $0.029(6)$ H11 $0.765(3)$ $0.0288(2)$ $0.46348(14)$ $0.029(6)$ H11 $0.765(3)$ $0.28222$ $0.3997$ $0.029^*$ C5 $0.6489(3)$ $0.24523(18)$ $0.28198($	C37	0.1509 (3)	1.0188 (2)	0.34875 (14)	0.0248 (5)
C36 $0.1749 (3)$ $0.9126 (2)$ $0.35462 (13)$ $0.0216 (5)$ H36 $0.1222$ $0.8765$ $0.3843$ $0.026*$ C16 $0.8371 (3)$ $-0.2312 (2)$ $0.07097 (14)$ $0.0259 (5)$ C15 $0.7281 (3)$ $-0.1629 (2)$ $0.06614 (14)$ $0.0259 (5)$ H15 $0.6522$ $-0.1765$ $0.0296$ $0.032*$ C14 $0.7332 (3)$ $-0.0734 (2)$ $0.11670 (14)$ $0.0238 (5)$ H14 $0.6582$ $-0.0286$ $0.1150$ $0.029*$ C13 $0.8507 (3)$ $-0.02124 (2)$ $0.17430 (14)$ $0.0227 (5)$ H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515 (3)$ $-0.2127 (2)$ $0.12477 (14)$ $0.0262 (5)$ H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727 (3)$ $0.10914 (19)$ $0.34383 (12)$ $0.0196 (5)$ C11 $0.7662 (3)$ $-0.0412 (2)$ $0.40643 (15)$ $0.0271 (6)$ H11 $0.7405$ $-0.1147$ $0.4084$ $0.0228 (5)$ H11 $0.7405$ $-0.1147$ $0.4084 (14)$ $0.0294 (6)$ H11 $0.7405$ $0.1184 (2)$ $0.46135 (14)$ $0.0294 (6)$ H11 $0.7465 (3)$ $0.1284 (2)$ $0.46135 (14)$ $0.0294 (6)$ H11 $0.7465 (3)$ $0.1384 (2)$ $0.46135 (14)$ $0.0294 (6)$ H11 $0.745 (3)$ $0.2802 (2)$ $0.3354 (13)$ $0.0244 (5)$ H2 $0.8460 (3)$ $0.1788 (2)$ $0.3071 (14)$ $0.0294 (6)$	H37	0.0847	1.0522	0.3748	0.030*
H36 $0.1222$ $0.8765$ $0.3843$ $0.026*$ C16 $0.8371$ (3) $-0.2312$ (2) $0.07097$ (14) $0.0259$ (5)C15 $0.7281$ (3) $-0.1629$ (2) $0.06614$ (14) $0.0269$ (5)H15 $0.6522$ $-0.1765$ $0.0296$ $0.032*$ C14 $0.7332$ (3) $-0.0734$ (2) $0.11670$ (14) $0.0238$ (5)H14 $0.6582$ $-0.0286$ $0.1150$ $0.029*$ C13 $0.8507$ (3) $-0.05156$ (18) $0.16955$ (12) $0.0187$ (4)C18 $0.9592$ (3) $-0.1224$ (2) $0.17430$ (14) $0.0227$ (5)H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515$ (3) $-0.2127$ (2) $0.12477$ (14) $0.0262$ (5)H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727$ (3) $0.10914$ (19) $0.34383$ (12) $0.0196$ (5)C12 $0.7334$ (3) $-0.0017$ (2) $0.34617$ (14) $0.0238$ (5)H12 $0.6857$ $-0.0485$ $0.3077$ $0.029*$ C11 $0.7662$ (3) $-0.0122$ $0.46434$ (14) $0.0224$ C10 $0.8370$ (3) $0.0288$ (2) $0.46135$ (14) $0.0294$ H10 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C8 $0.8460$ (3) $0.1788$ (2) $0.40143$ (13) $0.0244$ (5)H8 $0.8734$ $0.2522$ $0.3997$ $0.029*$ C5 $0.6489$ (3) $0.24253$ (18) $0.28198$ (12) $0.0179$ (4)C4 $0.5716$ (3) <t< td=""><td>C36</td><td>0.1749 (3)</td><td>0.9126 (2)</td><td>0.35462 (13)</td><td>0.0216 (5)</td></t<>	C36	0.1749 (3)	0.9126 (2)	0.35462 (13)	0.0216 (5)
C16 $0.8371 (3)$ $-0.2312 (2)$ $0.07097 (14)$ $0.0259 (5)$ C15 $0.7281 (3)$ $-0.1629 (2)$ $0.06614 (14)$ $0.0269 (5)$ H15 $0.6522$ $-0.1765$ $0.0296$ $0.032*$ C14 $0.7332 (3)$ $-0.0734 (2)$ $0.11670 (14)$ $0.0238 (5)$ H14 $0.6582$ $-0.0286$ $0.1150$ $0.029*$ C13 $0.8507 (3)$ $-0.05156 (18)$ $0.16955 (12)$ $0.0187 (4)$ C18 $0.9592 (3)$ $-0.1224 (2)$ $0.17430 (14)$ $0.0227 (5)$ H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515 (3)$ $-0.22604$ $0.1277$ $0.031*$ C7 $0.7727 (3)$ $0.10914 (19)$ $0.34383 (12)$ $0.0196 (5)$ C12 $0.7334 (3)$ $-0.0017 (2)$ $0.34617 (14)$ $0.0228 (5)$ H12 $0.6857$ $-0.0485$ $0.3077$ $0.029*$ C11 $0.7662 (3)$ $-0.01412 (2)$ $0.40643 (15)$ $0.0271 (6)$ H11 $0.7405$ $-0.1147$ $0.4084$ $0.032*$ C10 $0.8370 (3)$ $0.0288 (2)$ $0.46135 (14)$ $0.0294 (6)$ H10 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C8 $0.8460 (3)$ $0.1788 (2)$ $0.46135 (14)$ $0.0294 (5)$ H8 $0.8734$ $0.2522$ $0.3997$ $0.029*$ C5 $0.6489 (3)$ $0.24523 (18)$ $0.28198 (12)$ $0.0179 (4)$ C4 $0.5715 (3)$ $0.2802 (2)$ $0.33544 (13)$ $0.0236 (5)$ H4 $0$	H36	0.1222	0.8765	0.3843	0.026*
C15 $0.7281(3)$ $-0.1629(2)$ $0.06614(14)$ $0.0269(5)$ H15 $0.6522$ $-0.1765$ $0.0296$ $0.032*$ C14 $0.7332(3)$ $-0.0734(2)$ $0.11670(14)$ $0.0238(5)$ H14 $0.6582$ $-0.0286$ $0.1150$ $0.029*$ C13 $0.8507(3)$ $-0.05156(18)$ $0.16955(12)$ $0.0187(4)$ C18 $0.9592(3)$ $-0.1224(2)$ $0.17430(14)$ $0.0227(5)$ H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515(3)$ $-0.2127(2)$ $0.12477(14)$ $0.0262(5)$ H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727(3)$ $0.10914(19)$ $0.34383(12)$ $0.0196(5)$ C12 $0.7334(3)$ $-0.0017(2)$ $0.34617(14)$ $0.0228(5)$ H12 $0.6857$ $-0.0485$ $0.3077$ $0.29*$ C11 $0.762(3)$ $-0.0122(2)$ $0.40643(15)$ $0.0271(6)$ H11 $0.7405$ $-0.1147$ $0.4084$ $0.032*$ C10 $0.8370(3)$ $0.0288(2)$ $0.46348(14)$ $0.0294(6)$ H10 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C9 $0.8781(3)$ $0.1788(2)$ $0.40143(13)$ $0.0244(5)$ H8 $0.8734$ $0.2522$ $0.3997$ $0.029*$ C5 $0.6489(3)$ $0.2467$ $0.33544(13)$ $0.0230(5)$ H4 $0.5715(3)$ $0.2842(7)$ $0.33544(13)$ $0.0229(5)$ H3 $0.4375$ $0.3923$ $0.3663$ $0.031*$ <td>C16</td> <td>0.8371 (3)</td> <td>-0.2312 (2)</td> <td>0.07097 (14)</td> <td>0.0259 (5)</td>	C16	0.8371 (3)	-0.2312 (2)	0.07097 (14)	0.0259 (5)
H15 $0.6522$ $-0.1765$ $0.0296$ $0.032*$ C14 $0.7332$ (3) $-0.0734$ (2) $0.11670$ (14) $0.0238$ (5)H14 $0.6582$ $-0.0286$ $0.1150$ $0.029*$ C13 $0.8507$ (3) $-0.05156$ (18) $0.16955$ (12) $0.0187$ (4)C18 $0.9592$ (3) $-0.1224$ (2) $0.17430$ (14) $0.0227*$ C17 $0.9515$ (3) $-0.1224$ (2) $0.17430$ (14) $0.0227*$ C17 $0.9515$ (3) $-0.2127$ (2) $0.12477$ (14) $0.0262$ (5)H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727$ (3) $0.10914$ (19) $0.34383$ (12) $0.0196$ (5)C12 $0.7334$ (3) $-0.0017$ (2) $0.34617$ (14) $0.0228$ (5)H12 $0.6857$ $-0.0485$ $0.3077$ $0.029*$ C11 $0.762$ (3) $-0.0112$ (2) $0.40643$ (15) $0.0271$ (6)H11 $0.7405$ $-0.1147$ $0.4084$ $0.32*$ C10 $0.8370$ (3) $0.0288$ (2) $0.465348$ (14) $0.0294$ (6)H10 $0.8573$ $0.0020$ $0.5038$ $0.35*$ C9 $0.8781$ (3) $0.1384$ (2) $0.40143$ (13) $0.0244$ (5)H8 $0.8734$ $0.2522$ $0.3997$ $0.029*$ C5 $0.6489$ (3) $0.24523$ (18) $0.28198$ (12) $0.1179$ (4)C4 $0.5716$ $0.3923$ $0.3663$ $0.31*$ C2 $0.4887$ (3) $0.3664$ (2) $0.33071$ (14) $0.0259$ (5)H3 $0.4375$ $0$	C15	0.7281 (3)	-0.1629 (2)	0.06614 (14)	0.0269 (5)
C14 $0.7332 (3)$ $-0.0734 (2)$ $0.11670 (14)$ $0.0238 (5)$ H14 $0.6582$ $-0.0286$ $0.1150$ $0.029*$ C13 $0.8507 (3)$ $-0.05156 (18)$ $0.16955 (12)$ $0.0187 (4)$ C18 $0.9592 (3)$ $-0.1224 (2)$ $0.17430 (14)$ $0.0227 (5)$ H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515 (3)$ $-0.2127 (2)$ $0.12477 (14)$ $0.0262 (5)$ H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727 (3)$ $0.10914 (19)$ $0.34383 (12)$ $0.0196 (5)$ C12 $0.7334 (3)$ $-0.0017 (2)$ $0.34617 (14)$ $0.0238 (5)$ H12 $0.6857$ $-0.0485$ $0.3077$ $0.029*$ C11 $0.7662 (3)$ $-0.0412 (2)$ $0.46634 (15)$ $0.0271 (6)$ H11 $0.7405$ $-0.1147$ $0.4084$ $0.032*$ C10 $0.8370 (3)$ $0.0228 (2)$ $0.46348 (14)$ $0.0294 (6)$ H10 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C9 $0.8781 (3)$ $0.1384 (2)$ $0.46135 (14)$ $0.0290 (6)$ H9 $0.9269$ $0.1846$ $0.4999$ $0.035*$ C5 $0.6489 (3)$ $0.24523 (18)$ $0.28198 (12)$ $0.0179 (4)$ C4 $0.5715 (3)$ $0.2802 (2)$ $0.33071 (14)$ $0.0229 (5)$ H3 $0.4375$ $0.3923$ $0.3663$ $0.031*$ C4 $0.5716 (3)$ $0.3723 (2)$ $0.22002 (14)$ $0.0229 (5)$ H3 $0.4375$ <td>H15</td> <td>0.6522</td> <td>-0.1765</td> <td>0.0296</td> <td>0.032*</td>	H15	0.6522	-0.1765	0.0296	0.032*
H14 $0.6582$ $-0.0286$ $0.1150$ $0.029^*$ C13 $0.8507$ (3) $-0.05156$ (18) $0.16955$ (12) $0.0187$ (4)C18 $0.9592$ (3) $-0.1224$ (2) $0.17430$ (14) $0.0227$ (5)H18 $1.0359$ $-0.1090$ $0.2106$ $0.027^*$ C17 $0.9515$ (3) $-0.2127$ (2) $0.12477$ (14) $0.0262$ (5)H17 $1.0226$ $-0.2604$ $0.1277$ $0.031^*$ C7 $0.7727$ (3) $0.10914$ (19) $0.34383$ (12) $0.0196$ (5)C12 $0.7334$ (3) $-0.0017$ (2) $0.34617$ (14) $0.0238$ (5)H12 $0.6857$ $-0.0485$ $0.3077$ $0.029^*$ C11 $0.7662$ (3) $-0.0412$ (2) $0.40643$ (15) $0.0271$ (6)H11 $0.7405$ $-0.1147$ $0.4084$ $0.032^*$ C10 $0.8370$ (3) $0.0288$ (2) $0.46135$ (14) $0.0294$ (6)H10 $0.8573$ $0.0020$ $0.5038$ $0.035^*$ C9 $0.8781$ (3) $0.1788$ (2) $0.46135$ (14) $0.0294$ (6)H9 $0.9269$ $0.1846$ $0.4999$ $0.035^*$ C8 $0.8460$ (3) $0.1788$ (2) $0.40143$ (13) $0.0244$ (5)H4 $0.5746$ $0.2467$ $0.3739$ $0.028^*$ C5 $0.6489$ (3) $0.24523$ (18) $0.28198$ (12) $0.0179$ (4)C4 $0.5715$ (3) $0.2802$ (2) $0.33544$ (13) $0.0230$ (5)H4 $0.5746$ $0.3467$ $0.3739$ $0.028^*$ C3 $0.4887$ (3) $0$	C14	0.7332 (3)	-0.0734 (2)	0.11670 (14)	0.0238 (5)
C13 $0.8507(3)$ $-0.05156(18)$ $0.16955(12)$ $0.0187(4)$ C18 $0.9592(3)$ $-0.1224(2)$ $0.17430(14)$ $0.0227(5)$ H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515(3)$ $-0.2127(2)$ $0.12477(14)$ $0.0262(5)$ H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727(3)$ $0.10914(19)$ $0.34383(12)$ $0.0196(5)$ C12 $0.7334(3)$ $-0.0017(2)$ $0.34617(14)$ $0.0238(5)$ H12 $0.6857$ $-0.0485$ $0.3077$ $0.029*$ C11 $0.7662(3)$ $-0.0412(2)$ $0.40643(15)$ $0.0271(6)$ H11 $0.7405$ $-0.1147$ $0.4084$ $0.032*$ C10 $0.8370(3)$ $0.0288(2)$ $0.46348(14)$ $0.0294(6)$ H10 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C9 $0.8781(3)$ $0.1384(2)$ $0.46135(14)$ $0.0294(6)$ H9 $0.9269$ $0.1846$ $0.4999$ $0.035*$ C5 $0.6489(3)$ $0.24523(18)$ $0.28198(12)$ $0.0179(4)$ C4 $0.5715(3)$ $0.2802(2)$ $0.33071(14)$ $0.0229(5)$ H3 $0.4375$ $0.3923$ $0.3663$ $0.031*$ C2 $0.4887(3)$ $0.3664(2)$ $0.33071(14)$ $0.0225(5)$ H3 $0.4375$ $0.3923$ $0.3663$ $0.031*$ C4 $0.5716(3)$ $0.4226$ $0.2709$ $0.031*$ C5 $0.6489(3)$ $0.4128(2)$ $0.2701(4)$ $0.0226(5)$ <td>H14</td> <td>0.6582</td> <td>-0.0286</td> <td>0.1150</td> <td>0.029*</td>	H14	0.6582	-0.0286	0.1150	0.029*
C18 $0.9592 (3)$ $-0.1224 (2)$ $0.17430 (14)$ $0.0227 (5)$ H18 $1.0359$ $-0.1090$ $0.2106$ $0.027*$ C17 $0.9515 (3)$ $-0.2127 (2)$ $0.12477 (14)$ $0.0262 (5)$ H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727 (3)$ $0.10914 (19)$ $0.34383 (12)$ $0.0196 (5)$ C12 $0.7334 (3)$ $-0.0017 (2)$ $0.34617 (14)$ $0.0228 (5)$ H12 $0.6857$ $-0.0485$ $0.3077$ $0.029*$ C11 $0.7662 (3)$ $-0.0112 (2)$ $0.40643 (15)$ $0.0271 (6)$ H11 $0.7405$ $-0.1147$ $0.4084$ $0.032*$ C10 $0.8370 (3)$ $0.0228 (2)$ $0.46348 (14)$ $0.0294 (6)$ H10 $0.8573$ $0.0020$ $0.5038$ $0.305*$ C9 $0.8781 (3)$ $0.1384 (2)$ $0.46135 (14)$ $0.0294 (6)$ H9 $0.9269$ $0.1846$ $0.4999$ $0.035*$ C8 $0.8460 (3)$ $0.1788 (2)$ $0.40143 (13)$ $0.0244 (5)$ H8 $0.8734$ $0.2522$ $0.3997$ $0.029*$ C5 $0.6489 (3)$ $0.24253 (18)$ $0.28198 (12)$ $0.0179 (4)$ C4 $0.5715 (3)$ $0.2802 (2)$ $0.33071 (14)$ $0.0259 (5)$ H3 $0.4375$ $0.3923$ $0.3663$ $0.031*$ C2 $0.4841 (3)$ $0.4128 (2)$ $0.2702 (14)$ $0.0242 (5)$ H2 $0.4300$ $0.4705$ $0.2679$ $0.031*$ C4 $0.5510 (3)$ $0.3723 (2)$ <	C13	0.8507 (3)	-0.05156 (18)	0.16955 (12)	0.0187 (4)
H18 $1.0359$ $-0.1090$ $0.2106$ $0.027^*$ C17 $0.9515$ (3) $-0.2127$ (2) $0.12477$ (14) $0.0262$ (5)H17 $1.0226$ $-0.2604$ $0.1277$ $0.031^*$ C7 $0.7727$ (3) $0.10914$ (19) $0.34383$ (12) $0.0196$ (5)C12 $0.7334$ (3) $-0.0017$ (2) $0.34617$ (14) $0.0238$ (5)H12 $0.6857$ $-0.0485$ $0.3077$ $0.029^*$ C11 $0.7662$ (3) $-0.0412$ (2) $0.40643$ (15) $0.0711$ (6)H11 $0.7405$ $-0.1147$ $0.4084$ $0.032^*$ C10 $0.8370$ (3) $0.0288$ (2) $0.46348$ (14) $0.0294$ (6)H10 $0.8573$ $0.0020$ $0.5038$ $0.035^*$ C9 $0.8781$ (3) $0.1384$ (2) $0.46135$ (14) $0.0290$ (6)H9 $0.9269$ $0.1846$ $0.4999$ $0.035^*$ C8 $0.8460$ (3) $0.1788$ (2) $0.40143$ (13) $0.0244$ (5)H8 $0.8734$ $0.2522$ $0.3997$ $0.029^*$ C5 $0.6489$ (3) $0.24523$ (18) $0.28198$ (12) $0.0179$ (4)C4 $0.5716$ (3) $0.2602$ (2) $0.33544$ (13) $0.0230$ (5)H4 $0.5746$ $0.2467$ $0.3739$ $0.028^*$ C3 $0.4887$ (3) $0.3664$ (2) $0.33071$ (14) $0.0259$ (5)H3 $0.4375$ $0.3923$ $0.3663$ $0.031^*$ C2 $0.4841$ (3) $0.4128$ (2) $0.27214$ (15) $0.0262$ (5)H4 $0.5510$ (3) $0.3723$ (	C18	0.9592 (3)	-0.1224 (2)	0.17430 (14)	0.0227 (5)
C17 $0.9515 (3)$ $-0.2127 (2)$ $0.12477 (14)$ $0.0262 (5)$ H17 $1.0226$ $-0.2604$ $0.1277$ $0.031*$ C7 $0.7727 (3)$ $0.10914 (19)$ $0.34383 (12)$ $0.0196 (5)$ C12 $0.7334 (3)$ $-0.0017 (2)$ $0.34617 (14)$ $0.0238 (5)$ H12 $0.6857$ $-0.0485$ $0.3077$ $0.029*$ C11 $0.7662 (3)$ $-0.0412 (2)$ $0.40643 (15)$ $0.0271 (6)$ H11 $0.7405$ $-0.1147$ $0.4084$ $0.032*$ C10 $0.8370 (3)$ $0.0288 (2)$ $0.46348 (14)$ $0.0294 (6)$ H10 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C9 $0.8781 (3)$ $0.1384 (2)$ $0.46135 (14)$ $0.0290 (6)$ H9 $0.9269$ $0.1846$ $0.4999$ $0.035*$ C8 $0.8460 (3)$ $0.1788 (2)$ $0.40143 (13)$ $0.0244 (5)$ H8 $0.8734$ $0.2522$ $0.3997$ $0.029*$ C5 $0.6489 (3)$ $0.24523 (18)$ $0.28198 (12)$ $0.0179 (4)$ C4 $0.5715 (3)$ $0.2802 (2)$ $0.33544 (13)$ $0.0220 (5)$ H4 $0.5746$ $0.2467$ $0.33071 (14)$ $0.0229 (5)$ H3 $0.4375$ $0.3923$ $0.3663$ $0.031*$ C2 $0.4887 (3)$ $0.3723 (2)$ $0.22002 (14)$ $0.0222 (5)$ H2 $0.4300$ $0.4705$ $0.2679$ $0.031*$ C4 $0.5510 (3)$ $0.3723 (2)$ $0.22002 (14)$ $0.0222 (5)$ H3 $0.4300$ $0.4705$ <t< td=""><td>H18</td><td>1.0359</td><td>-0.1090</td><td>0.2106</td><td>0.027*</td></t<>	H18	1.0359	-0.1090	0.2106	0.027*
H171.0226-0.26040.12770.031*C70.7727 (3)0.10914 (19)0.34383 (12)0.0196 (5)C120.7334 (3)-0.0017 (2)0.34617 (14)0.0238 (5)H120.6857-0.04850.30770.029*C110.7662 (3)-0.0112 (2)0.40643 (15)0.0271 (6)H110.7405-0.11470.40840.032*C100.8370 (3)0.0288 (2)0.46348 (14)0.0294 (6)H100.85730.00200.50380.035*C90.8781 (3)0.1384 (2)0.46135 (14)0.0290 (6)H90.92690.18460.49990.035*C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.31*C10.5610 (3)0.3723 (2)0.22002 (14)0.0224 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.3627	C17	0.9515 (3)	-0.2127 (2)	0.12477 (14)	0.0262 (5)
C70.7727 (3)0.10914 (19)0.34383 (12)0.0196 (5)C120.7334 (3)-0.0017 (2)0.34617 (14)0.0238 (5)H120.6857-0.04850.30770.029*C110.7662 (3)-0.0412 (2)0.40643 (15)0.0271 (6)H110.7405-0.11470.40840.032*C100.8370 (3)0.0288 (2)0.46348 (14)0.0294 (6)H100.85730.00200.50380.035*C90.8781 (3)0.1384 (2)0.46135 (14)0.0290 (6)H90.92690.18460.49990.035*C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.3071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.1208 (14)0.0227 (5)	H17	1.0226	-0.2604	0.1277	0.031*
C120.7334 (3)-0.0017 (2)0.34617 (14)0.0238 (5)H120.6857-0.04850.30770.029*C110.7662 (3)-0.0412 (2)0.40643 (15)0.0271 (6)H110.7405-0.11470.40840.032*C100.8370 (3)0.0288 (2)0.46348 (14)0.0294 (6)H100.85730.00200.50380.035*C90.8781 (3)0.1384 (2)0.46135 (14)0.0290 (6)H90.92690.18460.49990.035*C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.1208 (14)0.0227 (5)	C7	0.7727 (3)	0.10914 (19)	0.34383 (12)	0.0196 (5)
H120.6857-0.04850.30770.029*C110.7662 (3)-0.0412 (2)0.40643 (15)0.0271 (6)H110.7405-0.11470.40840.032*C100.8370 (3)0.0288 (2)0.46348 (14)0.0294 (6)H100.85730.00200.50380.035*C90.8781 (3)0.1384 (2)0.46135 (14)0.0290 (6)H90.92690.18460.49990.035*C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0220 (5)H40.57460.24670.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C12	0.7334 (3)	-0.0017 (2)	0.34617 (14)	0.0238 (5)
C11 $0.7662 (3)$ $-0.0412 (2)$ $0.40643 (15)$ $0.0271 (6)$ H11 $0.7405$ $-0.1147$ $0.4084$ $0.032*$ C10 $0.8370 (3)$ $0.0288 (2)$ $0.46348 (14)$ $0.0294 (6)$ H10 $0.8573$ $0.0020$ $0.5038$ $0.035*$ C9 $0.8781 (3)$ $0.1384 (2)$ $0.46135 (14)$ $0.0290 (6)$ H9 $0.9269$ $0.1846$ $0.4999$ $0.035*$ C8 $0.8460 (3)$ $0.1788 (2)$ $0.40143 (13)$ $0.0244 (5)$ H8 $0.8734$ $0.2522$ $0.3997$ $0.029*$ C5 $0.6489 (3)$ $0.24523 (18)$ $0.28198 (12)$ $0.0179 (4)$ C4 $0.5715 (3)$ $0.2802 (2)$ $0.33544 (13)$ $0.0230 (5)$ H4 $0.5746$ $0.2467$ $0.3739$ $0.028*$ C3 $0.4887 (3)$ $0.3664 (2)$ $0.33071 (14)$ $0.0259 (5)$ H3 $0.4375$ $0.3923$ $0.3663$ $0.031*$ C2 $0.4841 (3)$ $0.4705$ $0.2679$ $0.031*$ C1 $0.5610 (3)$ $0.3723 (2)$ $0.22002 (14)$ $0.0242 (5)$ H1 $0.5550$ $0.4026$ $0.1804$ $0.029*$ C6 $0.7347 (3)$ $0.15343 (18)$ $0.28092 (12)$ $0.0176 (4)$ C22 $0.8732 (3)$ $0.36272 (19)$ $0.12008 (14)$ $0.0227 (5)$	H12	0.6857	-0.0485	0.3077	0.029*
H110.7405-0.11470.40840.032*C100.8370 (3)0.0288 (2)0.46348 (14)0.0294 (6)H100.85730.00200.50380.035*C90.8781 (3)0.1384 (2)0.46135 (14)0.0290 (6)H90.92690.18460.49990.035*C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.3071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.2602 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C11	0.7662 (3)	-0.0412 (2)	0.40643 (15)	0.0271 (6)
C100.8370 (3)0.0288 (2)0.46348 (14)0.0294 (6)H100.85730.00200.50380.035*C90.8781 (3)0.1384 (2)0.46135 (14)0.0290 (6)H90.92690.18460.49990.035*C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	H11	0.7405	-0.1147	0.4084	0.032*
H100.85730.00200.50380.035*C90.8781 (3)0.1384 (2)0.46135 (14)0.0290 (6)H90.92690.18460.49990.035*C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C10	0.8370 (3)	0.0288 (2)	0.46348 (14)	0.0294 (6)
C90.8781 (3)0.1384 (2)0.46135 (14)0.0290 (6)H90.92690.18460.49990.035*C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26092 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	H10	0.8573	0.0020	0.5038	0.035*
H90.92690.18460.49990.035*C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C9	0.8781 (3)	0.1384 (2)	0.46135 (14)	0.0290 (6)
C80.8460 (3)0.1788 (2)0.40143 (13)0.0244 (5)H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	Н9	0.9269	0.1846	0.4999	0.035*
H80.87340.25220.39970.029*C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C8	0.8460 (3)	0.1788 (2)	0.40143 (13)	0.0244 (5)
C50.6489 (3)0.24523 (18)0.28198 (12)0.0179 (4)C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	H8	0.8734	0.2522	0.3997	0.029*
C40.5715 (3)0.2802 (2)0.33544 (13)0.0230 (5)H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C5	0.6489 (3)	0.24523 (18)	0.28198 (12)	0.0179 (4)
H40.57460.24670.37390.028*C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C4	0.5715 (3)	0.2802 (2)	0.33544 (13)	0.0230 (5)
C30.4887 (3)0.3664 (2)0.33071 (14)0.0259 (5)H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	H4	0.5746	0.2467	0.3739	0.028*
H30.43750.39230.36630.031*C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C3	0.4887 (3)	0.3664 (2)	0.33071 (14)	0.0259 (5)
C20.4841 (3)0.4128 (2)0.27214 (15)0.0262 (5)H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	Н3	0.4375	0.3923	0.3663	0.031*
H20.43000.47050.26790.031*C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C2	0.4841 (3)	0.4128 (2)	0.27214 (15)	0.0262 (5)
C10.5610 (3)0.3723 (2)0.22002 (14)0.0242 (5)H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	H2	0.4300	0.4705	0.2679	0.031*
H10.55500.40260.18040.029*C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	C1	0.5610 (3)	0.3723 (2)	0.22002 (14)	0.0242 (5)
C60.7347 (3)0.15343 (18)0.28092 (12)0.0176 (4)C220.8732 (3)0.36272 (19)0.12008 (14)0.0227 (5)	H1	0.5550	0.4026	0.1804	0.029*
C22 0.8732 (3) 0.36272 (19) 0.12008 (14) 0.0227 (5)	C6	0.7347 (3)	0.15343 (18)	0.28092 (12)	0.0176 (4)
	C22	0.8732 (3)	0.36272 (19)	0.12008 (14)	0.0227 (5)

C23	0.9768 (3)	0.2910 (2)	0.14045 (15)	0.0256 (5)
C19	0.9463 (3)	0.1923 (2)	0.09100 (14)	0.0239 (5)
C20	0.8205 (3)	0.2007 (2)	0.04434 (14)	0.0255 (5)
C21	0.7727 (3)	0.3067 (2)	0.06293 (14)	0.0234 (5)
C25	0.7491 (4)	0.1177 (3)	-0.01532 (15)	0.0357 (7)
H25A	0.7881	0.1360	-0.0557	0.054*
H25B	0.6412	0.1167	-0.0202	0.054*
H25C	0.7724	0.0473	-0.0083	0.054*
C24	1.0441 (4)	0.1043 (2)	0.08814 (18)	0.0352 (7)
H24A	0.9867	0.0378	0.0641	0.053*
H24B	1.0788	0.0944	0.1334	0.053*
H24C	1.1297	0.1241	0.0651	0.053*
C28	1.1065 (4)	0.3190 (3)	0.19625 (18)	0.0380 (7)
H28A	1.1949	0.3500	0.1788	0.057*
H28B	1.1267	0.2544	0.2138	0.057*
H28C	1.0808	0.3705	0.2319	0.057*
C27	0.8724 (4)	0.4769 (2)	0.15301 (16)	0.0316 (6)
H27A	0.9419	0.5251	0.1339	0.047*
H27B	0.9025	0.4832	0.2009	0.047*
H27C	0.7722	0.4958	0.1454	0.047*
C26	0.6498 (4)	0.3519 (2)	0.02314 (16)	0.0341 (6)
H26A	0.5749	0.3708	0.0519	0.051*
H26B	0.6032	0.2981	-0.0145	0.051*
H26C	0.6932	0.4154	0.0067	0.051*
B1	0.3166 (3)	0.7375 (2)	0.33184 (14)	0.0192 (5)
Cl1	0.49270 (7)	0.12986 (5)	0.10753 (3)	0.02555 (12)
Cl2	0.82834 (11)	-0.34453 (6)	0.00791 (4)	0.04097 (18)
N3	0.8735 (2)	0.04187 (16)	0.21931 (11)	0.0206 (4)
H3N	0.912 (4)	0.033 (2)	0.2572 (18)	0.025 (8)*
N2	0.7748 (2)	0.11793 (15)	0.22150 (10)	0.0168 (4)
N1	0.6440 (2)	0.29113 (15)	0.22428 (11)	0.0186 (4)
Ir1	0.747445 (11)	0.217327 (7)	0.145260 (5)	0.01615 (3)

Atomic displacement parameters  $(Å^2)$ 

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
C29	0.0232 (12)	0.0170 (10)	0.0192 (11)	0.0060 (9)	0.0034 (9)	0.0039 (9)
C30	0.0266 (13)	0.0256 (12)	0.0213 (12)	0.0063 (10)	0.0005 (10)	0.0023 (10)
C31	0.0413 (16)	0.0323 (14)	0.0171 (12)	0.0103 (12)	-0.0026 (11)	-0.0014 (10)
C32	0.0482 (18)	0.0359 (14)	0.0183 (12)	0.0205 (13)	0.0107 (12)	0.0059 (11)
C33	0.0310 (14)	0.0336 (14)	0.0288 (14)	0.0140 (11)	0.0116 (12)	0.0111 (11)
C34	0.0241 (12)	0.0220 (11)	0.0241 (12)	0.0055 (9)	0.0041 (10)	0.0040 (10)
C41	0.0188 (11)	0.0202 (10)	0.0187 (11)	0.0011 (9)	0.0035 (9)	0.0028 (9)
C46	0.0271 (13)	0.0225 (11)	0.0233 (12)	0.0063 (10)	0.0008 (10)	-0.0003 (10)
C45	0.0313 (14)	0.0325 (14)	0.0278 (14)	0.0126 (11)	-0.0011 (12)	0.0057 (11)
C44	0.0298 (14)	0.0351 (14)	0.0205 (12)	0.0027 (11)	-0.0013 (11)	0.0059 (11)
C43	0.0312 (14)	0.0288 (13)	0.0207 (12)	0.0014 (11)	0.0063 (11)	0.0005 (10)
C42	0.0231 (12)	0.0232 (11)	0.0208 (12)	0.0035 (9)	0.0065 (10)	0.0033 (9)

C47	0.0208 (12)	0.0240 (11)	0.0211 (12)	0.0023 (9)	0.0043 (10)	0.0003 (9)
C52	0.0274 (15)	0.0381 (16)	0.053 (2)	-0.0004 (12)	0.0012 (14)	0.0204 (15)
C51	0.0419 (19)	0.0440 (18)	0.072 (3)	-0.0071 (15)	0.0017 (18)	0.0325 (19)
C50	0.0298 (16)	0.0382 (16)	0.056 (2)	-0.0090 (13)	0.0102 (15)	0.0091 (15)
C49	0.0197 (13)	0.0391 (15)	0.0388 (17)	-0.0009 (11)	0.0035 (12)	-0.0006 (13)
C48	0.0235 (13)	0.0316 (13)	0.0274 (14)	0.0031 (10)	0.0028 (11)	0.0029 (11)
C35	0.0168 (11)	0.0197 (10)	0.0202 (11)	0.0031 (8)	-0.0006 (9)	0.0008 (9)
C40	0.0205 (12)	0.0226 (11)	0.0262 (13)	0.0037 (9)	0.0042 (10)	0.0031 (10)
C39	0.0255 (13)	0.0274 (12)	0.0277 (13)	0.0010 (10)	0.0022 (11)	0.0097 (11)
C38	0.0279 (13)	0.0197 (11)	0.0289 (14)	0.0052 (10)	-0.0042 (11)	0.0031 (10)
C37	0.0248 (13)	0.0246 (12)	0.0238 (12)	0.0099 (10)	-0.0021 (10)	-0.0021 (10)
C36	0.0233 (12)	0.0243 (11)	0.0174 (11)	0.0067 (9)	0.0008 (10)	0.0018 (9)
C16	0.0366 (15)	0.0171 (11)	0.0228 (12)	-0.0013 (10)	0.0105 (11)	-0.0007(9)
C15	0.0329 (14)	0.0243 (12)	0.0206 (12)	-0.0012(10)	0.0005 (11)	0.0003 (10)
C14	0.0254 (13)	0.0204 (11)	0.0245 (13)	0.0018 (9)	0.0005 (10)	0.0023 (9)
C13	0.0226 (12)	0.0179 (10)	0.0165 (11)	0.0034 (9)	0.0049 (9)	0.0031 (8)
C18	0.0238 (12)	0.0215 (11)	0.0232 (12)	0.0056 (9)	0.0028 (10)	0.0033 (9)
C17	0.0312 (14)	0.0194 (11)	0.0303 (14)	0.0071 (10)	0.0113 (11)	0.0035 (10)
C7	0.0193 (11)	0.0239 (11)	0.0174 (11)	0.0072 (9)	0.0035 (9)	0.0051 (9)
C12	0.0219 (12)	0.0242 (12)	0.0254 (13)	0.0017 (9)	0.0007 (10)	0.0070 (10)
C11	0.0236 (13)	0.0308 (13)	0.0325 (14)	0.0064 (10)	0.0088 (11)	0.0176 (11)
C10	0.0283 (14)	0.0468 (16)	0.0194 (12)	0.0157 (12)	0.0069 (11)	0.0145 (12)
C9	0.0313(14)	0.0397(15)	0.0161(12)	0.0117 (12)	0.0009 (11)	0.0007(11)
C8	0.0290(13)	0.0250(12)	0.0203(12)	0.0088(10)	0.0035 (10)	0.0026(10)
C5	0.0197(11)	0.0158(10)	0.0177(11)	0.0020 (8)	0.0007 (9)	0.0024 (8)
C4	0.0252(12)	0.0237(11)	0.0214(12)	0.0058(10)	0.0044(10)	0.0048(9)
C3	0.0252(12) 0.0250(13)	0.0237(11) 0.0247(12)	0.0219(12) 0.0289(14)	0.00000(10)	0.0069 (11)	0.00010(9)
C2	0.0240(13)	0.0217(12) 0.0188(11)	0.0269(11) 0.0354(15)	0.0074 (9)	-0.0012(11)	0.00025(10)
C1	0.0285(13)	0.0100(11)	0.0251(13)	0.0072(10)	0.0012(11)	0.0022(10)
C6	0.0203(13) 0.0183(11)	0.0190(11) 0.0167(10)	0.0235(13) 0.0176(11)	0.0018(8)	0.0017(9)	0.0032(10)
C22	0.0109(11)	0.0202(11)	0.0170(11) 0.0272(13)	-0.0014(9)	0.0007(9)	0.005 + (0)
C23	0.0199(12) 0.0208(12)	0.0202(11)	0.0272(13) 0.0300(14)	-0.0004(10)	0.0010(10)	0.00000(10)
C19	0.0200(12) 0.0249(13)	0.0200(12) 0.0247(12)	0.0238(12)	0.00016(10)	0.0021(11) 0.0097(10)	0.0105(11)
C20	0.0219(13) 0.0296(14)	0.0217(12) 0.0264(12)	0.0230(12)	0.0010(10)	0.0097(10)	0.0005(10)
C20	0.0290(14) 0.0219(12)	0.0204(12) 0.0241(11)	0.0211(12) 0.0242(13)	-0.0018(9)	0.0090(11)	0.0040(10) 0.0095(10)
C25	0.0219(12) 0.0418(17)	0.0241(11) 0.0386(15)	0.0242(13)	-0.0050(13)	0.0000(10)	-0.0059(11)
C24	0.0410(17) 0.0314(15)	0.0300(15) 0.0312(14)	0.0210(13) 0.0488(19)	0.0050(15) 0.0087(12)	0.0070(12)	0.00000000000000000000000000000000000
C24	0.0314(15) 0.0284(15)	0.0312(14) 0.0431(17)	0.0400(19)	-0.0023(13)	-0.0091(13)	0.0114(13)
C28	0.0284(15)	0.0431(17) 0.0212(12)	0.0401(10)	-0.0025(13)	0.0091(13)	0.0144(14) 0.0036(11)
C26	0.0343(13)	0.0212(12) 0.0361(15)	0.0303(10)	0.0013(11)	-0.0012(13)	0.0030(11) 0.0150(12)
C20 D1	0.0334(10)	0.0301(13)	0.0307(13)	0.0014(12)	0.0008(13)	0.0139(12)
C11	0.0178(12)	0.0194(12) 0.0205(3)	0.0203(13)	-0.0044(9)	-0.0014(2)	0.0013(10)
Cl2	0.0191(3)	0.0233(3)	0.0203(3)	0.0003(2)	0.0014(2)	-0.0034(2)
N2	0.0040(3)	0.0239(3)	0.0319(4)	0.0004(3)	-0.0023(8)	0.0073(3)
NO NO	0.0230(11) 0.0175(0)	0.0211(9)	0.0100(10)	0.0009(0)	0.0023(0)	0.0004(0)
1NZ	0.0173(9)	0.0103(9)	0.0105(9)	0.0030(7)	-0.0013(8)	0.0019(7)
1N I Ir 1	0.0164(10) 0.01740(5)	0.0109(9)	0.0200(10)	0.0042(7)	0.0003(8)	0.0033(7)
11 1	0.01740(3)	0.01029 (4)	0.01403 (4)	0.00190 (3)	0.00082 (3)	0.00322 (3)

Geometric parameters (Å, °)

C29—C30	1.408 (4)	С7—С8	1.395 (4)
C29—C34	1.408 (4)	C7—C12	1.401 (3)
C29—B1	1.642 (4)	C7—C6	1.477 (3)
C30—C31	1.397 (4)	C12—C11	1.390 (4)
С30—Н30	0.9300	C12—H12	0.9300
C31—C32	1.383 (5)	C11—C10	1.382 (4)
С31—Н31	0.9300	C11—H11	0.9300
C32—C33	1.386 (5)	С10—С9	1.389 (4)
С32—Н32	0.9300	C10—H10	0.9300
C33—C34	1.392 (4)	C9—C8	1.388 (4)
С33—Н33	0.9300	С9—Н9	0.9300
С34—Н34	0.9300	C8—H8	0.9300
C41—C42	1.399 (3)	C5—N1	1.365 (3)
C41—C46	1.413 (3)	C5—C4	1.385 (3)
C41—B1	1.650 (4)	C5—C6	1.462 (3)
C46—C45	1.392 (4)	C4—C3	1.396 (3)
C46—H46	0.9300	C4—H4	0.9300
C45—C44	1.388 (4)	C3—C2	1.384 (4)
C45—H45	0.9300	С3—Н3	0.9300
C44—C43	1.390 (4)	C2—C1	1.382 (4)
C44—H44	0.9300	C2—H2	0.9300
C43—C42	1.391 (4)	C1—N1	1.342 (3)
С43—Н43	0.9300	C1—H1	0.9300
C42—H42	0.9300	C6—N2	1.314 (3)
C47—C52	1.399 (4)	C22—C21	1.422 (4)
C47—C48	1.403 (4)	C22—C23	1.441 (3)
C47—B1	1.655 (4)	C22—C27	1.492 (4)
C52—C51	1.395 (4)	C22—Ir1	2.174 (2)
С52—Н52	0.9300	C23—C19	1.451 (4)
C51—C50	1.384 (5)	C23—C28	1.499 (4)
C51—H51	0.9300	C23—Ir1	2.163 (3)
C50—C49	1.379 (5)	C19—C20	1.414 (4)
С50—Н50	0.9300	C19—C24	1.492 (4)
C49—C48	1.397 (4)	C19—Ir1	2.213 (3)
C49—H49	0.9300	C20—C21	1.459 (4)
C48—H48	0.9300	C20—C25	1.500 (4)
C35—C40	1.405 (4)	C20—Ir1	2.182 (3)
C35—C36	1.408 (3)	C21—C26	1.510 (4)
C35—B1	1.655 (3)	C21—Ir1	2.142 (2)
C40—C39	1.399 (3)	C25—H25A	0.9600
C40—H40	0.9300	C25—H25B	0.9600
C39—C38	1.391 (4)	C25—H25C	0.9600
С39—Н39	0.9300	C24—H24A	0.9600
C38—C37	1.385 (4)	C24—H24B	0.9600
C38—H38	0.9300	C24—H24C	0.9600
C37—C36	1.397 (3)	C28—H28A	0.9600

С37—Н37	0.9300	C28—H28B	0.9600
С36—Н36	0.9300	C28—H28C	0.9600
C16—C15	1.382 (4)	C27—H27A	0.9600
C16—C17	1 384 (4)	C27—H27B	0.9600
C16 $C17$	1 753 (3)	$C_{27}$ H27D	0.9600
$C_{15}$ $C_{14}$	1 396 (4)	C26—H26A	0.9600
C15_H15	0.9300	C26_H26B	0.9600
C14 $C13$	1 388 (4)	C26 H26C	0.9600
C14 H14	0.0300	C11 Ir1	2 4024 (6)
$C_{14}$ $C_{13}$ $C_{18}$	1 402 (3)	N3 N2	2.4024(0)
$C_{13}$ $C$	1.402(3)	N2 H2N	1.380(3)
$C_{13}$ $C_{13}$ $C_{17}$	1.407(3) 1.387(4)	N2 I+1	0.03(3)
$C_{10} = C_{17}$	0.0300	N2—III N1 I+1	2.1233(19)
	0.9300		2.081 (2)
С1/—н1/	0.9300		
C30—C29—C34	115.0 (2)	C2—C3—H3	120.6
$C_{30}$ $C_{29}$ $B_{1}$	122.0(2)	C4—C3—H3	120.6
$C_{34}$ $C_{29}$ $B_{1}$	122.0(2) 122.7(2)	C1 - C2 - C3	1192(2)
$C_{31} = C_{30} = C_{29}$	122.7(2) 122.6(3)	C1 - C2 - H2	120.4
$C_{31} = C_{30} = H_{30}$	118 7	$C_{3}$ $C_{2}$ $H_{2}$	120.1
$C_{29}$ $C_{30}$ $H_{30}$	118.7	$N_1 - C_1 - C_2$	120.4 122.7(2)
$C_{32}$ $C_{31}$ $C_{30}$	120.2 (3)	N1_C1_H1	118.6
$C_{32} = C_{31} = C_{30}$	110.0	$C_2 C_1 H_1$	118.6
$C_{32} = C_{31} = H_{31}$	119.9	N2 C6 C5	110.0
$C_{30} = C_{31} = C_{31}$	119.9	$N_2 = C_0 = C_3$	114.8(2) 124.9(2)
$C_{21} = C_{22} = C_{23}$	119.5 (5)	$N_2 = C_0 = C_7$	124.9(2)
$C_{22}$ $C_{22}$ $H_{22}$	120.4	$C_3 = C_0 = C_7$	120.2(2)
$C_{33} = C_{32} = C_{34}$	120.4	$C_{21} = C_{22} = C_{23}$	108.3(2)
$C_{32} = C_{33} = C_{34}$	119.9 (3)	$C_{21} = C_{22} = C_{27}$	125.7(2)
С32—С33—Н33	120.1	$C_{23} = C_{22} = C_{27}$	125.8(2)
C34—C33—H33	120.1	$C_{21}$ — $C_{22}$ —IfI	69.55 (14)
$C_{33} = C_{34} = C_{29}$	123.0 (3)	C23—C22—Irl	70.19 (14)
C33—C34—H34	118.5	$C_2/-C_{22}$ -Irl	126.5 (2)
C29—C34—H34	118.5	C22—C23—C19	107.2 (2)
C42—C41—C46	115.0 (2)	C22—C23—C28	126.3 (3)
C42—C41—B1	122.8 (2)	C19—C23—C28	125.9 (3)
C46—C41—B1	122.0 (2)	C22—C23—Ir1	70.99 (14)
C45—C46—C41	122.7 (2)	C19—C23—Ir1	72.50 (15)
C45—C46—H46	118.7	C28—C23—Ir1	128.4 (2)
C41—C46—H46	118.7	C20—C19—C23	108.3 (2)
C44—C45—C46	120.2 (2)	C20—C19—C24	127.6 (3)
C44—C45—H45	119.9	C23—C19—C24	123.8 (3)
C46—C45—H45	119.9	C20—C19—Ir1	70.06 (15)
C45—C44—C43	119.0 (3)	C23—C19—Ir1	68.80 (14)
C45—C44—H44	120.5	C24—C19—Ir1	131.44 (18)
C43—C44—H44	120.5	C19—C20—C21	108.1 (2)
C44—C43—C42	119.9 (2)	C19—C20—C25	126.9 (3)
C44—C43—H43	120.0	C21—C20—C25	125.0 (3)
C42—C43—H43	120.0	C19—C20—Ir1	72.40 (15)

C43—C42—C41	123.3 (2)	C21—C20—Ir1	68.80 (14)
C43—C42—H42	118.4	C25—C20—Ir1	125.59 (19)
C41—C42—H42	118.4	C22—C21—C20	107.6 (2)
C52—C47—C48	114.8 (2)	C22—C21—C26	126.8 (2)
C52—C47—B1	121.4 (2)	C20—C21—C26	125.3 (3)
C48—C47—B1	123.7 (2)	C22—C21—Ir1	71.98 (14)
C51—C52—C47	122.8 (3)	C20—C21—Ir1	71.79 (14)
С51—С52—Н52	118.6	C26—C21—Ir1	126.9 (2)
С47—С52—Н52	118.6	C20—C25—H25A	109.5
C50—C51—C52	120.6 (3)	C20—C25—H25B	109.5
C50—C51—H51	119.7	H25A—C25—H25B	109.5
С52—С51—Н51	119.7	С20—С25—Н25С	109.5
C49—C50—C51	118.5 (3)	H25A—C25—H25C	109.5
С49—С50—Н50	120.7	H25B—C25—H25C	109.5
С51—С50—Н50	120.7	C19—C24—H24A	109.5
C50—C49—C48	120.3 (3)	C19—C24—H24B	109.5
С50—С49—Н49	119.9	H24A—C24—H24B	109.5
C48—C49—H49	119.9	C19—C24—H24C	109.5
C49—C48—C47	123.0 (3)	H24A—C24—H24C	109.5
C49—C48—H48	118.5	H24B—C24—H24C	109.5
C47—C48—H48	118.5	C23—C28—H28A	109.5
C40—C35—C36	114.9 (2)	C23—C28—H28B	109.5
C40—C35—B1	123.2 (2)	H28A—C28—H28B	109.5
C36—C35—B1	121.8 (2)	С23—С28—Н28С	109.5
C39—C40—C35	123.2 (2)	H28A—C28—H28C	109.5
С39—С40—Н40	118.4	H28B—C28—H28C	109.5
С35—С40—Н40	118.4	С22—С27—Н27А	109.5
C38—C39—C40	119.7 (2)	С22—С27—Н27В	109.5
С38—С39—Н39	120.2	H27A—C27—H27B	109.5
С40—С39—Н39	120.2	С22—С27—Н27С	109.5
C37—C38—C39	119.2 (2)	H27A—C27—H27C	109.5
С37—С38—Н38	120.4	H27B—C27—H27C	109.5
С39—С38—Н38	120.4	C21—C26—H26A	109.5
C38—C37—C36	120.1 (2)	C21—C26—H26B	109.5
С38—С37—Н37	120.0	H26A—C26—H26B	109.5
С36—С37—Н37	120.0	C21—C26—H26C	109.5
C37—C36—C35	122.9 (2)	H26A—C26—H26C	109.5
С37—С36—Н36	118.6	H26B—C26—H26C	109.5
С35—С36—Н36	118.6	C29—B1—C41	111.8 (2)
C15—C16—C17	121.5 (2)	C29—B1—C35	106.48 (19)
C15—C16—Cl2	119.1 (2)	C41—B1—C35	109.75 (19)
C17—C16—Cl2	119.4 (2)	C29—B1—C47	109.7 (2)
C16—C15—C14	119.4 (3)	C41—B1—C47	107.3 (2)
С16—С15—Н15	120.3	C35—B1—C47	111.8 (2)
C14—C15—H15	120.3	N2—N3—C13	122.2 (2)
C13—C14—C15	119.7 (2)	N2—N3—H3N	114 (2)
C13—C14—H14	120.2	C13—N3—H3N	115 (2)
C15—C14—H14	120.2	C6—N2—N3	117.3 (2)

C14—C13—C18	120.2 (2)	C6—N2—Ir1	116.71 (15)
C14—C13—N3	123.9 (2)	N3—N2—Ir1	122.48 (15)
C18—C13—N3	115.9 (2)	C1—N1—C5	118.2 (2)
C17—C18—C13	119.8 (2)	C1—N1—Ir1	124.82 (17)
C17—C18—H18	120.1	C5—N1—Ir1	116.59 (15)
C13—C18—H18	120.1	N1—Ir1—N2	76.15 (7)
C16—C17—C18	119.3 (2)	N1—Ir1—C21	115.49 (9)
C16—C17—H17	120.3	N2—Ir1—C21	165.88 (9)
C18—C17—H17	120.3	N1—Ir1—C23	114.56 (10)
C8—C7—C12	120.1 (2)	N2—Ir1—C23	103.16 (9)
C8—C7—C6	119.5 (2)	C21—Ir1—C23	65.35 (10)
С12—С7—С6	120.4 (2)	N1—Ir1—C22	98.28 (9)
C11—C12—C7	119.5 (3)	N2—Ir1—C22	135.84 (9)
C11—C12—H12	120.3	C21—Ir1—C22	38.47 (10)
C7—C12—H12	120.3	C23—Ir1—C22	38.82 (9)
C10—C11—C12	120.0 (3)	N1—Ir1—C20	154.47 (9)
C10—C11—H11	120.0	N2—Ir1—C20	129.39 (9)
C12—C11—H11	120.0	C21—Ir1—C20	39.41 (10)
C11—C10—C9	120.8 (2)	C23—Ir1—C20	64.63 (11)
C11—C10—H10	119.6	C22—Ir1—C20	64.50 (10)
С9—С10—Н10	119.6	N1—Ir1—C19	152.64 (10)
C8—C9—C10	119.7 (3)	N2—Ir1—C19	101.40 (8)
С8—С9—Н9	120.2	C21—Ir1—C19	64.54 (10)
С10—С9—Н9	120.2	C23—Ir1—C19	38.70 (10)
C9—C8—C7	119.9 (2)	C22—Ir1—C19	64.10 (9)
С9—С8—Н8	120.0	C20—Ir1—C19	37.54 (10)
С7—С8—Н8	120.0	N1—Ir1—Cl1	82.17 (6)
N1—C5—C4	122.0 (2)	N2—Ir1—Cl1	92.12 (6)
N1—C5—C6	114.7 (2)	C21—Ir1—C11	97.28 (7)
C4—C5—C6	123.3 (2)	C23—Ir1—C11	159.44 (8)
C5—C4—C3	119.0 (2)	C22—Ir1—C11	131.07 (7)
C5—C4—H4	120.5	C20—Ir1—C11	95.06 (8)
C3—C4—H4	120.5	C19—Ir1—C11	125.16 (7)
C2—C3—C4	118.9 (2)		
C34—C29—C30—C31	0.0 (4)	C7—C6—N2—Ir1	-166.92 (19)
B1-C29-C30-C31	173.9 (2)	C13—N3—N2—C6	134.8 (2)
C29—C30—C31—C32	-0.6 (4)	C13—N3—N2—Ir1	-67.1 (3)
C30—C31—C32—C33	0.6 (4)	C2-C1-N1-C5	1.7 (4)
C31—C32—C33—C34	-0.1 (4)	C2—C1—N1—Ir1	174.5 (2)
C32—C33—C34—C29	-0.5 (4)	C4—C5—N1—C1	-0.1 (4)
C30—C29—C34—C33	0.5 (3)	C6C5N1C1	176.7 (2)
B1—C29—C34—C33	-173.3 (2)	C4—C5—N1—Ir1	-173.49 (19)
C42—C41—C46—C45	0.0 (4)	C6—C5—N1—Ir1	3.3 (3)
B1—C41—C46—C45	-174.6 (3)	C1—N1—Ir1—N2	-170.9 (2)
C41—C46—C45—C44	0.5 (4)	C5—N1—Ir1—N2	1.97 (17)
C46—C45—C44—C43	-0.2 (4)	C1—N1—Ir1—C21	17.6 (2)
C45—C44—C43—C42	-0.5 (4)	C5—N1—Ir1—C21	-169.51 (17)

C44—C43—C42—C41	1.0 (4)	C1—N1—Ir1—C23	90.7 (2)
C46—C41—C42—C43	-0.8 (4)	C5—N1—Ir1—C23	-96.38 (19)
B1—C41—C42—C43	173.8 (2)	C1—N1—Ir1—C22	53.8 (2)
C48—C47—C52—C51	-0.2 (5)	C5—N1—Ir1—C22	-133.33 (18)
B1—C47—C52—C51	-178.2 (3)	C1—N1—Ir1—C20	8.6 (3)
C47—C52—C51—C50	-0.4 (6)	C5—N1—Ir1—C20	-178.5 (2)
C52—C51—C50—C49	0.3 (6)	C1—N1—Ir1—C19	101.0 (3)
C51—C50—C49—C48	0.3 (5)	C5—N1—Ir1—C19	-86.1(2)
C50—C49—C48—C47	-0.9(5)	C1—N1—Ir1—Cl1	-76.8(2)
C52—C47—C48—C49	0.8 (4)	C5—N1—Ir1—Cl1	96.12 (17)
B1-C47-C48-C49	178.7 (3)	C6-N2-Ir1-N1	-7.72(17)
C36—C35—C40—C39	2.6 (4)	N3-N2-Ir1-N1	-166.01 (19)
B1-C35-C40-C39	-173.3(2)	C6-N2-Ir1-C21	139.0 (3)
$C_{35}$ $C_{40}$ $C_{39}$ $C_{38}$	-0.1(4)	$N_3 - N_2 - Ir_1 - C_2 I$	-19.2(5)
C40-C39-C38-C37	-21(4)	C6-N2-Ir1-C23	10474(19)
$C_{39}$ $C_{38}$ $C_{37}$ $C_{36}$	1.7(4)	$N_3 N_2 I_1 C_2 $	-5355(19)
$C_{38}$ $C_{37}$ $C_{36}$ $C_{35}$	1.7(1) 1.0(4)	C6 N2 Ir1 C22	79.9 (2)
$C_{40}$ $C_{35}$ $C_{36}$ $C_{37}$	-31(4)	$N_{3}N_{2}I_{1}C_{2}$	-784(2)
$B1 - C_{35} - C_{36} - C_{37}$	$172 \ 8 \ (2)$	$C_{6}N_{2}I_{1}C_{2}$	172.56(17)
$C_{17} = C_{16} = C_{15} = C_{14}$	-0.1(4)	$N_{2} = N_{2} = 111 - C_{2}0$	1/2.30(17) 1/3(2)
$C_{12} = C_{16} = C_{15} = C_{14}$	1701(2)	$C_{6} N_{2} I_{r1} C_{10}$	14.3(2) 144.34(18)
$C_{12} = C_{10} = C_{13} = C_{14}$	26(4)	$N_3 N_2 Ir1 C19$	-13.04(10)
$C_{10} = C_{13} = C_{14} = C_{13}$	-3.6(4)	$N_{3} = N_{2} = 111 = C13$	-80.12(17)
$C_{15} = C_{14} = C_{15} = C_{16}$	3.0(4)	$N_2 = N_2 = I_1 I_2 = C_1 I_1$	33.12(17)
C13 - C14 - C13 - N3	1/3.9(2)	$N_{3} = N_{2} = \prod_{i=1}^{n} \sum_{j=1}^{n} \sum_{i=1}^{n} $	112.39(17)
14 - 13 - 18 - 17	2.1(4)	$C_{22} = C_{21} = I_{11} = I_{11}$	172.99(17)
$N_{3}$ $-C_{13}$ $-C_{16}$ $-C_{17}$ $C_{18}$	-1/3.0(2)	$C_{20}$ $C_{21}$ $I_{11}$ $N_{1}$	-1/5.88(14)
C13 - C10 - C17 - C18	-1.4(4)	$C_{20}$ $C_{21}$ $I_{11}$ $N_{2}$	-33.0(3)
C12 - C10 - C17 - C18	1/9.4(2)	$C_{22} = C_{21} = I_{F1} = N_2$	-74.0(4)
	0.4(4)	$C_{20}$ $C_{21}$ $I_{11}$ $N_{2}$	42.2 (4)
	0.8 (4)	$C_{26}$ — $C_{21}$ — $Ir_{1}$ — $N_{2}$	163.1 (3)
C6 - C / - C12 - C11	-1/8.1(2)	$C_{22} = C_{21} = Ir_{1} = C_{23}$	-36.82 (15)
	0.1 (4)	$C_{20} = C_{21} = Ir_1 = C_{23}$	/9.39 (17)
C12—C11—C10—C9	-0.9(4)	$C_{26} = C_{21} = Ir_{1} = C_{23}$	-159.8 (3)
C11—C10—C9—C8	0.8 (4)	C20—C21—Ir1—C22	116.2 (2)
C10—C9—C8—C7	0.0 (4)	C26—C21—Ir1—C22	-122.9 (3)
C12—C7—C8—C9	-0.9 (4)	C22—C21—Ir1—C20	-116.2 (2)
C6—C7—C8—C9	178.0 (2)	C26—C21—Ir1—C20	120.9 (3)
N1—C5—C4—C3	-1.4 (4)	C22—C21—Ir1—C19	-79.72 (16)
C6—C5—C4—C3	-177.9 (2)	C20—C21—Ir1—C19	36.49 (16)
C5—C4—C3—C2	1.3 (4)	C26—C21—Ir1—C19	157.3 (3)
C4—C3—C2—C1	0.2 (4)	C22—C21—Ir1—Cl1	154.68 (14)
C3—C2—C1—N1	-1.8 (4)	C20—C21—Ir1—C11	-89.11 (15)
N1C5	-9.9 (3)	C26—C21—Ir1—C11	31.7 (2)
C4—C5—C6—N2	166.9 (2)	C22—C23—Ir1—N1	-71.61 (17)
N1—C5—C6—C7	168.8 (2)	C19—C23—Ir1—N1	172.47 (13)
C4—C5—C6—C7	-14.4 (4)	C28—C23—Ir1—N1	50.1 (3)
C8—C7—C6—N2	125.5 (3)	C22—C23—Ir1—N2	-152.20 (15)
C12—C7—C6—N2	-55.6 (4)	C19—C23—Ir1—N2	91.88 (15)

C8—C7—C6—C5	-53.1 (3)	C28—C23—Ir1—N2	-30.5 (3)
C12—C7—C6—C5	125.8 (3)	C22—C23—Ir1—C21	36.50 (16)
C21—C22—C23—C19	4.7 (3)	C19—C23—Ir1—C21	-79.42 (16)
C27—C22—C23—C19	-174.8 (3)	C28—C23—Ir1—C21	158.2 (3)
Ir1—C22—C23—C19	63.91 (17)	C19—C23—Ir1—C22	-115.9 (2)
C21—C22—C23—C28	176.7 (3)	C28—C23—Ir1—C22	121.7 (3)
C27—C22—C23—C28	-2.8 (4)	C22—C23—Ir1—C20	80.18 (17)
Ir1—C22—C23—C28	-124.2 (3)	C19—C23—Ir1—C20	-35.74 (15)
C21—C22—C23—Ir1	-59.18 (18)	C28—C23—Ir1—C20	-158.1 (3)
C27—C22—C23—Ir1	121.3 (3)	C22—C23—Ir1—C19	115.9 (2)
C22—C23—C19—C20	-3.8 (3)	C28—C23—Ir1—C19	-122.4(3)
C28—C23—C19—C20	-175.8 (3)	C22—C23—Ir1—Cl1	70.8 (3)
Ir1—C23—C19—C20	59.08 (18)	C19—C23—Ir1—Cl1	-45.1 (3)
C22—C23—C19—C24	170.6 (2)	C28—C23—Ir1—Cl1	-167.52 (18)
C28—C23—C19—C24	-1.4 (4)	C21—C22—Ir1—N1	-121.06 (15)
Ir1—C23—C19—C24	-126.5 (2)	C23—C22—Ir1—N1	119.29 (16)
C22—C23—C19—Ir1	-62.91 (17)	C27-C22-Ir1-N1	-1.1(2)
$C_{28}$ — $C_{23}$ — $C_{19}$ —Ir1	125.1 (3)	$C_{21}$ — $C_{22}$ — $Ir_{1}$ — $N_{2}$	160.33 (14)
C23—C19—C20—C21	1.5 (3)	$C_{23}$ — $C_{22}$ —Ir1—N2	40.7 (2)
C24—C19—C20—C21	-172.7(2)	C27—C22—Ir1—N2	-79.7(3)
Ir1—C19—C20—C21	59.81 (18)	C23—C22—Ir1—C21	-119.7(2)
C23—C19—C20—C25	-180.0(3)	C27—C22—Ir1—C21	119.9 (3)
C24—C19—C20—C25	5.8 (4)	C21—C22—Ir1—C23	119.7 (2)
Ir1—C19—C20—C25	-121.7 (3)	C27—C22—Ir1—C23	-120.4(3)
C23—C19—C20—Ir1	-58.30 (18)	C21—C22—Ir1—C20	39.13 (16)
C24—C19—C20—Ir1	127.5 (3)	C23—C22—Ir1—C20	-80.53 (17)
C23—C22—C21—C20	-3.8 (3)	C27—C22—Ir1—C20	159.1 (3)
C27—C22—C21—C20	175.7 (3)	C21—C22—Ir1—C19	80.97 (17)
Ir1—C22—C21—C20	-63.39 (17)	C23—C22—Ir1—C19	-38.69 (16)
C23—C22—C21—C26	-177.4 (3)	C27—C22—Ir1—C19	-159.1 (3)
C27—C22—C21—C26	2.1 (5)	C21—C22—Ir1—Cl1	-34.25 (18)
Ir1—C22—C21—C26	123.0 (3)	C23—C22—Ir1—Cl1	-153.90 (13)
C23—C22—C21—Ir1	59.57 (18)	C27—C22—Ir1—Cl1	85.7 (2)
C27—C22—C21—Ir1	-120.9(3)	C19—C20—Ir1—N1	131.1 (2)
C19—C20—C21—C22	1.4 (3)	C21—C20—Ir1—N1	12.9 (3)
C25—C20—C21—C22	-177.1 (3)	C25—C20—Ir1—N1	-105.7(3)
Ir1—C20—C21—C22	63.51 (18)	C19—C20—Ir1—N2	-49.54 (19)
C19—C20—C21—C26	175.1 (3)	C21—C20—Ir1—N2	-167.75 (13)
C25—C20—C21—C26	-3.4 (4)	C25—C20—Ir1—N2	73.7 (3)
Ir1—C20—C21—C26	-122.8 (3)	C19—C20—Ir1—C21	118.2 (2)
C19—C20—C21—Ir1	-62.10 (18)	C25—C20—Ir1—C21	-118.6 (3)
C25—C20—C21—Ir1	119.4 (3)	C19—C20—Ir1—C23	36.83 (15)
C30-C29-B1-C41	150.7 (2)	C21—C20—Ir1—C23	-81.38 (16)
C34—C29—B1—C41	-35.9 (3)	C25—C20—Ir1—C23	160.0 (3)
C30—C29—B1—C35	-89.4 (3)	C19—C20—Ir1—C22	80.01 (16)
C34—C29—B1—C35	83.9 (3)	C21—C20—Ir1—C22	-38.20 (15)
C30—C29—B1—C47	31.8 (3)	C25—C20—Ir1—C22	-156.8 (3)
C34—C29—B1—C47	-154.8 (2)	C21—C20—Ir1—C19	-118.2 (2)
	× /		

C42—C41—B1—C29	151.8 (2)	C25—C20—Ir1—C19	123.2 (3)
C46—C41—B1—C29	-34.0 (3)	C19—C20—Ir1—Cl1	-146.48 (14)
C42—C41—B1—C35	33.9 (3)	C21—C20—Ir1—Cl1	95.32 (14)
C46—C41—B1—C35	-151.9 (2)	C25—C20—Ir1—Cl1	-23.3 (3)
C42—C41—B1—C47	-87.8 (3)	C20—C19—Ir1—N1	-135.02 (19)
C46—C41—B1—C47	86.4 (3)	C23—C19—Ir1—N1	-15.0 (3)
C40—C35—B1—C29	-24.8 (3)	C24—C19—Ir1—N1	101.9 (3)
C36—C35—B1—C29	159.6 (2)	C20—C19—Ir1—N2	143.14 (14)
C40-C35-B1-C41	96.3 (3)	C23—C19—Ir1—N2	-96.88 (15)
C36—C35—B1—C41	-79.3 (3)	C24—C19—Ir1—N2	20.1 (3)
C40—C35—B1—C47	-144.7 (2)	C20—C19—Ir1—C21	-38.29 (15)
C36—C35—B1—C47	39.7 (3)	C23—C19—Ir1—C21	81.69 (16)
C52—C47—B1—C29	90.4 (3)	C24—C19—Ir1—C21	-161.3 (3)
C48—C47—B1—C29	-87.4 (3)	C20—C19—Ir1—C23	-120.0 (2)
C52—C47—B1—C41	-31.3 (3)	C24—C19—Ir1—C23	117.0 (3)
C48—C47—B1—C41	151.0 (2)	C20—C19—Ir1—C22	-81.17 (16)
C52—C47—B1—C35	-151.7 (3)	C23—C19—Ir1—C22	38.81 (15)
C48—C47—B1—C35	30.5 (3)	C24—C19—Ir1—C22	155.8 (3)
C14—C13—N3—N2	3.3 (4)	C23—C19—Ir1—C20	120.0 (2)
C18—C13—N3—N2	-179.1 (2)	C24—C19—Ir1—C20	-123.0 (3)
C5-C6-N2-N3	171.2 (2)	C20—C19—Ir1—Cl1	42.29 (16)
C7—C6—N2—N3	-7.5 (3)	C23—C19—Ir1—Cl1	162.27 (12)
C5-C6-N2-Ir1	11.8 (3)	C24—C19—Ir1—Cl1	-80.8 (3)

# Hydrogen-bond geometry (Å, °)

Cg1, Cg2, Cg3, Cg4 and Cg5 are the centroids of the C29–C34, C41–C46, C35–C40, C7–C12 and C19–C23 rings, respectively.

D—H···A	<i>D</i> —Н	H···A	D····A	<i>D</i> —H··· <i>A</i>
C14—H14…Cl1	0.93	2.64	3.553 (3)	168
C2—H2…Cg1	0.93	2.71	3.463 (3)	139
C11—H11···Cg2 <sup>i</sup>	0.93	2.61	3.365 (3)	139
C18—H18…Cg3 <sup>ii</sup>	0.93	2.60	3.518 (3)	169
C37—H37··· <i>Cg</i> 4 <sup>iii</sup>	0.93	2.65	3.489 (3)	150
C16—Cl2···Cg5 <sup>iv</sup>	1.75 (1)	3.58 (1)	4.359 (3)	105 (1)

Symmetry codes: (i) *x*, *y*-1, *z*; (ii) *x*+1, *y*-1, *z*; (iii) *x*-1, *y*+1, *z*; (iv) -*x*+2, -*y*, -*z*.