



STRUCTURAL
BIOLOGY

Volume 77 (2021)

Supporting information for article:

Crystallographic fragment screening-based study of novel FAD-dependent oxidoreductase from *Chaetomium thermophilum*

Leona Švecová, Lars Henrik Øestergaard, Tereza Skálová, Kirk Matthew Schnorr, Tomáš Koval', Petr Kolenko, Jan Stránský, David Sedlák, Jarmila Dušková, Mária Trundová, Jindřich Hašek and Jan Dohnálek

Supporting information 2

Crystallographic fragment screening-based study of novel FAD-dependent oxidoreductase from *Chaetomium thermophilum*

Authors

Leona Švecová^{ab*}, Lars H. Østergaard^c, Tereza Skálová^a, Kirk Schnorr^c, Tomáš Koval^a, Petr Kolenko^{ab}, Jan Stránský^a, David Sedlák^d, Jarmila Dušková^a, Mária Trundová^a, Jindřich Hašek^a and Jan Dohnálek^{a*}

^aInstitute of Biotechnology of the Czech Academy of Sciences v.v.i., Průmyslová 595, Vestec, 25250, Czech Republic

^bFaculty of Nuclear Sciences and Physical Engineering, Czech Technical University in Prague, Břehová 7, Prague 1, 11519, Czech Republic

^cNovozymes A/S, Biologiens Vej 2, Kgs. Lyngby, 2800, Denmark

^dCZ-OPENSOURCE: National Infrastructure for Chemical Biology, Institute of Molecular Genetics of the Czech Academy of Sciences v.v.i., Vídeňská 1083, Prague, 14220, Czech Republic

Correspondence email: leona.svecova@ibt.cas.cz; jan.dohnalek@ibt.cas.cz

High-throughput screening with oxidase activity assay coupled to luciferase signal detection

The high-throughput activity screening of 990 selected compounds (Support. Information 2 Table S2) was performed using the ROS-Glo™ H₂O₂ Assay (Promega). Compounds of molecular weight of 101-1550 g·mol⁻¹ containing at least one oxidizable OH group were selected. The reactions (3.5 µl total volume) ran with two concentrations of test compounds (10 µM and 50 µM) and 0.5 µM *Ct*FDO (in 25 mM Tris-HCl, pH 7.5 with 100 mM NaCl) in two different buffers (50 mM Tris-HCl, pH 7.5 and 50 mM Bis-Tris, pH 6) at 37 °C. First, 3.5 µl of *Ct*FDO diluted in the reaction buffer was dispensed by Multidrop Combi (Thermo Fisher Scientific) to white solid polystyrene 1536-well microplates with non-binding surface modification (cat. n. 3729, Corning Costar). 17.5 nl or 2.5 nl of 10 mM screened compounds prediluted in DMSO to 10 mM were transferred to assay plates using contact-free acoustic transfer by ECHO 550 (Labcyte, Inc., USA) integrated in the fully automated robotic HTS station cell::explorer (Perkin Elmer). At least 22 wells on each assay plate were dedicated to different assay controls permitting to control the specificity of detected activities. These controls were 1) reaction buffer without enzyme and test compounds and 2) enzyme diluted in the reaction buffer without test compounds. Plates were vigorously shaken, spun down, and incubated for 16 hours at 37 °C. At the end of the incubation period, plates were taken out of the incubator and left for 15 min at room temperature. H₂O₂ was dispensed to wells containing reaction buffer only to the final concentration of 10 µM, thus creating a positive control for the ROS-Glo™ H₂O₂ Assay. Next, 1 µl of H₂O₂ substrate was dispensed to all wells, plates were shaken and incubated for another 60 min at laboratory temperature. Finally, 4 µl of ROS-Glo™ Detection Solution supplemented

with fresh L-Cysteine just prior to use, was dispensed to plates and 20 min later, luminescence was recorded on the multimode plate reader Envision (Perkin Elmer) equipped with an enhanced luminescence module. Data were collected, processed and normalized using the proprietary LIMS system ScreenX.

The screening yielded 20 compounds with molecular weight between 170 and 479 g·mol⁻¹ and signal in the range between 10 % and 130 % of the positive control represented by 10 μM H₂O₂ added to reaction buffer without enzyme (Support. Information 2 Fig. S1). Positive signal occurred for all 20 compounds at pH 7.5 while only for 8 compounds at pH 6.0.




Figure S1 HTS screening of 1070 small molecules as potential substrates for *Ct*FDO oxidoreductase activity. 10 μM (light colour) and 50 μM (dark colour) compounds were incubated with 0.5 μM *Ct*FDO at pH 6.0 (green) or pH 7.5 (red) for 16 h and ROS species were detected by luminescent ROS-GloTM H₂O₂ Assay. Data were processed and normalized with the B score algorithm. Circle size corresponds to the molecular weight of individual compounds.

Validation of these 20 hits was carried out exactly as the primary screening with the following modifications. The reaction was run in white solid, low volume, polystyrene 384-well microplates with non-binding surface modification (cat. n. 4513, Corning Costar) in a total volume of 6.5 μl of a reaction buffer containing 50 mM Tris-HCl, pH 7.5. All compounds were tested in triplicates at 50 μM with 0.5 μM *Ct*FDO and without enzyme. The reaction ran for 3, 6, 11 and 24 hours.

The validation experiment revealed that 17 compounds (Support. Information 2 Table S1) induced luciferase signal in both, enzyme-containing and enzyme-lacking, reactions to similar levels. The remaining 3 compounds did not show any significant assay signal in all reaction times and for these compounds the results observed in the primary screening could not be reproduced.

Table S1 List of hits from the primary screening for substrates of *CtFDO* oxidoreductase activity.

*compounds not showing any significant assay signal in the validation experiment

Traditional name	IUPAC name	Mw [g·mol ⁻¹]
Noradrenaline	4-(2-amino-1-hydroxyethyl)benzene-1,2-diol	169.2
Gallic acid	3,4,5-trihydroxybenzoic acid	170.1
α -Methyl-norepinephrine	4-[(1 <i>R</i>)-2-amino-1-hydroxypropyl]benzene-1,2-diol	183.2
Racepinephrine hydrochloride	4-[1-hydroxy-2-(methylamino)ethyl]benzene-1,2-diol; hydrochloride	219.7
6-fluoro-noradrenaline hydrochloride	4-(2-amino-1-hydroxyethyl)-5-fluorobenzene-1,2-diol; hydrochloride	223.6
Isoproterenol hydrochloride	4-1-[hydroxy-2-[(propan-2-yl)amino]ethyl]benzene-1,2-diol; hydrochloride	247.7
Retinol	3,7-dimethyl-9-(2,6,6-trimethylcyclohex-1-en-1-yl)nona-2,4,6,8-tetraen-1-ol	286.5
Benserazide hydrochloride	2-amino-3-hydroxy- <i>N</i> '-[(2,3,4-trihydroxyphenyl)-methyl]-propanehydrazide; hydrochloride	293.7
Noradrenaline tartrate	4-[(1 <i>R</i>)-2-amino-1-hydroxyethyl]benzene-1,2-diol; 2,3-dihydroxybutanedioic acid	319.3
Norepinephrine bitartrate	4-(2-amino-1-hydroxyethyl)benzene-1,2-diol; (2 <i>R</i> ,3 <i>R</i>)-2,3-dihydroxybutanedioic acid	319.3
Fluorescein	2-(6-hydroxy-3-oxo-3 <i>H</i> -xanthen-9-yl)benzoic acid	332.3
Isoetharine mesylate	4-[1-hydroxy-2-[(propan-2-yl)amino]butyl]benzene-1,2-diol; methanesulfonic acid	335.4
Isoproterenol tartrate	4-[(1 <i>R</i>)-1-hydroxy-2-[(propan-2-yl)amino]ethyl]benzene-1,2-diol; (2 <i>S</i> ,3 <i>S</i>)-2,3-dihydroxybutanedioic acid	361.3
Riboflavin	7,8-dimethyl-10-[(2 <i>S</i> ,3 <i>S</i> ,4 <i>R</i>)-2,3,4,5-tetrahydroxypentyl]-2 <i>H</i> ,3 <i>H</i> ,4 <i>H</i> ,10 <i>H</i> -benzo[<i>g</i>]pteridine-2,4-dione	376.4
*Triamcinolone	(8 <i>S</i> ,9 <i>R</i> ,10 <i>S</i> ,11 <i>S</i> ,13 <i>S</i> ,14 <i>S</i> ,16 <i>R</i> ,17 <i>S</i>)-9-fluoro-11,16,17-trihydroxy-17-(2-hydroxyacetyl)-10,13-dimethyl-6,7,8,11,12,14,15,16-octahydrocyclopenta[<i>a</i>]phenanthren-3-one	394.4
*Fluvastatin sodium	(<i>E</i> ,3 <i>S</i> ,5 <i>R</i>)-7-[3-(4-fluorophenyl)-1-propan-2-ylindol-2-yl]-3,5-dihydroxyhept-6-enoate; sodium	433.4
Eltrombopag	3'-[2-[1-(3,4-dimethylphenyl)-3-methyl-5-oxo-4,5-dihydro-1 <i>H</i> -pyrazol-4-ylidene]hydrazin-1-yl]-2'-hydroxy-[1,1'-biphenyl]-3-carboxylic acid	442.5
AZD8055	[5-[2,4-bis(3-methylmorpholin-4-yl)pyrido[2,3- <i>d</i>]pyrimidin-7-yl]-2-methoxyphenyl]methanol	465.5
CID-2858522	1-(3,5-di- <i>tert</i> -butyl-4-hydroxyphenyl)-2-[[2-[(3-hydroxypropyl)amino]-5,6-dimethyl-1,3-benzodiazol-1-yl]ethanone	465.6
*LY411575	2-[[2-(3,5-difluorophenyl)-2-hydroxyacetyl]amino]- <i>N</i> -(5-methyl-6-oxo-7 <i>H</i> -benzo[<i>d</i>][1]benzazepin-7-yl)propanamide	479.5

Table S2 List of compounds selected for the high throughput activity screening with *Ct*FDO.

IUPAC name	Chemical formula	Mw [g·mol ⁻¹]
2-amino-3-hydroxy-propanoic acid	C ₃ H ₇ NO ₃	105.1
(pyridin-3-yl)-methanol	C ₆ H ₇ NO	109.1
(1 <i>H</i> -imidazol-5-yl)-methanol; hydrochloride	C ₄ H ₇ ClN ₂ O	134.6
1,3-benzodioxol-5-ylmethanol	C ₈ H ₈ O ₃	152.2
3-(2,5-dimethyl-pyrrol-1-yl)-propan-1-ol	C ₉ H ₁₅ NO	153.1
(2-methylsulfanyl-phenyl)-methanol	C ₈ H ₁₀ OS	154.2
4-(2-hydroxy-ethoxy)-phenol	C ₈ H ₁₀ O ₃	154.2
2-(aminomethyl)-3-(furan-2-yl)-propan-1-ol	C ₈ H ₁₃ NO ₂	155.2
2-(hydroxy-methyl)-5-methoxy-pyran-4-one	C ₇ H ₈ O ₄	156.2
2-[cyclohexyl-(methyl)-amino]-ethanol	C ₉ H ₁₉ NO	157.1
<i>N</i> -cyclohexyl-2-hydroxyacetamide	C ₈ H ₁₅ NO ₂	157.2
1-(azepan-1-yl)-2-hydroxy-ethanone	C ₈ H ₁₅ NO ₂	157.2
2-hydroxy-1-(4-methyl-piperazin-1-yl)-ethanone	C ₇ H ₁₄ N ₂ O ₂	158.2
2-(piperazin-1-yl)-butan-1-ol	C ₈ H ₁₈ N ₂ O	158.2
3-(piperidin-4-yloxy)-propan-1-ol	C ₈ H ₁₇ NO ₂	159.2
2-indazol-1-ylethanol	C ₉ H ₁₀ N ₂ O	162.2
4-(2-hydroxy-ethylamino)-benzotrile	C ₉ H ₁₀ N ₂ O	162.2
(1-methylbenzotriazol-5-yl)methanol	C ₈ H ₉ N ₃ O	163.2
(2-amino-1,3-dihydroinden-2-yl)methanol	C ₁₀ H ₁₃ NO	163.2
4-(<i>C</i> -ethyl- <i>N</i> -hydroxycarbonimidoyl)phenol	C ₉ H ₁₁ NO ₂	165.2
2-amino-3-phenyl-butan-1-ol	C ₁₀ H ₁₅ NO	165.2
<i>N</i> -(2-hydroxyethyl)pyridine-4-carboxamide	C ₈ H ₁₀ N ₂ O ₂	166.2
methyl 6-(hydroxy-methyl)-pyridine-3-carboxylate	C ₈ H ₉ NO ₃	167.2
4-[1-hydroxy-2-(methylamino)-ethyl]-phenol	C ₉ H ₁₃ NO ₂	167.2
4-(2-amino-1-hydroxy-ethyl)-benzene-1,2-diol	C ₈ H ₁₁ NO ₃	169.2
2-(hydroxy-methyl)-pyrrolidine-3,4-diol; hydrochloride	C ₅ H ₁₂ ClNO ₃	169.6
3,4,5-trihydroxy-benzoic acid	C ₇ H ₆ O ₅	170.1
2-(2-methyl-5-nitro-1 <i>H</i> -imidazol-1-yl)-ethanol	C ₆ H ₉ N ₃ O ₃	171.2
2-(3-chloro-phenoxy)-ethanol	C ₈ H ₉ ClO ₂	172.6
(2-methylquinolin-4-yl)methanol	C ₁₁ H ₁₁ NO	173.2
(1-phenyl-1 <i>H</i> -pyrazol-4-yl)-methanol	C ₁₀ H ₁₀ N ₂ O	174.2
(2-phenyl-1,3-oxazol-4-yl)-methanol	C ₁₀ H ₉ NO ₂	175.2
3-(hydroxymethyl)-1 <i>H</i> -quinolin-2-one	C ₁₀ H ₉ NO ₂	175.2
2-(1,2-dihydroxy-ethyl)-3,4-dihydroxy-2 <i>H</i> -furan-5-one	C ₆ H ₈ O ₆	176.1
2-(hydroxy-methyl)-1-methyl-piperidine-3,4,5-triol	C ₇ H ₁₅ NO ₄	177.2
2-[4-(2-hydroxy-ethoxy)-phenyl]-acetonitrile	C ₁₀ H ₁₁ NO ₂	177.2
2-(3,4-dihydro-1 <i>H</i> -isoquinolin-2-yl)ethanol	C ₁₁ H ₁₅ NO	177.2

3-([1,2,4]triazolo[1,5-a]pyrimidin-2-yl)-propan-1-ol	C ₈ H ₁₀ N ₄ O	178.2
(2-methyl-1,3-benzothiazol-5-yl)methanol	C ₉ H ₉ NOS	179.2
1-(4-(2-hydroxy-ethyl)-phenylamino)-acetamide	C ₁₀ H ₁₃ NO ₂	179.2
(2-thiophen-2-yl-1,3-oxazol-5-yl)-methanol	C ₈ H ₇ NO ₂ S	181.2
4-(2-hydroxy-ethylamino)-benzoic acid	C ₉ H ₁₁ NO ₃	181.2
3-(5-ethoxy-pyridin-3-yl)-propan-1-ol	C ₁₀ H ₁₅ NO ₂	181.2
3-(2-methyl-phenoxy)-propane-1,2-diol	C ₁₀ H ₁₄ O ₃	182.2
(2,6-dimethylimidazo[2,1-b][1,3]-thiazol-5-yl)meyhanol	C ₈ H ₁₀ N ₂ OS	182.3
4-[(1 <i>R</i>)-2-amino-1-hydroxy-propyl]-benzene-1,2-diol	C ₉ H ₁₃ NO ₃	183.2
2-hydroxyethyl(trimethyl)azanium; bromide	C ₅ H ₁₄ BrNO	184.1
(5-[(2-methylpropan-2-yl)-oxymethyl]-1,2-oxazol-3-yl)-methanol	C ₉ H ₁₅ NO ₃	185.2
4-(2-amino-1-hydroxy-ethyl)-phenol; hydron; chlorid	C ₈ H ₁₂ ClNO ₂	189.6
[5-(3-methylphenyl)-1,3,4-oxadiazol-2-yl]-methanol	C ₁₀ H ₁₀ N ₂ O ₂	190.2
(4-phenyl-cyclohexyl)-methanol	C ₁₃ H ₁₈ O	190.3
<i>N</i> -(2-hydroxyethyl)-3-phenyl-prop-2-enamine	C ₁₁ H ₁₃ NO ₂	191.2
4-(hydroxy-methyl)-1-phenyl-pyrrolidin-2-one	C ₁₁ H ₁₃ NO ₂	191.2
(2-phenyl-1,3-thiazol-5-yl)-methanol	C ₁₀ H ₉ NOS	191.3
(4-phenyl-1,3-thiazol-2-yl)-methanol	C ₁₀ H ₉ NOS	191.3
2-[(4-propan-2-ylphenyl)methylideneamino]ethanol	C ₁₂ H ₁₇ NO	191.3
[2-(methylamino)-3,4-dihydro-1 <i>H</i> -naphthalen-2-yl]methanol	C ₁₂ H ₁₇ NO	191.3
3-(1-hydroxybutan-2-yliminomethyl)phenol	C ₁₁ H ₁₅ NO ₂	193.2
4-(1-hydroxybutan-2-yliminomethyl)phenol	C ₁₁ H ₁₅ NO ₂	193.2
[2-(morpholin-4-yl)-phenyl]-methanol	C ₁₁ H ₁₅ NO ₂	193.2
2-(2-methyl-1,3-benzothiazol-5-yl)ethanol	C ₁₀ H ₁₁ NOS	193.3
2-(benzylamino)-3-methylbutan-1-ol	C ₁₂ H ₁₉ NO	193.3
6-methylamino-hexane-1,2,3,4,5-pentol	C ₇ H ₁₇ NO ₅	195.2
2-[4-(<i>N</i> -hydroxy- <i>C</i> -methylcarbonimidoyl)phenoxy]ethanol	C ₁₀ H ₁₃ NO ₃	195.2
2-[benzyl(2-hydroxyethyl)amino]ethanol	C ₁₁ H ₁₇ NO ₂	195.3
<i>N</i> -[(2-fluorophenyl)methylideneamino]-2-hydroxyacetamide	C ₉ H ₉ FN ₂ O ₂	196.2
2-[2-(2-hydroxy-ethoxy)-phenoxy]-ethanol	C ₁₀ H ₁₄ O ₄	198.1
2-hydroxy-2-(4-hydroxy-3-methoxy-phenyl)-acetic acid	C ₉ H ₁₀ O ₅	198.2
3-(2-methoxy-phenoxy)-propane-1,2-diol	C ₁₀ H ₁₄ O ₄	198.2
1-(2-hydroxyethyl)-5-propylpyrazole-4-carboxylic acid	C ₉ H ₁₄ N ₂ O ₃	198.2
(4-benzylphenyl)-methanol	C ₁₄ H ₁₄ O	198.3
3-chloro-6-(hydroxymethyl)-oxane-2,4,5-triol	C ₆ H ₁₁ ClO ₅	198.6
2-[2-(4-fluoro-phenoxy)-ethylamino]-ethanol	C ₁₀ H ₁₄ FNO ₂	199.1
2-[2-(2-fluoro-phenoxy)-ethylamino]-ethanol	C ₁₀ H ₁₄ FNO ₂	199.1
2-[(3-methylcyclohexyl)-propylamino]-ethanol	C ₁₂ H ₂₅ NO	199.3
2-(hydroxymethyl)-piperidine-3,4,5-triol; hydrochloride	C ₆ H ₁₄ ClNO ₄	199.6

2-[(2-chlorophenyl)-methylamino]-propan-1-ol	C ₁₀ H ₁₄ ClNO	199.7
(4-pyridin-3-yloxyphenyl)-methanol	C ₁₂ H ₁₁ NO ₂	201.2
[4-(hydroxymethyl)-phenyl]-methanesulfonamide	C ₈ H ₁₁ NO ₃ S	201.3
[4-(3,5-dimethylpyrazol-1-yl)-phenyl]-methanol	C ₁₂ H ₁₄ N ₂ O	202.3
3-(quinazolin-4-ylamino)propan-1-ol	C ₁₁ H ₁₃ N ₃ O	203.2
3-[1-hydroxy-2-(methylamino)-ethyl]-phenol; hydrochloride	C ₉ H ₁₄ ClNO ₂	203.7
2-(2-propylbenzimidazol-1-yl)ethanol	C ₁₂ H ₁₆ N ₂ O	204.3
[2- <i>tert</i> -butyl-5-(hydroxymethyl)-2-methyl-1,3-dioxolan-4-yl] methanol	C ₁₀ H ₂₀ O ₄	204.3
2,4-dihydroxy- <i>N</i> -(3-hydroxypropyl)-3,3-dimethylbutanamide	C ₉ H ₁₉ NO ₄	205.3
(4-methyl-2-phenyl-1,3-thiazol-5-yl)-methanol	C ₁₁ H ₁₁ NOS	205.3
[1-[(3-methylphenyl)methyl]-pyrrolidin-2-yl]-methanol	C ₁₃ H ₁₉ NO	205.3
3-(1,2,3,4-tetrahydronaphthalen-1-ylamino)propan-1-ol	C ₁₃ H ₁₉ NO	205.3
4,5-bis(hydroxymethyl)-2-methylpyridin-3-ol; hydron; chloride	C ₈ H ₁₂ ClNO ₃	205.6
2-benzylidene-4-hydroxybutanehydrazide	C ₁₁ H ₁₄ N ₂ O ₂	206.2
1-(2-hydroxyethyl)-2-(hydroxymethyl)piperidine-3,4,5-triol	C ₈ H ₁₇ NO ₅	207.2
2-[4-(4,5-dihydro-1,3-oxazol-2-yl)-phenoxy]-ethanol	C ₁₁ H ₁₃ NO ₃	207.2
2-hydroxy- <i>N</i> -[(2-hydroxyphenyl)methylideneamino]propanamide	C ₁₀ H ₁₂ N ₂ O ₃	208.2
3-(1,3-benzothiazol-2-ylamino)propan-1-ol	C ₁₀ H ₁₂ N ₂ OS	208.3
5-fluoro-2-(2-hydroxyethyl)isoindole-1,3-dione	C ₁₀ H ₈ FNO ₃	209.2
2-(5-amino-3-thiophen-2-ylpyrazol-1-yl)-ethanol	C ₉ H ₁₁ N ₃ OS	209.3
1-(2-hydroxyethyl)-3-(4-methylphenyl)thiourea	C ₁₀ H ₁₄ N ₂ OS	210.3
4-amino-1-[5-(hydroxymethyl)-oxolan-2-yl]-pyrimidin-2-one	C ₉ H ₁₃ N ₃ O ₃	211.2
2-[2-(2-methoxyphenoxy)-ethylamino]-ethanol	C ₁₁ H ₁₇ NO ₃	211.3
2-[(2,5-dimethoxyphenyl)-methylamino]-ethanol	C ₁₁ H ₁₇ NO ₃	211.3
2-[(4-fluorophenyl)-methyl-propylamino]-ethanol	C ₁₂ H ₁₈ FNO	211.3
[5-ethyl-2-(furan-2-yl)-1,3-dioxan-5-yl]-methanol	C ₁₁ H ₁₆ O ₄	212.2
4-(3-hydroxypropylsulfanyl)-benzoic acid	C ₁₀ H ₁₂ O ₃ S	212.3
<i>tert</i> -butyl 2-[4-(hydroxymethyl)triazol-1-yl]acetate	C ₉ H ₁₅ N ₃ O ₃	213.2
4-chloro- <i>N</i> -(3-hydroxypropyl)-benzamide	C ₁₀ H ₁₂ ClNO ₂	213.7
<i>N</i> -(2-hydroxyethyl)-2-(2-nitroimidazol-1-yl)acetamide	C ₇ H ₁₀ N ₄ O ₄	214.2
4-(2-hydroxyethoxy)quinolone-3-carbonitrile	C ₁₂ H ₁₀ N ₂ O ₂	214.2
<i>N</i> -(2-hydroxyethyl)-4-methylbenzenesulfonamide	C ₉ H ₁₃ NO ₃ S	215.3
<i>N</i> -benzyl-2-hydroxyethanesulfonamide	C ₉ H ₁₃ NO ₃ S	215.3
(1-benzyl-3,5-dimethylpyrazol-4-yl)-methanol	C ₁₃ H ₁₆ N ₂ O	216.3
ethyl-[2-hydroxy-2-(3-hydroxyphenyl)ethyl]azanium; chloride	C ₁₀ H ₁₆ ClNO ₂	217.7
5-(hydroxy-methyl)-1,4-dimethyl-2-phenylpyrazol-3-one	C ₁₂ H ₁₄ N ₂ O ₂	218.3
4-(2-amino-1-hydroxyethyl)-2-methoxyphenol; hydron; chloride	C ₉ H ₁₄ ClNO ₃	219.1
[1-(2-phenylethylamino)-cyclopentyl]-methanol	C ₁₄ H ₂₁ NO	219.3
[1-(methylamino)-4-phenylcyclohexyl]-methanol	C ₁₄ H ₂₁ NO	219.3

4-[1-hydroxy-2-(methylamino)-ethyl]-benzene-1,2-diol; hydrochloride	C ₉ H ₁₄ ClNO ₃	219.7
5-(difluoromethyl)-1-(2-hydroxyethyl)-3-methylpyrazole-4-carboxylic acid	C ₈ H ₁₀ F ₂ N ₂ O ₃	220.2
[1-(4-fluorophenyl)-3,5-dimethylpyrazol-4-yl]-methanol	C ₁₂ H ₁₃ FN ₂ O	220.2
[2-(2-methylanilino)-1,3-thiazol-4-yl]-methanol	C ₁₁ H ₁₂ N ₂ OS	220.3
<i>N</i> -[[4-(dimethylamino)-phenyl]-methylideneamino]-2-hydroxyacetamide	C ₁₁ H ₁₅ N ₃ O ₂	221.3
2-[2,6-di(propan-2-yl)-anilino]-ethanol	C ₁₄ H ₂₃ NO	221.3
<i>N</i> -(2-hydroxyethyl)- <i>N</i> '-(4-methylphenyl)-oxamide	C ₁₁ H ₁₄ N ₂ O ₃	222.2
benzyl <i>N</i> -(1-hydroxy-2-methylpropan-2-yl)-carbamate	C ₁₂ H ₁₇ NO ₃	223.3
[1-(4-fluorophenyl)-methyl]-piperidin-3-yl)-methanol	C ₁₃ H ₁₈ FNO	223.3
2-[3-(2,3-dimethylphenoxy)-propylamino]-ethanol	C ₁₃ H ₂₁ NO ₂	223.3
4-(2-amino-1-hydroxyethyl)-5-fluorobenzene-1,2-diol; hydrochloride	C ₈ H ₁₁ ClFNO ₃	223.6
1-[5-(hydroxymethyl)-2,5-dihydrofuran-2-yl]-5-methylpyrimidine-2,4-dione	C ₁₀ H ₁₂ N ₂ O ₄	224.2
7-(2-hydroxyethyl)-1,3-dimethylpurine-2,6-dione	C ₉ H ₁₂ N ₄ O ₃	224.2
3-(4-phenoxyphenyl)-prop-2-yn-1-ol	C ₁₅ H ₁₂ O ₂	224.3
2-amino-9-(2-hydroxyethoxymethyl)-1 <i>H</i> -purin-6-one	C ₈ H ₁₁ N ₅ O ₃	225.2
3-hydroxy-2-(3-hydroxypropylaminomethyl)-5,5-dimethyl-cyclohex-2-en-1-one	C ₁₂ H ₁₉ NO ₃	225.3
1-(4-fluorophenyl)-3-(1-hydroxybutan-2-yl)-urea	C ₁₁ H ₁₅ FN ₂ O ₂	226.3
2-[(4-chlorophenyl)-methyl-propylamino]-ethanol	C ₁₂ H ₁₈ ClNO	227.7
2-hydroxy- <i>N</i> -(naphthalen-1-ylmethylideneamino)-acetamide	C ₁₃ H ₁₂ N ₂ O ₂	228.3
6-ethyl-4-(hydroxymethyl)-1,3-dimethyl-3a,6a-dihydroimidazo[4,5-d]imidazole-2,5-dione	C ₉ H ₁₆ N ₄ O ₃	228.3
4-amino-1-[2-(hydroxymethyl)-1,3-oxathiolan-5-yl]-pyrimidin-2-one	C ₈ H ₁₁ N ₃ O ₃ S	229.3
2-[(4-chlorophenyl)-methyl-(2-hydroxyethyl)-amino]-ethanol	C ₁₁ H ₁₆ ClNO ₂	229.7
4-(2,5-dimethylpyrrol-1-yl)-2-hydroxybenzoic acid	C ₁₃ H ₁₃ NO ₃	231.3
[5-(1,3-bezothiazol-2-yl)-furan-2-yl]-methanol	C ₁₂ H ₉ NO ₂ S	231.3
(3-chlorocarbazol-9-yl)-methanol	C ₁₃ H ₁₀ ClNO	231.7
2-[(5-nitroquinolin-8-yl)-amino]-ethanol	C ₁₁ H ₁₁ N ₃ O ₃	233.2
4-(2-hydroxyethyl)-4-azatetracyclo[5.3.2.0 ^{2,6} .0 ^{8,10}]-dodec-11-ene-3,5-dione	C ₁₃ H ₁₅ NO ₃	233.3
1-(4-cyanophenyl)-3-(1-hydroxybutan-2-yl)urea	C ₁₂ H ₁₅ N ₃ O ₂	233.3
4-[1-hydroxy-2-(methylamino)-ethyl]-2-methoxyphenol; hydrochloride	C ₁₀ H ₁₆ ClNO ₃	233.7
2-hydroxy- <i>N</i> -[(4-prop-2-enoxyphenyl)-methylideneamino]-acetamide	C ₁₂ H ₁₄ N ₂ O ₃	234.3
3-[(2-hydroxy-1 <i>H</i> -indol-3-yl)-methylideneamino]-propane-1,2-diol	C ₁₂ H ₁₄ N ₂ O ₃	234.3
4-(4-ethyl-1-hydroxy-5,5-dimethyl-2 <i>H</i> -imidazol-2-yl)-phenol	C ₁₃ H ₁₈ N ₂ O ₂	234.3
(3-amino-phenyl)-(3-(hydroxy-methyl)-piperidin-1-yl)-methanone	C ₁₃ H ₁₈ N ₂ O ₂	234.3
(3-amino-phenyl)-(4-(hydroxy-methyl)-piperidin-1-yl)-methanone	C ₁₃ H ₁₈ N ₂ O ₂	234.3
2-(4-(3-methyl-benzyl)-piperazin-1-yl)-ethanol	C ₁₄ H ₂₂ N ₂ O	234.3

2-(4-phenethyl-piperazin-1-yl)-ethanol	C ₁₄ H ₂₂ N ₂ O	234.3
2-(2-hydroxyethyl)-1,3-dioxoisindole-5-carboxylic acid	C ₁₁ H ₉ NO ₅	235.2
[2-(4-ethoxyphenyl)-1,3-thiazol-4-yl]-methanol	C ₁₂ H ₁₃ NO ₂ S	235.3
3-[(6-ethoxy-1H-benzimidazol-2-yl)-amino]-propan-1-ol	C ₁₂ H ₁₇ N ₃ O ₂	235.3
[2,4,6-triethyl-3-(hydroxyiminomethyl)-phenyl]-methanol	C ₁₄ H ₂₁ NO ₂	235.3
2-[(4-propan-2-ylphenyl)-methyl-propylamino]-ethanol	C ₁₅ H ₂₅ NO	235.4
[6-(4-chlorophenoxy)-pyridin-3-yl]-methanol	C ₁₂ H ₁₀ ClNO ₂	235.7
methyl 4-[(2-hydroxyacetyl)-hydrazinylidene]-methyl]benzoate	C ₁₁ H ₁₂ N ₂ O ₄	236.2
9-[5-(hydroxymethyl)-oxolan-2-yl]-1 <i>H</i> -purin-6-one	C ₁₀ H ₁₂ N ₄ O ₃	236.2
3-(4-phenylpiperazin-1-yl)-propane-1,2-diol	C ₁₃ H ₂₀ N ₂ O ₂	236.3
2-[(4-dimethylaminophenyl)-methyl]-propylamino)-ethanol	C ₁₄ H ₂₄ N ₂ O	236.4
2-[4-(2-bicyclo[2.2.1]-hept-5-enylmethyl)-piperazin-1-yl]-ethanol	C ₁₄ H ₂₄ N ₂ O	236.4
[1-(5-nitro-pyridin-2-yl)-piperidin-3-yl]-methanol	C ₁₁ H ₁₅ N ₃ O ₃	237.3
<i>N</i> -(2-hydroxyethyl)tricyclo[4.3.1.1 ^{3,8}]-undecane-1-carboxamide	C ₁₄ H ₂₃ NO ₂	237.3
2-[(4-ethoxyphenyl)-methyl]-propylamino)-ethanol	C ₁₄ H ₂₃ NO ₂	237.3
2-[2-hydroxyethyl-[(4-propan-2-ylphenyl)-methyl]-amino]-ethanol	C ₁₄ H ₂₃ NO ₂	237.3
(1-benzylbenzimidazol-2-yl)-methanol	C ₁₅ H ₁₄ N ₂ O	238.3
3-(2-methoxy-4-prop-2-enylphenoxy)-propane-1,2-diol	C ₁₃ H ₁₈ O ₄	238.3
2-[(4-nitrophenyl)-methyl-propylamino)-ethanol	C ₁₂ H ₁₈ N ₂ O ₃	238.3
1-(1-hydroxybutan-2-yl)-3-(4-methoxyphenyl)-urea	C ₁₂ H ₁₈ N ₂ O ₃	238.3
2-[4-[(4-fluorophenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₃ H ₁₉ FN ₂ O	238.3
2-[[4-(dimethylamino)-phenyl]-methyl-(2-hydroxyethyl)-amino]-ethanol	C ₁₃ H ₂₂ N ₂ O ₂	238.3
[3-chloro-4-(difluoromethoxy)-5-methoxyphenyl]-methanol	C ₉ H ₉ ClF ₂ O ₃	238.6
4-[2-(<i>tert</i> -butylamino)-1-hydroxyethyl]-2-(hydroxymethyl)-phenol	C ₁₃ H ₂₁ NO ₃	239.3
2-[(4-methylsulfanylphenyl)-methyl-propylamino)-ethanol	C ₁₃ H ₂₁ NOS	239.4
[2-hydroxy-3-(2-methoxyphenoxy)-propyl] carbamate	C ₁₁ H ₁₅ NO ₅	241.2
2-(2,3-dihydroxypropyliminomethyl)-3-hydroxy-5,5-dimethylcyclohex-2-en-1-one	C ₁₂ H ₁₉ NO ₄	241.3
2-(dibenzylamino)-ethanol	C ₁₆ H ₁₉ NO	241.3
2-[2-hydroxyethyl-[(4-methylsulfanylphenyl)-methyl]-amino]-ethanol	C ₁₂ H ₁₉ NO ₂ S	241.4
[3-(3-phenylpropoxy)-phenyl]-methanol	C ₁₆ H ₁₈ O ₂	242.3
1-(3-chloro-4-methylphenyl)-3-(1-hydroxypropan-2-yl)-urea	C ₁₁ H ₁₅ ClN ₂ O ₂	242.7
4-amino-1-[3,4-dihydroxy-5-(hydroxymethyl)-oxolan-2-yl]-pyrimidin-2-one	C ₉ H ₁₃ N ₃ O ₅	243.2
2-hydroxy- <i>N</i> -(4-phenoxyphenyl)-acetamide	C ₁₄ H ₁₃ NO ₃	243.3
2-[2-(4-chloro-2-methylphenoxy)-ethyl-methylamino]-ethanol	C ₁₂ H ₁₈ ClNO ₂	243.7
1-[3,4-dihydroxy-5-(hydroxymethyl)-oxolan-2-yl]-1,2,4-triazole-3-carboxamide	C ₈ H ₁₂ N ₄ O ₅	244.2
4-amino-1-[3,4-dihydroxy-5-(hydroxymethyl)-oxolan-2-yl]-1,3,5-triazin-2-one	C ₈ H ₁₂ N ₄ O ₅	244.2

2-[3,4-dihydroxy-5-(hydroxymethyl)-oxolan-2-yl]-1,2,4-triazine-3,5-dione	C ₈ H ₁₁ N ₃ O ₆	245.2
3-[3-(4-fluorophenyl)-4-(hydroxymethyl)-pyrazol-1-yl]-propanenitrile	C ₁₃ H ₁₂ FN ₃ O	245.3
2-(3-chlorocarbazol-9-yl)-ethanol	C ₁₄ H ₁₂ ClNO	245.7
2-[(2-chloro-6-fluorophenyl)-methyl-propylamino]-ethanol	C ₁₂ H ₁₇ ClFNO	245.7
(1-heptylbenzimidazol-2-yl)-methanol	C ₁₅ H ₂₂ N ₂ O	246.4
2-[benzyl(thiophen-2-ylmethyl)-amino]-ethanol	C ₁₄ H ₁₇ NOS	247.4
2-[benzyl(cyclohexylmethyl)-amino]-ethanol	C ₁₆ H ₂₅ NO	247.4
4-[1-hydroxy-2-[(propan-2-yl)-amino]-ethyl]-benzene-1,2-diol; hydrochloride	C ₁₁ H ₁₈ ClNO ₃	247.7
2-[4-[(2,4-dimethylphenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₅ H ₂₄ N ₂ O	248.4
2-[4-(3-phenylpropyl)-piperazin-1-yl]-ethanol	C ₁₅ H ₂₄ N ₂ O	248.4
2-[4-[(2,5-dimethylphenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₅ H ₂₄ N ₂ O	248.4
2-(anthracen-9-ylmethylideneamino)-ethanol	C ₁₇ H ₁₅ NO	249.3
2,4-ditert-butyl-6-(hydroxyiminomethyl)-phenol	C ₁₅ H ₂₃ NO ₂	249.4
2-[3-(2-methoxyphenyl)-prop-2-enyl-propylamino]-ethanol	C ₁₅ H ₂₃ NO ₂	249.4
2-(2-hydroxyethyl)-7,8-dimethoxyphthalazin-1-one	C ₁₂ H ₁₄ N ₂ O ₄	250.3
[3-(1 <i>H</i> -indol-3-ylmethylideneamino)-phenyl]-methanol	C ₁₆ H ₁₄ N ₂ O	250.3
2-[4-[(3-methoxyphenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₄ H ₂₂ N ₂ O ₂	250.3
<i>tert</i> -butyl <i>N</i> -[3-(3-hydroxypropyl)-phenyl]-carbamate	C ₁₄ H ₂₁ NO ₃	251.3
2-[(6-ethylthieno[2,3- <i>d</i>]-pyrimidin-4-yl)-amino]-butan-1-ol	C ₁₂ H ₁₇ N ₃ OS	251.4
2-(hydroxymethyl)-5-purin-9-yloxolane-3,4-diol	C ₁₀ H ₁₂ N ₄ O ₄	252.2
2-amino-9-[4-hydroxy-3-(hydroxymethyl)-butyl]-1 <i>H</i> -purin-6-one	C ₁₀ H ₁₅ N ₅ O ₃	253.3
7-(2,3-dihydroxypropyl)-1,3-dimethylpurine-2,6-dione	C ₁₀ H ₁₄ N ₄ O ₄	254.2
(7-methyl-6,6a,8,9-tetrahydro-4 <i>H</i> -indolo[4,3- <i>fg</i>]-quinolin-9-yl)-methanol	C ₁₆ H ₁₈ N ₂ O	254.3
2-[4-[(4-chlorophenyl)methyl]-piperazin-1-yl]-ethanol	C ₁₃ H ₁₉ ClN ₂ O	254.8
2-amino-9-(1,3-dihydroxypropan-2-yloxymethyl)-1 <i>H</i> -purin-6-one	C ₉ H ₁₃ N ₅ O ₄	255.2
<i>N</i> -(2-hydroxyethyl)-2,2-diphenylacetamide	C ₁₆ H ₁₇ NO ₂	255.3
5-(3,4-dimethylanilino)-pentane-1,2,3,4-tetrol	C ₁₃ H ₂₁ NO ₄	255.3
2-[benzyl-[(2-methylphenyl)-methyl]-amino]-ethanol	C ₁₇ H ₂₁ NO	255.4
2-[benzyl(2-phenylethyl)-amino]-ethanol	C ₁₇ H ₂₁ NO	255.4
<i>N</i> -[(4-bromophenyl)-methylideneamino]-2-hydroxyacetamide	C ₉ H ₉ BrN ₂ O ₂	257.1
<i>N</i> -[(3-bromophenyl)-methylideneamino]-2-hydroxyacetamide	C ₉ H ₉ BrN ₂ O ₂	257.1
[3-[(2-nitrophenyl)-methylideneamino]-phenyl]-methanol	C ₁₄ H ₁₂ N ₂ O ₃	256.3
[1-[(2-fluorophenyl)-methyl]-benzimidazol-2-yl]-methanol	C ₁₅ H ₁₃ FN ₂ O	256.3
2-(4-chlorophenoxy)- <i>N</i> -(1-hydroxy-2-methylpropan-2-yl)-acetamide	C ₁₂ H ₁₆ ClNO ₃	257.7
2-(hydroxymethyl)-5-phenyl-3 <i>H</i> -thieno[2,3- <i>d</i>]-pyrimidin-4-one	C ₁₃ H ₁₀ N ₂ O ₂ S	258.3
1-(3,4-dihydroxy-5-(hydroxymethyl)-oxolan-2-yl)-5-hydroxyimidazole-4-carboxamide	C ₉ H ₁₃ N ₃ O ₆	259.2
bis(4-methylphenyl)-phosphorylmethanol	C ₁₅ H ₁₇ O ₂ P	260.3

3-acetyl-4-hydroxy-1-(2-hydroxyethyl)-2-phenyl-2 <i>H</i> -pyrrol-5-one	C ₁₄ H ₁₅ NO ₄	261.3
[3-(naphthalen-2-ylmethylideneamino)-phenyl]-methanol	C ₁₈ H ₁₅ NO	261.3
4-(hydroxymethyl)-10-imino-3,7-dioxo-1,9-diazatricyclo[6.4.0.0 ^{2,6}]dodeca-8,11-dien-5-ol; hydrochloride	C ₉ H ₁₂ ClN ₃ O ₄	261.7
2-[(3,4-dichlorophenyl)-methyl-propylamino]-ethanol	C ₁₂ H ₁₇ Cl ₂ NO	262.2
2-[(2,3-dichlorophenyl)-methyl-propylamino]-ethanol	C ₁₂ H ₁₇ Cl ₂ NO	262.2
4-hydroxy- <i>N</i> -(2-hydroxyethyl)-1-methyl-2-oxoquinoline-3-carboxamide	C ₁₃ H ₁₄ N ₂ O ₄	262.3
<i>N</i> -[1-(2-hydroxyethylamino)-3-methyl-1-oxobut-2-en-2-yl]-benzamide	C ₁₄ H ₁₈ N ₂ O ₃	262.3
2-[(2,6-dichlorophenyl)-methyl-(2-hydroxyethyl)-amino]-ethanol	C ₁₁ H ₁₅ Cl ₂ NO ₂	264.1
2-[(3,4-dichlorophenyl)-methyl-(2-hydroxyethyl)-amino]-ethanol	C ₁₁ H ₁₅ Cl ₂ NO ₂	264.1
[3-ethoxy-2-[(5-methyl-1,2-oxazol-3-yl)-methoxy]-phenyl]-methanol	C ₁₄ H ₁₇ NO ₄	263.3
2-(3,5-diphenylpyrazol-1-yl)-ethanol	C ₁₇ H ₁₆ N ₂ O	264.3
2-[4-[(4-ethoxyphenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₅ H ₂₄ N ₂ O ₂	264.4
2-[4-[(4-prop-1-en-2-ylcyclohexen-1-yl)-methyl]-piperazin-1-yl]-ethanol	C ₁₆ H ₂₈ N ₂ O	264.4
1-methyl-1-nitroso-3-[2,4,5-trihydroxy-6-(hydroxymethyl)-oxan-3-yl]-urea	C ₈ H ₁₅ N ₃ O ₇	265.2
2-[4-[(3-nitrophenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₃ H ₁₉ N ₃ O ₃	265.3
2-[4-[(2-nitrophenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₃ H ₁₉ N ₃ O ₃	265.3
2-[4-[(4-nitrophenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₃ H ₁₉ N ₃ O ₃	265.3
3-(hydroxymethyl)-5-[(4-methylphenyl)-methylidene]-2-sulfanylidene-1,3-thiazolidin-4-one	C ₁₂ H ₁₁ NO ₂ S ₂	265.4
4-hydroxy- <i>N</i> -[(4-hydroxy-3-methoxyphenyl)-methylideneamino]-pentanamide	C ₁₃ H ₁₈ N ₂ O ₄	266.3
2-(2-nitro-5-piperazin-1-ylanilino)-ethanol	C ₁₂ H ₁₈ N ₄ O ₃	266.3
2-[4-[(4-methylsulfanylphenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₄ H ₂₂ N ₂ OS	266.4
[1-[(4-bromophenyl)-methyl]-pyrazol-4-yl]-methanol	C ₁₁ H ₁₁ BrN ₂ O	267.1
2-(6-aminopurin-9-yl)-5-(hydroxymethyl)-oxolane-3,4-diol	C ₁₀ H ₁₃ N ₅ O ₄	267.2
<i>N</i> -(4-chlorophenyl)-3-(hydroxymethyl)-piperidine-1-carboxamide	C ₁₃ H ₁₇ ClN ₂ O ₂	268.7
1-[(2-hydroxyethylamino)-methyl]-benzo[<i>f</i>]-chromen-3-one	C ₁₆ H ₁₅ NO ₃	269.3
2-(6-aminopurin-9-yl)-5-(hydroxymethyl)-oxolan-3-ol; hydrate	C ₁₀ H ₁₅ N ₅ O ₄	269.3
2-[benzyl-[(2,5-dimethylphenyl)-methyl]-amino]-ethanol	C ₁₈ H ₂₃ NO	269.4
2-(3-butyl-2-iminobenzimidazol-1-yl)-ethanol; hydrochloride	C ₁₃ H ₂₀ ClN ₃ O	269.8
5-bromo-2-(2-hydroxyethyl)-isoindole-1,3-dione	C ₁₀ H ₈ BrNO ₃	270.1
2-hydroxy-ethyl 4-benzoylbenzoate	C ₁₆ H ₁₄ O ₄	270.3
2-[(3-bromophenyl)-methyl-propylamino]-ethanol	C ₁₂ H ₁₈ BrNO	272.2
2-[(4-bromophenyl)-methyl-propylamino]-ethanol	C ₁₂ H ₁₈ BrNO	272.2
2-(hydroxymethyl)-6-(4-hydroxyphenoxy)-oxane-3,4,5-triol	C ₁₂ H ₁₆ O ₇	272.3
2-[[3-(hydroxymethyl)-phenyl]-iminomethyl]-4-nitrophenol	C ₁₄ H ₁₂ N ₂ O ₄	272.3
2-[(4-bromophenyl)-methyl-(2-hydroxyethyl)-amino]-ethanol	C ₁₁ H ₁₆ BrNO ₂	273.0

2-[4-[1-(furan-2-yl)-ethylamino]-pyrazolo[3,4-d]-pyrimidin-1-yl]-ethanol	C ₁₃ H ₁₅ N ₅ O ₂	273.3
<i>N</i> -[(2,4-dichlorophenyl)-methylideneamino]-4-hydroxybutanamide	C ₁₁ H ₁₂ Cl ₂ N ₂ O ₂	275.1
3-acetyl-4-hydroxy-1-(3-hydroxypropyl)-2-phenyl-2 <i>H</i> -pyrrol-5-one	C ₁₅ H ₁₇ NO ₄	275.3
2-[4-(2-hydroxyethyl)-pyrazol-1-yl]- <i>N</i> -(4-methoxyphenyl)-acetamide	C ₁₄ H ₁₇ N ₃ O ₃	275.3
2-(4-methoxy-2,3-dihydrofuro[2,3- <i>b</i>]-quinolin-2-yl)-propane-1,2-diol	C ₁₅ H ₁₇ NO ₄	275.3
2-[benzyl-[(2-chlorophenyl)-methyl]-amino]-ethanol	C ₁₆ H ₁₈ ClNO	275.8
hydron; 2-[2-(1-hydroxybutan-2-ylamino)-ethylamino]-butan-1-ol; dichloride	C ₁₀ H ₂₆ Cl ₂ N ₂ O ₂	277.2
4-amino-1-[3,4-dihydroxy-5-(hydroxymethyl)-oxolan-2-yl]-pyrimidin-2-one; hydrochloride	C ₉ H ₁₄ ClN ₃ O ₅	279.7
[3-[(2,4-dichlorophenyl)-methylideneamino]-phenyl]-methanol	C ₁₄ H ₁₁ Cl ₂ NO	280.1
1-(2,3-dihydro-1,4-benzodioxin-6-yl)-3-(4-hydroxy-3-methylbutan-2-yl)-urea	C ₁₄ H ₂₀ N ₂ O ₄	280.3
2-[5-(3-methylpiperazin-1-yl)-2-nitroanilino]-ethanol	C ₁₃ H ₂₀ N ₄ O ₃	280.3
2-(hydroxymethyl)-5-[6-(methylamino)-purin-9-yl]-oxolane-3,4-diol	C ₁₁ H ₁₅ N ₅ O ₄	281.3
[4-(hydroxymethyl)-piperidin-1-yl]-(5-methyl-4-propylthiophen-2-yl)-methanone	C ₁₅ H ₂₃ NO ₂ S	281.4
3-(1-hydroxybutan-2-ylimino)-2-(1-hydroxybutylidene)-5,5-dimethylcyclohexan-1-one	C ₁₆ H ₂₇ NO ₃	281.4
(1-methyl-5-nitro-3-phenylindol-2-yl)-methanol	C ₁₆ H ₁₄ N ₂ O ₃	282.3
[1-[2-(2-methylphenoxy)-ethyl]-benzimidazol-2-yl]-methanol	C ₁₇ H ₁₈ N ₂ O ₂	282.3
2-[4-(2-pyridin-2-ylethylamino)-pyrazolo[3,4- <i>d</i>]-pyrimidin-1-yl]-ethanol	C ₁₄ H ₁₆ N ₆ O	284.3
<i>N</i> -ethyl-3-hydroxy-2-phenyl- <i>N</i> -(pyridine-4-ylmethyl)-propanamide	C ₁₇ H ₂₀ N ₂ O ₂	284.4
2-[2-(2,4,6-trichlorophenoxy)-ethylamino]-ethanol	C ₁₀ H ₁₂ Cl ₃ NO ₂	284.6
5-(6-amino-2-chloropurin-9-yl)-2-(hydroxymethyl)oxolan-3-ol	C ₁₀ H ₁₂ ClN ₅ O ₃	285.7
2-[benzyl-[(3-nitrophenyl)-methyl]-amino]-ethanol	C ₁₆ H ₁₈ N ₂ O ₃	286.3
3,7-dimethyl-9-(2,6,6-trimethylcyclohex-1-en-1-yl)-nona-2,4,6,8-tetraen-1-ol	C ₂₀ H ₃₀ O	286.5
2-[benzyl-[(4-methylsulfanylphenyl)-methyl]-amino]-ethanol	C ₁₇ H ₂₁ NOS	287.4
4-hydroxy- <i>N</i> -(2-hydroxyethyl)-2-oxo-1-prop-2-enylquinoline-3-carboxamide	C ₁₅ H ₁₆ N ₂ O ₄	288.3
13-methyl-6,7,8,9,11,12,14,15,16,17-decahydrocyclopenta[<i>a</i>]-phenanthrene-3,16,17-triol	C ₁₈ H ₂₄ O ₃	288.4
2-[4-[(2,3-dichlorophenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₃ H ₁₈ Cl ₂ N ₂ O	289.2
(8-methyl-8-azabicyclo[3.2.1]octan-3-yl 3-hydroxy-2-phenylpropanoate	C ₁₇ H ₂₃ NO ₃	289.2
2-(3,4-dihydroxyphenyl)-3,4-dihydro-2 <i>H</i> -chromene-3,5,7-triol	C ₁₅ H ₁₄ O ₆	290.3
2-[4-[[6-methoxypyridin-3-yl)-methylamino]-methyl]-3,5-dimethylpyrazol-1-yl]-ethanol	C ₁₅ H ₂₂ N ₄ O ₂	290.4
3-acetyl-4-hydroxy-1-(2-hydroxyethyl)-2-(4-methoxyphenyl)-2 <i>H</i> -pyrrol-5-one	C ₁₅ H ₁₇ NO ₅	291.3
2-[4-[3-(2-nitrophenyl)-prop-2-enyl]-piperazin-1-yl]-ethanol	C ₁₅ H ₂₁ N ₃ O ₃	291.4

2,6-ditert-butyl-4-(3-hydroxy-2,2-dimethylpropyl)-phenol	C ₁₉ H ₃₂ O ₂	292.5
3-bromo-2-hydroxy-5-phenyl-benzoic acid	C ₁₃ H ₉ BrO ₃	293.1
2-[3-acetamido-2,5-dihydroxy-6-(hydroxymethyl)-oxan-4-yl]-oxypropanoic acid	C ₁₁ H ₁₉ NO ₈	293.3
2-amino-3-hydroxy- <i>N</i> -[(2,3,4-trihydroxyphenyl)-methyl]-propanehydrazide; hydrochloride	C ₁₀ H ₁₆ ClN ₃ O ₅	293.7
<i>N</i> -[6-(hydroxyamino)-6-oxohexoxy]-3,5-dimethylbenzamide	C ₁₅ H ₂₂ N ₂ O ₄	294.4
2-[2-(2-hydroxyethylamino)-benzimidazol-1-yl]-1-phenylethanone	C ₁₇ H ₁₇ N ₃ O ₂	295.3
2-[2-(2-chloro-6-nitroanilino)-ethylamino]-ethanol; hydrochloride	C ₁₀ H ₁₅ Cl ₂ N ₃ O ₃	296.2
[1-[2-(2,6-dimethylphenoxy)-ethyl]-benzimidazol-2-yl]-methanol	C ₁₈ H ₂₀ N ₂ O ₂	296.4
17-ethynyl-13-methyl-7,8,9,11,12,14,15,16-octahydro-6 <i>H</i> -cyclopenta[<i>a</i>]-phenanthrene-3,17-diol	C ₂₀ H ₂₄ O ₂	296.4
2-[[6-(benzylamino)-9-methylpurin-2-yl]-amino]-ethanol	C ₁₅ H ₁₈ N ₆ O	298.3
2-[4-[(4-bromophenyl)-methyl]-piperazin-1-yl]-ethanol	C ₁₃ H ₁₉ BrN ₂ O	299.2
[5-bromo-2-(3-ethylpiperidin-1-yl)-pyridin-3-yl]-methanol	C ₁₃ H ₁₉ BrN ₂ O	299.2
2-[2-(3,4-dimethylphenoxy)-ethylamino]-ethanol; oxalic acid	C ₁₄ H ₂₁ NO ₆	299.3
2-[2-(2,5-dimethylphenoxy)-ethylamino]-ethanol; oxalic acid	C ₁₄ H ₂₁ NO ₆	299.3
2-[2-(2-ethylphenoxy)-ethylamino]-ethanol; oxalic acid	C ₁₄ H ₂₁ NO ₆	299.3
2-amino-9-[3,4-dihydroxy-5-(hydroxymethyl)-oxolan-2-yl]-3 <i>H</i> -purine-6-thione	C ₁₀ H ₁₃ N ₅ O ₄ S	299.3
<i>N</i> -(2-hydroxyethyl)-hexadecanamide	C ₁₈ H ₃₇ NO ₂	299.5
1-(2-hydroxy-1-phenylethyl)-3-(5-methoxy-2-methylphenyl)-urea	C ₁₇ H ₂₀ N ₂ O ₃	300.4
bis(4-chlorophenyl)-phosphorylmethanol	C ₁₃ H ₁₁ Cl ₂ O ₂ P	301.1
2-[1-(5-bromopyridin-2-yl)-piperidin-3-yl]-oxyethanol	C ₁₂ H ₁₇ BrN ₂ O ₂	301.2
[3-[(3,4,5-trimethoxyphenyl)-methylideneamino]-phenyl]-methanol	C ₁₇ H ₁₉ NO ₄	301.3
2-[4-[2-(3-fluorophenyl)-ethylamino]-pyrazolo[3,4- <i>d</i>]-pyrimidin-1-yl]-ethanol	C ₁₅ H ₁₆ FN ₅ O	301.3
2-[4-[4-(furan-2-yl)-butan-2-ylamino]-pyrazolo[3,4- <i>d</i>]-pyrimidin-1-yl]-ethanol	C ₁₅ H ₁₉ N ₅ O ₂	301.3
2-aminooctadecane-1,3-diol	C ₁₈ H ₃₉ NO ₂	301.5
2-(6-amino-2-chloropurin-9-yl)-5-(hydroxymethyl)-oxolane-3,4-diol	C ₁₀ H ₁₂ ClN ₅ O ₄	301.7
potassium; [4-(1,2-dihydroxyethyl)-2-methoxyphenyl] sulfate	C ₉ H ₁₁ KO ₇ S	302.3
sodium; 1-[2-(hydroxymethyl)-4,5-dimethoxyphenyl]-cyclopentane-1-carboxylate	C ₁₅ H ₁₉ NaO ₅	302.3
2-[5-[1-(2-amino-6-methylpyrimidin-4-yl)-piperidin-4-yl]-pyrazol-1-yl]-ethanol	C ₁₅ H ₂₂ N ₆ O	302.4
2-methoxy-13-methyl-6,7,8,9,11,12,14,15,16,17-decahydrocyclopenta[<i>a</i>]-phenanthrene-3,17-diol	C ₁₉ H ₂₆ O ₃	302.4
2-[4-[methyl-[(3-methylthiophen-2-yl)-methyl]-amino]-pyrazolo[3,4- <i>d</i>]-pyrimidin-1-yl]-ethanol	C ₁₄ H ₁₇ N ₅ OS	303.4
2-[4-[[4-fluoro-2,3-dihydro-1 <i>H</i> -inden-1-yl)-amino]-methyl]-3,5-dimethylpyrazol-1-yl]-ethanol	C ₁₇ H ₂₂ FN ₃ O	303.4
2-(3,4-dihydroxyphenyl)-3,5,7-trihydroxy-2,3-dihydrochromen-4-one	C ₁₅ H ₁₂ O ₇	304.3

<i>N</i> -[1-(2-hydroxyethyl)-pyrazol-4-yl]-5-thiophen-2-yl-1,2-oxazole-3-carboxamide	C ₁₃ H ₁₂ N ₄ O ₃ S	304.3
[5-(1-benzylindazol-3-yl)furan-2-yl]-methanol	C ₁₉ H ₁₆ N ₂ O ₂	304.3
2-[5-[1-[(4,5-dimethyl-1,3-oxazol-2-yl)-methyl]-piperidin-4-yl]-pyrazol-1-yl]-ethanol	C ₁₆ H ₂₄ N ₄ O ₂	304.4
1-(2-chloro-4-methylphenyl)-3-[[2-(hydroxymethyl)-phenyl]-methyl]-urea	C ₁₆ H ₁₇ ClN ₂ O ₂	304.8
2-[4-[(5-bromothiophen-2-yl)methyl]-piperazin-1-yl]-ethanol	C ₁₁ H ₁₇ BrN ₂ OS	305.2
1-(2-hydroxyethyl)-1-[(2-methoxyphenyl)-methyl]-3-(3-methyl-1,2-oxazol-5-yl)-urea	C ₁₅ H ₁₉ N ₃ O ₄	305.3
2-[4-[(imidazo[2,1-b][1,3]-thiazol-6-ylmethylamino)-methyl]-3,5-dimethylpyrazol-1-yl]-ethanol	C ₁₄ H ₁₉ N ₅ OS	305.4
<i>N</i> -[4-ethoxy-3-(hydroxymethyl)-phenyl]-2-ethyl-1,3-thiazole-5-carboxamide	C ₁₅ H ₁₈ N ₂ O ₃ S	306.1
2-[5-[1-[(2-methyl-1,3-thiazol-5-yl)-methyl]-piperidin-4-yl]-pyrazol-1-yl]-ethanol	C ₁₅ H ₂₂ N ₄ OS	306.4
5-bromo-1-[4-hydroxy-5-(hydroxymethyl)-oxolan-2-yl]-pyrimidine-2,4-dione	C ₉ H ₁₁ BrN ₂ O ₅	307.1
2-amino-3-(4-hydroxy-3-iodophenyl)-propanoic acid	C ₉ H ₁₀ INO ₃	307.1
2-[5-[(2- <i>tert</i> -butyl-1,3-thiazol-4-yl)-methylamino]-pyridin-2-yl]-oxyethanol	C ₁₅ H ₂₁ N ₃ O ₂ S	307.1
[1-[(2,4-dichlorophenyl)-methyl]-benzimidazol-2-yl]-methanol	C ₁₅ H ₁₂ Cl ₂ N ₂ O	307.2
2-(2-hydroxyethylamino)-3-methyl-5-thiophen-2-ylthieno[2,3-d]-pyrimidin-4-one	C ₁₃ H ₁₃ N ₃ O ₂ S ₂	307.4
2-[5-[(2- <i>tert</i> -butyl-1,3-thiazol-5-yl)-methylamino]-pyridin-2-yl]-oxyethanol	C ₁₅ H ₂₁ N ₃ O ₂ S	307.4
[2-[[2-(2-methoxynaphthalen-1-yl)-methylamino]-methyl]-phenyl]-methanol	C ₂₀ H ₂₁ NO ₂	307.4
2-amino-2-[2-(4-octylphenyl)-ethyl]-propane-1,3-diol	C ₁₉ H ₃₃ NO ₂	307.5
5-[[[2-(4-chlorophenyl)-2-hydroxyethyl]-amino]-methyl]-2-methoxyphenol	C ₁₆ H ₁₈ ClNO ₃	307.8
2-(3,4-dihydroxyphenyl)-3,4-dihydro-2 <i>H</i> -chromene-3,5,7-triol; hydrate	C ₁₅ H ₁₆ O ₇	308.3
<i>N</i> -[[2-(hydroxymethyl)-phenyl]-methyl]-4-oxo-1 <i>H</i> -quinoline-3-carboxamide	C ₁₈ H ₁₆ N ₂ O ₃	308.3
2-[5-[(5-methyl-[1,2,4]-triazolo[1,5- <i>a</i>]-pyrimidin-7-yl)-amino]-indol-1-yl]-ethanol	C ₁₆ H ₁₆ N ₆ O	308.3
7-[[4-(2-hydroxyethyl)-piperazin-1-yl]-methyl]-3-methyl-[1,3]-thiazolo[3,2- <i>a</i>]-pyrimidin-5-one	C ₁₄ H ₂₀ N ₄ O ₂ S	308.4
[1-[4-[(4-ethylphenyl)-methylamino]-phenyl]-triazol-4-yl]-methanol	C ₁₈ H ₂₀ N ₄ O	308.4
2-[4-fluoro-2-(2-hydroxyethoxy)-anilino]- <i>N</i> -(3-methyl-1,2-oxazol-5-yl)-acetamide	C ₁₄ H ₁₆ FN ₃ O ₄	309.3
<i>N</i> -(2-hydroxy-1-phenylethyl)-1-propan-2-ylpyrazole-4-sulfonamide	C ₁₄ H ₁₉ N ₃ O ₃ S	309.4
2-[4-[2,3-dihydro-1 <i>H</i> -inden-1-yl(methyl)-amino]-pyrazolo[3,4- <i>d</i>]-pyrimidin-1-yl]-ethanol	C ₁₇ H ₁₉ N ₅ O	309.4
2-[2-[4-[(4-nitrophenyl)-methyl]-piperazin-1-yl]-ethoxy]-ethanol	C ₁₅ H ₂₃ N ₃ O ₄	309.4

4-chloro- <i>N</i> -(4-hydroxy-3-methylsulfanylbutan-2-yl)-benzenesulfonamide	C ₁₁ H ₁₆ ClNO ₃ S ₂	309.8
<i>N</i> -[3-(2-hydroxyethylamino)-3-oxo-1-phenylprop-1-en-2-yl]-benzamide	C ₁₈ H ₁₈ N ₂ O ₃	310.3
2,3-bis(2-hydroxyethylsulfanyl)-naphthalene-1,4-dione	C ₁₄ H ₁₄ O ₄ S ₂	310.4
2-[(9-ethylcarbazol-3-yl)-methyl-propylamino]-ethanol	C ₂₀ H ₂₆ N ₂ O	310.4
2-[[4-[[[(5-chloropyridin-2-yl)-amino]-methyl]-2-fluorophenyl]-methoxy]-ethanol	C ₁₅ H ₁₆ ClFN ₂ O ₂	310.8
<i>N</i> -[2-[(2,5-difluorophenyl)-methyl]-3-hydroxypropyl]-thiophene-2-carboxamide	C ₁₅ H ₁₅ F ₂ NO ₂ S	311.3
2-[5-[(2-phenyltriazol-4-yl)-methylamino]-pyridin-2-yl]-oxyethanol	C ₁₆ H ₁₇ N ₅ O ₂	311.3
[5-[[[(3,5-dimethyl-1-phenylpyrazol-4-yl)-methylamino]-methyl]-furan-2-yl]-methanol	C ₁₈ H ₂₁ N ₃ O ₂	311.4
[1-(4-ethylphenyl)-1-oxopropan-2-yl] 4-(hydroxymethyl)-benzoate	C ₁₉ H ₂₀ O ₄	312.4
1-[5-[1-(hydroxymethyl)-3,4-dihydro-1 <i>H</i> -isoquinoline-2-carbonyl]-1-methylpyrrol-3-yl]-ethanone	C ₁₈ H ₂₀ N ₂ O ₃	312.4
1-(2,6-diethylphenyl)-3-[[2-(hydroxymethyl)-phenyl]-methyl]-urea	C ₁₉ H ₂₄ N ₂ O ₂	312.4
1-(3-cyano-4-fluorophenyl)-3-(1-hydroxy-3-phenylpropan-2-yl)-urea	C ₁₇ H ₁₆ FN ₃ O ₂	313.3
<i>N</i> -(3,4-difluorophenyl)-3-[4-(2-hydroxyethyl)-piperazin-1-yl]-propanamide	C ₁₅ H ₂₁ F ₂ N ₃ O ₂	313.3
[2-[[[(5-methoxy-2-methyl-2,3-dihydro-1-benzofuran-6-yl)-methylamino]-methyl]-phenyl]-methanol	C ₁₉ H ₂₃ NO ₃	313.4
2-[4-[[1-(1-benzofuran-2-yl)-ethylamino]-methyl]-3,5-dimethylpyrazol-1-yl]-ethanol	C ₁₈ H ₂₃ N ₃ O ₂	313.4
2-[[[(5-chloropyrimidin-2-yl)-amino]-methyl]-3-(2,5-difluorophenyl)-propan-1-ol	C ₁₄ H ₁₄ ClF ₂ N ₃ O	313.7
[2-(2-cyanoanilino)-2-oxoethyl] 5-(hydroxymethyl)-2-methylfuran-3-carboxylate	C ₁₆ H ₁₄ N ₂ O ₅	314.3
3-fluoro-4-[[[2-hydroxy-1-(4-methoxyphenyl)-ethyl]-methylamino]-methyl]-benzonitrile	C ₁₈ H ₁₉ FN ₂ O ₂	314.4
3-[[2-[(4-fluorophenyl)-methyl]-3-hydroxypropyl]-amino]-5,6-dimethylpyridazine-4-carbonitrile	C ₁₇ H ₁₉ FN ₄ O	314.4
4-[[[2-hydroxy-1-(4-methoxyphenyl)-ethyl]-methylamino]-methyl]-benzamide	C ₁₈ H ₂₂ N ₂ O ₃	314.4
2-[4-(2-thiophen-2-ylpyrrolidin-1-yl)-pyrazolo[3,4- <i>d</i>]-pyrimidin-1-yl]-ethanol	C ₁₅ H ₁₇ N ₅ OS	315.4
3-fluoro- <i>N</i> -[4-(hydroxymethyl)-cyclohexyl]- <i>N</i> ,5-dimethylbenzenesulfonamide	C ₁₅ H ₂₂ FNO ₃ S	315.4
(5-thiophen-3-yl-1,2,4-oxadiazol-3-yl)-methyl 4-(hydroxymethyl)-benzoate	C ₁₅ H ₁₂ N ₂ O ₄ S	316.3
1-(3-chlorophenyl)-3-[2-(hydroxymethyl)-1,3-dihydroinden-2-yl]-urea	C ₁₇ H ₁₇ ClN ₂ O ₂	316.8
<i>N</i> -[4-ethoxy-3-(hydroxymethyl)-phenyl]-1-methyl-5-propan-2-ylpyrazole-3-carboxamide	C ₁₇ H ₂₃ N ₃ O ₃	317.4
4-[2-[2-(3,4-dimethoxy-phenyl)-ethylamino]-1-hydroxy-ethyl]-phenol	C ₁₈ H ₂₃ NO ₄	317.4
2-[benzyl-[(4-phenylphenyl)-methyl]-amino]-ethanol	C ₂₂ H ₂₃ NO	317.4

2-[4-[(3,4-dihydro-2 <i>H</i> -thiochromen-4-ylamino)-methyl]-3,5-dimethylpyrazol-1-yl]-ethanol	C ₁₇ H ₂₃ N ₃ OS	317.5
1-(3,5-difluorophenyl)-3-[2-(hydroxymethyl)-1,3-dihydroinden-2-yl]-urea	C ₁₇ H ₁₆ F ₂ N ₂ O ₂	318.3
1-(4-fluoro-2-methylphenyl)-3-[[2-(2-hydroxyethoxy)-phenyl]-methyl]-urea	C ₁₇ H ₁₉ FN ₂ O ₃	318.3
<i>N</i> -(1-hydroxybutan-2-yl)-2-[4-(thiophen-3-ylmethylamino)-phenyl]-acetamide	C ₁₇ H ₂₂ N ₂ O ₂ S	318.4
1-[4-[(2-hydroxy-1-phenylethyl)-amino]-piperidin-1-yl]-3,3-dimethylbutan-1-one	C ₁₉ H ₃₀ N ₂ O ₂	318.5
(2 <i>R</i> , 3 <i>R</i> , 4 <i>S</i> , 5 <i>R</i>)-2-(5,6-dichlorobenzimidazol-1-yl)-5-(hydromethyl)-oxolane-3,4-diol	C ₁₂ H ₁₂ Cl ₂ N ₂ O ₄	319.1
4-[(1 <i>R</i>)-2-amino-1-hydroxyethyl]-benzene-1,2-diol; 2,3-dihydroxybutanedioic acid	C ₁₂ H ₁₇ NO ₉	319.3
4-(2-amino-1-hydroxyethyl)-benzene-1,2-diol; (2 <i>R</i> ,3 <i>R</i>)-2,3-dihydroxybutanedioic acid	C ₁₂ H ₁₇ NO ₉	319.3
1-(3-fluoro-4-methylsulfanylphenyl)-3-[[3-(hydroxymethyl)-phenyl]-methyl]-urea	C ₁₆ H ₁₇ FN ₂ O ₂ S	320.4
6-(hydroxymethyl)- <i>N</i> -[(2-hydroxynaphthalen-1-yl)-methylideneamino]-pyridine-3-carboxamide	C ₁₈ H ₁₅ N ₃ O ₃	321.3
<i>N</i> -[(2,5-dimethoxyphenyl)-methyl]- <i>N</i> -(2-hydroxyethyl)-thiophene-3-carboxamide	C ₁₆ H ₁₉ NO ₄ S	321.4
2-[4-[[1-(3-fluoro-4-methoxyphenyl)-ethylamino]-methyl]-3,5-dimethylpyrazol-1-yl]-ethanol	C ₁₇ H ₂₄ FN ₃ O ₂	321.4
8,16,18-trihydroxy-4-methyl-3-oxabicyclo[12.4.0]-octadeca-1(14),15,17-trien-2-one	C ₁₈ H ₂₆ O ₅	322.2
2-[4-[2-(1 <i>H</i> -indol-3-yl)-ethylamino]-pyrazolo[3,4- <i>d</i>]-pyrimidin-1-yl]-ethanol	C ₁₇ H ₁₈ N ₆ O	322.4
2-[4-[[3-(4-chlorophenyl)-1,2,4-oxadiazol-5-yl]-methyl]-piperazin-1-yl]-ethanol	C ₁₅ H ₁₉ ClN ₄ O ₂	322.8
2,2-dichloro- <i>N</i> -[1,3-dihydroxy-1-(4-nitrophenyl)-propan-2-yl]-acetamide	C ₁₁ H ₁₂ Cl ₂ N ₂ O ₅	323.1
<i>N</i> -benzyl-4-bromo- <i>N</i> -(2-hydroxyethyl)-1 <i>H</i> -pyrrole-2-carboxamide	C ₁₄ H ₁₅ BrN ₂ O ₂	323.2
methyl 4-[[2-(hydroxymethyl)-phenyl]-methylamino]-quinazoline-7-carboxylate	C ₁₈ H ₁₇ N ₃ O ₃	323.3
2-[5-(1-quinazolin-4-ylpiperidin-4-yl)-pyrazol-1-yl]-ethanol	C ₁₈ H ₂₁ N ₅ O	323.4
1-[3-(2-hydroxyethyl)-pyrrolidin-1-yl]-3,3-diphenylpropan-1-one	C ₂₁ H ₂₅ NO ₂	323.4
4-[2-[[1-hydroxy-1-(4-hydroxyphenyl)-propan-2-yl]-amino]-ethyl]-phenol; hydrochloride	C ₁₇ H ₂₂ ClNO ₃	323.8
4-[2-[[1 <i>R</i> ,2 <i>S</i>]-1-hydroxy-1-(4-hydroxyphenyl)-propan-2-yl]-amino]-ethyl]-phenol; hydrochloride	C ₁₇ H ₂₂ ClNO ₃	323.8
2-[(5-bromopyrimidin-2-yl)amino]-2-(4-methoxyphenyl)-ethanol	C ₁₃ H ₁₄ BrN ₃ O ₂	324.2
2-[4-fluoro-2-(2-hydroxyethoxy)-anilino]- <i>N</i> -(thiophen-2-ylmethyl)-acetamide	C ₁₅ H ₁₇ FN ₂ O ₃ S	324.4
1-[[3-fluoro-4-(hydroxymethyl)-phenyl]-methyl]-3-(5-propan-2-yl-1,3,4-thiadiazol-2-yl)-urea	C ₁₄ H ₁₇ FN ₄ O ₂ S	324.4

[1-[2-(5-methyl-2-propan-2-ylphenoxy)-ethyl]-benzimidazol-2-yl]-methanol	C ₂₀ H ₂₄ N ₂ O ₂	324.4
2-[3-(hydroxymethyl)-anilino]-2-phenyl-1-piperidin-1-ylethanone	C ₂₀ H ₂₄ N ₂ O ₂	324.4
1-[2-(4-fluorophenyl)-2-methoxyethyl]-3-[2-(hydroxymethyl)-cyclohexyl]-urea	C ₁₇ H ₂₅ FN ₂ O ₃	324.4
3-(2-chloro-4-methylphenyl)-1-(2-hydroxyethyl)-1-(thiophen-3-ylmethyl)-urea	C ₁₅ H ₁₇ ClN ₂ O ₂ S	324.8
<i>N</i> -(2-hydroxyethyl)-octadec-9-enamide	C ₂₀ H ₃₉ NO ₂	325.5
2-[4-[(5-chlorothiophen-2-yl)-methoxy]-phenyl]- <i>N</i> -(2-hydroxyethyl)-acetamide	C ₁₅ H ₁₆ ClNO ₃ S	325.8
3-[2-(4-chlorophenyl)imidazo[1,2- <i>a</i>]-benzimidazol-3-yl]-propan-1-ol	C ₁₈ H ₁₆ ClN ₃ O	325.8
[1-phenyl-3-(4-phenylphenyl)-pyrazol-4-yl]-methanol	C ₂₂ H ₁₈ N ₂ O	326.4
2-(12-hydroxy-dodeca-5,10-diyne)-3,5,6-trimethyl-cyclohexa-2,5-diene-1,4-dione	C ₂₁ H ₂₆ O ₃	326.4
<i>N</i> -[2-(2-chloro-4-methoxyphenyl)-ethyl]-3-(hydroxymethyl)-piperidine-1-carboxamide	C ₁₆ H ₂₃ ClN ₂ O ₃	326.8
2-(4-(4-hydroxy-3-isopropyl-benzyl)-3,5-dimethyl-phenoxy)-acetic acid	C ₂₀ H ₂₄ O ₄	328.4
[3-[(9-ethylcarbazol-3-yl)-methylideneamino]-phenyl]-methanol	C ₂₂ H ₂₀ N ₂ O	328.4
4-fluoro-3-[[4-[2-(2-hydroxyethyl)-pyrazol-3-yl]-piperidin-1-yl]methyl]-benzonitrile	C ₁₈ H ₂₁ FN ₄ O	328.4
2-[4-[2-(2-hydroxyethyl)-pyrazol-3-yl]-piperidin-1-yl]-2-phenylacetamide	C ₁₈ H ₂₄ N ₄ O ₂	328.4
3-[4-(3-imidazol-1-ylpropylamino)-5,6-dimethylpyrrolo[2,3- <i>d</i>]-pyrimidin-7-yl]-propan-1-ol	C ₁₇ H ₂₄ N ₆ O	328.4
[2-[4-(4-ethylpiperazin-1-yl)-butoxy]-phenyl]-methanol; hydrochloride	C ₁₇ H ₂₉ ClN ₂ O ₂	328.9
[5-fluoro-3-(hydroxymethyl)-2-[(1-phenyl-1,2,4-triazol-3-yl)-methoxy]-phenyl]-methanol	C ₁₇ H ₁₆ FN ₃ O ₃	329.3
3-[3-[bis(2-hydroxyethyl)-sulfamoyl]-4-methylphenyl]-prop-2-enoic	C ₁₄ H ₁₉ NO ₆ S	329.4
2-[5-(1-thieno[2,3- <i>d</i>]-pyrimidin-4-yl)piperidin-4-yl]-pyrazol-1-yl]-ethanol	C ₁₆ H ₁₉ N ₅ OS	329.4
2-(2,6-dimethylphenoxy)-ethyl 2-(2-hydroxyethylamino)-benzoate	C ₁₉ H ₂₃ NO ₄	329.4
[1-(pyren-1-ylmethyl)-piperidin-3-yl]methanol	C ₂₃ H ₂₃ NO	329.4
<i>N</i> -benzyl- <i>N</i> -(2-hydroxyethyl)-5,6,7,8-tetrahydro-4 <i>H</i> -cyclohepta[<i>b</i>]-thiophene-2-carboxamide	C ₁₉ H ₂₃ NO ₂ S	329.5
2-ethoxy- <i>N</i> -(1-hydroxybutan-2-yl)-4-methyl-5-propan-2-ylbenzenesulfonamide	C ₁₆ H ₂₇ NO ₄ S	329.5
4-chloro- <i>N,N</i> -bis(2-hydroxyethyl)-naphthalene-1-sulfonamide	C ₁₄ H ₁₆ ClNO ₄ S	329.8
[2-[2-[2-(4-methylpiperidin-1-yl)-ethoxy]-ethoxy]-phenyl]-methanol; hydrochloride	C ₁₇ H ₂₈ ClNO ₃	329.9
3-[4-(4-methoxyphenyl)-sulfonylpiperazin-1-yl]-propane-1,2-diol	C ₁₄ H ₂₂ N ₂ O ₅ S	330.1
2-[[5-(3-chloro-2-methylphenyl)-furan-2-yl]-methylamino]-butan-1-ol; hydrochloride	C ₁₆ H ₂₁ Cl ₂ NO ₂	330.2
3-[[2-(2,4-difluoroanilino)-quinazolin-4-yl]-amino]-propan-1-ol	C ₁₇ H ₁₆ F ₂ N ₄ O	330.3

5-(dimethylsulfamoyl)- <i>N</i> -(1-hydroxy-2-methylpropan-2-yl)-2-methoxybenzamide	C ₁₄ H ₂₂ N ₂ O ₅ S	330.4
1-(4,5-dimethoxy-2-methylphenyl)-3-[[2-(hydroxymethyl)-phenyl]-methyl]-urea	C ₁₈ H ₂₂ N ₂ O ₄	330.4
1-[[2-(hydroxymethyl)phenyl]methyl]-3-[3-(2-methoxyethoxy)-phenyl]-urea	C ₁₈ H ₂₂ N ₂ O ₄	330.4
17-(2-hydroxyacetyl)-10,13-dimethyl-1,2,6,7,8,9,11,12,14,15,16,17-dodecahydrocyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₁ H ₃₀ O ₃	330.5
2-[1-[3-(2-chlorophenoxy)-propyl]-benzimidazol-2-yl]-ethanol	C ₁₈ H ₁₉ ClN ₂ O ₂	330.8
3-[1-[2-(4-chlorophenoxy)-ethyl]-benzimidazol-2-yl]-propan-1-ol	C ₁₈ H ₁₉ ClN ₂ O ₂	330.8
2-[5-chloro-2-ethoxy-4-[(1-hydroxybutan-2-ylamino)-methyl]-phenoxy]-acetamide	C ₁₅ H ₂₃ ClN ₂ O ₄	330.8
2-(2-bromophenyl)-imino-5,5-bis(hydroxymethyl)-1,3-thiazolidin-4-one	C ₁₁ H ₁₁ BrN ₂ O ₃ S	331.2
3-(3-hydroxypropyl)-2-[(3-methyl-1,2-oxazol-5-yl)-methylsulfanyl]-quinazolin-4-one	C ₁₆ H ₁₇ N ₃ O ₃ S	331.4
2-(6-hydroxy-3-oxo-3 <i>H</i> -xanthen-9-yl)-benzoic acid	C ₂₀ H ₁₂ O ₅	332.3
2-[4-(3-ethoxy-4-fluorophenyl)-sulfonylpiperazin-1-yl]-ethanol	C ₁₄ H ₂₁ FN ₂ O ₄ S	332.4
1-[2-(2-hydroxyethyl)-5-(2-methylphenyl)-pyrazol-3-yl]-3-(1-methoxypropan-2-yl)-urea	C ₁₇ H ₂₄ N ₄ O ₃	332.4
3-[2-(2,3-dihydro-1-benzofuran-5-yl)ethyl]-1-[4-(hydroxymethyl)-cyclohexyl]-1-methylurea	C ₁₉ H ₂₈ N ₂ O ₃	332.4
5-(2-bromoethyl)-1-[4-hydroxy-5-(hydroxymethyl)-oxolan-2-yl]-pyrimidine-2,4-dione	C ₁₁ H ₁₃ BrN ₂ O ₅	333.1
[3,5-dichloro-4-(naphthalen-1-ylmethoxy)-phenyl]-methanol	C ₁₈ H ₁₄ Cl ₂ O ₂	333.2
2,3-dihydroxybutanedioic acid; 4-[1-hydroxy-2-(methylamino)-ethyl]-benzene-1,2-diol	C ₁₃ H ₁₉ NO ₉	333.3
2-[5-[1-[(5- <i>tert</i> -butyl)-1,2,4-oxadiazol-3-yl]-methyl]-piperidin-4-yl]-pyrazol-1-yl]-ethanol	C ₁₇ H ₂₇ N ₅ O ₂	333.4
2-[4-fluoro-2,6-bis(hydroxymethyl)-phenoxy]- <i>N</i> -(2-phenylethyl)-acetamide	C ₁₈ H ₂₀ FNO ₄	333.4
2-[4-[[6-chloroimidazo[1,2- <i>a</i>]pyridin-2-yl]-methylamino]-methyl]-3,5-dimethylpyrazol-1-yl]-ethanol	C ₁₆ H ₂₀ ClN ₅ O	333.8
2-[[5-(3-chloro-4-fluorophenyl)-furan-2-yl]-methylamino]-2-methylpropan-1-ol; hydrochloride	C ₁₅ H ₁₈ Cl ₂ FNO ₂	334.2
<i>N</i> -(3-hydroxypropyl)-1,3-dioxobenzo[<i>de</i>]-isoquinoline-5-sulfonamide	C ₁₅ H ₁₄ N ₂ O ₅ S	334.3
1-(2-fluorophenyl)-3-[2-hydroxyethyl(thiophen-3-ylmethyl)-amino]-pyrrolidin-2-one	C ₁₇ H ₁₉ FN ₂ O ₂ S	334.4
2-[4-[(1 <i>E</i>)-1-hydroxyimino-2,3-dihydroinden-5-yl]-3-pyridin-4-ylpyrazol-1-yl]-ethanol	C ₁₉ H ₁₈ N ₄ O ₂	334.4
4-(diethylsulfamoyl)- <i>N</i> -(1-hydroxy-2-methylpropan-2-yl)thiophene-2-carboxamide	C ₁₃ H ₂₂ N ₂ O ₄ S ₂	334.5
2-hydroxy-1-(3-hydroxy-10,13-dimethyl-2,3,4,5,6,7,8,9,11,12,14,15,16,17-tetradecahydro-1 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-17-yl)-ethanone	C ₂₁ H ₃₄ O ₃	334.5
2-[4-(5-chloro-2-methoxyphenyl)-sulfonylpiperazin-1-yl]-ethanol	C ₁₃ H ₁₉ ClN ₂ O ₄ S	334.8

1-(3-bromophenyl)-3-[[2-(hydroxymethyl)-phenyl]-methyl]-urea	C ₁₅ H ₁₅ BrN ₂ O ₂	335.2
2-(4-chlorophenoxy)-1-[4-(2-hydroxyethyl)-piperazin-1-yl]-ethanone; hydrochloride	C ₁₄ H ₂₀ Cl ₂ N ₂ O ₃	335.2
2-[5-fluoro-2-[(3-thiophen-2-yl-1,2,4-oxadiazol-5-yl)-methylamino]-phenoxy]-ethanol	C ₁₅ H ₁₄ FN ₃ O ₃ S	335.4
4-[1-hydroxy-2-[(propan-2-yl)-amino]-butyl]-benzene-1,2-diol; methanesulfonic acid	C ₁₄ H ₂₅ NO ₆ S	335.4
2-[6-(cyclopentylamino)-purin-9-yl]-5-(hydroxymethyl)-oxolane-3,4-diol	C ₁₅ H ₂₁ N ₅ O ₄	335.4
1-[4-(2-hydroxyethyl)-piperazin-1-yl]-3-methylpyrido[1,2-a]-benzimidazole-4-carbonitrile	C ₁₉ H ₂₁ N ₅ O	335.4
3-(4-benzyl-11,12-dimethyl-3,5,6,8,10-pentazatricyclo[7.3.0.0 ^{2,6}]-dodeca-1(9),2,4,7,11-pentaen-10-yl)-propan-1-ol	C ₁₉ H ₂₁ N ₅ O	335.4
4-[1-hydroxy-2-(4-phenylbutan-2-ylamino)-propyl]-phenol; hydrochloride	C ₁₉ H ₂₆ ClNO ₂	335.9
2-[[4-[(4-methylphenyl)-methoxy]-phenyl]-methylamino]-butan-1-ol; hydrochloride	C ₁₉ H ₂₆ ClNO ₂	335.9
4-bromo- <i>N</i> -(2-hydroxyethyl)-5-methyl-2-propan-2-ylbenzenesulfonamide	C ₁₂ H ₁₈ BrNO ₃ S	336.3
1-(4-chlorophenoxy)-3-[2-(hydroxymethyl)-piperidin-1-yl]-propan-2-ol; hydrochloride	C ₁₅ H ₂₃ Cl ₂ NO ₃	336.3
5-bromo- <i>N</i> -(1-hydroxybutan-2-yl)-2,4-dimethylbenzenesulfonamide	C ₁₂ H ₁₈ BrNO ₃ S	336.3
3-(3,5-difluorophenyl)-1-[2-hydroxy-1-(4-methoxyphenyl)-ethyl]-1-methylurea	C ₁₇ H ₁₈ F ₂ N ₂ O ₃	336.3
<i>N,N</i> -bis(2-hydroxyethyl)-2-oxo-1 <i>H</i> -benzo[<i>cd</i>]-indole-6-sulfonamide	C ₁₅ H ₁₆ N ₂ O ₅ S	336.4
[3-(2-methylpropyl)-1,2,4-oxadiazol-5-yl]methyl 2-(2-hydroxyethylsulfanyl)-benzoate	C ₁₆ H ₂₀ N ₂ O ₄ S	336.4
2-hydroxyethyl 3-(2,4-dimethylphenyl)-1-phenylpyrazole-4-carboxylate	C ₂₀ H ₂₀ N ₂ O ₃	336.4
<i>N</i> -(4-hydroxybutyl)-1,5-diphenyl-1,2,4-triazole-3-carboxamide	C ₁₉ H ₂₀ N ₄ O ₂	336.4
3-[2-hydroxy-1-(1-methylpyrazol-4-yl)-ethyl]-1,1-diphenylurea	C ₁₉ H ₂₀ N ₄ O ₂	336.4
4-[(2-chloro-4-fluorophenyl)-methylamino]- <i>N</i> -(1-hydroxypropan-2-yl)-benzamide	C ₁₇ H ₁₈ ClFN ₂ O ₂	336.8
5-bromo- <i>N</i> -[3-(hydroxymethyl)-4-methoxyphenyl]-pyridine-2-carboxamide	C ₁₄ H ₁₃ BrN ₂ O ₃	337.2
2-[3-[(4-amino-2-methylpyrimidin-5-yl)-methyl]-4-methyl-1,3-thiazol-3-ium-5-yl]-ethanol; chloride; hydrochloride	C ₁₂ H ₁₈ Cl ₂ N ₄ OS	337.3
4-[2-(<i>tert</i> -butylamino)-1-hydroxyethyl]-2-(hydroxymethyl)-phenol; sulfuric acid	C ₁₃ H ₂₃ NO ₇ S	337.4
<i>N,N</i> -bis(2-hydroxyethyl)-4-phenoxybenzenesulfonamide	C ₁₆ H ₁₉ NO ₅ S	337.4
4-[hydroxy(phenyl)-methylidene]-1-(3-hydroxypropyl)-5-phenylpyrrolidine-2,3-dione	C ₂₀ H ₁₉ NO ₄	337.4
3-hydroxy- <i>N</i> -(2-hydroxy-3-phenoxypropyl)-naphthalene-2-carboxamide	C ₂₀ H ₁₉ NO ₄	337.4
2-[3-(hydroxymethyl)-anilino]- <i>N</i> -(5-methyl-1,2-oxazol-3-yl)-2-phenylacetamide	C ₁₉ H ₁₉ N ₃ O ₃	337.4

1-(furan-2-ylmethyl)-3-(2-hydroxy-1-phenylethyl)-1-pyridin-2-ylurea	C ₁₉ H ₁₉ N ₃ O ₃	337.4
5-ethyl-2-(2-hydroxyethylamino)-6-methyl-3-(oxolan-2-ylmethyl)-thieno[2,3-d]-pyrimidin-4-one	C ₁₆ H ₂₃ N ₃ O ₃ S	337.4
4-[3-(hydroxymethyl)-quinolin-2-yl]-1-(1-methylpyrazol-4-yl)-piperazin-2-one	C ₁₈ H ₁₉ N ₅ O ₂	337.4
1-(3,4-dihydro-1 <i>H</i> -isoquinolin-2-yl)-3-[2-(hydroxymethyl)-benzimidazol-1-yl]-propan-2-ol	C ₂₀ H ₂₃ N ₃ O ₂	337.4
2-[4-(5-methyl-3-phenylpyrazolo[1,5-a]pyrimidin-7-yl)-piperazin-1-yl]-ethanol	C ₁₉ H ₂₃ N ₅ O	337.4
<i>N</i> -ethyl- <i>N</i> -[1-(4-fluorophenyl)ethyl]-2-[4-(2-hydroxyethyl)-piperazin-1-yl]-acetamide	C ₁₈ H ₂₈ FN ₃ O ₂	337.4
4-[1-hydroxy-2-(1-phenoxypropan-2-ylamino)-propyl]-phenol; hydrochloride	C ₁₈ H ₂₄ ClNO ₃	337.8
2-(2-chloro-4-hydroxyphenyl)- <i>N</i> -[2-(4-fluorophenyl)-2-hydroxypropyl]-acetamide	C ₁₇ H ₁₇ ClFNO ₃	337.8
2-[2-methoxy-4-[(2-phenylethylamino)-methyl]-phenoxy]-ethanol; hydrochloride	C ₁₈ H ₂₄ ClNO ₃	337.8
5-bromo- <i>N</i> -(1-hydroxy-2-methylpropan-2-yl)-2-methoxybenzenesulfonamide	C ₁₁ H ₁₆ BrNO ₄ S	338.2
4-bromo- <i>N,N</i> -bis(2-hydroxyethyl)-3-methylbenzenesulfonamide	C ₁₁ H ₁₆ BrNO ₄ S	338.2
2-[4-[(5-bromopyrimidin-2-yl)-amino]-4,5,6,7-tetrahydroindazol-1-yl]-ethanol	C ₁₃ H ₁₆ BrN ₅ O	338.2
2-(3,4-dihydroxyphenyl)-3,5,7-trihydroxychromen-4-one; dihydrate	C ₁₅ H ₁₄ O ₉	338.3
<i>N</i> -[2-(hydroxymethyl)-cyclohexyl]-1-oxo-3,4-dihydro-2 <i>H</i> -isoquinoline-7-sulfonamide	C ₁₆ H ₂₂ N ₂ O ₄ S	338.4
4-[[4-(3-hydroxypropylamino)-quinazolin-2-yl]-amino]-benzoic acid	C ₁₈ H ₁₈ N ₄ O ₃	338.4
2-[[2-(1,3-benzodioxol-5-ylmethylamino)-quinazolin-4-yl]-amino]-ethanol	C ₁₈ H ₁₈ N ₄ O ₃	338.4
2-[[2-[2-(2-methoxyphenyl)-ethylamino]-quinazolin-4-yl]-amino]-ethanol	C ₁₉ H ₂₂ N ₄ O ₂	338.4
[1-[3-(4-butan-2-ylphenoxy)-propyl]-benzimidazol-2-yl]-methanol	C ₂₁ H ₂₆ N ₂ O ₂	338.4
2-(10-hydroxydecyl)-5,6-dimethoxy-3-methylcyclohexa-2,5-diene-1,4-dione	C ₁₉ H ₃₀ O ₅	338.4
2-[(3-bromo-4-ethoxyphenyl)-methylamino]-butan-1-ol; hydrochloride	C ₁₃ H ₂₁ BrClNO ₂	338.7
2-(2-chlorophenyl)- <i>N</i> -(1-hydroxy-3-methylbutan-2-yl)-4-methyl-1,3-thiazole-5-carboxamide	C ₁₆ H ₁₉ ClN ₂ O ₂ S	338.9
<i>N</i> -[4-(2-hydroxyethoxy)-phenyl]-2-(3-methyl-1,2,4-oxadiazol-5-yl)-benzamide	C ₁₈ H ₁₇ N ₃ O ₄	339.3
[2-[2-(2-quinolin-8-yloxyethoxy)-ethoxy]-phenyl]-methanol	C ₂₀ H ₂₁ NO ₄	339.4
2-cyclohexyl-8-(2-hydroxyethyl)-pyrido[4,3- <i>b</i>][1,6]-naphthyridine-1,9-dione	C ₁₉ H ₂₁ N ₃ O ₃	339.4
2-[4-[[2-(2-methoxynaphthalen-1-yl)-methylamino]-methyl]-3,5-dimethylpyrazol-1-yl]-ethanol	C ₂₀ H ₂₅ N ₃ O ₂	339.4
2-[3,5-dimethyl-4-[[[(1-methylimidazol-2-yl)-phenylmethyl]-amino]-methyl]-pyrazol-1-yl]-ethanol	C ₁₉ H ₂₅ N ₅ O	339.4
4-[3-(4-benzylpiperidin-1-yl)-1-hydroxy-2-methylpropyl]-phenol	C ₂₂ H ₂₉ NO ₂	339.5

2-[2-chloro-4-(hydroxymethyl)-6-methoxyphenoxy]- <i>N</i> -(2-fluorophenyl)-acetamide	C ₁₆ H ₁₅ ClFNO ₄	339.7
(9-methyl-3-oxa-9-azatricyclo[3.3.1.0 ^{2,4}]-nonan-7-yl) 3-hydroxy-2-phenylpropanoate; hydrochloride	C ₁₇ H ₂₂ ClNO ₄	339.8
2-[[1-[(2-thiophen-2-yl-1,3-oxazol-4-yl)-methyl]-benzimidazol-2-yl]-amino]-ethanol	C ₁₇ H ₁₆ N ₄ O ₂ S	340.4
3-(1-benzothiophen-2-ylmethylamino)- <i>N</i> -(2-hydroxyethyl)-2-methylbenzamide	C ₁₉ H ₂₀ N ₂ O ₂ S	340.4
1-[2-[2-hydroxy-3-[2-(hydroxymethyl)-benzimidazol-1-yl]-propoxy]-phenyl]-ethanone	C ₁₉ H ₂₀ N ₂ O ₄	340.4
3-[1-[3-(hydroxymethyl)-phenyl]-ethylamino]-1-(2-methoxyphenyl)-pyrrolidin-2-one	C ₂₀ H ₂₄ N ₂ O ₃	340.4
2-(hydroxymethyl)- <i>N</i> -[3-(2-methoxyphenyl)-phenyl]-2-methylpyrrolidine-1-carboxamide	C ₂₀ H ₂₄ N ₂ O ₃	340.4
3-[[6-(benzylamino)-9-propan-2-ylpurin-2-yl]-amino]-propan-1-ol	C ₁₈ H ₂₄ N ₆ O	340.4
4-(7-hydroxyhept-2-enyl)-5-(3-hydroxyoct-1-enyl)-cyclopentane-1,3-diol	C ₂₀ H ₃₆ O ₄	340.5
4-hydroxy-3-(7-hydroxyheptyl)-2-(3-hydroxyoct-1-enyl)-cyclopentane-1-one	C ₂₀ H ₃₆ O ₄	340.5
4-hydroxy-2-(7-hydroxyheptyl)-3-(3-hydroxyoct-1-enyl)-cyclopentane-1-one	C ₂₀ H ₃₆ O ₄	340.5
3-(3-chloro-2-methoxyphenyl)-1-(2-hydroxyethyl)-1-(thiophen-3-ylmethyl)-urea	C ₁₅ H ₁₇ ClN ₂ O ₃ S	340.8
[4-[[1-(3-chloro-4-fluorophenyl)-triazol-4-yl]-methyl]-5-methylmorpholin-2-yl]-methanol	C ₁₅ H ₁₈ ClFN ₄ O ₂	340.8
3-(3-bromophenyl)- <i>N</i> -(1-hydroxy-2-methylpropan-2-yl)-4,5-dihydro-1,2-oxazole-5-carboxamide	C ₁₄ H ₁₇ BrN ₂ O ₃	341.2
2-[2,3-dihydro-1 <i>H</i> -inden-1-yl-[(3-thiophen-2-yl-1,2,4-oxadiazol-5-yl)-methyl]-amino]-ethanol	C ₁₈ H ₁₉ N ₃ O ₂ S	341.4
8-(2-hydroxyethyl)-2-(oxolan-2-ylmethyl)-pyrido[4,3- <i>b</i>][1,6]-naphthyridine-1,9-dione	C ₁₈ H ₁₉ N ₃ O ₄	341.4
<i>N</i> -(3-hydroxypropyl)-2,4,6-tri(propan-2-yl)-benzenesulfonamide	C ₁₈ H ₃₁ NO ₃ S	341.5
5-(4-chlorophenyl)-11-(2-hydroxyethyl)-2,3,7,8,11-pentazatricyclo[7.4.0.0 ^{2,6}]-trideca-1(9),3,5,7,12-pentaen-10-one	C ₁₆ H ₁₂ ClN ₅ O ₂	341.8
2-[4-[[4-(4-fluorophenyl)-methylamino]-methyl]-2-methoxyphenoxy]-ethanol; hydrochloride	C ₁₇ H ₂₁ ClFNO ₃	341.8
2-[[2-[(2-fluorophenyl)-methoxy]-3-methoxyphenyl]-methylamino]-ethanol; hydrochloride	C ₁₇ H ₂₁ ClFNO ₃	341.8
1-[6-[3-(dimethylamino)-propoxy]-2,2-dimethyl-3a,5,6,6a-tetrahydrofuro[2,3- <i>d</i>][1,3]-dioxol-5-yl]-ethane-1,2-diol; hydrochloride	C ₁₄ H ₂₈ ClNO ₆	341.8
2-[4-[[1-(3,4-dichlorophenyl)-ethylamino]-methyl]-3,5-dimethylpyrazol-1-yl]-ethanol	C ₁₆ H ₂₁ Cl ₂ N ₃ O	342.3
<i>N</i> -[(3,4-dichlorophenyl)-methyl]-3-fluoro- <i>N</i> -(2-hydroxyethyl)-pyridine-4-carboxamide	C ₁₅ H ₁₃ Cl ₂ FN ₂ O ₂	343.2
2-[(5-bromo-2-fluorophenyl)-methyl]-[(5-methyl-1,2-oxazol-3-yl)methyl]-amino]-ethanol	C ₁₄ H ₁₆ BrFN ₂ O ₂	343.2

3-(2,6-dichlorophenyl)- <i>N</i> -(1-hydroxy-2-methylpropan-2-yl)-5-methyl-1,2-oxazole-4-carboxamide	C ₁₅ H ₁₆ Cl ₂ N ₂ O ₃	343.2
1-(3,5-dichloro-4-methylphenyl)-3-[2-hydroxy-1-(1-methylpyrazol-4-yl)-ethyl]-urea	C ₁₄ H ₁₆ Cl ₂ N ₄ O ₂	343.2
7-fluoro- <i>N</i> -(1-hydroxy-3-phenylpropan-2-yl)-2-oxo-3,4-dihydro-1 <i>H</i> -quinoline-6-carboxamide	C ₁₉ H ₁₉ FN ₂ O ₃	342.4
3-(2-ethyl-6-methylphenyl)-1-(2-hydroxyethyl)-1-[(2-methoxyphenyl)-methyl]-urea	C ₂₀ H ₂₆ N ₂ O ₃	342.4
<i>N</i> -[2-[2-(2-hydroxyethyl)-piperidine-1-carbonyl]-phenyl]-furan-2-carboxamide	C ₁₉ H ₂₂ N ₂ O ₄	342.4
1-[3-[[[1-(2-hydroxyethyl)-3,5-dimethylpyrazol-4-yl]-methylamino]-methyl]-phenyl]-pyrrolidin-2-one	C ₁₉ H ₂₆ N ₄ O ₂	342.4
2-[(8-propyl-11-thia-9,14,16-triazatetracyclo[8.7.0.0 ^{2,7} .0 ^{12,17}]-heptadeca-1,7,9,12,14,16-hexaen-13-yl)-amino]-ethanol	C ₁₈ H ₂₂ N ₄ OS	342.5
<i>N</i> -(1-hydroxy-2-methylpropan-2-yl)-4-methyl-3-[methyl-(propyl)-sulfamoyl]-benzamide	C ₁₆ H ₂₆ N ₂ O ₄ S	342.5
2-[4-(2-ethoxy-4,5-dimethylphenyl)sulfonylpiperazin-1-yl]-ethanol	C ₁₆ H ₂₆ N ₂ O ₄ S	342.5
2-[3,5-dimethyl-4-[[[1-(1-phenylethyl)-pyrrolidin-3-yl]amino]-methyl]-pyrazol-1-yl]-ethanol	C ₂₀ H ₃₀ N ₄ O	342.5
4-(7-hydroxyheptyl)-5-(3-hydroxyoct-1-enyl)cyclopentane-1,3-diol	C ₂₀ H ₃₈ O ₄	342.5
2-(6-anilinopurin-9-yl)-5-(hydroxymethyl)-oxolane-3,4-diol	C ₁₆ H ₁₇ N ₅ O ₄	343.3
2-[5-fluoro-2-[[3-(2-methylphenyl)-1,2,4-oxadiazol-5-yl]methylamino]-phenoxy]-ethanol	C ₁₈ H ₁₈ FN ₃ O ₃	343.4
2-(2-hydroxyethylamino)-1-[5-(4-methylphenyl)-3-thiophen-2-yl-3,4-dihydropyrazol-2-yl]ethanone	C ₁₈ H ₂₁ N ₃ O ₂ S	343.4
1-(4-fluoro-3-pyrrol-1-ylphenyl)-3-[2-hydroxy-1-(1-methylpyrazol-4-yl)-ethyl]-urea	C ₁₇ H ₁₈ FN ₅ O ₂	343.4
2-[4-[(6-ethylthieno[2,3-d]pyrimidin-4-yl)-amino]-4,5,6,7-tetrahydroindazol-1-yl]-ethanol	C ₁₇ H ₂₁ N ₅ OS	343.4
1-[3-[[[2-hydroxy-1-(4-methoxyphenyl)ethyl]-methylamino]-methyl]-4-methoxyphenyl]-ethanone	C ₂₀ H ₂₅ NO ₄	343.4
1-cyclohexyl-1-(2-hydroxyethyl)-3-[2-methyl-5-(1,3-oxazol-2-yl)-phenyl]-urea	C ₁₉ H ₂₅ N ₃ O ₃	343.4
[5-(4-chlorophenyl)-1,3-oxazol-2-yl]methyl 4-(hydroxymethyl)-benzoate	C ₁₈ H ₁₄ ClNO ₄	343.8
4-bromo- <i>N</i> -(3-hydroxypropyl)-naphthalene-1-sulfonamide	C ₁₃ H ₁₄ BrNO ₃ S	344.2
2-[(6-bromo-4-phenylquinazolin-2-yl)-amino]-ethanol	C ₁₆ H ₁₄ BrN ₃ O	344.2
[2-(2-methoxyanilino)-2-oxoethyl] 2-(2-hydroxyethylamino)-benzoate	C ₁₈ H ₂₀ N ₂ O ₅	344.4
[4-(4-fluorophenoxy)-phenyl]-[4-(2-hydroxyethyl)-piperazin-1-yl]-methanone	C ₁₉ H ₂₁ FN ₂ O ₃	344.4
1-(3-cyclopentyloxy-2-methylphenyl)-3-[1-(furan-2-yl)-2-hydroxyethyl]-urea	C ₁₉ H ₂₄ N ₂ O ₄	344.4
4-[[1-hydroxy-3-(1 <i>H</i> -indol-3-yl)propan-2-yl]-amino]- <i>N,N</i> -dimethylpiperidine-1-carboxamide	C ₁₉ H ₂₈ N ₄ O ₂	344.5
2-[[2-(3-chloro-4-methoxyanilino)-quinazolin-4-yl]-amino]-ethanol	C ₁₇ H ₁₇ ClN ₄ O ₂	344.8

<i>N</i> -[4-chloro-3-[5-(hydroxymethyl)-furan-2-yl]-phenyl]-4-fluorobenzamide	C ₁₈ H ₁₃ ClFNO ₃	345.7
1-(2-hydroxyethyl)-1-[(2-methoxyphenyl)methyl]-3-(3-methylsulfanylphenyl)-urea	C ₁₈ H ₂₂ N ₂ O ₃ S	346.1
[2-bromo-6-[(1-methylbenzimidazol-2-yl)-methylamino]-phenyl]-methanol	C ₁₆ H ₁₆ BrN ₃ O	346.2
2-[[5-(3-chloro-4-methoxyphenyl)-furan-2-yl]methylamino]-butan-1-ol; hydrochloride	C ₁₆ H ₂₁ Cl ₂ NO ₃	346.2
3,4,8,10-tetrahydroxy-2-(hydroxymethyl)-9-methoxy-3,4,4a,10b-tetrahydro-2 <i>H</i> -pyrano[3,2- <i>c</i>]-isochromen-6-one; hydrate	C ₁₄ H ₁₈ O ₁₀	346.3
<i>N</i> -(1,1-dioxothiolan-3-yl)-2-[4-fluoro-2-(2-hydroxyethoxy)-anilino]-acetamide	C ₁₄ H ₁₉ FN ₂ O ₅ S	346.4
2-[4-[[phenyl(pyridin-2-yl)-methyl]-amino]-pyrazolo[3,4- <i>d</i>]-pyrimidin-1-yl]-ethanol	C ₁₉ H ₁₈ N ₆ O	346.4
4-[[[(1-benzylpyrazol-4-yl)-methyl-(2-hydroxyethyl)-amino]-methyl]-benzotrile	C ₂₁ H ₂₂ N ₄ O	346.4
2-(3-methoxyphenyl)-2-[(2-thiophen-3-yl-1,3-thiazol-5-yl)-methylamino]-ethanol	C ₁₇ H ₁₈ N ₂ O ₂ S ₂	346.5
11-hydroxy-17-(2-hydroxyacetyl)-10,13-dimethyl-1,2,6,7,8,9,11,12,14,15,16,17-dodecahydrocyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₁ H ₃₀ O ₄	346.5
17-hydroxy-17-(2-hydroxyacetyl)-10,13-dimethyl-2,6,7,8,9,11,12,14,15,16-decahydro-1 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₁ H ₃₀ O ₄	346.5
<i>N</i> -benzyl-1-(2,2-dimethylpropanoyl)- <i>N</i> -(2-hydroxyethyl)-piperidine-4-carboxamide	C ₂₀ H ₃₀ N ₂ O ₃	346.5
2-[[5-(4-bromo-3-methylphenyl)-furan-2-yl]-methylamino]-ethanol; hydrochloride	C ₁₄ H ₁₇ BrClNO ₂	346.7
2-[4-(2-hydroxyethyl)-phenoxy]- <i>N</i> -(2-phenylphenyl)-acetamide	C ₂₂ H ₂₁ NO ₃	347.4
1-(4-ethoxyphenyl)-3-[4-(2-hydroxyethyl)-piperazin-1-yl]-pyrrolidine-2,5-dione	C ₁₈ H ₂₅ N ₃ O ₄	347.4
<i>N</i> -(1-acetyl-2,3-dihydroindol-5-yl)-2-[(1-hydroxy-3,3-dimethylbutan-2-yl)-methylamino]-acetamide	C ₁₉ H ₂₉ N ₃ O ₃	347.5
3-(4-chlorophenyl)-6-(2-hydroxyethyl)-2-methyl-7-oxo-1 <i>H</i> -pyrazolo[1,5- <i>a</i>]-pyrimidine-5-carboxylic acid	C ₁₆ H ₁₄ ClN ₃ O ₄	347.8
1-(4-chlorophenyl)-2-[4-[(4-fluorophenyl)-methyl]-piperidin-1-yl]-ethanol	C ₂₀ H ₂₃ ClFNO	347.9
2-[[2-bromo-4-(hydroxymethyl)-6-methoxyphenoxy]-methyl]-benzotrile	C ₁₆ H ₁₄ BrNO ₃	348.2
6-(2,4-dinitrophenoxy)-5-fluoro-2-(hydroxymethyl)-oxane-3,4-diol	C ₁₂ H ₁₃ FN ₂ O ₉	348.2
2-[[2-[(4-fluorophenyl)methyl]-3-hydroxypropyl]-amino]-7-methyl-[1,3,4]-thiadiazolo[3,2- <i>a</i>]-pyrimidin-5-one	C ₁₆ H ₁₇ FN ₄ O ₂ S	348.4
4-[(1-hydroxy-2-methylpropan-2-yl)-sulfamoyl]- <i>N</i> -phenylbenzamide	C ₁₇ H ₂₀ N ₂ O ₄ S	348.4
4-(benzenesulfonamido)- <i>N</i> -(1-hydroxybutan-2-yl)-benzamide	C ₁₇ H ₂₀ N ₂ O ₄ S	348.4
<i>N</i> -(2-cyclopentylpyrazol-3-yl)-2-[2-hydroxyethyl(thiophen-3-ylmethyl)-amino]-acetamide	C ₁₇ H ₂₄ N ₄ O ₂ S	348.5
2-hydroxy-6-pentadecyl-benzoic acid	C ₂₂ H ₃₆ O ₃	348.5

2,6-ditert-butyl-4-[[4-(2-hydroxyethyl)-piperazin-1-yl]-methyl]-phenol	C ₂₁ H ₃₆ N ₂ O ₂	348.5
4-[2-(3-chloroanilino)-2-oxoethoxy]- <i>N</i> -(2-hydroxyethyl)-benzamide	C ₁₇ H ₁₇ ClN ₂ O ₄	348.8
<i>N</i> -[3-[(2-bromo-4-methylphenyl)-methylamino]-phenyl]-2-hydroxyacetamide	C ₁₆ H ₁₇ BrN ₂ O ₂	349.2
[3-(hydroxymethyl)-piperidin-1-yl]-[4-(2-(4-methoxyphenyl)-ethynyl)-phenyl]-methanone	C ₂₂ H ₂₃ NO ₃	349.4
2-[6-(cyclohexylamino)-purin-9-yl]-5-(hydroxymethyl)-oxolane-3,4-diol	C ₁₆ H ₂₃ N ₅ O ₄	349.4
2-[6-[(2-hydroxycyclopentyl)-amino]-purin-9-yl]-5-(hydroxymethyl)-oxolane-3,4-diol	C ₁₅ H ₂₁ N ₅ O ₅	351.4
4-ethylidene-7-hydroxy-7-(hydroxymethyl)-6-methyl-2,9-dioxo-14-azatricyclo[9.5.1.0 ^{14,17}]-heptadec-11-ene-3,8-dione	C ₁₈ H ₂₅ NO ₆	351.4
2-[2-(3-hydroxypropyl)-benzimidazol-1-yl]- <i>N</i> -phenyl- <i>N</i> -propan-2-ylacetamide	C ₂₁ H ₂₅ N ₃ O ₂	351.4
5,6-dihydrobenzo[b][1]-benzazepin-11-yl-[4-(2-hydroxyethyl)-piperazin-1-yl]-methanone	C ₂₁ H ₂₅ N ₃ O ₂	351.4
3-[2-[(3-bromo-4-methoxyphenyl)-methylamino]-1-hydroxyethyl]-phenol	C ₁₆ H ₁₈ BrNO ₃	352.2
5-bromo-2-ethoxy- <i>N</i> -(1-hydroxybutan-2-yl)-benzenesulfonamide	C ₁₂ H ₁₈ BrNO ₄ S	352.3
2-[(1-benzyl-4-hydroxy-2-oxoquinoline-3-carbonyl)-amino]-acetic acid	C ₁₉ H ₁₆ N ₂ O ₅	352.3
2-[[5-(dimethylamino)-naphthalen-1-yl]-sulfonylamino]-4-hydroxybutanoic acid	C ₁₆ H ₂₀ N ₂ O ₅ S	352.4
<i>N</i> -(2-hydroxyethyl)-1-(4-methoxyphenyl)- <i>N</i> -methyl-5-phenyl-1,2,4-triazole-3-carboxamide	C ₁₉ H ₂₀ N ₄ O ₃	352.4
3-[[2-(2,3-dihydro-1,4-benzodioxin-6-ylamino)-quinazolin-4-yl]amino]-propan-1-ol	C ₁₉ H ₂₀ N ₄ O ₃	352.4
2-[4-(4-cyclohexylphenyl)-sulfonylpiperazin-1-yl]-ethanol	C ₁₈ H ₂₈ N ₂ O ₃ S	352.5
[1-[4-(5-methyl-2-propan-2-ylphenoxy)-butyl]-benzimidazol-2-yl]methanol	C ₂₂ H ₂₈ N ₂ O ₂	352.5
1-(4-bromophenyl)- <i>N</i> -(2-hydroxyethyl)-5-propan-2-yltriazole-4-carboxamide	C ₁₄ H ₁₇ BrN ₄ O ₂	353.2
[2-fluoro-4-[2-(4-methoxyphenyl)-ethynyl]-phenyl]-(3-hydroxypiperidin-1-yl)-methanone	C ₂₁ H ₂₀ FNO ₃	353.4
1-(2-hydroxyethyl)-4-[hydroxy(phenyl)-methylidene]-5-(4-methoxyphenyl)-pyrrolidine-2,3-dione	C ₂₀ H ₁₉ NO ₅	353.4
[2-oxo-2-(1,2,3,4-tetrahydronaphthalen-1-ylmethylamino)-ethyl] 4-(hydroxymethyl)-benzoate	C ₂₁ H ₂₃ NO ₄	353.4
1-[4-hydroxy-5-(hydroxymethyl)-oxolan-2-yl]-5-iodopyrimidine-2,4-dione	C ₉ H ₁₁ IN ₂ O ₅	354.1
3-acetyl-2-(4-bromophenyl)-4-hydroxy-1-(3-hydroxypropyl)-2H-pyrrol-5-one	C ₁₅ H ₁₆ BrNO ₄	354.2
3-[3-(3,4-dihydroxyphenyl)-prop-2-enoyloxy]-1,4,5-trihydroxycyclohexane-1-carboxylic acid	C ₁₆ H ₁₈ O ₉	354.3
4-[(1-hydroxy-2-methylpropan-2-yl)-sulfamoyl]- <i>N</i> -phenylthiophene-2-carboxamide	C ₁₅ H ₁₈ N ₂ O ₄ S ₂	354.4
2-[[6-(benzylamino)-9-propan-2-ylpurin-2-yl]-amino]-butan-1-ol	C ₁₉ H ₂₆ N ₆ O	354.4

2-[5-bromo-2-methoxy-4-[(propan-2-ylamino)-methyl]-phenoxy]-ethanol; hydrochloride	C ₁₃ H ₂₁ BrClNO ₃	354.7
(5-bromo-2,3,4-trimethylphenyl)-[4-(2-hydroxyethyl)-piperazin-1-yl]-methanone	C ₁₆ H ₂₃ BrN ₂ O ₂	355.3
1-benzyl-3-(3-cyano-4,5,6,7-tetrahydro-1-benzothiophen-2-yl)-1-(2-hydroxyethyl)-urea	C ₁₉ H ₂₁ N ₃ O ₂ S	355.5
3-[[4-[2-(3-chloroanilino)-pyrimidin-4-yl]-pyridin-2-yl]-amino]-propan-1-ol	C ₁₈ H ₁₈ ClN ₅ O	355.8
2-bromo- <i>N</i> -(2-hydroxyethyl)- <i>N</i> -phenylbenzenesulfonamide	C ₁₄ H ₁₄ BrNO ₃ S	356.2
2-[2-(4-bromophenyl)-imidazo[1,2- <i>a</i>]-benzimidazol-3-yl]-ethanol	C ₁₇ H ₁₄ BrN ₃ O	356.2
2,2-dichloro- <i>N</i> -[1,3-dihydroxy-1-(4-methylsulfonylphenyl)-propan-2-yl]-acetamide	C ₁₂ H ₁₅ Cl ₂ NO ₅ S	356.2
<i>N</i> -(3,4-dichlorophenyl)-2-[4-(hydroxymethyl)-2-methoxyphenoxy]-acetamide	C ₁₆ H ₁₅ Cl ₂ NO ₄	356.2
2-(2-hydroxyethylsulfanylmethyl)-spiro[3,6-dihydrobenzo[<i>h</i>]-quinazoline-5,1'-cyclohexane]-4-one	C ₂₀ H ₂₄ N ₂ O ₂ S	356.2
1-[2-(2-hydroxyethylamino)-benzimidazol-1-yl]-3,3-dimethylbutan-2-one; hydrobromide	C ₁₅ H ₂₂ BrN ₃ O ₂	356.3
2-[4-[3-(benzylamino)-4-nitrophenyl]-piperazin-1-yl]-ethanol	C ₁₉ H ₂₄ N ₄ O ₃	356.4
1-[2-(diethylamino)ethylamino]-4-(hydroxymethyl)-thioxanthen-9-one	C ₂₀ H ₂₄ N ₂ O ₂ S	356.5
3-amino- <i>N</i> -[3-(2-hydroxyethylsulfonyl)-phenyl]-benzamide; hydrochloride	C ₁₅ H ₁₇ ClN ₂ O ₄ S	356.8
1-benzyl- <i>N</i> -[3-(hydroxymethyl)-phenyl]- <i>N</i> -methylpyrazole-4-sulfonamide	C ₁₈ H ₁₉ N ₃ O ₃ S	357.1
2-[[3-methoxy-4-(thiophen-2-ylmethoxy)-phenyl]-methylamino]-2-methylpropan-1-ol; hydrochloride	C ₁₇ H ₂₄ ClNO ₃ S	357.9
(<i>Z</i>)-2-cyano- <i>N</i> -(2,5-dibromophenyl)-3-hydroxybut-2-enamide	C ₁₁ H ₈ Br ₂ N ₂ O ₂	357.9
2-[[4-[(3-chlorophenyl)-methoxy]-3-methoxyphenyl]-methylamino]-ethanol; hydrochloride	C ₁₇ H ₂₁ Cl ₂ NO ₃	358.3
7-hydroxy-6-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxychromen-2-one; hydrate	C ₁₅ H ₁₈ O ₁₀	358.3
2,3,5,6-tetrahydroxy-4-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxyhexanoic acid	C ₁₂ H ₂₂ O ₁₂	358.3
2-(6-amino-2-anilinopurin-9-yl)-5-(hydroxymethyl)-oxolane-3,4-diol	C ₁₆ H ₁₈ N ₆ O ₄	358.4
17-hydroxy-17-(2-hydroxyacetyl)-10,13-dimethyl-6,7,8,9,12,14,15,16-octahydrocyclopenta[<i>a</i>]-phenanthrene-3,11-dione	C ₂₁ H ₂₆ O ₅	358.4
17-hydroxy-17-(2-hydroxyacetyl)-10,13-dimethyl-1,2,6,7,8,9,12,14,15,16-decahydrocyclopenta[<i>a</i>]-phenanthrene-3,11-dione	C ₂₁ H ₂₈ O ₅	360.4
11,17-dihydroxy-17-(2-hydroxyacetyl)-10,13-dimethyl-7,8,9,11,12,14,15,16-octahydro-6 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₁ H ₂₈ O ₅	360.4
11-hydroxy-17-(2-hydroxyacetyl)-10-methyl-3-oxo-1,2,6,7,8,9,11,12,14,15,16,17-dodecahydrocyclopenta[<i>a</i>]-phenanthrene-13-carbaldehyde	C ₂₁ H ₂₈ O ₅	360.4
18-hydroxy-2-(2-hydroxyacetyl)-14-methyl-17-oxapentacyclo[14.2.1.0 ^{1,5} .0 ^{6,15} .0 ^{9,14}]-nonadec-9-en-11-one	C ₂₁ H ₂₈ O ₅	360.4
[1-[3-(4-bromophenoxy)-propyl]-benzimidazol-2-yl]-methanol	C ₁₇ H ₁₇ BrN ₂ O ₂	361.2

(2 <i>S</i> , 3 <i>S</i>)-2,3-dihydroxybutanedioic acid; 4-[(1 <i>R</i>)-1-hydroxy-2-(propan-2-yl)-amino]-ethyl]-benzene-1,2-diol	C ₁₅ H ₂₃ NO ₉	361.3
[2-[[[5-(4-methylphenyl)-thieno[2,3- <i>d</i>]-pyrimidin-4-yl]-amino]-methyl]-phenyl]-methanol	C ₂₁ H ₁₉ N ₃ OS	361.5
6-[6-(3-hydroxyundeca-1,5-dienyl)-pyridin-2-yl]-hexane-1,5-diol	C ₂₂ H ₃₅ NO ₃	361.5
[3-bromo-4-[(2,4-dichlorophenyl)-methoxy]-phenyl]-methanol	C ₁₄ H ₁₁ BrCl ₂ O ₂	362.0
[4-[(4-bromophenyl)-methoxy]-3,5-dichlorophenyl]-methanol	C ₁₄ H ₁₁ BrCl ₂ O ₂	362.0
2-[[5-bromo-2-ethoxy-4-(hydroxymethyl)-phenoxy]-methyl]-benzonitrile	C ₁₇ H ₁₆ BrNO ₃	362.2
2-[4-bromo-2-(hydroxymethyl)-phenoxy]-1-(2,3-dihydroindol-1-yl)-ethanone	C ₁₇ H ₁₆ BrNO ₃	362.2
2-[4-[6-(4-bromophenyl)-pyridazin-3-yl]-piperazin-1-yl]-ethanol	C ₁₆ H ₁₉ BrN ₄ O	362.3
7-[(4-fluorophenyl)-methoxy]-5-hydroxy-2-phenylchromen-4-one	C ₂₂ H ₁₅ FO ₄	362.3
2-[(2,3-difluorophenyl)-methylsulfanyl]-3-(3-hydroxypropyl)-quinazolin-4-one	C ₁₈ H ₁₆ F ₂ N ₂ O ₂ S	362.4
<i>N</i> -(1-hydroxy-2-methylpropan-2-yl)-3-[(4-methylphenyl)-sulfonylamino]-benzamide	C ₁₈ H ₂₂ N ₂ O ₄ S	362.4
2,3-bis[(4-hydroxy-3-methoxyphenyl)-methyl]-butane-1,4-diol	C ₂₀ H ₂₆ O ₆	362.4
11,17-dihydroxy-17-(2-hydroxyacetyl)-10,13-dimethyl-2,6,7,8,9,11,12,14,15,16-decahydro-1 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₁ H ₃₀ O ₅	362.5
2-[4-(4-chloro-3-propoxyphenyl)-sulfonylpiperazin-1-yl]-ethanol	C ₁₅ H ₂₃ ClN ₂ O ₄ S	362.9
8-(2-hydroxyethyl)-2-(3-methoxyphenyl)-pyrido[4,3- <i>b</i>][1,6]-naphthyridine-1,9-dione	C ₂₀ H ₁₇ N ₃ O ₄	363.4
ethyl 6-[[2-hydroxyethyl(methyl)-carbamoyl]-amino]-4-thia-2-azatricyclo[7.3.0.0 ^{3,7}]-dodeca-1,3(7),5,8-tetraene-5-carboxylate	C ₁₇ H ₂₁ N ₃ O ₄ S	363.4
4 <i>a</i> ,9-dihydroxy-3-prop-2-enyl-2,4,5,6,7 <i>a</i> ,13-hexahydro-1 <i>H</i> -4,12-methanobenzofuro[3,2- <i>e</i>]-isoquinolin-7-one; hydrochloride	C ₁₉ H ₂₂ ClNO ₄	363.8
2-[[4-[(2-chlorophenyl)-methoxy]-3-ethoxyphenyl]-methylamino]-butan-1-ol	C ₂₀ H ₂₆ ClNO ₃	363.9
1-[3-[[4-(4-(hydroxymethyl)-triazol-1-yl)-anilino]-methyl]-2,4,6-trimethylphenyl]-ethanone	C ₂₁ H ₂₄ N ₄ O ₂	364.4
2-hydroxy-5-[1-hydroxy-2-(4-phenylbutan-2-ylamino)-ethyl]-benzamide; hydrochloride	C ₁₉ H ₂₅ ClN ₂ O ₃	364.9
2-hydroxy-4-[[2-(4-methylphenyl)-sulfonyloxyacetyl]-amino]-benzoic acid	C ₁₆ H ₁₅ NO ₇ S	365.4
2-[[4-(1,3-benzodioxol-5-ylmethoxy)-phenyl]-methylamino]-2-methylpropan-1-ol; hydrochloride	C ₁₉ H ₂₄ ClNO ₄	365.8
5-bromo-2-hydroxy- <i>N</i> -[2-hydroxy-2-(4-methoxyphenyl)-ethyl]benzamide	C ₁₆ H ₁₆ BrNO ₄	366.2
4,7-dichloro-3-hydroxy-3-[2-(4-methoxyphenyl)-2-oxoethyl]-1 <i>H</i> -indol-2-one	C ₁₇ H ₁₃ Cl ₂ NO ₄	366.2
(8,8-dimethyl-8-azoniabicyclo[3.2.1]octan-3-yl) 3-hydroxy-2-phenylpropanoate; nitrate	C ₁₈ H ₂₆ N ₂ O ₆	366.4
ethyl 5-chloro-3-[[4-(2-hydroxyethyl)-piperazin-1-yl]-methyl]-1-benzofuran-2-carboxylate	C ₁₈ H ₂₃ ClN ₂ O ₄	366.8

<i>N</i> -[2-[(2-fluorophenyl)-methyl]-3-hydroxypropyl]-5-methyl-1-phenylpyrazole-3-carboxamide	C ₂₁ H ₂₂ FN ₃ O ₂	367.2
4-[hydroxy(phenyl)-methylidene]-1-(3-hydroxypropyl)-5-(4-methoxyphenyl)-pyrrolidine-2,3-dione	C ₂₁ H ₂₁ NO ₅	367.4
1-[2-(hydroxymethyl)-1,3-dihydroinden-2-yl]-3-[3-(2-oxo-1,3-oxazolidin-3-yl)-phenyl]-urea	C ₂₀ H ₂₁ N ₃ O ₄	367.4
2-[(12-ethyl-12-methyl-5-propylsulfanyl-11-oxa-8-thia-4,6-diazatricyclo[7.4.0.0 ^{2,7}]-trideca-1(9),2,4,6-tetraen-3-yl)-amino]-ethanol	C ₁₇ H ₂₅ N ₃ O ₂ S ₂	367.5
4-[4-(4-fluorophenyl)-5-(2-methoxypyrimidin-4-yl)-imidazol-1-yl]-cyclohexan-1-ol	C ₂₀ H ₂₁ FN ₄ O ₂	368.4
2-(2,3-dihydro-1,4-benzodioxin-6-yl)- <i>N</i> -[[2-(hydroxymethyl)-phenyl]-methyl]-pyrrolidine-1-carboxamide	C ₂₁ H ₂₄ N ₂ O ₄	368.4
7-[2-(3,8-dihydroxyoct-1-enyl)-3-hydroxy-5-oxocyclopentyl]-hept-5-enoic acid	C ₂₀ H ₃₂ O ₆	368.5
2-[[1-[3-(4-chlorophenyl)-1,2-oxazol-5-yl]-methyl]-benzimidazol-2-yl]-amino]-ethanol	C ₁₉ H ₁₇ ClN ₄ O ₂	368.8
2-[[4-[(2-fluorophenyl)-methoxy]-3-methoxyphenyl]-methylamino]-2-methylpropan-1-ol; hydrochloride	C ₁₉ H ₂₅ ClFNO ₃	369.2
3-hydroxy-2-(octadec-9-enoylamino)-propanoic acid	C ₂₁ H ₃₉ NO ₄	369.5
2-[4-(2-hydroxyethoxy)-3,5-dimethylphenyl]-5,7-dimethoxy-3 <i>H</i> -quinazolin-4-one	C ₂₀ H ₂₂ N ₂ O ₅	370.4
7-(4-fluorophenyl)-2-[4-(2-hydroxyethyl)-piperazin-1-yl]-7,8-dihydro-6 <i>H</i> -quinazolin-5-one	C ₂₀ H ₂₃ FN ₄ O ₂	370.4
2-(hydroxymethyl)-5-[6-(2-phenylethylamino)-purin-9-yl]-oxolane-3,4-diol	C ₁₈ H ₂₁ N ₅ O ₄	371.4
2-(hydroxymethyl)-5-[6-[(2-methylphenyl)-methylamino]-purin-9-yl]-oxolane-3,4-diol	C ₁₈ H ₂₁ N ₅ O ₄	371.4
5-(4-chlorophenyl)-4-[hydroxy(phenyl)-methylidene]-1-(3-hydroxypropyl)-pyrrolidine-2,3-dione	C ₂₀ H ₁₈ ClNO ₄	371.8
2-[4-[(4-chlorophenoxy)-methyl]-11,12-dimethyl-3,5,6,8,10-pentazatricyclo[7.3.0.0 ^{2,6}]-dodeca-1(9),2,4,7,11-pentaen-10-yl]-ethanol	C ₁₈ H ₁₈ ClN ₅ O ₂	371.8
1-(3,4-dichlorophenyl)-3-[4-(2-hydroxyethyl)-piperazin-1-yl]-pyrrolidine-2,5-dione	C ₁₆ H ₁₉ Cl ₂ N ₃ O ₃	372.2
3-[2-[2-(3,4-dimethylphenoxy)-ethylsulfanyl]-benzimidazol-1-yl]-propane-1,2-diol	C ₂₀ H ₂₄ N ₂ O ₃ S	372.5
[3-(4-chlorophenyl)-1,2-oxazol-5-yl]-methyl 2-(2-hydroxyethylamino)-benzoate	C ₁₉ H ₁₇ ClN ₂ O ₄	372.8
2-[4-[1-[(2-chlorophenyl)-methyl]-pyrazolo[3,4- <i>d</i>]-pyrimidin-4-yl]-piperazin-1-yl]-ethanol	C ₁₈ H ₂₁ ClN ₆ O	372.9
2-(6-bromoindol-1-yl)- <i>N</i> -[4-(2-hydroxyethyl)-phenyl]-acetamide	C ₁₈ H ₁₇ BrN ₂ O ₂	373.2
[4-[2-[2-(5-chloroquinolin-8-yl)-oxyethoxy]-ethoxy]-phenyl]-methanol	C ₂₀ H ₂₀ ClNO ₄	373.8
11,17-dihydroxy-17-(2-hydroxyacetyl)-6,10,13-trimethyl-7,8,9,11,12,14,15,16-octahydro-6 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₂ H ₃₀ O ₅	374.5
2-[2-(3-hydroxypropylamino)-benzimidazol-1-yl]- <i>N</i> -(4-methylphenyl)-acetamide; hydrochloride	C ₁₉ H ₂₃ ClN ₄ O ₂	374.9

2-(3-hydroxypropylamino)-5,5-dimethyl-3-phenyl-6 <i>H</i> -benzo[<i>h</i>]-quinazolin-4-one	C ₂₃ H ₂₅ N ₃ O ₂	375.5
<i>N</i> -[[2-(hydroxymethyl)-phenyl]-methyl]-1-phenyl-5,6,7,8-tetrahydro-4 <i>H</i> -cyclohepta[<i>c</i>]-pyrazole-3-carboxamide	C ₂₃ H ₂₅ N ₃ O ₂	375.5
4-[(1 <i>R</i> ,2 <i>S</i>)-3-(4-benzylpiperidin-1-yl)-1-hydroxy-2-methylpropyl]-phenol; hydrochloride	C ₂₂ H ₃₀ ClNO ₂	375.9
7,8-dimethyl-10-[(2 <i>S</i> ,3 <i>S</i> ,4 <i>R</i>)-2,3,4,5-tetrahydroxypentyl]-2 <i>H</i> ,3 <i>H</i> ,4 <i>H</i> ,10 <i>H</i> -benzo[<i>g</i>]-pteridine-2,4-dione	C ₁₇ H ₂₀ N ₄ O ₆	376.4
2-amino-2-(hydroxymethyl)-propane-1,3-diol; 5-benzoyl-2,3-dihydro-1 <i>H</i> -pyrrolizine-1-carboxylic acid	C ₁₉ H ₂₄ N ₂ O ₆	376.4
2-[<i>N</i> -(2-hydroxyethyl)-anilino]- <i>N</i> -(4-phenylmethoxyphenyl)-acetamide	C ₂₃ H ₂₄ N ₂ O ₃	376.4
<i>N</i> -(3-hydroxypropyl)-1-naphthalen-2-ylsulfonylpiperidine-3-carboxamide	C ₁₉ H ₂₄ N ₂ O ₄ S	376.5
9-fluoro-11-hydroxy-17-(2-hydroxyacetyl)-10,13,16-trimethyl-7,8,11,12,14,15,16,17-octahydro-6 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₂ H ₂₉ FO ₄	376.5
2-chloro- <i>N</i> -(1-hydroxy-2-methylpropan-2-yl)-5-morpholin-4-ylsulfonylbenzamide	C ₁₅ H ₂₁ ClN ₂ O ₅ S	376.6
2-[5-hydroxy-2-(3-hydroxypropyl)-cyclohexyl]-5-(2-methyloctan-2-yl)-phenol	C ₂₄ H ₄₀ O ₃	376.6
8-(2-hydroxyethyl)-2-[(4-methoxyphenyl)-methyl]-pyrido[4,3- <i>b</i>][1,6]-naphthyridine-1,9-dione	C ₂₁ H ₁₉ N ₃ O ₄	377.4
2-[(1,5-dimethyl-2-oxo-3 <i>H</i> -indol-3-yl)-methyl]-3-(3-hydroxypropyl)-quinazolin-4-one	C ₂₂ H ₂₃ N ₃ O ₃	377.4
1-[4-(2-hydroxyethyl)-piperazin-1-yl]-3-(2-phenylindol-1-yl)-propan-1-one	C ₂₃ H ₂₇ N ₃ O ₂	377.5
3-(cyclopropylmethyl)-4 <i>a</i> ,9-dihydroxy-2,4,5,6,7 <i>a</i> ,13-hexahydro-1 <i>H</i> -4,12-methanobenzofuro[3,2- <i>e</i>]-isoquinolin-7-one; hydrochloride	C ₂₀ H ₂₄ ClNO ₄	377.9
5-bromo- <i>N</i> -[1-(4-chloro-3-fluorophenyl)-2-hydroxyethyl]thiophene-2-carboxamide	C ₁₃ H ₁₀ BrClFNO ₂ S	378.6
2-[2-[(1-hydroxy-2-methylpropan-2-yl)-amino]-methyl]-phenoxy]- <i>N</i> -(2-methylphenyl)-acetamide; hydrochloride	C ₂₀ H ₂₇ ClN ₂ O ₃	378.9
<i>N</i> -[(3,4-dimethoxyphenyl)-methyl]-4-(2-hydroxyethylsulfonyl)-benzamide	C ₁₈ H ₂₁ NO ₆ S	379.4
2-[4-(2-methyl-3-phenyl-5-propylpyrazolo[1,5- <i>a</i>]-pyrimidin-7-yl)-piperazin-1-yl]-ethanol	C ₂₂ H ₂₉ N ₅ O	379.5
(9,9-dimethyl-3-oxa-9-azoniatricyclo[3.3.1.0 ^{2,4}]-nonan-7-yl) 3-hydroxy-2-phenylpropanoate; nitrate	C ₁₈ H ₂₄ N ₂ O ₇	380.4
[1-(4-chloro-2-fluoroanilino)-1-oxopropan-2-yl] 2-(2-hydroxyethylamino)-benzoate	C ₁₈ H ₁₈ ClFN ₂ O ₄	380.8
1-(3,5-dimethylphenoxy)-3-[4-(2-hydroxyethyl)-piperazin-1-yl]-propan-2-ol; dihydrochloride	C ₁₇ H ₃₀ Cl ₂ N ₂ O ₃	381.3
2-[[4-(2-hydroxy-2-phenylethoxy)-3-methoxyphenyl]-methylamino]-butan-1-ol; hydrochloride	C ₂₀ H ₂₈ ClNO ₄	381.9
2-[(4- <i>tert</i> -butylphenyl)-methylsulfonyl]-3-(3-hydroxypropyl)-quinazolin-4-one	C ₂₂ H ₂₆ N ₂ O ₂ S	382.2
2-[2-(2-hydroxyethylamino)-benzimidazol-1-yl]-1-thiophen-2-ylethanone; hydrobromide	C ₁₅ H ₁₆ BrN ₃ O ₂ S	382.3

3-[4-(5,6-dimethyl-2-phenylthieno[2,3-d]-pyrimidin-4-yl)-piperazin-1-yl]-propan-1-ol	C ₂₁ H ₂₆ N ₄ O ₅	382.5
[2-oxo-2-(4-phenylpiperazin-1-yl)-ethyl] 2-(2-hydroxyethylamino)-benzoate	C ₂₁ H ₂₅ N ₃ O ₄	383.4
5-(2-chlorophenyl)-4-(3-hydroxypropylamino)-5 <i>H</i> -chromeno[2,3-d]-pyrimidin-8-ol	C ₂₀ H ₁₈ ClN ₃ O ₃	383.8
[(1 <i>R</i> ,2 <i>R</i> ,4 <i>S</i> ,5 <i>S</i>)-9-methyl-3-oxa-9-azatricyclo[3.3.1.0 ^{2,4}]-nonan-7-yl] (2 <i>S</i>)-3-hydroxy-2-phenylpropanoate; hydrobromide	C ₁₇ H ₂₂ BrNO ₄	384.3
5-[1-hydroxy-2-[1-(4-hydroxyphenyl)-propan-2-ylamino]-ethyl]-benzene-1,3-diol; hydrobromide	C ₁₇ H ₂₂ BrNO ₄	384.3
(9-methyl-3-oxa-9-azatricyclo[3.3.1.0 ^{2,4}]-nonan-7-yl) 3-hydroxy-2-phenylpropanoate; hydrobromide	C ₁₇ H ₂₂ BrNO ₄	384.3
(8,8-dimethyl-8-azoniabicyclo[3.2.1]-octan-3-yl) 3-hydroxy-2-phenylpropanoate; bromide	C ₁₈ H ₂₆ BrNO ₃	384.3
2-[<i>N</i> -[[2-(4-ethoxy-3-methoxyphenyl)-1,3-thiazol-4-yl]-methyl]-anilino]-ethanol	C ₂₁ H ₂₄ N ₂ O ₃ S	384.5
2-[4-bromo-2-(hydroxymethyl)phenoxy]- <i>N</i> -(3-chloro-2-methylphenyl)acetamide	C ₁₆ H ₁₅ BrClNO ₃	384.6
2-[2-(4-bromophenyl)-ethenyl]-3-(3-hydroxypropyl)-quinazolin-4-one	C ₁₉ H ₁₇ BrN ₂ O ₂	385.3
4-[[4-(2-hydroxyethylsulfonyl)-phenyl]-iminomethyl]-5-methyl-2-phenyl-1 <i>H</i> -pyrazol-3-one	C ₁₉ H ₁₉ N ₃ O ₄ S	385.4
2-(hydroxymethyl)-5-[6-(1-phenylpropan-2-ylamino)-purin-9-yl]-oxolane-3,4-diol	C ₁₉ H ₂₃ N ₅ O ₄	385.4
<i>N</i> '-hydroxy- <i>N</i> -[1-[2-(hydroxymethyl)-pyrrolidin-1-yl]-3-methyl-1-oxobutan-2-yl]-2-pentylbutanediamide	C ₁₉ H ₃₅ N ₃ O ₅	385.5
2-[(5-bromo-2-fluorophenyl)methyl-[(5-tert-butyl-1,2,4-oxadiazol-3-yl)-methyl]-amino]-ethanol	C ₁₆ H ₂₁ BrFN ₃ O ₂	386.3
2-[6-[2-(4-aminophenyl)-ethylamino]-purin-9-yl]-5-(hydroxymethyl)-oxolane-3,4-diol	C ₁₈ H ₂₂ N ₆ O ₄	386.4
4-hydroxy-2-(hydroxymethyl)- <i>N</i> -[3-[(4-methoxyphenyl)-methoxymethyl]-phenyl]-pyrrolidine-1-carboxamide	C ₂₁ H ₂₆ N ₂ O ₅	386.4
1-[2-(benzhydrylideneamino)-oxyethyl]-3,6-dihydro-2 <i>H</i> -pyridine-5-carboxylic acid; hydrochloride	C ₂₁ H ₂₃ ClN ₂ O ₃	386.9
2-[4-[2-[(4-chlorophenyl)-methyl]-5-methyl-[1,2,4]-triazolo[1,5- <i>a</i>]-pyrimidin-7-yl]-piperazin-1-yl]-ethanol	C ₁₉ H ₂₃ ClN ₆ O	386.9
2-[4-[[[5-(2-fluorophenyl)-thiophen-2-yl]-methylamino]-methyl]-2-methoxyphenoxy]-ethanol	C ₂₁ H ₂₂ FNO ₃ S	387.5
<i>N</i> -cyclohexyl- <i>N</i> -(1,1-dioxothiolan-3-yl)-2-[4-(2-hydroxyethyl)-piperazin-1-yl]-acetamide	C ₁₈ H ₃₃ N ₃ O ₄ S	387.5
2-[2-chloro-6-(cyclopentylamino)-purin-9-yl]-5-(hydroxymethyl)-oxolane-3,4-diol; hydrate	C ₁₅ H ₂₂ ClN ₅ O ₅	387.8
1-[3-(hydroxymethyl)-2,5-dioximidazolidin-4-yl]-3-[[[3-(hydroxymethyl)-2,5-dioximidazolidin-4-yl]-carbamoylamino]-methyl]-urea	C ₁₁ H ₁₆ N ₈ O ₈	388.3
2-[[[6-(3-chloroanilino)-9-propan-2-yl]purin-2-yl]-amino]-3-methylbutan-1-ol	C ₁₉ H ₂₅ ClN ₆ O	388.9
2-(5,6-dimethyl-4-oxo-3-phenylthieno[2,3- <i>d</i>]pyrimidin-2-yl)sulfanyl- <i>N</i> -(2-hydroxyethyl)-acetamide	C ₁₈ H ₁₉ N ₃ O ₃ S ₂	389.5

<i>N</i> -[5-[4-chloro-3-(2-hydroxyethylsulfamoyl)-phenyl]-4-methyl-1,3-thiazol-2-yl]-acetamide	C ₁₄ H ₁₆ ClN ₃ O ₄ S ₂	389.9
2-[3-[2-(4-tert-butylphenoxy)-ethyl]-2-iminobenzimidazol-1-yl]-ethanol; hydrochloride	C ₂₁ H ₂₈ ClN ₃ O ₂	389.9
2-[3-hydroxy-5-[2-(4-hydroxyphenyl)-ethenyl]-phenoxy]-6-(hydroxymethyl)-oxane-3,4,5-triol	C ₂₀ H ₂₂ O ₈	390.1
<i>N</i> -[2-[(2,5-difluorophenyl)-methyl]-3-hydroxypropyl]-2-[2-(furan-2-yl)-5-methyl-1,3-oxazol-4-yl]-acetamide	C ₂₀ H ₂₀ F ₂ N ₂ O ₄	390.4
3-(5-bromo-2-hydroxyphenyl)- <i>N</i> -ethyl- <i>N</i> -(2-hydroxyethyl)-3-phenylpropanamide	C ₁₉ H ₂₂ BrNO ₃	391.3
3-hydroxy-2-(icosa-5,8,11,14-tetraenoylamino)-propanoic acid	C ₂₃ H ₃₇ NO ₄	391.5
[3-bromo-4-[(3,4-dichlorophenyl)-methoxy]-5-methoxyphenyl]-methanol	C ₁₅ H ₁₃ BrCl ₂ O ₃	392.1
gold(1+); 3,4,5-trihydroxy-6-(hydroxymethyl)-oxane-2-thiolate	C ₆ H ₁₁ AuO ₅ S	392.2
3-(3-hydroxypropyl)-2-[(3-methylquinoxalin-2-yl)-methylsulfanyl]-quinazolin-4-one	C ₂₁ H ₂₀ N ₄ O ₂ S	392.5
9-fluoro-11,17-dihydroxy-17-(2-hydroxyacetyl)-10,13,16-trimethyl-6,7,8,11,12,14,15,16-octahydrocyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₂ H ₂₉ FO ₅	392.5
4-[4-[4-(2-hydroxyethyl)piperazine-1-carbonyl]-phenyl]-2-methylphthalazin-1-one	C ₂₂ H ₂₄ N ₄ O ₃	392.5
2-[[3-chloro-4-[(2-chlorophenyl)-methoxy]-5-methoxyphenyl]-methylamino]-ethanol; hydrochloride	C ₁₇ H ₂₀ Cl ₃ NO ₃	392.7
3-(cyclobutylmethyl)-1,2,4,5,6,7,7a,13-octahydro-4,12-methanobenzofuro[3,2- <i>e</i>]-isoquinoline-4a,7,9-triol; hydrochloride	C ₂₁ H ₂₈ ClNO ₄	393.9
3-(3-hydroxypropyl)-2-[(3-phenyl-1,2,4-oxadiazol-5-yl)methylsulfanyl]-quinazolin-4-one	C ₂₀ H ₁₈ N ₄ O ₃ S	394.1
1-[4-(2-hydroxyethyl)-piperazin-1-yl]-3-(4-propan-2-ylphenoxy)-propan-2-ol; dihydrochloride	C ₁₈ H ₃₂ Cl ₂ N ₂ O ₃	394.2
(8 <i>S</i> ,9 <i>R</i> ,10 <i>S</i> ,11 <i>S</i> ,13 <i>S</i> ,14 <i>S</i> ,16 <i>R</i> ,17 <i>S</i>)-9-fluoro-11,16,17-trihydroxy-17-(2-hydroxyacetyl)-10,13-dimethyl-6,7,8,11,12,14,15,16-octahydrocyclopenta[<i>a</i>]phenanthren-3-one	C ₂₁ H ₂₇ FO ₆	394.4
2-[[5-(2-hydroxyethyl)-4-methyl-6-oxo-1 <i>H</i> -pyrimidin-2-yl]-sulfanyl]- <i>N,N</i> -diphenylacetamide	C ₂₁ H ₂₁ N ₃ O ₃ S	395.5
<i>N</i> -(2-hydroxyethyl)-7-[5-hydroxy-2-(3-hydroxyoct-1-enyl)-3-oxocyclopentyl]-hept-5-enamide	C ₂₂ H ₃₇ NO ₅	395.5
<i>N</i> -(2-hydroxyethyl)-7-[3-hydroxy-2-(3-hydroxyoct-1-enyl)-5-oxocyclopentyl]-hept-5-enamide	C ₂₂ H ₃₇ NO ₅	395.5
2-[2-bromo-4-(hydroxymethyl)-6-methoxyphenoxy]- <i>N</i> -(2-methoxyphenyl)-acetamide	C ₁₇ H ₁₈ BrNO ₅	396.2
2-[4-(2-hydroxyethyl)-piperazin-1-yl]-7-(4-methoxyphenyl)-4-methyl-7,8-dihydro-6 <i>H</i> -quinazolin-5-one	C ₂₂ H ₂₈ N ₄ O ₃	396.2
[2-(<i>N</i> -cyclohexylanilino)-2-oxoethyl] 2-(2-hydroxyethylamino)-benzoate	C ₂₃ H ₂₈ N ₂ O ₄	396.5
2-[(3-bromo-5-ethoxy-4-propan-2-yloxyphenyl)-methylamino]-2-methylpropan-1-ol; hydrochloride	C ₁₆ H ₂₇ BrClNO ₃	396.7
<i>N,N</i> -diethyl-4-[4-[2-hydroxyethyl(methyl)-amino]-piperidin-1-yl]-sulfonylbenzamide	C ₁₉ H ₃₁ N ₃ O ₄ S	397.5

7-[3,5-dihydroxy-2-(3-hydroxyoct-1-enyl)cyclopentyl]- <i>N</i> -(2-hydroxyethyl)-hept-5-enamide	C ₂₂ H ₃₉ NO ₅	397.5
<i>N</i> -(2-hydroxyethyl)-7-[3-hydroxy-2-(3-hydroxyoct-1-enyl)-5-oxocyclopentyl]-heptanamide	C ₂₂ H ₃₉ NO ₅	397.5
<i>N</i> -(1,3-dihydroxyoctadec-4-en-2-yl)-hexanamide	C ₂₄ H ₄₇ NO ₃	397.6
2-[2-bromo-4-[[[1-hydroxy-2-methylpropan-2-yl]amino]-methyl]-6-methoxyphenoxy]-acetamide; hydrochloride	C ₁₄ H ₂₂ BrClN ₂ O ₄	397.7
(9,9-dimethyl-3-oxa-9-azoniatricyclo[3.3.1.0 ^{2,4}]-nonan-7-yl) 3-hydroxy-2-phenylpropanoate; bromide	C ₁₈ H ₂₄ BrNO ₄	398.3
(1,1-dimethylpyrrolidin-1-ium-3-yl) 2-cyclopentyl-2-hydroxy-2-phenylacetate;bromide	C ₁₉ H ₂₈ BrNO ₃	398.3
4-[6-(1-adamantyl)-7-hydroxynaphthalen-2-yl]-benzoic acid	C ₂₇ H ₂₆ O ₃	398.5
6-[3-(1-adamantyl)-4-hydroxyphenyl]-naphthalene-2-carboxylic acid	C ₂₇ H ₂₆ O ₃	398.5
3-(3,6-dibromocarbazol-9-yl)-propane-1,2-diol	C ₁₅ H ₁₃ Br ₂ NO ₂	399.1
3-fluoro-4-[[2-hydroxy-2-(5,5,8,8-tetramethyl-6,7-dihydronaphthalen-2-yl)-acetyl]-amino]-benzoic acid	C ₂₃ H ₂₆ FNO ₄	399.5
2-[[[5-(4-chlorophenyl)thieno[2,3-d]-pyrimidin-4-yl]-amino]-methyl]-3-(furan-2-yl)-propan-1-ol	C ₂₀ H ₁₈ ClN ₃ O ₂ S	399.9
(9-methyl-9-oxido-3-oxa-9-azoniatricyclo[3.3.1.0 ^{2,4}]-nonan-7-yl) 3-hydroxy-2-phenylpropanoate; hydrobromide	C ₁₇ H ₂₂ BrNO ₅	400.3
<i>N</i> -cyclohexyl-2-[4-[[[1-hydroxy-2-methylpropan-2-yl]-amino]-methyl]-2-methoxyphenoxy]-acetamide; hydrochloride	C ₂₀ H ₃₃ ClN ₂ O ₄	400.9
3,4-bis(2-hydroxyethylsulfanyl)-1-(4-phenylphenyl)-pyrrole-2,5-dione	C ₂₀ H ₁₉ NO ₄ S ₂	401.5
3-benzyl-2-(2-hydroxyethylamino)-spiro[6 <i>H</i> -benzo[<i>h</i>]-quinazoline-5,1'-cyclopentane]-4-one	C ₂₅ H ₂₇ N ₃ O ₂	401.5
2-amino-3,4-dihydroxy-2-(hydroxymethyl)-14-oxoicos-6-enoic acid	C ₂₁ H ₃₉ NO ₆	401.5
(9-methyl-3-oxa-9-azatricyclo[3.3.1.0 ^{2,4}]-nonan-7-yl) 3-hydroxy-2-phenylpropanoate; hydrate; hydrobromide	C ₁₇ H ₂₄ BrNO ₅	402.3
2-[4-[3-(4-acetyl-3-hydroxy-2-propylphenoxy)-propoxy]-phenoxy]-acetic acid	C ₂₂ H ₂₆ O ₇	402.4
2-[[2-amino-5-(1-phenylethylsulfanyl)-[1,3]-thiazolo[4,5-d]-pyrimidin-7-yl]-amino]-4-methylpentan-1-ol	C ₁₉ H ₂₅ N ₅ OS ₂	403.6
2-[4-[3-(2-chlorophenothiazin-10-yl)-propyl]-piperazin-1-yl]-ethanol	C ₂₁ H ₂₆ ClN ₃ OS	404.0
5-[3-[1-(2-hydroxyethylamino)-2,3-dihydro-1 <i>H</i> -inden-4-yl]-1,2,4-oxadiazol-5-yl]-2-propan-2-yloxybenzotrile	C ₂₃ H ₂₄ N ₄ O ₃	404.5
<i>N</i> -[4-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-phenyl]-thiophene-2-sulfonamide	C ₁₃ H ₉ F ₆ NO ₃ S ₂	405.3
(2 <i>R</i> ,3 <i>S</i> ,5 <i>R</i>)-2-[6-[[[1 <i>S</i> ,2 <i>S</i>]-2-hydroxycyclopentyl]-amino]-purin-9-yl]-5-(hydroxymethyl)-oxolane-3,4-diol; hydrate; hydrochloride	C ₁₅ H ₂₄ ClN ₅ O ₆	405.8
8-(1-hydroxyethyl)-2-methoxy-3-[(4-methoxyphenyl)-methoxy]-benzo[<i>c</i>]-chromen-6-one	C ₂₄ H ₂₂ O ₆	406.4
2-[[5-bromo-2-[(2-chlorophenyl)-methoxy]-phenyl]-methylamino]-ethanol; hydrochloride	C ₁₆ H ₁₈ BrCl ₂ NO ₂	407.1
2-[[3-bromo-5-methoxy-4-(thiophen-2-ylmethoxy)-phenyl]-methylamino]-ethanol; hydrochloride	C ₁₅ H ₁₉ BrClNO ₃ S	408.7

2-[4-[[1-(1-hydroxy-2-methylpropan-2-yl)-amino]-methyl]-2-methoxyphenoxy]- <i>N</i> -(4-methylphenyl)-acetamide; hydrochloride	C ₂₁ H ₂₉ ClN ₂ O ₄	408.9
(8 <i>S</i> ,9 <i>R</i> ,11 <i>S</i> ,13 <i>S</i> ,14 <i>S</i> ,16 <i>S</i>)-9-chloro-11,17-dihydroxy-17-(2-hydroxyacetyl)-1,13,16-trimethyl-7,8,10,11,12,14,15,16-octahydro-6 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₂ H ₂₉ ClO ₅	408.9
9-chloro-11,17-dihydroxy-17-(2-hydroxyacetyl)-10,13,16-trimethyl-6,7,8,11,12,14,15,16-octahydrocyclopenta[<i>a</i>]phenanthren-3-one	C ₂₂ H ₂₉ ClO ₅	408.9
1-(4-fluoro-phenyl)-3-(3-(4-fluoro-phenyl)-3-hydroxy-propyl)-4-(4-hydroxy-phenyl)-azetidin-2-one	C ₂₄ H ₂₁ F ₂ NO ₃	409.1
2,3-dihydroxypropyl 2-[(7-chloroquinolin-4-yl)-amino]-benzoate; hydrochloride	C ₁₉ H ₁₈ Cl ₂ N ₂ O ₄	409.3
1-[4-(2-hydroxyethyl)-piperazin-1-yl]-3-(5-methyl-2-propan-2-ylphenoxy)-propan-2-ol; dihydrochloride	C ₁₉ H ₃₄ Cl ₂ N ₂ O ₃	409.4
(3 <i>R</i> ,4 <i>S</i>)-1-(4-fluorophenyl)-3-[(3 <i>S</i>)-3-(4-fluorophenyl)-3-hydroxypropyl]-4-(4-hydroxyphenyl)-azetidin-2-one	C ₂₄ H ₂₁ F ₂ NO ₃	409.4
6,9-difluoro-11,17-dihydroxy-17-(2-hydroxyacetyl)-10,13,16-trimethyl-6,7,8,11,12,14,15,16-octahydrocyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₂ H ₂₈ F ₂ O ₅	410.5
1-[10-[3-[4-(2-hydroxyethyl)-piperidin-1-yl]-propyl]-phenothiazin-2-yl]-ethanone	C ₂₄ H ₃₀ N ₂ O ₂ S	410.6
1-(4-chlorophenyl)-2-[2-(2-hydroxyethylamino)-benzimidazol-1-yl]-ethanone; hydrobromide	C ₁₇ H ₁₇ BrClN ₃ O ₂	410.7
(8-methyl-8-propan-2-yl-8-azoniabicyclo[3.2.1]octan-3-yl) 3-hydroxy-2-phenylpropanoate; bromide	C ₂₀ H ₃₀ BrNO ₃	412.4
(2-hydroxy-1-phenylethyl) 8-methyl-8-propan-2-yl-8-azoniabicyclo[3.2.1]octane-3-carboxylate; bromide	C ₂₀ H ₃₀ BrNO ₃	412.4
[1-[[3-hydroxy-2-[(6-phenylpyridine-2-carbonyl)amino]-butanoyl]-amino]-3-methylbutyl]boronic acid	C ₂₁ H ₂₈ BN ₃ O ₅	413.3
(5 <i>R</i> ,5 <i>aR</i> ,8 <i>aR</i> ,9 <i>R</i>)-5-hydroxy-9-(3,4,5-trimethoxyphenyl)-5 <i>a</i> ,6,8 <i>a</i> ,9-tetrahydro-5 <i>H</i> -[2]-benzofuro[5,6- <i>f</i>][1,3]-benzodioxol-8-one	C ₂₂ H ₂₂ O ₈	414.4
2-(hydroxymethyl)-4-[1-hydroxy-2-[6-(4-phenylbutoxy)-hexylamino]-ethyl]-phenol	C ₂₅ H ₃₇ NO ₄	415.6
4-[(4-bromophenyl)-hydroxymethylidene]-1-(3-hydroxypropyl)-5-phenylpyrrolidine-2,3-dione	C ₂₀ H ₁₈ BrNO ₄	416.3
<i>N</i> -[1-(ethoxymethoxy)-5-(hydroxyamino)-4-methyl-5-oxopentan-2-yl]-4-phenoxybenzamide	C ₂₂ H ₂₈ N ₂ O ₆	416.5
<i>N</i> -(2-hydroxyethyl)-3-[6-[4-(trifluoromethoxy)-anilino]-pyrimidin-4-yl]-benzamide	C ₂₀ H ₁₇ F ₃ N ₄ O ₃	418.4
2-(hydroxymethyl)-5-[6-[(4-nitrophenyl)-methylsulfanyl]-purin-9-yl]-oxolane-3,4-diol	C ₁₇ H ₁₇ N ₅ O ₆ S	419.4
(1,1-dimethylpiperidin-1-ium-3-yl) 2-hydroxy-2,2-diphenylacetate; bromide	C ₂₁ H ₂₆ BrNO ₃	420.3
2-[[3-bromo-4-[(2-fluorophenyl)methoxy]-5-methoxyphenyl]-methylamino]-ethanol; hydrochloride	C ₁₇ H ₂₀ BrClFNO ₃	420.7
2-[4-chloro-3-[(4-ethoxyphenyl)-methyl]-phenyl]-6-methylsulfanyloxane-3,4,5-triol	C ₂₁ H ₂₅ ClO ₅ S	424.9
<i>N</i> -(1,3-dihydroxypropan-2-yl)-7-[5-hydroxy-2-(3-hydroxyoct-1-enyl)-3-oxocyclopentyl]-hept-5-enamide	C ₂₃ H ₃₉ NO ₆	425.6

(<i>Z</i>)- <i>N</i> -(1,3-dihydroxypropan-2-yl)-7-[(1 <i>R</i> ,2 <i>R</i> ,3 <i>R</i>)-3-hydroxy-2-[(<i>E</i> ,3 <i>S</i>)-3-hydroxyoct-1-enyl]-5-oxocyclopentyl]-hept-5-enamide	C ₂₃ H ₃₉ NO ₆	425.6
<i>N</i> -(1-hydroxy-3-morpholin-4-yl-1-phenylpropan-2-yl)-decanamide; hydrochloride	C ₂₃ H ₃₉ ClN ₂ O ₃	426.3
2,3-dihydroxypropyl 7-[3-hydroxy-2-(3-hydroxyoct-1-enyl)-5-oxocyclopentyl]-hept-5-enoate	C ₂₃ H ₃₈ O ₇	426.5
2,3-dihydroxypropyl 7-[5-hydroxy-2-(3-hydroxyoct-1-enyl)-3-oxocyclopentyl]-hept-5-enoate	C ₂₃ H ₃₈ O ₇	426.5
(<i>Z</i>)-7-[(1 <i>R</i> ,2 <i>R</i> ,3 <i>R</i> ,5 <i>S</i>)-3,5-dihydroxy-2-[(<i>E</i> ,3 <i>S</i>)-3-hydroxyoct-1-enyl]-cyclopentyl]- <i>N</i> -(1,3-dihydroxypropan-2-yl)-hept-5-enamide	C ₂₃ H ₄₁ NO ₆	427.6
2,3-dihydroxypropyl 7-[3,5-dihydroxy-2-(3-hydroxyoct-1-enyl)cyclopentyl]-hept-5-enoate	C ₂₃ H ₄₀ O ₇	428.6
4-amino- <i>N</i> -[1-(4-chlorophenyl)-3-hydroxypropyl]-1-(7 <i>H</i> -pyrrolo[2,3- <i>d</i>]-pyrimidin-4-yl)-piperidine-4-carboxamide	C ₂₁ H ₂₅ ClN ₆ O ₂	428.9
11-hydroxy-8-(2-hydroxyacetyl)-9,13-dimethyl-6-propyl-5,7-dioxapentacyclo[10.8.0.0 ^{2,9} .0 ^{4,8} .0 ^{13,18}]-icosa-14,17-dien-16-one	C ₂₅ H ₃₄ O ₆	430.5
2-[[3-bromo-5-methoxy-4-(pyridin-3-ylmethoxy)-phenyl]-methylamino]-2-methylpropan-1-ol; hydrochloride	C ₁₈ H ₂₄ BrClN ₂ O ₃	431.7
(1-methyl-1-azoniabicyclo[2.2.2]-octan-3-yl) 2-hydroxy-2,2-diphenylacetate; bromide	C ₂₂ H ₂₆ BrNO ₃	432.3
5-hydroxy-2-(4-hydroxyphenyl)-7-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxochromen-4-one	C ₂₁ H ₂₀ O ₁₀	432.4
5,7-dihydroxy-2-(4-hydroxyphenyl)-8-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-chromen-4-one	C ₂₁ H ₂₀ O ₁₀	432.4
2-chloro-4-[[2-[(1-hydroxy-3-methylbutan-2-yl)amino]-9-propan-2-ylpurin-6-yl]-amino]-benzoic acid	C ₂₀ H ₂₅ ClN ₆ O ₃	432.9
<i>N</i> -[1-(3-chlorophenyl)-2-hydroxyethyl]-4-[5-chloro-2-(propan-2-ylamino)-pyridin-4-yl]-1 <i>H</i> -pyrrole-2-carboxamide	C ₂₁ H ₂₂ Cl ₂ N ₄ O ₂	433.3
sodium; (<i>E</i> ,3 <i>S</i> ,5 <i>R</i>)-7-[3-(4-fluorophenyl)-1-propan-2-ylindol-2-yl]-3,5-dihydroxyhept-6-enoate	C ₂₄ H ₂₅ FNNaO ₄	433.4
2-[2-amino-6-[(4-nitrophenyl)-methylsulfanyl]-purin-9-yl]-5-(hydroxymethyl)-oxolane-3,4-diol	C ₁₇ H ₁₈ N ₆ O ₆ S	434.4
7-[2-hydroxy-3-[2-hydroxyethyl(methyl)-amino]-propyl]-1,3-dimethylpurine-2,6-dione; pyridine-3-carboxylic acid	C ₁₉ H ₂₆ N ₆ O ₆	434.4
7-[4-(3-ethynylanilino)-7-methoxyquinazolin-6-yl]-oxy- <i>N</i> -hydroxyheptanamide	C ₂₄ H ₂₆ N ₄ O ₄	434.5
19-fluoro-11-hydroxy-8-(2-hydroxyacetyl)-6,6,9,13-tetramethyl-5,7-dioxapentacyclo[10.8.0.0 ^{2,9} .0 ^{4,8} .0 ^{13,18}]-icosa-14,17-dien-16-one	C ₂₄ H ₃₁ FO ₆	434.5
<i>N</i> -[(4-amino-2-methylpyrimidin-5-yl)methyl]- <i>N</i> -[5-hydroxy-3-(oxolan-2-ylmethyl)disulfanyl]-pent-2-en-2-yl]-formamide; hydrochloride	C ₁₇ H ₂₇ ClN ₄ O ₃ S ₂	435.0
2-[4-(3-benzo[<i>b</i>][1]-benzazepin-11-ylpropyl)-piperazin-1-yl]-ethanol; dihydrochloride	C ₂₃ H ₃₁ Cl ₂ N ₃ O	436.4
1-[2,4-dihydroxy-6-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxyphenyl]-3-(4-hydroxyphenyl)-propan-1-one	C ₂₁ H ₂₄ O ₁₀	436.4
19-fluoro-11-hydroxy-8-(2-hydroxyacetyl)-6,6,9,13-tetramethyl-5,7-dioxapentacyclo[10.8.0.0 ^{2,9} .0 ^{4,8} .0 ^{13,18}]-icos-17-en-16-one	C ₂₄ H ₃₃ FO ₆	436.5

2-[4-[3-(2-chlorothioxanthen-9-ylidene)-propyl]-piperazin-1-yl]-ethanol; hydrochloride	C ₂₂ H ₂₆ Cl ₂ N ₂ O ₅	437.4
2-[2-(3-hydroxypropylamino)-benzimidazol-1-yl]-1-naphthalen-1-ylethanone; hydrobromide	C ₂₂ H ₂₂ BrN ₃ O ₂	440.3
(9-butyl-9-methyl-3-oxa-9-azoniatricyclo[3.3.1.0 ^{2,4}]-nonan-7-yl) 3-hydroxy-2-phenylpropanoate; bromide	C ₂₁ H ₃₀ BrNO ₄	440.4
1-[1-(4-chloro-3-fluorophenyl)-2-hydroxyethyl]-4-[2-[(2-methylpyrazol-3-yl)-amino]-pyrimidin-4-yl]-pyridin-2-one	C ₂₁ H ₁₈ ClFN ₆ O ₂	440.9
6-[2-[2-hydroxyethyl-[3-(4-nitrophenyl)-propyl]-amino]-ethylamino]-1,3-dimethylpyrimidine-2,4-dione; hydrochloride	C ₁₉ H ₂₈ ClN ₅ O ₅	441.9
3'-[2-[1-(3,4-dimethylphenyl)-3-methyl-5-oxo-4,5-dihydro-1H-pyrazol-4-ylidene]-hydrazin-1-yl]-2'-hydroxy-[1,1'-biphenyl]-3-carboxylic acid	C ₂₅ H ₂₂ N ₄ O ₄	442.5
3 <i>a</i> -(hydroxymethyl)-5 <i>a</i> ,5 <i>b</i> ,8,8,11 <i>a</i> -pentamethyl-1-prop-1-en-2-yl-1,2,3,4,5,6,7,7 <i>a</i> ,9,10,11,11 <i>b</i> ,12,13,13 <i>a</i> ,13 <i>b</i> -hexadecahydrocyclopenta[<i>a</i>]-chrysen-9-ol	C ₃₀ H ₅₀ O ₂	442.7
2-chloro-6,9-difluoro-11,17-dihydroxy-17-(2-hydroxyacetyl)-10,13,16-trimethyl-6,7,8,11,12,14,15,16-octahydrocyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₂ H ₂₇ ClF ₂ O ₅	444.9
3-(3-hydroxy-4-methoxyphenyl)-7-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxychromen-4-one	C ₂₂ H ₂₂ O ₁₀	446.4
<i>N</i> -(4-ethoxyphenyl)-4-[hydroxy(diphenyl)-methyl]-piperidine-1-carbothioamide	C ₂₇ H ₃₀ N ₂ O ₂ S	446.6
2-[2-[4-[(4-chlorophenyl)-phenylmethyl]-piperazin-1-yl]-ethoxy]-ethanol; dihydrochloride	C ₂₁ H ₂₉ Cl ₃ N ₂ O ₂	447.8
2-(3,4-dihydroxyphenyl)-5-hydroxy-7-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxychromen-4-one	C ₂₁ H ₂₀ O ₁₁	448.4
(3,6-diiodocarbazol-9-yl)-methanol	C ₁₃ H ₉ I ₂ NO	449.0
11-[4-(hydroxyiminomethyl)-phenyl]-17-methoxy-17-(methoxymethyl)-13-methyl-1,2,6,7,8,11,12,14,15,16-decahydrocyclopenta[<i>a</i>]-phenanthren-3-one	C ₂₈ H ₃₅ NO ₄	449.6
1-(4-hydroxy-3-methoxyphenyl)-ethane-1,2-diol; piperazine	C ₂₂ H ₃₄ N ₂ O ₈	454.5
but-2-enedioic acid; <i>N</i> -(1-hydroxybutan-2-yl)-7-methyl-6,6 <i>a</i> ,8,9-tetrahydro-4 <i>H</i> -indolo[4,3- <i>fg</i>]-quinoline-9-carboxamide	C ₂₄ H ₂₉ N ₃ O ₆	455.5
but-2-enedioic acid; <i>N</i> -(1-hydroxybutan-2-yl)-7-methyl-6,6 <i>a</i> ,8,9-tetrahydro-4 <i>H</i> -indolo[4,3- <i>fg</i>]-quinoline-9-carboxamide	C ₂₄ H ₂₉ N ₃ O ₆	455.5
6-(4-bromo-2-chloroanilino)-7-fluoro- <i>N</i> -(2-hydroxyethoxy)-3-methylbenzimidazole-5-carboxamide	C ₁₇ H ₁₅ BrClFN ₄ O ₃	457.7
8-[(dimethylamino)-methyl]-19-ethyl-7,19-dihydroxy-17-oxa-3,13-diazapentacyclo[11.8.0.0 ^{2,11} .0 ^{4,9} .0 ^{15,20}]-hencosa-1(21),2,4(9),5,7,10,15(20)-heptaene-14,18-dione; hydrochloride	C ₂₃ H ₂₄ ClN ₃ O ₅	457.9
1-(5-bromothiophen-2-yl)-2-[2-(2-hydroxyethylamino)-benzimidazol-1-yl]-ethanone; hydrobromide	C ₁₅ H ₁₅ Br ₂ N ₃ O ₂ S	431.2
<i>N</i> -(1,3-dihydroxypropan-2-yl)-7-[3-hydroxy-2-(3-hydroxy-5-phenylpent-1-enyl)-5-oxocyclopentyl]-hept-5-enamide	C ₂₆ H ₃₇ NO ₆	459.3
potassium; [2-butyl-5-chloro-3-[[4-[2-(1,2,3-triaza-4-azanidacyclopenta-2,5-dien-5-yl)-phenyl]-phenyl]-methyl]-imidazol-4-yl]-methanol	C ₂₂ H ₂₂ ClKN ₆ O	461.0

potassium; [2-butyl-5-chloro-3-[[4-[2-(1,2,3-triaza-4-azanidacyclopenta-2,5-dien-5-yl)-phenyl]-phenyl]-methyl]-imidazol-4-yl]-methan	C ₂₂ H ₂₂ ClKN ₆ O	461.0
5-[[3-chloro-4-(2,3-dihydroxypropoxy)-phenyl]-methylidene]-3-(2-methylphenyl)-2-propylimino-1,3-thiazolidin-4-one	C ₂₃ H ₂₅ ClN ₂ O ₄ S	461.0
2-(2-fluoro-4-iodoanilino)- <i>N</i> -(2-hydroxyethoxy)-1,5-dimethyl-6-oxopyridine-3-carboxamide	C ₁₆ H ₁₇ FIN ₃ O ₄	461.2
3,5-dihydroxy-2-[(<i>E</i> ,3 <i>S</i>)-3-hydroxy-5-phenylpent-1-enyl]-cyclopentyl]- <i>N</i> -(1,3-dihydroxypropan-2-yl)-hept-5-enamide	C ₂₆ H ₃₉ NO ₆	461.6
2-(3,4-dihydroxyphenyl)-5,7-dihydroxy-3-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxochromen-4-one	C ₂₁ H ₂₀ O ₁₂	464.4
2-(3,4-dihydroxyphenyl)-5,7-dihydroxy-3-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxochromen-4-one	C ₁₇ H ₂₅ NO ₁₄	464.4
2-[4-chloro-3-[[4-(2-cyclopropyloxyethoxy)-phenyl]-methyl]-phenyl]-6-(hydroxymethyl)-oxane-3,4,5-triol	C ₂₄ H ₂₉ ClO ₇	464.9
[5-[2-(2,6-dimethylmorpholin-4-yl)-4-morpholin-4-ylpyrido[2,3-d]pyrimidin-7-yl]-2-methoxyphenyl]methanol	C ₂₅ H ₃₁ N ₅ O ₄	465.5
[5-[2,4-bis(3-methylmorpholin-4-yl)-pyrido[2,3-d]-pyrimidin-7-yl]-2-methoxyphenyl]-methanol	C ₂₅ H ₃₁ N ₅ O ₄	465.6
1-(3,5- <i>ditert</i> -butyl-4-hydroxyphenyl)-2-[2-(3-hydroxypropylamino)-5,6-dimethyl-1,3-benzodiazol-1-yl]-ethanone	C ₂₈ H ₃₉ N ₃ O ₃	465.6
4-amino-2-[4,6-diamino-3-[3-amino-6-(aminomethyl)-5-hydroxyoxan-2-yl]oxy-2-hydroxycyclohexyl]-oxy-6-(hydroxymethyl)-oxane-3,5-diol	C ₁₈ H ₃₇ N ₅ O ₉	467.5
2-[2-hydroxyethyl-[2-[methyl-(2-methyl-1-phenylpropan-2-yl)-amino]-2-oxoethyl]-amino]- <i>N</i> -methyl- <i>N</i> -(2-methyl-1-phenylpropan-2-yl)-acetamide	C ₂₈ H ₄₁ N ₃ O ₃	467.6
but-2-enedioic acid; <i>N</i> -(1-hydroxybutan-2-yl)-4,7-dimethyl-6,6 <i>a</i> ,8,9-tetrahydroindolo[4,3- <i>fg</i>]-quinoline-9-carboxamide	C ₂₅ H ₃₁ N ₃ O ₆	469.5
2-[4-[[2-[3-fluoro-4-(trifluoromethyl)-phenyl]-4-methyl-1,3-thiazol-5-yl]-methylsulfanyl]-2-methylphenoxy]-acetic acid	C ₂₁ H ₁₇ F ₄ NO ₃ S ₂	471.5
1-(4- <i>tert</i> -butylphenyl)-4-[4-[hydroxy(diphenyl)-methyl]-piperidin-1-yl]-butan-1-ol	C ₃₂ H ₄₁ NO ₂	471.7
2-[2-ethoxy-4-(4-hydroxypiperidin-1-yl)-anilino]-5,11-dimethylpyrimido[4,5- <i>b</i>][1,4]-benzodiazepin-6-one	C ₂₆ H ₃₀ N ₆ O ₃	474.6
<i>N</i> -[2-[(2,3-difluorophenyl)-methylsulfanyl]-6-(3,4-dihydroxybutan-2-ylamino)-pyrimidin-4-yl]-azetidine-1-sulfonamide	C ₁₈ H ₂₃ F ₂ N ₅ O ₄ S ₂	475.5
4-[2-(4-benzylpiperidin-1-yl)-1-hydroxypropyl]-phenol;2,3-dihydroxybutanedioic acid	C ₂₅ H ₃₃ NO ₈	475.5
2-amino-2-methoxypropane-1,3-diol; (<i>Z</i>)-7-[(1 <i>R</i> ,2 <i>R</i> ,3 <i>R</i> ,5 <i>S</i>)-3,5-dihydroxy-2-[(<i>E</i> ,3 <i>S</i>)-3-hydroxyoct-1-enyl]-cyclopentyl]-hept-5-enoic acid	C ₂₄ H ₄₅ NO ₈	475.6
2-amino-2-(hydroxymethyl)-propane-1,3-diol; 7-[3,5-dihydroxy-2-(3-hydroxyoct-1-enyl)-cyclopentyl]hept-5-enoic acid	C ₂₄ H ₄₅ NO ₈	475.6
<i>N</i> -[5-[[4-(1,1,1,3,3,3-hexafluoro-2-hydroxypropan-2-yl)-phenyl]-sulfamoyl]-4-methyl-1,3-thiazol-2-yl]-acetamide	C ₁₅ H ₁₃ F ₆ N ₃ O ₄ S ₂	477.4
(<i>E</i>)-but-2-enedioic acid; <i>N</i> -[2-hydroxy-5-[1-hydroxy-2-[1-(4-methoxyphenyl)propan-2-ylamino]-ethyl]-phenyl]-formamide; hydrate	C ₂₃ H ₃₀ N ₂ O ₉	478.5

4-(dimethylamino)-1,5,10,11,12 <i>a</i> -pentahydroxy-6-methylidene-3,12-dioxo-4,4 <i>a</i> ,5,5 <i>a</i> -tetrahydrotetracene-2-carboxamide; hydrochloride	C ₂₂ H ₂₃ ClN ₂ O ₈	478.9
4-fluoro-2-[4-[4-(2-hydroxypropan-2-yl)-pyrrolidin-3-yl]-amino]-6,7-dimethoxyquinazolin-2-yl]-phenol; hydrochloride	C ₂₃ H ₂₈ ClFN ₄ O ₄	478.9
2-[[2-(3,5-difluorophenyl)-2-hydroxyacetyl]-amino]- <i>N</i> -(5-methyl-6-oxo-7 <i>H</i> -benzo[d][1]-benzazepin-7-yl)-propanamide	C ₂₆ H ₂₃ F ₂ N ₃ O ₄	479.5
4-[[2-(3-chlorophenyl)-2-hydroxyethyl]-amino]-3-(4-methyl-6-morpholin-4-yl-1 <i>H</i> -benzimidazol-2-yl)-1 <i>H</i> -pyridin-2-one	C ₂₅ H ₂₆ ClN ₅ O ₃	480.0
4-(dimethylamino)-1,5,10,11,12 <i>a</i> -pentahydroxy-6-methyl-3,12-dioxo-4 <i>a</i> ,5,5 <i>a</i> ,6-tetrahydro-4 <i>H</i> -tetracene-2-carboxamide; hydrochloride	C ₂₂ H ₂₅ ClN ₂ O ₈	480.9
4-(dimethylamino)-1,6,10,11,12 <i>a</i> -pentahydroxy-6-methyl-3,12-dioxo-4,4 <i>a</i> ,5,5 <i>a</i> -tetrahydrotetracene-2-carboxamide; hydrochloride	C ₂₂ H ₂₅ ClN ₂ O ₈	480.9
7-[4-(4-fluorophenyl)-2-[methyl(methylsulfonyl)-amino]-6-propan-2-yl]pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoic acid	C ₂₂ H ₂₈ FN ₃ O ₆ S	481.5
<i>N</i> -(2,3-dihydroxypropoxy)-3,4-difluoro-2-(2-fluoro-4-iodoanilino)-benzamide	C ₁₆ H ₁₄ F ₃ IN ₂ O ₄	482.2
2-hydroxy-4-[4-[5-(2-methyl-3-phenylprop-2-enylidene)-4-oxo-2-sulfanylidene-1,3-thiazolidin-3-yl]-butanoylamino]-benzoic acid	C ₂₄ H ₂₂ N ₂ O ₅ S ₂	482.6
sodium; (2 <i>R</i>)- <i>N</i> -[(6 <i>R</i> ,7 <i>R</i>)-2-carboxy-3-[(1-methyltetrazol-5-yl)-sulfanylmethyl]-8-oxo-5-thia-1-azabicyclo[4.2.0]-oct-2-en-7-yl]-2-hydroxy-2-phenylethanimidate	C ₁₈ H ₁₇ N ₆ NaO ₅ S ₂	484.5
<i>N</i> -(2-chloro-6-methylphenyl)-2-[[6-[4-(2-hydroxyethyl)-piperazin-1-yl]-2-methylpyrimidin-4-yl]-amino]-1,3-thiazole-5-carboxamide	C ₂₂ H ₂₆ ClN ₇ O ₂ S	488.0
2-[[9-propan-2-yl-6-(3-pyridin-2-ylanilino)-purin-2-yl]-amino]-butan-1-ol; dihydrochloride	C ₂₃ H ₂₉ Cl ₂ N ₇ O	490.4
7-(dimethylamino)-1,10,11,12 <i>a</i> -tetrahydroxy-3,12-dioxo-4-propan-2-yl-4 <i>a</i> ,5,5 <i>a</i> ,6-tetrahydro-4 <i>H</i> -tetracene-2-carboxamide; hydrochloride	C ₂₄ H ₂₉ ClN ₂ O ₇	492.3
4-[2-(4-benzylpiperidin-1-yl)-1-hydroxypropyl]-phenol; 2,3-dihydroxybutanedioic acid; hydrate	C ₂₅ H ₃₅ NO ₉	493.5
4,7-bis(dimethylamino)-1,10,11,12 <i>a</i> -tetrahydroxy-3,12-dioxo-4 <i>a</i> ,5,5 <i>a</i> ,6-tetrahydro-4 <i>H</i> -tetracene-2-carboxamide; hydrochloride	C ₂₃ H ₂₈ ClN ₃ O ₇	493.9
[4 <i>a</i> ,5-dihydroxy-7-methyl-1-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]oxy-1,5,6,7 <i>a</i> -tetrahydrocyclopenta[<i>c</i>]-pyran-7-yl] 3-phenylprop-2-enoate	C ₂₄ H ₃₀ O ₁₁	494.5
calcium; 3-[(2,4-dihydroxy-3,3-dimethylbutanoyl)-amino]-propanoate; hydrate	C ₁₈ H ₃₄ CaN ₂ O ₁₁	494.5
1-(3-hydroxypropyl)-5-[2-[2-[2-(2,2,2-trifluoroethoxy)-phenoxy]-ethylamino]-propyl]-2,3-dihydroindole-7-carboxamide	C ₂₅ H ₃₂ F ₃ N ₃ O ₄	495.5
4-(dimethylamino)-1,5,6,10,11,12 <i>a</i> -hexahydroxy-6-methyl-3,12-dioxo-4,4 <i>a</i> ,5,5 <i>a</i> -tetrahydrotetracene-2-carboxamide; dihydrate	C ₂₂ H ₂₈ N ₂ O ₁₁	496.5
9-acetyl-7-(4-amino-5-hydroxy-6-methyloxan-2-yl)-oxy-6,9,11-trihydroxy-8,10-dihydro-7 <i>H</i> -tetracene-5,12-dione	C ₂₆ H ₂₇ NO ₉	497.5
<i>N</i> -[[3-[3-[2-[4-(benzenesulfonamido)-phenyl]-ethylamino]-2-hydroxypropoxy]-phenyl]-methyl]-acetamide	C ₂₆ H ₃₁ N ₃ O ₅ S	497.6
2-[2-(4-benzo[<i>b</i>][1,4]-benzothiazepin-6-yl)piperazin-1-yl]-ethoxy]-ethanol; (<i>E</i>)-but-2-enedioic acid	C ₂₅ H ₂₉ N ₃ O ₆ S	499.6
4-[2-(2-chloro-4-fluoroanilino)-5-methylpyrimidin-4-yl]- <i>N</i> -[1-(3-chlorophenyl)-2-hydroxyethyl]-1 <i>H</i> -pyrrole-2-carboxamide	C ₂₄ H ₂₀ Cl ₂ FN ₅ O ₂	500.3

1-[6-(2-hydroxypropan-2-yl)-pyridin-2-yl]-6-[4-(4-methylpiperazin-1-yl)-anilino]-2-prop-2-enylpyrazolo[3,4-d]pyrimidin-3-one	C ₂₇ H ₃₂ N ₈ O ₂	500.6
7-chloro-4-(dimethylamino)-1,6,10,11,12a-pentahydroxy-3,12-dioxo-4a,5,5a,6-tetrahydro-4 <i>H</i> -tetracene-2-carboxamide; hydrochloride	C ₂₁ H ₂₂ Cl ₂ N ₂ O ₈	501.3
1-[5-chloro-6-(4-chlorophenyl)-1,3-benzoxazol-2-yl]- <i>N</i> -[3-(hydroxymethyl)-cyclohexyl]-piperidine-4-carboxamide	C ₂₆ H ₂₉ Cl ₂ N ₃ O ₃	502.4
2-[[2-[bis(2-hydroxyethyl)-amino]-4,8-di(piperidin-1-yl)-pyrimido[5,4-d]-pyrimidin-6-yl]-(2-hydroxyethyl)-amino]-ethanol	C ₂₄ H ₄₀ N ₈ O ₄	504.6
2-[3-[[7-[3-[ethyl(2-hydroxyethyl)-amino]-propoxy]-quinazolin-4-yl]-amino]-1 <i>H</i> -pyrazol-5-yl]- <i>N</i> -(3-fluorophenyl)-acetamide	C ₂₆ H ₃₀ FN ₇ O ₃	507.6
7-chloro-4-(dimethylamino)-1,6,10,11,12a-pentahydroxy-6-methyl-3,12-dioxo-4,4a,5,5a-tetrahydrotetracene-2-carboxamide; hydrochloride	C ₂₂ H ₂₄ Cl ₂ N ₂ O ₈	515.3
1,4-dihydroxy-5,8-bis[2-(2-hydroxyethylamino)-ethylamino]-anthracene-9,10-dione; dihydrochloride	C ₂₂ H ₃₀ Cl ₂ N ₄ O ₆	517.4
5-[1-hydroxy-2-(propan-2-ylamino)-ethyl]-benzene-1,3-diol; sulfuric acid	C ₂₂ H ₃₆ N ₂ O ₁₀ S	520.6
1-(9 <i>H</i> -carbazol-4-yloxy)-3-[2-(2-methoxyphenoxy)-ethylamino]-propan-2-ol; phosphoric acid; hydrate	C ₂₄ H ₃₁ N ₂ O ₉ P	522.5
3-[7-[[2-(3,4-difluorophenyl)-cyclopropyl]-amino]-5-propylsulfanyltriazolo[4,5-d]-pyrimidin-3-yl]-5-(2-hydroxyethoxy)-cyclopentane-1,2-diol	C ₂₃ H ₂₈ F ₂ N ₆ O ₄ S	522.6
4-(dimethylamino)-1,6,10,11,12a-pentahydroxy-6-methyl-3,12-dioxo- <i>N</i> -(pyrrolidin-1-ylmethyl)-4,4a,5,5a-tetrahydrotetracene-2-carboxamide	C ₂₇ H ₃₃ N ₃ O ₈	527.6
[4,5-dihydroxy-6-(hydroxymethyl)-2-[2-[(1-hydroxy-6-oxocyclohex-2-ene-1-carbonyl)-oxymethyl]-phenoxy]-oxan-3-yl] benzoate	C ₂₇ H ₂₈ O ₁₁	528.5
9-acetyl-7-(4-amino-5-hydroxy-6-methyloxan-2-yl)-oxy-6,9,11-trihydroxy-8,10-dihydro-7 <i>H</i> -tetracene-5,12-dione; hydrochloride	C ₂₆ H ₂₈ ClNO ₉	534.0
1-[3-methoxy-4-[[4-(2-propan-2-ylsulfonylanilino)-1 <i>H</i> -pyrrolo[2,3- <i>b</i>]-pyridin-6-yl]-amino]-phenyl]-piperidin-4-ol	C ₂₈ H ₃₃ N ₅ O ₄ S	535.7
5-amino-2-[[7-amino-6-(4,6-diamino-2,3-dihydroxycyclohexyl)-oxy-4-hydroxy-3-(methylamino)-2,3,4,4a,6,7,8,8a-octahydropyrano[3,2- <i>b</i>]-pyran-2-yl]-oxy]-6-(hydroxymethyl)-oxane-3,4-diol	C ₂₁ H ₄₁ N ₅ O ₁₁	539.6
2-[[9-propan-2-yl-6-[(4-pyridin-2-ylphenyl)-methylamino]-purin-2-yl]-amino]-butan-1-ol; trihydrochloride	C ₂₄ H ₃₂ Cl ₃ N ₇ O	540.9
2-amino- <i>N</i> -[5-[6-(dimethylamino)-purin-9-yl]-4-hydroxy-2-(hydroxymethyl)-oxolan-3-yl]-3-(4-methoxyphenyl)-propanamide; dihydrochloride	C ₂₂ H ₃₁ Cl ₂ N ₇ O ₅	544.4
5-[2-(tert-butylamino)-1-hydroxyethyl]-benzene-1,3-diol; sulfuric acid	C ₂₄ H ₄₀ N ₂ O ₁₀ S	548.6
4- <i>tert</i> -butyl- <i>N</i> -[6-(2-hydroxyethoxy)-5-(2-methoxyphenoxy)-2-pyrimidin-2-ylpyrimidin-4-yl]-benzenesulfonamide	C ₂₇ H ₂₉ N ₅ O ₆ S	551.6
5-amino-2-(aminomethyl)-6-[4,6-diamino-2-[3,4-dihydroxy-5-(hydroxymethyl)-oxolan-2-yl]-oxy-3-hydroxycyclohexyl]-oxyoxane-3,4-diol; sulfuric acid	C ₁₇ H ₃₆ N ₄ O ₁₄ S	552.6
<i>N</i> -hydroxy-1-(2-methoxyethyl)-4-[4-[4-(trifluoromethoxy)-phenoxy]-phenyl]-sulfonypiperidine-4-carboxamide; hydrochloride	C ₂₂ H ₂₆ ClF ₃ N ₂ O ₇ S	555.0
4-[[5-[6-amino-8-[(3,4-dichlorophenyl)-methylamino]-purin-9-yl]-3,4-dihydroxyoxolan-2-yl]methoxymethyl]-benzonitrile	C ₂₅ H ₂₃ Cl ₂ N ₇ O ₄	556.4

4-[3-(4-bromophenyl)-5-(6-methyl-2-oxo-4-phenyl-1 <i>H</i> -quinolin-3-yl)-3,4-dihydropyrazol-2-yl]-4-oxobutanoic acid	C ₂₉ H ₂₄ BrN ₃ O ₄	558.4
<i>N</i> -[1,2-dimethoxy-10-methylsulfanyl-9-oxo-3-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxy-6,7-dihydro-5 <i>H</i> -benzo[<i>a</i>]-heptalen-7-yl]-acetamide	C ₂₇ H ₃₃ NO ₁₀ S	563.6
9-acetyl-7-(4-amino-5-hydroxy-6-methyloxan-2-yl)-oxy-6,9,11-trihydroxy-4-methoxy-8,10-dihydro-7 <i>H</i> -tetracene-5,12-dione; hydrochloride	C ₂₇ H ₃₀ ClNO ₁₀	564.0
7-(4-amino-5-hydroxy-6-methyloxan-2-yl)-oxy-6,9,11-trihydroxy-9-(2-hydroxyacetyl)-4-methoxy-8,10-dihydro-7 <i>H</i> -tetracene-5,12-dione; hydrochloride	C ₂₇ H ₃₀ ClNO ₁₁	580.0
2-(aminomethyl)-6-[4,6-diamino-3-[4-amino-3,5-dihydroxy-6-(hydroxymethyl)-oxan-2-yl]oxy-2-hydroxycyclohexyl]-oxyoxane-3,4,5-triol; sulfuric acid	C ₁₈ H ₃₈ N ₄ O ₁₅ S	582.6
3-[1,5,11,14-tetrahydroxy-10-(hydroxymethyl)-13-methyl-3-(3,4,5-trihydroxy-6-methyloxan-2-yl)oxy-2,3,4,6,7,8,9,11,12,15,16,17-dodecahydro-1 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-17-yl]-2 <i>H</i> -furan-5-one	C ₂₉ H ₄₄ O ₁₂	584.7
1-hexyl-3-[4-[[4-[2-[[2-hydroxy-3-(4-hydroxyphenoxy)-propyl]-amino]-ethyl]-phenyl]-sulfamoyl]-phenyl]-urea	C ₃₀ H ₄₀ N ₄ O ₆ S	584.7
4-[1,5,11,14-tetrahydroxy-10-(hydroxymethyl)-13-methyl-3-(3,4,5-trihydroxy-6-methyloxan-2-yl)-oxy-2,3,4,6,7,8,9,11,12,15,16,17-dodecahydro-1 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-17-yl]-oxolan-2-one	C ₂₉ H ₄₆ O ₁₂	586.7
5-[(7,8-dihydroxy-2-methyl-4,4 <i>a</i> ,6,7,8,8 <i>a</i> -hexahydropyrano[3,2- <i>d</i>][1,3]-dioxin-6-yl)-oxy]-9-(4-hydroxy-3,5-dimethoxyphenyl)-5 <i>a</i> ,6,8 <i>a</i> ,9-tetrahydro-5 <i>H</i> -[2]-benzofuro[6,5- <i>f</i>][1,3]-benzodioxol-8-one	C ₂₉ H ₃₂ O ₁₃	588.6
(5 <i>S</i> ,5 <i>aR</i> ,8 <i>aR</i> ,9 <i>R</i>)-5-[(2 <i>R</i> ,4 <i>aR</i> ,6 <i>R</i> ,7 <i>R</i> ,8 <i>aS</i>)-7,8 <i>a</i> -dihydroxy-2-methyl-4,4,6,7,8,8 <i>a</i> -hexahydropyrano[3,2- <i>d</i>][1,3]-dioxin-6-yl)-oxy]-9-(4-hydroxy-3,5-dimethoxyphenyl)-5 <i>a</i> ,6,8 <i>a</i> ,9-tetrahydro-5 <i>H</i> -[2]-benzofuro[6,5- <i>f</i>][1,3]-benzodioxol-8-one	C ₂₉ H ₃₂ O ₁₃	588.6
(5 <i>R</i> ,5 <i>aR</i> ,8 <i>aR</i> ,9 <i>R</i>)-5-[(2 <i>R</i> ,4 <i>aR</i> ,6 <i>R</i> ,7 <i>R</i> ,8 <i>aS</i>)-7,8-dihydroxy-2-methyl-4,4,6,7,8,8 <i>a</i> -hexahydropyrano[3,2- <i>d</i>][1,3]-dioxin-6-yl)-oxy]-9-(4-hydroxy-3,5-dimethoxyphenyl)-5 <i>a</i> ,6,8 <i>a</i> ,9-tetrahydro-5 <i>H</i> -[2]-benzofuro[6,5- <i>f</i>][1,3]-benzodioxol-8-one	C ₂₉ H ₃₂ O ₁₃	588.6
4-[5-(4-carbamimidoylphenoxy)-pentoxy]-benzenecarboximidamide; 2-hydroxyethylsulfite	C ₂₃ H ₃₄ N ₄ O ₁₀ S ₂	590.7
3-chloro- <i>N</i> -[1-[[2-(dimethylamino)-acetyl]-amino]-3-[4-[8-(1-hydroxyethyl)imidazo[1,2- <i>a</i>]-pyridin-2-yl]-phenyl]-propan-2-yl]-4-propan-2-yloxybenzamide	C ₃₂ H ₃₈ ClN ₅ O ₄	592.1
4-[5-(4-carbamimidoylphenoxy)-pentoxy]-benzenecarboximidamide; 2-hydroxyethanesulfonic acid	C ₂₃ H ₃₆ N ₄ O ₁₀ S ₂	592.7
7-[4,5-dihydroxy-6-(hydroxymethyl)-3-(3,4,5-trihydroxy-6-methyloxan-2-yl)-oxyoxan-2-yl]-oxy-5-hydroxy-2-(4-hydroxyphenyl)-2,3-dihydrochromen-4-one; hydrate	C ₂₇ H ₃₄ O ₁₅	598.5
6-amino-2-[[[4-(dimethylamino)-1,6,10,11,12 <i>a</i> -pentahydroxy-6-methyl-3,12-dioxo-4,4 <i>a</i> ,5,5 <i>a</i> -tetrahydrotetracene-2-carbonyl]-amino]-methylamino]-hexanoic acid	C ₂₉ H ₃₈ N ₄ O ₁₀	602.6
2-(hydroxymethyl)-4-[1-hydroxy-2-[6-(4-phenylbutoxy)-hexylamino]-ethyl]-phenol; 1-hydroxynaphthalene-2-carboxylic acid	C ₃₆ H ₄₅ NO ₇	603.7
6-cyclopropyl-8-fluoro-2-[2-(hydroxymethyl)-3-[1-methyl-5-[[5-(4-methylpiperazin-1-yl)-pyridin-2-yl]-amino]-6-oxopyridin-3-yl]phenyl]-isoquinolin-1-one	C ₃₅ H ₃₅ FN ₆ O ₃	606.7

2-(3,4-dihydroxyphenyl)-5,7-dihydroxy-3-[3,4,5-trihydroxy-6-[(3,4,5-trihydroxy-6-methyloxan-2-yl)-oxymethyl]-oxan-2-yl]-oxychromen-4-one	C ₂₇ H ₃₀ O ₁₆	610.5
5-hydroxy-2-(3-hydroxy-4-methoxyphenyl)-7-[3,4,5-trihydroxy-6-[(3,4,5-trihydroxy-6-methyloxan-2-yl)-oxymethyl]-oxan-2-yl]-oxy-2,3-dihydrochromen-4-one	C ₂₈ H ₃₄ O ₁₅	610.6
sodium; 6-[7-[5-ethyl-5-(5-ethyl-5-hydroxy-6-methyloxan-2-yl)-3-methyloxolan-2-yl]-4-hydroxy-3,5-dimethyl-6-oxononyl]-2-hydroxy-3-methylbenzoate	C ₃₄ H ₅₃ NaO ₈	612.8
[13-acetyloxy-1,6-dihydroxy-8-(hydroxymethyl)-4,12,12,15-tetramethyl-5-oxo-14-tetracyclo[8.5.0.0 ^{2,6} .0 ^{11,13}]-pentadeca-3,8-dienyl] tetradecanoate	C ₃₆ H ₅₆ O ₈	616.8
8-[[2-[3,4-bis(hydroxymethyl)-3,4-dimethylpyrrolidin-1-yl]-5-chloropyridine-4-carbonyl]amino]-1-(4-fluorophenyl)-4,5-dihydrobenzo[g]indazole-3-carboxamide	C ₃₂ H ₃₂ ClFN ₆ O ₄	619.1
4-amino- <i>N</i> -[(1 <i>S</i> ,2 <i>R</i> ,3 <i>R</i> ,4 <i>S</i> ,5 <i>R</i>)-5-amino-2-[(2 <i>S</i> ,3 <i>R</i> ,4 <i>S</i> ,5 <i>S</i> ,6 <i>R</i>)-4-amino-3,5-dihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxy-4-[(2 <i>R</i> ,3 <i>R</i> ,4 <i>S</i> ,5 <i>S</i> ,6 <i>R</i>)-6-(aminomethyl)-3,4,5-trihydroxyoxan-2-yl]-oxy-3-hydroxycyclohexyl]-2-hydroxybutanamide; dihydrate	C ₂₂ H ₄₇ N ₅ O ₁₅	621.6
1-[5-chloro-1-(2,4-dimethoxyphenyl)-sulfonyl-3-(2-methoxyphenyl)-2-oxoindol-3-yl]-4-hydroxy- <i>N,N</i> -dimethylpyrrolidine-2-carboxamide	C ₃₀ H ₃₂ ClN ₃ O ₈ S	630.1
5-[5-[3,4-dihydroxy-6-methyl-5-[[4,5,6-trihydroxy-3-(hydroxymethyl)-cyclohex-2-en-1-yl]-amino]-oxan-2-yl]-oxy-3,4-dihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxy-6-(hydroxymethyl)-oxane-2,3,4-triol	C ₂₅ H ₄₃ NO ₁₈	645.6
2-amino-3-[4-(4-hydroxy-3-iodophenoxy)-3,5-diiodophenyl]-propanoic acid	C ₁₅ H ₁₂ I ₃ NO ₄	651.0
<i>N</i> -[1-[4-[2-[(2,4-dichlorophenyl)-sulfonylamino]-3-hydroxypropanoyl]-piperazin-1-yl]-4-methyl-1-oxopentan-2-yl]-1-benzothiophene-2-carboxamide	C ₂₈ H ₃₂ Cl ₂ N ₄ O ₆ S ₂	655.6
5-[(7,8-dihydroxy-2-thiophen-2-yl-4,4 <i>a</i> ,6,7,8,8 <i>a</i> -hexahydropyrano[3,2- <i>d</i>][1,3]-dioxin-6-yl)-oxy]-9-(4-hydroxy-3,5-dimethoxyphenyl)-5 <i>a</i> ,6,8 <i>a</i> ,9-tetrahydro-5 <i>H</i> -[2]-benzofuro[6,5- <i>f</i>][1,3]-benzodioxol-8-one	C ₃₂ H ₃₂ O ₁₃ S	656.7
(3 <i>S</i> ,4 <i>aS</i> ,8 <i>aS</i>)- <i>N-tert</i> -butyl-2-[(2 <i>R</i> ,3 <i>R</i>)-2-hydroxy-3-[(3-hydroxy-2-methylbenzoyl)-amino]-4-phenylsulfanylbutyl]-3,4,4 <i>a</i> ,5,6,7,8,8 <i>a</i> -octahydro-1 <i>H</i> -isoquinoline-3-carboxamide; methanesulfonic acid	C ₃₃ H ₄₉ N ₃ O ₇ S ₂	663.9
<i>N-tert</i> -butyl-2-[2-hydroxy-3-[(3-hydroxy-2-methylbenzoyl)-amino]-4-phenylsulfanylbutyl]-3,4,4 <i>a</i> ,5,6,7,8,8 <i>a</i> -octahydro-1 <i>H</i> -isoquinoline-3-carboxamide; methanesulfonic acid	C ₃₃ H ₄₉ N ₃ O ₇ S ₂	663.9
<i>tert</i> -butyl <i>N</i> -[6-[[1-[(1-amino-1-oxo-3-phenylpropan-2-yl)-amino]-4-methyl-1-oxopentan-2-yl]-amino]-5-benzyl-3-hydroxy-6-oxo-1-phenylhexan-2-yl]-carbamate	C ₃₉ H ₅₂ N ₄ O ₆	672.9
5-hydroxy-2-(4-methoxyphenyl)-8-(3-methylbut-2-enyl)-7-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxy-3-(3,4,5-trihydroxy-6-methyloxan-2-yl)-oxychromen-4-one	C ₃₃ H ₄₀ O ₁₅	676.7
(8-methyl-8-azabicyclo[3.2.1]-octan-3-yl) 3-hydroxy-2-phenylpropanoate; sulfuric acid	C ₃₄ H ₄₈ N ₂ O ₁₀ S	676.8
sodium; 4-[2-[5-ethyl-5-[5-[6-hydroxy-6-(hydroxymethyl)-3,5-dimethyloxan-2-yl]-3-methyloxolan-2-yl]-oxolan-2-yl]-7-hydroxy-2,8-	C ₃₆ H ₆₁ NaO ₁₁	692.9

dimethyl-1,10-dioxaspiro[4.5]-decan-9-yl]-3-methoxy-2-methylpentanoate		
(8-methyl-8-azabicyclo[3.2.1]octan-3-yl) 3-hydroxy-2-phenylpropanoate; sulfuric acid; hydrate	C ₃₄ H ₅₀ N ₂ O ₁₁ S	694.8
7-chloro-4-(dimethylamino)-1,5,10,11,12a-pentahydroxy-6-methylidene-3,12-dioxo-4,4a,5,5a-tetrahydrotetracene-2-carboxamide; 2-hydroxy-5-sulfobenzoic acid	C ₂₉ H ₂₇ ClN ₂ O ₁₄ S	695.0
5-amino-2-(aminomethyl)-6-[4,6-diamino-2-[4-[3-amino-6-(aminomethyl)-4,5-dihydroxyoxan-2-yl]-oxy-3-hydroxy-5-(hydroxymethyl)-oxolan-2-yl]-oxy-3-hydroxycyclohexyl]-oxyoxane-3,4-diol; sulfuric acid	C ₂₃ H ₄₈ N ₆ O ₁₇ S	712.7
5-amino-2-(aminomethyl)-6-[5-[3,5-diamino-2-[3-amino-4,5-dihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxy-6-hydroxycyclohexyl]-oxy-4-hydroxy-2-(hydroxymethyl)-oxolan-3-yl]-oxyoxane-3,4-diol; sulfuric acid	C ₂₃ H ₄₇ N ₅ O ₁₈ S	713.7
1,3-thiazol-5-ylmethyl <i>N</i> -[(2 <i>S</i> ,3 <i>S</i> ,5 <i>S</i>)-3-hydroxy-5-[[<i>(2S)</i> -3-methyl-2-[[methyl-[(2-propan-2-yl-1,3-thiazol-4-yl)-methyl]-carbamoyl]-amino]-butanoyl]-amino]-1,6-diphenylhexan-2-yl]-carbamate	C ₃₇ H ₄₈ N ₆ O ₅ S ₂	720.9
7-[(4 <i>a</i> ,9-dihydroxy-3-prop-2-enyl-2,4,5,6,7 <i>a</i> ,13-hexahydro-1 <i>H</i> -4,12-methanobenzofuro[3,2- <i>e</i>]-isoquinolin-7-ylidene)-hydrazinylidene]-3-prop-2-enyl-2,4,5,6,7 <i>a</i> ,13-hexahydro-1 <i>H</i> -4,12-methanobenzofuro[3,2- <i>e</i>]-isoquinoline-4 <i>a</i> ,9-diol; dihydrochloride	C ₃₈ H ₄₄ Cl ₂ N ₄ O ₆	723.7
2-[6-[2-[5-[5-[6-hydroxy-6-(hydroxymethyl)-3,5-dimethyloxan-2-yl]-3-methyloxolan-2-yl]-5-methyloxolan-2-yl]-7-methoxy-2,4,6-trimethyl-1,10-dioxaspiro[4.5]-decan-9-yl]-methyl]-3-methyloxan-2-yl]-propanoic acid	C ₄₀ H ₆₈ O ₁₁	725.0
3-[(1 <i>R</i>)-1,5,11,14-tetrahydroxy-10-(hydroxymethyl)-13-methyl-3-(3,4,5-trihydroxy-6-methyloxan-2-yl)-oxy-2,3,4,6,7,8,9,11,12,15,16,17-dodecahydro-1 <i>H</i> -cyclopenta[<i>a</i>]-phenanthren-17-yl]-2 <i>H</i> -furan-5-one; octahydrate	C ₂₉ H ₆₀ O ₂₀	728.8
11,33-bis(cyclopropylmethyl)-19,25-dioxo-11,22,33-triazaundecacyclo[24.9.1.1 ^{8,14} .0 ^{1,24} .0 ^{2,32} .0 ^{4,23} .0 ^{5,21} .0 ^{7,12} .0 ^{8,20} .0 ^{30,36} .0 ^{18,37}]-heptatriaconta-4(23),5(21),14(37),15,17,26,28,30(36)-octaene-2,7,17,27-tetrol; dihydrochloride	C ₄₀ H ₄₅ Cl ₂ N ₃ O ₆	734.7
(2 <i>E</i>)-2-[(9 <i>Z</i> ,25 <i>Z</i> ,38 <i>E</i>)-38-(2-hydroxyethylidene)-14,30-bis(prop-2-enyl)-8,24-diaza-14,30-diazoniaundecacyclo[25.5.2.2 ^{11,14} .1 ^{1,26} .1 ^{10,17} .0 ^{2,7} .0 ^{13,17} .0 ^{18,23} .0 ^{30,33} .0 ^{8,35} .0 ^{24,36}]-octatriaconta-2,4,6,9,18,20,22,25-octaen-28-ylidene]-ethanol; dichloride	C ₄₄ H ₅₀ Cl ₂ N ₄ O ₂	737.8
4-amino- <i>N</i> -[5-amino-4-[3-amino-6-(aminomethyl)-4,5-dihydroxyoxan-2-yl]-oxy-3-[3,4-dihydroxy-5-(hydroxymethyl)-oxolan-2-yl]-oxy-2-hydroxycyclohexyl]-2-hydroxybutanamide; sulfuric acid	C ₂₁ H ₄₅ N ₅ O ₂₀ S ₂	751.7
1- <i>N</i> ,3- <i>N</i> -bis(1,3-dihydroxypropan-2-yl)-5-(2-hydroxypropanoylamino)-2,4,6-triiodobenzene-1,3-dicarboxamide	C ₁₇ H ₂₂ I ₃ N ₃ O ₈	777.1
3,6-diamino- <i>N</i> -[(6 <i>Z</i>)-3-(2-amino-4-hydroxy-1,4,5,6-tetrahydropyrimidin-6-yl)-6-[(carbamoylamino)-methylidene]-9,12-bis(hydroxymethyl)-2,5,8,11,14-penta-1,4,7,10,13-pentazacyclohexadec-15-yl]-hexanamide; sulfuric acid	C ₂₅ H ₄₅ N ₁₃ O ₁₄ S	783.8
3-acetamido-5-[acetyl(methyl)-amino]-2,4,6-triiodo- <i>N</i> -[2,4,5-trihydroxy-6-(hydroxymethyl)-oxan-3-yl]-benzamide	C ₁₈ H ₂₂ I ₃ N ₃ O ₈	789.1

1- <i>N</i> ,3- <i>N</i> -bis(2,3-dihydroxypropyl)-2,4,6-triiodo-5-[(2-methoxyacetyl)-amino]-3- <i>N</i> -methylbenzene-1,3-dicarboxamide	C ₁₈ H ₂₄ I ₃ N ₃ O ₈	790.9
but-2-enedioic acid; <i>N</i> -[2-[[2-hydroxy-3-(4-hydroxyphenoxy)-propyl]-amino]-ethyl]-morpholine-4-carboxamide	C ₃₆ H ₅₄ N ₆ O ₁₄	794.8
4-[2-(4-benzylpiperidin-1-yl)-1-hydroxypropyl]-phenol; 2,3-dihydroxybutanedioic acid	C ₄₆ H ₆₀ N ₂ O ₁₀	801.0
dipotassium; [2-[(5-carboxy-15-hydroxy-9-methyl-14-methylidene-7-tetracyclo[11.2.1.0 ^{1,10} .0 ^{4,9}]-hexadecanyl)-oxy]-6-(hydroxymethyl)-3-(3-methylbutanoyloxy)-5-sulfonatoxyoxan-4-yl] sulfate	C ₃₀ H ₄₄ K ₂ O ₁₆ S ₂	803.0
(<i>E</i>)-but-2-enedioic acid; 4-[(2 <i>S</i>)-2-[(2 <i>S</i>)-2-hydroxy-2-[4-hydroxy-3-(hydroxymethylamino)-phenyl]-ethyl]-amino]-propyl]-benzaldehyde	C ₄₂ H ₅₂ N ₄ O ₁₂	804.9
[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl] 13-[4,5-dihydroxy-6-(hydroxymethyl)-3-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxyoxan-2-yl]-oxy-5,9-dimethyl-14-methylidenetetracyclo[11.2.1.0 ^{1,10} .0 ^{4,9}]-hexadecane-5-carboxylate	C ₃₈ H ₆₀ O ₁₈	804.9
1- <i>N</i> ,3- <i>N</i> -bis(2,3-dihydroxypropyl)-5-[(2-hydroxyacetyl)-(2-hydroxyethyl)-amino]-2,4,6-triiodobenzene-1,3-dicarboxamide	C ₁₈ H ₂₄ I ₃ N ₃ O ₉	807.1
5-[acetyl(2,3-dihydroxypropyl)-amino]-1- <i>N</i> ,3- <i>N</i> -bis(2,3-dihydroxypropyl)-2,4,6-triiodobenzene-1,3-dicarboxamide	C ₁₉ H ₂₆ I ₃ N ₃ O ₉	821.1
(<i>E</i>)-but-2-enedioic acid; <i>N</i> -[2-hydroxy-5-[1-hydroxy-2-[1-(4-methoxyphenyl)-propan-2-ylamino]-ethyl]-phenyl]-formamide; dihydrate	C ₄₂ H ₅₆ N ₄ O ₁₄	840.9
[4,12-diacetyloxy-15-(3-benzamido-2-hydroxy-3-phenylpropanoyl)oxy-1,9-dihydroxy-10,14,17,17-tetramethyl-11-oxo-6-oxatetracyclo[11.3.1.0 ^{3,10} .0 ^{4,7}]-heptadec-13-en-2-yl] benzoate	C ₄₇ H ₅₁ NO ₁₄	853.9
2-[5-hydroxy-6-(hydroxymethyl)-2-[(10,14,16,20-tetramethyl-22-azahexacyclo[12.10.0.0 ^{2,11} .0 ^{5,10} .0 ^{15,23} .0 ^{17,22}]-tetracos-4-en-7-yl)-oxy]-4-[3,4,5-trihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxyoxan-3-yl]-oxy-6-methyloxane-3,4,5-triol	C ₄₅ H ₇₃ NO ₁₅	868.1
[6-[[3,4-dihydroxy-6-(hydroxymethyl)-5-(3,4,5-trihydroxy-6-methyloxan-2-yl)-oxyoxan-2-yl]-oxymethyl]-3,4,5-trihydroxyoxan-2-yl] 10,11-dihydroxy-9-(hydroxymethyl)-1,2,6 <i>a</i> ,6 <i>b</i> ,9,12 <i>a</i> -hexamethyl-2,3,4,5,6,6 <i>a</i> ,7,8,8 <i>a</i> ,10,11,12,13,14 <i>b</i> -tetradecehydro-1 <i>H</i> -picene-4 <i>a</i> -carboxylate	C ₄₈ H ₇₈ O ₁₉	959.1
2-[2-[[2-[[2-[[2-(2-hydroxyethoxy)-ethoxymethoxy]-3-[[2-[[2-(2-hydroxyethoxy)-ethoxymethoxy]-5-(2,4,4-trimethylpentan-2-yl)-phenyl]-methyl]-5-(2,4,4-trimethylpentan-2-yl)-phenyl]-methyl]-4-(2,4,4-trimethylpentan-2-yl)-phenoxy]-methoxy]-ethoxy]-ethanol	C ₅₉ H ₉₆ O ₁₂	997.4
[(2 <i>R</i> ,3 <i>R</i> ,4 <i>S</i> ,6 <i>S</i>)-6-[(2 <i>R</i> ,3 <i>S</i> ,4 <i>S</i> ,6 <i>S</i>)-6-[(2 <i>R</i> ,3 <i>S</i> ,4 <i>S</i> ,6 <i>R</i>)-6-[[3 <i>S</i> ,5 <i>R</i> ,8 <i>R</i> ,9 <i>R</i> ,10 <i>S</i> ,12 <i>R</i> ,13 <i>S</i> ,14 <i>S</i> ,17 <i>R</i>)-12,14-dihydroxy-8,9,10,13-tetramethyl-17-(5-oxo-2 <i>H</i> -furan-3-yl)-1,2,3,4,5,6,7,11,12,15,16,17-dodecahydrocyclopenta[<i>a</i>]-phenanthren-3-yl]-oxy]-4-hydroxy-2-methyloxan-3-yl]-oxy-4-hydroxy-2-methyloxan-3-yl]-oxy-2-methyl-3-[(2 <i>S</i> ,3 <i>R</i> ,4 <i>S</i> ,5 <i>S</i> ,6 <i>R</i>)-3,4,5-trihydroxy-6-(hydroxymethyl)oxan-2-yl]-oxyoxan-4-yl] acetate	C ₅₁ H ₈₀ O ₂₀	1013.2
2-[2-[4,5-dihydroxy-2-(hydroxymethyl)-6-(5',7,9,13-tetramethylspiro[5-oxapentacyclo[10.8.0.0 ^{2,9} .0 ^{4,8} .0 ^{13,18}]-icosane-6,2'-piperidine]-16-yl)-oxyoxan-3-yl]-oxy-5-hydroxy-6-(hydroxymethyl)-4-(3,4,5-trihydroxyoxan-2-yl)-oxyoxan-3-yl]oxy-6-(hydroxymethyl)-oxane-3,4,5-triol	C ₅₀ H ₈₃ NO ₂₁	1034.2
calcium; 7-[2-(4-fluorophenyl)-3-phenyl-4-(phenylcarbonyl)-5-propan-2-ylpyrrol-1-yl]-3,5-dihydroxyheptanoate	C ₆₆ H ₆₈ CaF ₂ N ₄ O ₁₀	1155.3

5-amino- <i>N</i> -(3-amino-2,2-dimethyl-3-oxopropyl)-4-hydroxy-7-[[4-methoxy-3-(3-methoxypropoxy)-phenyl]-methyl]-8-methyl-2-propan-2-ylnonanamide; but-2-enedioic acid	C ₆₄ H ₁₁₀ N ₆ O ₁₆	1219.6
3-[[2-[[3-[acetyl(methyl)-amino]-2,4,6-triiodo-5-(methylcarbamoyl)-benzoyl]-amino]-acetyl]-amino]-5-(2-hydroxyethylcarbamoyl)-2,4,6-triiodobenzoic acid	C ₂₄ H ₂₁ I ₆ N ₅ O ₈	1268.9
acetic acid; <i>N</i> -[1-[[1-[[1-[[1-[[1-[[1-2-[(carbamoylamino)-carbamoyl]-pyrrolidin-1-yl]-5-(diaminomethylideneamino)-1-oxopentan-2-yl]-amino]-4-methyl-1-oxopentan-2-yl]amino]-3-[(2-methylpropan-2-yl)-oxy]-1-oxopropan-2-yl]-amino]-3-(4-hydroxyphenyl)-1-oxopropan-2-yl]-amino]-3-hydroxy-1-oxopropan-2-yl]-amino]-3-(1 <i>H</i> -indol-3-yl)-1-oxopropan-2-yl]-amino]-3-(1 <i>H</i> -imidazol-5-yl)-1-oxopropan-2-yl]-5-oxopyrrolidine-2-carboxamide	C ₆₁ H ₈₈ N ₁₈ O ₁₆	1329.5
cobalt(3+); [5-(5,6-dimethylbenzimidazol-1-yl)-4-hydroxy-2-(hydroxymethyl)-oxolan-3-yl] 1-[3-[2,13,18-tris(2-amino-2-oxoethyl)-7,12,17-tris(3-amino-3-oxopropyl)-3,5,8,8,13,15,18,19-octamethyl-2,7,12,17-tetrahydro-1 <i>H</i> -corrin-24-id-3-yl]-propanoylamino]-propan-2-yl phosphate; cyanide	C ₆₃ H ₈₉ CoN ₁₄ O ₁₄ P	1355.4
2-[3-(diaminomethylideneamino)-4-[3-[4,5-dihydroxy-6-(hydroxymethyl)-3-(methylamino)-oxan-2-yl]-oxy-4-formyl-4-hydroxy-5-methyloxolan-2-yl]-oxy-2,5,6-trihydroxycyclohexyl]-guanidine; sulfuric acid	C ₄₂ H ₈₄ N ₁₄ O ₃₆ S ₃	1457.4
2-[3-(diaminomethylideneamino)-4-[3-[4,5-dihydroxy-6-(hydroxymethyl)-3-(methylamino)-oxan-2-yl]-oxy-4-hydroxy-4-(hydroxymethyl)-5-methyloxolan-2-yl]-oxy-2,5,6-trihydroxycyclohexyl]-guanidine; sulfuric acid	C ₄₂ H ₈₈ N ₁₄ O ₃₆ S ₃	1461.4
48-[3-(4-amino-5-hydroxy-4,6-dimethyloxan-2-yl)oxy-4,5-dihydroxy-6-(hydroxymethyl)-oxan-2-yl]-oxy-22-(2-amino-2-oxoethyl)-5,15-dichloro-2,18,32,35,37-pentahydroxy-19-[[4-methyl-2-(methylamino)-pentanoyl]-amino]-20,23,26,42,44-penta-oxo-7,13-dioxo-21,24,27,41,43-pentazaocatacyclo[26.14.2.2 ^{3,6} .2 ^{14,17} .1 ^{8,12} .1 ^{29,33} .0 ^{10,25} .0 ^{34,39}]-pentaconta-3,5,8(48),9,11,14,16,29(45),30,32,34(39),35,37,46,49-pentadecaene-40-carboxylic acid; hydrochloride	C ₆₆ H ₇₆ Cl ₃ N ₉ O ₂₄	1485.7
5-[acetyl-[3-[<i>N</i> -acetyl-3,5-bis(2,3-dihydroxypropylcarbamoyl)-2,4,6-triiodoanilino]-2-hydroxypropyl]-amino]-1- <i>N</i> ,3- <i>N</i> -bis(2,3-dihydroxypropyl)-2,4,6-triiodobenzene-1,3-dicarboxamide	C ₃₅ H ₄₄ I ₆ N ₆ O ₁₅	1550.2