

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

***N,N'*-Bis(4-chlorobenzylidene)-3,3'-dimethoxybiphenyl-4,4'-diamine**Ashokkumar Subashini,^a Kandasamy Ramamurthi^{a*} and Helen Stoeckli-Evans^b^aCrystal Growth and Thin Film Laboratory, School of Physics, Bharathidasan, University, Tiruchirappalli, Tamil Nadu 620 024, India, and ^bInstitute of Physics, University of Neuchâtel, Rue Emile-Argand 11, CH-2000 Neuchâtel, Switzerland
Correspondence e-mail: krmurthin@yahoo.co.in, helen.stoeckli-evans@unine.ch


Received 9 April 2011; accepted 24 April 2011

Key indicators: single-crystal X-ray study; *T* = 173 K; mean $\sigma(\text{C}-\text{C})$ = 0.004 Å; *R* factor = 0.053; *wR* factor = 0.125; data-to-parameter ratio = 14.9.

The title compound, $\text{C}_{28}\text{H}_{22}\text{Cl}_2\text{N}_2\text{O}_2$, crystallized with two independent molecules (*A* and *B*) in the asymmetric unit. The two molecules differ essentially in the orientation of the outer aromatic rings. These dihedral angles are 56.07 (13) and 27.62 (15) Å for molecules *A* and *B*, respectively. In the crystal, *A* molecules are related as centrosymmetric pairs through a weak π - π interaction [centroid-centroid distance = 3.6959 (15) Å]. There are also a number of intermolecular $\text{C}-\text{H}\cdots\text{O}$, $\text{C}-\text{H}\cdots\text{N}$ and $\text{C}-\text{H}\cdots\pi$ interactions present.

Related literature

For early work on the synthesis of multidentate Schiff base ligands, see: Weber (1967); Lesser *et al.* (1975); Munro & Camp (2003). For examples of Schiff base metal complexes exhibiting biological properties, see: Golcu *et al.* (2005); Liu & Yang (2010). For examples of Schiff base metal complexes exhibiting catalytic properties, see: Daier *et al.* (2004). For details of photochromic properties of some Schiff base complexes, see: Zgierski & Grabowska (2000). For examples of some similar 4,4'-biphenyl diamine Schiff bases, see: Lesser *et al.* (1975); Aygun *et al.* (2004); Hou *et al.* (2006). For details of the Cambridge Structural Database, see: Allen (2002).



Experimental

Crystal data

$\text{C}_{28}\text{H}_{22}\text{Cl}_2\text{N}_2\text{O}_2$
 $M_r = 489.38$
Triclinic, $P\bar{1}$
 $a = 9.2358$ (5) Å
 $b = 11.8559$ (6) Å
 $c = 23.5218$ (12) Å
 $\alpha = 75.810$ (4)°
 $\beta = 80.326$ (4)°
 $\gamma = 79.288$ (4)°
 $V = 2433.1$ (2) Å³
 $Z = 4$
Mo $K\alpha$ radiation
 $\mu = 0.30$ mm⁻¹
 $T = 173$ K
 $0.45 \times 0.18 \times 0.12$ mm

Data collection

Stoe IPDS 2 diffractometer
Absorption correction: multi-scan (*MULScanABS* in *PLATON*; Spek, 2009)
 $T_{\min} = 0.772$, $T_{\max} = 1.000$
29251 measured reflections
9183 independent reflections
5705 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.071$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.053$
 $wR(F^2) = 0.125$
 $S = 0.98$
9183 reflections
617 parameters
H-atom parameters constrained
 $\Delta\rho_{\max} = 0.26$ e Å⁻³
 $\Delta\rho_{\min} = -0.30$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

Cg2, Cg5 and Cg7 are the centroids of the C8–C13, C29–C34 and C42–C47 rings, respectively.

<i>D</i> —H $\cdots$ <i>A</i>	<i>D</i> —H	H $\cdots$ <i>A</i>	<i>D</i> $\cdots$ <i>A</i>	<i>D</i> —H $\cdots$ <i>A</i>
C23—H23 $\cdots$ O4 ⁱ	0.95	2.48	3.348 (4)	152
C31—H31 $\cdots$ N1 ⁱⁱ	0.95	2.57	3.498 (4)	166
C3—H3 $\cdots$ Cg5 ⁱⁱⁱ	0.95	2.75	3.642 (3)	156
C30—H30 $\cdots$ Cg2 ⁱⁱ	0.95	2.90	3.641 (3)	136
C33—H33 $\cdots$ Cg7 ^{iv}	0.95	2.97	3.850 (3)	154

Symmetry codes: (i) $x+1, y-1, z$; (ii) $x, y, z+1$; (iii) $x-1, y, z-1$; (iv) $-x+1, -y+1, -z+1$.

Data collection: *X-Area* (Stoe & Cie, 2009); cell refinement: *X-Area*; data reduction: *X-RED32* (Stoe & Cie, 2009); program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *PLATON* (Spek, 2009) and *Mercury* (Macrae *et al.*, 2006); software used to prepare material for publication: *SHELXL97*, *PLATON* and *publCIF* (Westrip, 2010).

AS thanks the UGC, India, for the award of a Research Fellowship in Sciences for Meritorious Students [File No. 4-1/2008 (BSR)]. HSE thanks the staff of the XRD Application LAB., CSEM, Neuchâtel, for access to the X-ray diffraction equipment.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: FL2345).

References

- Allen, F. H. (2002). *Acta Cryst.* **B58**, 380–388.
Aygun, M., Gokce, A. G., Akkus, N. & Ozbey, S. (2004). *J. Chem. Crystallogr.* **34**, 73–77.
Daier, V., Biava, H., Palopoli, C., Shove, S., Tuchagues, J. P. & Signorella, S. (2004). *J. Inorg. Biochem.* **98**, 1806–1817.
Golcu, A., Tumer, M., Demirelli, H. & Wheatley, R. A. (2005). *Inorg. Chim. Acta*, **358**, 1785–1797.

- Hou, Z.-Y., Zhu, D.-M. & Ng, S. W. (2006). *Acta Cryst.* **E62**, o1901–o1902.
- Lesser, D. P., de Vries, A., Reed, J. W. & Brown, G. H. (1975). *Acta Cryst.* **B31**, 653–658.
- Liu, Y.-C. & Yang, Z.-Y. (2010). *J. Biochem.* **147**, 381–391.
- Macrae, C. F., Edgington, P. R., McCabe, P., Pidcock, E., Shields, G. P., Taylor, R., Towler, M. & van de Streek, J. (2006). *J. Appl. Cryst.* **39**, 453–457.
- Munro, O. Q. & Camp, G. L. (2003). *Acta Cryst.* **C59**, o672–o675.
- Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
- Spek, A. L. (2009). *Acta Cryst.* **D65**, 148–155.
- Stoe & Cie. (2009). *X-AREA* and *X-RED32*. Stoe & Cie GmbH, Darmstadt, Germany.
- Weber, J. H. (1967). *Inorg. Chem.* **6**, 258–262.
- Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.
- Zgierski, M. Z. & Grabowska, A. (2000). *J. Chem. Phys.* **113**, 7845–7852.

supporting information

Acta Cryst. (2011). E67, o1296–o1297 [https://doi.org/10.1107/S1600536811015467]

N,N'-Bis(4-chlorobenzylidene)-3,3'-dimethoxybiphenyl-4,4'-diamine

Ashokkumar Subashini, Kandasamy Ramamurthi and Helen Stoeckli-Evans

S1. Comment

Multidentate Schiff base ligands have been studied for many years (Weber, 1967; Lesser *et al.*, 1975; Munro & Camp, 2003). Metal complexes of multidentate Schiff base ligands play an important role in the development of coordination chemistry and possess important properties, such as biological activity (Golcu *et al.*, 2005; Liu & Yang, 2010), catalytic activity (Daier *et al.*, 2004) and photochromic properties (Zgierski & Grabowska, 2000). Because of the structural characteristics of the Schiff base products (*i.e.* electron donor and acceptor groups connected to a π -conjugated chain), they will have potential as NLO or electro-optical materials. We present here the synthesis and crystal structure of the title 4,4'-biphenyl diamine Schiff base compound, prepared by the condensation reaction of 3,3'-dimethoxybenzidine with two equivalents of 4-chlorobenzaldehyde. There are a number of examples of similar Schiff bases in the Cambridge Structural Database (Allen, 2002); for example, 2,2'-Dibromo-4,4'-bis(*p*-methoxybenzylideneamine)biphenyl (Lesser *et al.*, 1975), 3,3'-Dimethoxybenzidine(2-hydroxybenzylideneamino)biphenyl (Aygün *et al.*, 2004) and 4,4'-bis(2,6-Di-chlorobenzylideneamino)biphenyl (Hou *et al.*, 2006).

The title compound crystallized with two independent molecules (A and B) in the asymmetric unit, Fig. 1. The 3,3'-dimethoxybiphenyl moieties in the two molecules have similar conformations, with the aromatic rings being inclined to one another by 36.12 (13) ° in molecule A and by 38.09 (13) ° in molecule B. A view of the Auto-fit figure (Fig. 2; Spek, 2009) of inverted molecule B on molecule A illustrates the difference in the conformation of the two molecules. The outer aromatic rings, Ring-1 (C1—C6) and Ring-4 (C21—C26), are inclined to one another by 56.05 (13) ° in molecule A, while in molecule B Ring-5 (C29—C34) and Ring-8 (C49—C54) are inclined to one another by 27.62 (15) °. In molecule A Ring-1 (C1—C6) is inclined to Ring-2 (C14—C19) and Ring-3 (C21—C26) by 10.26 (13) and 56.07 (13) °, respectively. This is different to the situation in molecule B where Ring-5 (C29—C34) is inclined to Ring-7 (C42—C47) and Ring-8 (C49—C54) by 85.70 (13) and 27.62 (15) °, respectively.

In the crystal the A molecules stack head-to-tail with a separation of the Cl atoms, Cl1...Cl2ⁱ, of 3.5048 (12) Å (symmetry code (i) = $x - 1, x + 2, x - 1$). The B molecules stack head-to-head with a shorter separation of the Cl atoms; the distance Cl4...Cl4ⁱⁱ being 3.3173 (18) Å (symmetry code (ii) = $-x - 1, -y + 3, -z$). The crystal structure is further stabilized by intermolecular C—H...O and C—H...N hydrogen bonds (Table 1 and Fig. 3). The A molecules are related as centrosymmetric pairs through a weak π - π interaction [Cg2...Cg2ⁱ = 3.6959 (15) Å; Cg2 is the centroid of Ring-2 (C8—C13); Symmetry code: (i) $-x, 1 - y, -z$].

Footnote to Table 1: Cg2 is the centroid of Ring-2 (C8—C13); Cg5 is the centroid of Ring-5 (C29—C34); Cg7 is the centroid of Ring-7 (C42—C47).

S2. Experimental

The title compound was synthesized by mixing 3,3'-dimethoxybenzidine and 4-chlorobenzaldehyde (molar ratio 1:2) in methanol at 343 K for 1 h. The mixture was then allowed to cool to RT giving a brown solid. Recrystallization from

methanol gave brown rod-shaped crystals of the title compound suitable for X-ray diffraction analysis.

S3. Refinement

The C-bound H-atoms were included in calculated positions and treated as riding atoms: C—H = 0.95 and 0.98 Å for CH(aromatic) and CH₃, respectively, with $U_{\text{iso}}(\text{H}) = k \times U_{\text{eq}}(\text{parent C-atom})$, where $k = 1.5$ for CH₃ H-atoms and $k = 1.2$ for all other H-atoms.




Figure 1

A view of the molecular structure of the two independent molecules (A and B) of the title compound with the atom numbering. The displacement ellipsoids are drawn at the 50% probability level. Hydrogen atoms are shown as spheres of arbitrary radii.




Figure 2

A view of the auto-fit of molecule B (red) inverted on molecule A (black); the best weighted and unit weight RMS-fit parameters are 0.843 and 1.065 Å, for 34 fitted atoms [Auto-fit routine in *PLATON* (Spek, 2009)].




Figure 3

A view along the *b* axis of the crystal packing of the title compound. The intermolecular C–H...O and C–H...N interactions, and the short Cl1...Cl2ⁱ interactions [3.5048 (12) Å; symmetry code (i) = *x* - 1, *x* + 2, *x* - 1], are shown as dashed cyan lines. H-atoms not involved in these interactions have been omitted for clarity.

N,N'-Bis(4-chlorobenzylidene)-3,3'-dimethoxybiphenyl-4,4'-diamine

Crystal data

C₂₈H₂₂Cl₂N₂O₂

M_r = 489.38

Triclinic, *P*1̄

Hall symbol: -P 1

a = 9.2358 (5) Å

b = 11.8559 (6) Å

c = 23.5218 (12) Å

α = 75.810 (4)°

β = 80.326 (4)°

γ = 79.288 (4)°

V = 2433.1 (2) Å³

Z = 4

F(000) = 1016

D_x = 1.336 Mg m⁻³

Mo $K\alpha$ radiation, $\lambda = 0.71073 \text{ \AA}$
 Cell parameters from 16478 reflections
 $\theta = 1.8\text{--}26.0^\circ$
 $\mu = 0.30 \text{ mm}^{-1}$

$T = 173 \text{ K}$
 Rod, brown
 $0.45 \times 0.18 \times 0.12 \text{ mm}$

Data collection

Stoe IPDS 2
 diffractometer
 Radiation source: fine-focus sealed tube
 Graphite monochromator
 φ and ω scans
 Absorption correction: multi-scan
 (MULscanABS in PLATON; Spek, 2009)
 $T_{\min} = 0.772$, $T_{\max} = 1.000$

29251 measured reflections
 9183 independent reflections
 5705 reflections with $I > 2\sigma(I)$
 $R_{\text{int}} = 0.071$
 $\theta_{\max} = 25.6^\circ$, $\theta_{\min} = 1.8^\circ$
 $h = -11 \rightarrow 11$
 $k = -14 \rightarrow 14$
 $l = -28 \rightarrow 28$

Refinement

Refinement on F^2
 Least-squares matrix: full
 $R[F^2 > 2\sigma(F^2)] = 0.053$
 $wR(F^2) = 0.125$
 $S = 0.98$
 9183 reflections
 617 parameters
 0 restraints
 Primary atom site location: structure-invariant
 direct methods

Secondary atom site location: difference Fourier
 map
 Hydrogen site location: inferred from
 neighbouring sites
 H-atom parameters constrained
 $w = 1/[\sigma^2(F_o^2) + (0.0607P)^2]$
 where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 0.26 \text{ e \AA}^{-3}$
 $\Delta\rho_{\min} = -0.30 \text{ e \AA}^{-3}$

Special details

Geometry. Bond distances, angles *etc.* have been calculated using the rounded fractional coordinates. All su's are estimated from the variances of the (full) variance-covariance matrix. The cell e.s.d.'s are taken into account in the estimation of distances, angles and torsion angles

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters ($\text{\AA}^2$)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Cl1	−0.16693 (10)	0.73278 (7)	−0.42605 (3)	0.0557 (3)
Cl2	0.76750 (12)	0.00726 (7)	0.47655 (4)	0.0700 (3)
O1	0.1449 (2)	0.70175 (15)	−0.09211 (8)	0.0440 (7)
O2	0.2304 (2)	0.10960 (15)	0.19381 (8)	0.0423 (6)
N1	0.0777 (3)	0.57226 (18)	−0.15956 (9)	0.0379 (7)
N2	0.4364 (3)	0.19921 (19)	0.22848 (9)	0.0399 (8)
C1	−0.1290 (3)	0.6770 (2)	−0.35318 (11)	0.0402 (9)
C2	−0.2099 (4)	0.5962 (3)	−0.31557 (13)	0.0497 (11)
C3	−0.1785 (3)	0.5547 (3)	−0.25790 (13)	0.0478 (10)
C4	−0.0646 (3)	0.5919 (2)	−0.23855 (11)	0.0393 (9)
C5	0.0142 (3)	0.6737 (2)	−0.27775 (12)	0.0461 (10)
C6	−0.0169 (3)	0.7171 (2)	−0.33514 (12)	0.0473 (10)
C7	−0.0298 (3)	0.5443 (2)	−0.17770 (12)	0.0425 (9)
C8	0.1164 (3)	0.5157 (2)	−0.10280 (11)	0.0348 (8)
C9	0.1611 (3)	0.5830 (2)	−0.06896 (11)	0.0352 (8)
C10	0.2146 (3)	0.5283 (2)	−0.01568 (11)	0.0361 (9)
C11	0.2278 (3)	0.4060 (2)	0.00542 (11)	0.0352 (8)

C12	0.1835 (3)	0.3401 (2)	−0.02828 (11)	0.0395 (9)
C13	0.1285 (3)	0.3946 (2)	−0.08133 (11)	0.0398 (9)
C14	0.2887 (3)	0.3500 (2)	0.06174 (11)	0.0352 (8)
C15	0.4010 (3)	0.3933 (2)	0.07895 (12)	0.0447 (9)
C16	0.4541 (3)	0.3410 (2)	0.13245 (12)	0.0454 (10)
C17	0.3966 (3)	0.2461 (2)	0.17100 (11)	0.0378 (9)
C18	0.2828 (3)	0.2025 (2)	0.15388 (11)	0.0359 (8)
C19	0.2320 (3)	0.2536 (2)	0.09986 (11)	0.0359 (8)
C20	0.5723 (4)	0.1773 (2)	0.23557 (12)	0.0470 (10)
C21	0.6195 (3)	0.1368 (2)	0.29511 (12)	0.0409 (9)
C22	0.7661 (3)	0.0873 (3)	0.30185 (14)	0.0519 (11)
C23	0.8113 (4)	0.0469 (2)	0.35752 (15)	0.0529 (11)
C24	0.7101 (4)	0.0574 (2)	0.40639 (13)	0.0466 (10)
C25	0.5640 (3)	0.1055 (2)	0.40128 (12)	0.0449 (10)
C26	0.5199 (3)	0.1443 (2)	0.34562 (12)	0.0417 (9)
C27	0.1841 (4)	0.7738 (2)	−0.05816 (14)	0.0552 (10)
C28	0.1111 (3)	0.0658 (3)	0.17929 (13)	0.0509 (10)
Cl3	0.72546 (11)	0.22366 (9)	0.91179 (4)	0.0780 (4)
Cl4	−0.40375 (15)	0.99270 (9)	0.05465 (5)	0.1072 (5)
O3	0.4123 (2)	0.30306 (14)	0.58097 (8)	0.0405 (6)
O4	0.1571 (2)	0.91381 (15)	0.32380 (8)	0.0416 (6)
N3	0.4599 (3)	0.43315 (19)	0.65042 (9)	0.0392 (8)
N4	−0.0211 (3)	0.79885 (18)	0.28786 (9)	0.0371 (7)
C29	0.6336 (3)	0.2908 (3)	0.85004 (12)	0.0470 (10)
C30	0.5040 (3)	0.3671 (3)	0.85675 (12)	0.0533 (11)
C31	0.4329 (3)	0.4206 (3)	0.80728 (12)	0.0509 (10)
C32	0.4907 (3)	0.3992 (2)	0.75239 (11)	0.0373 (9)
C33	0.6227 (3)	0.3212 (2)	0.74676 (12)	0.0411 (9)
C34	0.6943 (3)	0.2663 (3)	0.79566 (13)	0.0490 (10)
C35	0.4114 (3)	0.4551 (2)	0.70078 (12)	0.0413 (9)
C36	0.3826 (3)	0.4902 (2)	0.60174 (10)	0.0338 (8)
C37	0.3332 (3)	0.6105 (2)	0.58768 (11)	0.0415 (9)
C38	0.2646 (3)	0.6615 (2)	0.53740 (11)	0.0410 (9)
C39	0.2441 (3)	0.5941 (2)	0.49943 (10)	0.0330 (8)
C40	0.2939 (3)	0.4727 (2)	0.51341 (10)	0.0331 (8)
C41	0.3628 (3)	0.4211 (2)	0.56359 (11)	0.0329 (8)
C42	0.1699 (3)	0.6476 (2)	0.44576 (10)	0.0324 (8)
C43	0.0753 (3)	0.5893 (2)	0.42723 (11)	0.0371 (8)
C44	0.0071 (3)	0.6402 (2)	0.37685 (11)	0.0363 (8)
C45	0.0340 (3)	0.7494 (2)	0.34255 (10)	0.0333 (8)
C46	0.1313 (3)	0.8083 (2)	0.36068 (11)	0.0332 (8)
C47	0.1964 (3)	0.7585 (2)	0.41185 (10)	0.0333 (8)
C48	−0.1580 (3)	0.7995 (2)	0.28454 (12)	0.0419 (9)
C49	−0.2182 (3)	0.8436 (2)	0.22789 (13)	0.0410 (9)
C50	−0.3700 (4)	0.8773 (3)	0.22698 (16)	0.0584 (12)
C51	−0.4283 (4)	0.9242 (3)	0.17360 (19)	0.0694 (14)
C52	−0.3328 (5)	0.9342 (3)	0.12174 (17)	0.0634 (13)
C53	−0.1824 (4)	0.8986 (3)	0.12114 (14)	0.0577 (13)

C54	−0.1256 (4)	0.8540 (2)	0.17442 (12)	0.0464 (10)
C55	0.3890 (4)	0.2297 (2)	0.54500 (13)	0.0507 (10)
C56	0.2591 (4)	0.9755 (2)	0.33901 (13)	0.0493 (10)
H2	−0.28600	0.56920	−0.32890	0.0600*
H3	−0.23530	0.50020	−0.23120	0.0570*
H5	0.09120	0.70050	−0.26490	0.0550*
H6	0.03760	0.77340	−0.36170	0.0570*
H7	−0.08930	0.49140	−0.15130	0.0510*
H10	0.24300	0.57480	0.00700	0.0430*
H12	0.19100	0.25710	−0.01490	0.0470*
H13	0.09830	0.34790	−0.10350	0.0480*
H15	0.44130	0.45910	0.05390	0.0540*
H16	0.53190	0.37090	0.14310	0.0540*
H19	0.15660	0.22220	0.08850	0.0430*
H20	0.64560	0.18710	0.20190	0.0570*
H22	0.83620	0.08100	0.26780	0.0620*
H23	0.91140	0.01230	0.36170	0.0630*
H25	0.49460	0.11180	0.43550	0.0540*
H26	0.41900	0.17690	0.34190	0.0500*
H27A	0.28880	0.74970	−0.05210	0.0830*
H27B	0.12170	0.76480	−0.01980	0.0830*
H27C	0.16880	0.85640	−0.07940	0.0830*
H28A	0.14360	0.03600	0.14310	0.0760*
H28B	0.02690	0.12930	0.17300	0.0760*
H28C	0.08070	0.00190	0.21180	0.0760*
H30	0.46380	0.38300	0.89440	0.0640*
H31	0.34250	0.47300	0.81140	0.0610*
H33	0.66370	0.30580	0.70910	0.0490*
H34	0.78360	0.21250	0.79200	0.0590*
H35	0.32230	0.50870	0.70540	0.0500*
H37	0.34660	0.65840	0.61280	0.0500*
H38	0.23110	0.74380	0.52870	0.0490*
H40	0.28020	0.42500	0.48820	0.0400*
H43	0.05700	0.51360	0.44940	0.0450*
H44	−0.05920	0.59960	0.36560	0.0440*
H47	0.25980	0.80010	0.42410	0.0400*
H48	−0.22170	0.77090	0.31920	0.0500*
H50	−0.43510	0.86850	0.26310	0.0700*
H51	−0.53210	0.94880	0.17320	0.0830*
H53	−0.11830	0.90450	0.08480	0.0690*
H54	−0.02160	0.83010	0.17440	0.0560*
H55A	0.43770	0.25550	0.50470	0.0760*
H55B	0.28220	0.23480	0.54430	0.0760*
H55C	0.43100	0.14810	0.56120	0.0760*
H56A	0.35490	0.92420	0.34290	0.0740*
H56B	0.21950	0.99830	0.37660	0.0740*
H56C	0.27280	1.04610	0.30790	0.0740*

Atomic displacement parameters ($\text{\AA}^2$)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Cl1	0.0751 (6)	0.0561 (4)	0.0355 (4)	−0.0003 (4)	−0.0251 (4)	−0.0043 (3)
Cl2	0.1128 (8)	0.0452 (4)	0.0613 (5)	−0.0069 (4)	−0.0571 (5)	−0.0019 (4)
O1	0.0574 (13)	0.0350 (10)	0.0411 (11)	−0.0066 (9)	−0.0244 (10)	0.0007 (8)
O2	0.0463 (12)	0.0427 (10)	0.0345 (10)	−0.0121 (9)	−0.0138 (9)	0.0079 (8)
N1	0.0447 (14)	0.0417 (12)	0.0265 (11)	−0.0009 (10)	−0.0120 (10)	−0.0053 (9)
N2	0.0458 (15)	0.0419 (13)	0.0308 (12)	−0.0064 (11)	−0.0136 (10)	0.0001 (9)
C1	0.0523 (18)	0.0380 (15)	0.0290 (14)	0.0033 (13)	−0.0152 (13)	−0.0058 (11)
C2	0.056 (2)	0.0555 (18)	0.0438 (17)	−0.0151 (15)	−0.0209 (15)	−0.0079 (14)
C3	0.0536 (19)	0.0512 (17)	0.0400 (16)	−0.0161 (14)	−0.0134 (14)	−0.0018 (13)
C4	0.0450 (17)	0.0403 (15)	0.0322 (14)	−0.0010 (13)	−0.0106 (12)	−0.0074 (12)
C5	0.0530 (19)	0.0478 (16)	0.0387 (16)	−0.0128 (14)	−0.0154 (14)	−0.0015 (13)
C6	0.0537 (19)	0.0493 (17)	0.0371 (15)	−0.0098 (14)	−0.0142 (14)	0.0010 (13)
C7	0.0498 (19)	0.0425 (15)	0.0345 (15)	−0.0039 (13)	−0.0087 (13)	−0.0071 (12)
C8	0.0323 (15)	0.0419 (15)	0.0265 (13)	−0.0035 (11)	−0.0034 (11)	−0.0024 (11)
C9	0.0360 (16)	0.0360 (14)	0.0313 (14)	−0.0024 (11)	−0.0082 (12)	−0.0030 (11)
C10	0.0366 (16)	0.0421 (15)	0.0297 (14)	−0.0057 (12)	−0.0096 (12)	−0.0045 (11)
C11	0.0342 (15)	0.0410 (15)	0.0254 (13)	−0.0025 (12)	−0.0023 (11)	−0.0012 (11)
C12	0.0502 (18)	0.0356 (14)	0.0306 (14)	−0.0043 (12)	−0.0080 (13)	−0.0030 (11)
C13	0.0477 (18)	0.0420 (15)	0.0313 (14)	−0.0075 (13)	−0.0096 (13)	−0.0073 (12)
C14	0.0337 (15)	0.0418 (15)	0.0271 (13)	−0.0016 (12)	−0.0061 (11)	−0.0035 (11)
C15	0.0465 (18)	0.0499 (16)	0.0339 (15)	−0.0136 (14)	−0.0115 (13)	0.0068 (12)
C16	0.0463 (18)	0.0521 (17)	0.0379 (15)	−0.0154 (14)	−0.0150 (13)	0.0024 (13)
C17	0.0418 (17)	0.0409 (15)	0.0283 (13)	−0.0030 (13)	−0.0102 (12)	−0.0020 (11)
C18	0.0374 (16)	0.0362 (14)	0.0305 (14)	−0.0039 (12)	−0.0046 (12)	−0.0020 (11)
C19	0.0385 (16)	0.0404 (15)	0.0274 (13)	−0.0037 (12)	−0.0072 (12)	−0.0044 (11)
C20	0.053 (2)	0.0515 (17)	0.0338 (15)	−0.0104 (15)	−0.0049 (14)	−0.0029 (13)
C21	0.0422 (17)	0.0395 (15)	0.0409 (16)	−0.0059 (13)	−0.0133 (13)	−0.0034 (12)
C22	0.0463 (19)	0.0580 (18)	0.0496 (18)	−0.0049 (15)	−0.0097 (15)	−0.0082 (15)
C23	0.0469 (19)	0.0454 (17)	0.068 (2)	0.0007 (14)	−0.0264 (17)	−0.0087 (15)
C24	0.067 (2)	0.0296 (14)	0.0500 (18)	−0.0074 (14)	−0.0317 (16)	−0.0055 (12)
C25	0.060 (2)	0.0396 (15)	0.0369 (15)	−0.0075 (14)	−0.0129 (14)	−0.0074 (12)
C26	0.0441 (17)	0.0384 (15)	0.0421 (16)	−0.0027 (13)	−0.0133 (14)	−0.0056 (12)
C27	0.076 (2)	0.0361 (15)	0.0582 (19)	−0.0058 (15)	−0.0318 (17)	−0.0055 (14)
C28	0.0522 (19)	0.0506 (17)	0.0459 (17)	−0.0179 (15)	−0.0138 (15)	0.0093 (14)
Cl3	0.0771 (7)	0.1085 (7)	0.0427 (5)	0.0008 (5)	−0.0327 (4)	−0.0004 (4)
Cl4	0.1606 (12)	0.0747 (6)	0.1045 (8)	−0.0176 (7)	−0.1093 (9)	0.0083 (6)
O3	0.0538 (12)	0.0333 (9)	0.0357 (10)	−0.0049 (8)	−0.0204 (9)	−0.0017 (8)
O4	0.0491 (12)	0.0377 (10)	0.0373 (10)	−0.0147 (9)	−0.0171 (9)	0.0067 (8)
N3	0.0441 (14)	0.0452 (13)	0.0307 (12)	−0.0057 (11)	−0.0137 (10)	−0.0077 (10)
N4	0.0399 (14)	0.0415 (12)	0.0297 (12)	−0.0051 (10)	−0.0137 (10)	−0.0020 (9)
C29	0.0462 (19)	0.0621 (19)	0.0322 (15)	−0.0102 (15)	−0.0160 (13)	−0.0007 (13)
C30	0.053 (2)	0.078 (2)	0.0290 (15)	−0.0047 (17)	−0.0087 (14)	−0.0137 (14)
C31	0.0435 (18)	0.070 (2)	0.0372 (16)	0.0045 (15)	−0.0077 (13)	−0.0160 (14)
C32	0.0368 (16)	0.0468 (16)	0.0291 (14)	−0.0058 (13)	−0.0075 (12)	−0.0080 (11)
C33	0.0407 (17)	0.0527 (16)	0.0313 (14)	−0.0064 (13)	−0.0069 (12)	−0.0107 (12)

C34	0.0433 (18)	0.0587 (18)	0.0442 (17)	−0.0001 (14)	−0.0134 (14)	−0.0102 (14)
C35	0.0384 (16)	0.0477 (16)	0.0358 (15)	−0.0021 (13)	−0.0077 (12)	−0.0066 (12)
C36	0.0362 (15)	0.0407 (14)	0.0251 (13)	−0.0085 (12)	−0.0086 (11)	−0.0033 (11)
C37	0.0567 (19)	0.0382 (15)	0.0330 (14)	−0.0079 (13)	−0.0136 (13)	−0.0087 (11)
C38	0.0583 (19)	0.0315 (13)	0.0331 (14)	−0.0056 (13)	−0.0140 (13)	−0.0026 (11)
C39	0.0347 (15)	0.0357 (14)	0.0275 (13)	−0.0070 (11)	−0.0066 (11)	−0.0018 (11)
C40	0.0367 (15)	0.0358 (14)	0.0280 (13)	−0.0096 (11)	−0.0082 (11)	−0.0035 (11)
C41	0.0357 (15)	0.0314 (13)	0.0304 (13)	−0.0061 (11)	−0.0080 (11)	−0.0011 (10)
C42	0.0327 (15)	0.0369 (14)	0.0265 (13)	−0.0039 (11)	−0.0049 (11)	−0.0055 (11)
C43	0.0419 (16)	0.0361 (14)	0.0324 (14)	−0.0082 (12)	−0.0089 (12)	−0.0013 (11)
C44	0.0347 (15)	0.0431 (15)	0.0324 (14)	−0.0119 (12)	−0.0095 (12)	−0.0026 (11)
C45	0.0298 (15)	0.0396 (14)	0.0289 (13)	−0.0028 (11)	−0.0071 (11)	−0.0044 (11)
C46	0.0328 (15)	0.0361 (14)	0.0287 (13)	−0.0053 (11)	−0.0041 (11)	−0.0030 (11)
C47	0.0341 (15)	0.0365 (14)	0.0299 (13)	−0.0067 (11)	−0.0077 (11)	−0.0052 (11)
C48	0.0429 (18)	0.0457 (16)	0.0367 (15)	−0.0068 (13)	−0.0102 (13)	−0.0050 (12)
C49	0.0414 (17)	0.0377 (15)	0.0481 (17)	−0.0052 (12)	−0.0200 (14)	−0.0085 (12)
C50	0.047 (2)	0.062 (2)	0.073 (2)	−0.0036 (16)	−0.0259 (17)	−0.0189 (17)
C51	0.060 (2)	0.057 (2)	0.102 (3)	0.0044 (17)	−0.052 (2)	−0.020 (2)
C52	0.090 (3)	0.0412 (17)	0.072 (2)	−0.0083 (17)	−0.060 (2)	−0.0046 (16)
C53	0.084 (3)	0.0481 (17)	0.0472 (18)	−0.0153 (17)	−0.0320 (18)	−0.0025 (14)
C54	0.0548 (19)	0.0441 (16)	0.0435 (17)	−0.0075 (14)	−0.0236 (15)	−0.0042 (13)
C55	0.074 (2)	0.0327 (15)	0.0489 (17)	−0.0053 (14)	−0.0258 (16)	−0.0059 (13)
C56	0.060 (2)	0.0463 (16)	0.0423 (16)	−0.0218 (15)	−0.0163 (14)	0.0056 (13)

Geometric parameters (Å, °)

Cl1—C1	1.749 (3)	C22—H22	0.9500
Cl2—C24	1.748 (3)	C23—H23	0.9500
Cl3—C29	1.749 (3)	C25—H25	0.9500
Cl4—C52	1.744 (4)	C26—H26	0.9500
O1—C9	1.369 (3)	C27—H27C	0.9800
O1—C27	1.430 (3)	C27—H27B	0.9800
O2—C28	1.424 (4)	C27—H27A	0.9800
O2—C18	1.367 (3)	C28—H28A	0.9800
O3—C41	1.371 (3)	C28—H28B	0.9800
O3—C55	1.418 (3)	C28—H28C	0.9800
O4—C46	1.372 (3)	C29—C30	1.371 (5)
O4—C56	1.431 (4)	C29—C34	1.384 (4)
N1—C7	1.270 (4)	C30—C31	1.388 (4)
N1—C8	1.412 (3)	C31—C32	1.377 (4)
N2—C17	1.412 (3)	C32—C33	1.395 (4)
N2—C20	1.264 (5)	C32—C35	1.474 (4)
N3—C35	1.265 (3)	C33—C34	1.383 (4)
N3—C36	1.412 (3)	C36—C37	1.389 (3)
N4—C45	1.413 (3)	C36—C41	1.408 (3)
N4—C48	1.278 (4)	C37—C38	1.387 (4)
C1—C2	1.374 (4)	C38—C39	1.391 (3)
C1—C6	1.381 (4)	C39—C40	1.401 (3)

C2—C3	1.385 (4)	C39—C42	1.484 (3)
C3—C4	1.393 (4)	C40—C41	1.388 (4)
C4—C7	1.470 (4)	C42—C43	1.390 (4)
C4—C5	1.385 (4)	C42—C47	1.402 (3)
C5—C6	1.380 (4)	C43—C44	1.387 (4)
C8—C9	1.409 (4)	C44—C45	1.389 (3)
C8—C13	1.390 (3)	C45—C46	1.409 (4)
C9—C10	1.388 (4)	C46—C47	1.386 (4)
C10—C11	1.402 (3)	C48—C49	1.469 (4)
C11—C14	1.481 (4)	C49—C50	1.387 (5)
C11—C12	1.392 (4)	C49—C54	1.389 (4)
C12—C13	1.389 (4)	C50—C51	1.396 (6)
C14—C15	1.394 (4)	C51—C52	1.374 (6)
C14—C19	1.395 (4)	C52—C53	1.373 (6)
C15—C16	1.386 (4)	C53—C54	1.385 (4)
C16—C17	1.389 (4)	C30—H30	0.9500
C17—C18	1.407 (4)	C31—H31	0.9500
C18—C19	1.385 (4)	C33—H33	0.9500
C20—C21	1.476 (4)	C34—H34	0.9500
C21—C22	1.391 (4)	C35—H35	0.9500
C21—C26	1.386 (4)	C37—H37	0.9500
C22—C23	1.386 (5)	C38—H38	0.9500
C23—C24	1.370 (5)	C40—H40	0.9500
C24—C25	1.377 (5)	C43—H43	0.9500
C25—C26	1.381 (4)	C44—H44	0.9500
C2—H2	0.9500	C47—H47	0.9500
C3—H3	0.9500	C48—H48	0.9500
C5—H5	0.9500	C50—H50	0.9500
C6—H6	0.9500	C51—H51	0.9500
C7—H7	0.9500	C53—H53	0.9500
C10—H10	0.9500	C54—H54	0.9500
C12—H12	0.9500	C55—H55A	0.9800
C13—H13	0.9500	C55—H55B	0.9800
C15—H15	0.9500	C55—H55C	0.9800
C16—H16	0.9500	C56—H56A	0.9800
C19—H19	0.9500	C56—H56B	0.9800
C20—H20	0.9500	C56—H56C	0.9800
Cl1...Cl2 ⁱ	3.5048 (12)	Cl4...Cl4 ⁱⁱ	3.3173 (18)
C9—O1—C27	117.1 (2)	H28A—C28—H28B	110.00
C18—O2—C28	117.0 (2)	O2—C28—H28A	109.00
C41—O3—C55	116.9 (2)	O2—C28—H28B	109.00
C46—O4—C56	117.7 (2)	O2—C28—H28C	109.00
C7—N1—C8	119.7 (2)	Cl3—C29—C30	119.1 (2)
C17—N2—C20	119.2 (2)	Cl3—C29—C34	119.2 (2)
C35—N3—C36	119.7 (2)	C30—C29—C34	121.8 (3)
C45—N4—C48	119.0 (2)	C29—C30—C31	118.5 (3)

C11—C1—C6	118.0 (2)	C30—C31—C32	121.4 (3)
C2—C1—C6	121.8 (3)	C31—C32—C33	119.0 (3)
C11—C1—C2	120.2 (2)	C31—C32—C35	120.3 (2)
C1—C2—C3	118.9 (3)	C33—C32—C35	120.6 (2)
C2—C3—C4	120.8 (3)	C32—C33—C34	120.4 (3)
C3—C4—C5	118.6 (2)	C29—C34—C33	119.0 (3)
C3—C4—C7	120.1 (2)	N3—C35—C32	121.2 (2)
C5—C4—C7	121.3 (2)	N3—C36—C37	123.9 (2)
C4—C5—C6	121.4 (3)	N3—C36—C41	117.4 (2)
C1—C6—C5	118.6 (2)	C37—C36—C41	118.6 (2)
N1—C7—C4	121.6 (2)	C36—C37—C38	120.8 (2)
N1—C8—C9	118.5 (2)	C37—C38—C39	121.1 (2)
N1—C8—C13	123.1 (2)	C38—C39—C40	118.3 (2)
C9—C8—C13	118.1 (2)	C38—C39—C42	121.6 (2)
C8—C9—C10	120.1 (2)	C40—C39—C42	120.2 (2)
O1—C9—C8	115.3 (2)	C39—C40—C41	120.9 (2)
O1—C9—C10	124.6 (2)	O3—C41—C36	115.1 (2)
C9—C10—C11	121.5 (2)	O3—C41—C40	124.6 (2)
C10—C11—C12	118.1 (2)	C36—C41—C40	120.3 (2)
C10—C11—C14	120.2 (2)	C39—C42—C43	121.5 (2)
C12—C11—C14	121.7 (2)	C39—C42—C47	120.1 (2)
C11—C12—C13	120.6 (2)	C43—C42—C47	118.4 (2)
C8—C13—C12	121.7 (2)	C42—C43—C44	120.9 (2)
C11—C14—C19	120.5 (2)	C43—C44—C45	121.2 (2)
C15—C14—C19	118.1 (2)	N4—C45—C44	122.9 (2)
C11—C14—C15	121.4 (2)	N4—C45—C46	118.6 (2)
C14—C15—C16	120.4 (2)	C44—C45—C46	118.2 (2)
C15—C16—C17	121.8 (3)	O4—C46—C45	115.3 (2)
N2—C17—C18	118.6 (2)	O4—C46—C47	124.3 (2)
C16—C17—C18	118.0 (2)	C45—C46—C47	120.5 (2)
N2—C17—C16	123.2 (2)	C42—C47—C46	120.9 (2)
C17—C18—C19	120.0 (2)	N4—C48—C49	120.9 (2)
O2—C18—C19	124.8 (2)	C48—C49—C50	120.1 (3)
O2—C18—C17	115.2 (2)	C48—C49—C54	121.3 (3)
C14—C19—C18	121.7 (3)	C50—C49—C54	118.6 (3)
N2—C20—C21	121.4 (3)	C49—C50—C51	120.8 (3)
C20—C21—C22	120.3 (3)	C50—C51—C52	118.8 (4)
C20—C21—C26	121.6 (3)	C14—C52—C51	119.4 (3)
C22—C21—C26	118.1 (3)	C14—C52—C53	118.9 (3)
C21—C22—C23	120.9 (3)	C51—C52—C53	121.8 (4)
C22—C23—C24	119.3 (3)	C52—C53—C54	118.9 (3)
C12—C24—C25	119.5 (2)	C49—C54—C53	121.1 (3)
C23—C24—C25	121.3 (3)	C29—C30—H30	121.00
C12—C24—C23	119.2 (3)	C31—C30—H30	121.00
C24—C25—C26	118.9 (3)	C30—C31—H31	119.00
C21—C26—C25	121.5 (3)	C32—C31—H31	119.00
C3—C2—H2	121.00	C32—C33—H33	120.00
C1—C2—H2	121.00	C34—C33—H33	120.00

C4—C3—H3	120.00	C29—C34—H34	121.00
C2—C3—H3	120.00	C33—C34—H34	121.00
C4—C5—H5	119.00	N3—C35—H35	119.00
C6—C5—H5	119.00	C32—C35—H35	119.00
C1—C6—H6	121.00	C36—C37—H37	120.00
C5—C6—H6	121.00	C38—C37—H37	120.00
N1—C7—H7	119.00	C37—C38—H38	120.00
C4—C7—H7	119.00	C39—C38—H38	119.00
C11—C10—H10	119.00	C39—C40—H40	120.00
C9—C10—H10	119.00	C41—C40—H40	120.00
C11—C12—H12	120.00	C42—C43—H43	120.00
C13—C12—H12	120.00	C44—C43—H43	120.00
C12—C13—H13	119.00	C43—C44—H44	119.00
C8—C13—H13	119.00	C45—C44—H44	119.00
C14—C15—H15	120.00	C42—C47—H47	120.00
C16—C15—H15	120.00	C46—C47—H47	120.00
C17—C16—H16	119.00	N4—C48—H48	120.00
C15—C16—H16	119.00	C49—C48—H48	120.00
C14—C19—H19	119.00	C49—C50—H50	120.00
C18—C19—H19	119.00	C51—C50—H50	120.00
N2—C20—H20	119.00	C50—C51—H51	121.00
C21—C20—H20	119.00	C52—C51—H51	121.00
C21—C22—H22	120.00	C52—C53—H53	121.00
C23—C22—H22	120.00	C54—C53—H53	120.00
C24—C23—H23	120.00	C49—C54—H54	119.00
C22—C23—H23	120.00	C53—C54—H54	119.00
C24—C25—H25	121.00	O3—C55—H55A	109.00
C26—C25—H25	121.00	O3—C55—H55B	109.00
C25—C26—H26	119.00	O3—C55—H55C	109.00
C21—C26—H26	119.00	H55A—C55—H55B	109.00
O1—C27—H27B	110.00	H55A—C55—H55C	110.00
O1—C27—H27C	109.00	H55B—C55—H55C	109.00
H27A—C27—H27B	110.00	O4—C56—H56A	109.00
H27A—C27—H27C	109.00	O4—C56—H56B	109.00
O1—C27—H27A	109.00	O4—C56—H56C	109.00
H27B—C27—H27C	109.00	H56A—C56—H56B	110.00
H28A—C28—H28C	109.00	H56A—C56—H56C	109.00
H28B—C28—H28C	109.00	H56B—C56—H56C	110.00
C27—O1—C9—C8	177.9 (3)	C26—C21—C22—C23	−0.2 (4)
C27—O1—C9—C10	−1.0 (4)	C20—C21—C22—C23	−178.8 (3)
C28—O2—C18—C17	177.6 (2)	C22—C21—C26—C25	0.9 (4)
C28—O2—C18—C19	−2.5 (4)	C20—C21—C26—C25	179.5 (2)
C55—O3—C41—C40	−0.8 (4)	C21—C22—C23—C24	−0.8 (5)
C55—O3—C41—C36	177.5 (2)	C22—C23—C24—C25	1.1 (4)
C56—O4—C46—C47	0.7 (4)	C22—C23—C24—C12	−179.6 (2)
C56—O4—C46—C45	−177.9 (2)	C12—C24—C25—C26	−179.7 (2)
C8—N1—C7—C4	−173.7 (2)	C23—C24—C25—C26	−0.4 (4)

C7—N1—C8—C13	45.5 (4)	C24—C25—C26—C21	−0.6 (4)
C7—N1—C8—C9	−141.9 (3)	C13—C29—C30—C31	179.4 (3)
C20—N2—C17—C18	138.2 (3)	C34—C29—C30—C31	0.0 (5)
C17—N2—C20—C21	175.3 (2)	C13—C29—C34—C33	−178.9 (2)
C20—N2—C17—C16	−48.2 (4)	C30—C29—C34—C33	0.6 (5)
C35—N3—C36—C41	−136.3 (3)	C29—C30—C31—C32	−0.6 (5)
C36—N3—C35—C32	−178.7 (2)	C30—C31—C32—C33	0.6 (4)
C35—N3—C36—C37	47.5 (4)	C30—C31—C32—C35	178.7 (3)
C45—N4—C48—C49	−176.4 (2)	C31—C32—C33—C34	0.0 (4)
C48—N4—C45—C46	−137.8 (3)	C35—C32—C33—C34	−178.1 (3)
C48—N4—C45—C44	48.1 (4)	C31—C32—C35—N3	−177.4 (3)
C2—C1—C6—C5	0.4 (4)	C33—C32—C35—N3	0.7 (4)
C11—C1—C2—C3	−179.2 (3)	C32—C33—C34—C29	−0.6 (4)
C11—C1—C6—C5	−180.0 (2)	N3—C36—C37—C38	176.7 (3)
C6—C1—C2—C3	0.5 (5)	C41—C36—C37—C38	0.6 (4)
C1—C2—C3—C4	−1.5 (5)	N3—C36—C41—O3	4.6 (4)
C2—C3—C4—C5	1.7 (5)	N3—C36—C41—C40	−177.0 (3)
C2—C3—C4—C7	−178.2 (3)	C37—C36—C41—O3	−179.0 (2)
C3—C4—C5—C6	−0.8 (4)	C37—C36—C41—C40	−0.6 (4)
C5—C4—C7—N1	−3.2 (4)	C36—C37—C38—C39	−0.4 (4)
C7—C4—C5—C6	179.0 (2)	C37—C38—C39—C40	0.4 (4)
C3—C4—C7—N1	176.7 (3)	C37—C38—C39—C42	179.6 (3)
C4—C5—C6—C1	−0.2 (4)	C38—C39—C40—C41	−0.4 (4)
C13—C8—C9—O1	−179.3 (2)	C42—C39—C40—C41	−179.7 (3)
N1—C8—C9—O1	7.7 (4)	C38—C39—C42—C43	−142.5 (3)
N1—C8—C9—C10	−173.3 (3)	C38—C39—C42—C47	38.6 (4)
C9—C8—C13—C12	−0.3 (4)	C40—C39—C42—C43	36.7 (4)
C13—C8—C9—C10	−0.4 (4)	C40—C39—C42—C47	−142.2 (3)
N1—C8—C13—C12	172.3 (3)	C39—C40—C41—O3	178.8 (2)
C8—C9—C10—C11	1.0 (4)	C39—C40—C41—C36	0.6 (4)
O1—C9—C10—C11	179.8 (3)	C39—C42—C43—C44	−179.8 (2)
C9—C10—C11—C12	−0.9 (4)	C47—C42—C43—C44	−0.9 (4)
C9—C10—C11—C14	178.5 (3)	C39—C42—C47—C46	178.2 (2)
C10—C11—C12—C13	0.3 (4)	C43—C42—C47—C46	−0.8 (4)
C10—C11—C14—C15	−34.9 (4)	C42—C43—C44—C45	1.7 (4)
C10—C11—C14—C19	143.5 (3)	C43—C44—C45—N4	173.4 (2)
C12—C11—C14—C15	144.5 (3)	C43—C44—C45—C46	−0.8 (4)
C12—C11—C14—C19	−37.1 (4)	N4—C45—C46—O4	3.4 (3)
C14—C11—C12—C13	−179.2 (3)	N4—C45—C46—C47	−175.3 (2)
C11—C12—C13—C8	0.4 (4)	C44—C45—C46—O4	177.9 (2)
C11—C14—C15—C16	178.6 (2)	C44—C45—C46—C47	−0.8 (4)
C15—C14—C19—C18	1.1 (4)	O4—C46—C47—C42	−176.9 (2)
C11—C14—C19—C18	−177.4 (2)	C45—C46—C47—C42	1.6 (4)
C19—C14—C15—C16	0.2 (4)	N4—C48—C49—C50	−160.4 (3)
C14—C15—C16—C17	−1.2 (4)	N4—C48—C49—C54	18.7 (4)
C15—C16—C17—C18	0.9 (4)	C48—C49—C50—C51	177.2 (3)
C15—C16—C17—N2	−172.7 (2)	C54—C49—C50—C51	−2.0 (5)
N2—C17—C18—O2	−5.7 (3)	C48—C49—C54—C53	−178.2 (3)

N2—C17—C18—C19	174.3 (2)	C50—C49—C54—C53	0.9 (4)
C16—C17—C18—O2	−179.7 (2)	C49—C50—C51—C52	1.3 (5)
C16—C17—C18—C19	0.4 (4)	C50—C51—C52—C14	−180.0 (3)
C17—C18—C19—C14	−1.4 (4)	C50—C51—C52—C53	0.5 (6)
O2—C18—C19—C14	178.7 (2)	C14—C52—C53—C54	178.9 (3)
N2—C20—C21—C22	164.9 (3)	C51—C52—C53—C54	−1.5 (5)
N2—C20—C21—C26	−13.7 (4)	C52—C53—C54—C49	0.8 (5)

Symmetry codes: (i) $x-1, y+1, z-1$; (ii) $-x-1, -y+2, -z$.

Hydrogen-bond geometry ($\text{\AA}$, $^\circ$)

Cg2, Cg5 and Cg7 are the centroids of the C8—C13, C29—C34 and C42—C47 rings, respectively.

$D-H\cdots A$	$D-H$	$H\cdots A$	$D\cdots A$	$D-H\cdots A$
C23—H23 $\cdots$ O4 ⁱⁱⁱ	0.95	2.48	3.348 (4)	152
C31—H31 $\cdots$ N1 ^{iv}	0.95	2.57	3.498 (4)	166
C3—H3 $\cdots$ Cg5 ^v	0.95	2.75	3.642 (3)	156
C30—H30 $\cdots$ Cg2 ^{iv}	0.95	2.90	3.641 (3)	136
C33—H33 $\cdots$ Cg7 ^{vi}	0.95	2.97	3.850 (3)	154

Symmetry codes: (iii) $x+1, y-1, z$; (iv) $x, y, z+1$; (v) $x-1, y, z-1$; (vi) $-x+1, -y+1, -z+1$.