# metal-organic compounds

Acta Crystallographica Section E **Structure Reports** Online

ISSN 1600-5368

## $Bis(\mu_2-2-amino-5-nitrobenzoato)bis(2$ amino-5-nitrobenzoato)octabutvldi-u3oxido-tetratin(IV)

#### Yip-Foo Win,<sup>a</sup> Chen-Shang Choong,<sup>a</sup> Siang-Guan Teoh,<sup>b</sup> Chin Sing Yeap<sup>c</sup>‡and Hoong-Kun Fun<sup>c\*</sup>§

<sup>a</sup>Department of Chemical Science, Faculty of Science, Universiti Tunku Abdul Rahman, Perak Campus, Jalan Universiti, Bandar Barat, 31900 Kampar, Perak, Malaysia, <sup>b</sup>School of Chemical Sciences, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia, and <sup>c</sup>X-ray Crystallography Unit, School of Physics, Universiti Sains Malaysia, 11800 USM, Penang, Malaysia Correspondence e-mail: hkfun@usm.my

Received 4 July 2011; accepted 14 July 2011

Key indicators: single-crystal X-ray study; T = 100 K; mean  $\sigma$ (C–C) = 0.003 Å; disorder in main residue; R factor = 0.032; wR factor = 0.073; data-to-parameter ratio = 32.8.

In the title complex,  $[Sn_4(C_4H_9)_8(C_7H_5N_2O_4)_4O_2]$ , all four Sn<sup>IV</sup> atoms are five-coordinated with distorted trigonalbipyramidal SnC<sub>2</sub>O<sub>3</sub> geometries. Two Sn<sup>IV</sup> atoms are coordinated by two butyl groups, one benzoate O atom and two bridging O atoms, whereas the other two Sn<sup>IV</sup> atoms are coordinated by two butyl groups, two benzoate O atoms and a bridging O atom. All the butyl groups are equatorial with respect to the SnO<sub>3</sub> trigonal plane. In the crystal, molecules are linked into a two-dimensional layer parallel to the ab plane by intermolecular N-H···O and C-H···O hydrogen bonds and further stabilized by a  $\pi$ - $\pi$  interaction [centroidcentroid distance = 3.6489 (11) Å]. Intramolecular N-H···O and  $C-H\cdots O$  hydrogen bonds stabilize the molecular structure. Two of the butyl groups are each disordered over two sets of sites with site-occupancy ratios of 0.510 (4): 0.490 (4) and 0.860 (5):0.140 (5).

#### **Related literature**

For general background to the title complex, see: Win et al. (2006); Win, Teoh et al. (2011). For closely related structures, see: Win et al. (2008); Win, Choong, Ha et al. (2010); Win, Choong et al. (2011); Win, Choong, Teoh et al. (2010). For the stability of the temperature controller used in the data collection, see: Cosier & Glazer (1986).

#### ‡ Thomson Reuters ResearcherID: A-5523-2009.



 $\gamma = 65.631 \ (1)^{\circ}$ 

Z = 2

V = 3519.49 (8) Å<sup>3</sup>

Mo  $K\alpha$  radiation

 $0.45 \times 0.19 \times 0.07$  mm

110407 measured reflections

29672 independent reflections

23074 reflections with  $I > 2\sigma(I)$ 

 $\mu = 1.47 \text{ mm}^{-1}$ 

T = 100 K

 $R_{\rm int} = 0.030$ 

#### **Experimental**

Crystal data

[Sn<sub>4</sub>(C<sub>4</sub>H<sub>9</sub>)<sub>8</sub>(C<sub>7</sub>H<sub>5</sub>N<sub>2</sub>O<sub>4</sub>)<sub>4</sub>O<sub>2</sub>]  $M_{-} = 1688.18$ Triclinic,  $P\overline{1}$ a = 14.3292 (2) Å b = 15.3691 (2) Å c = 18.2096 (2) Å  $\alpha = 80.289(1)^{\circ}$  $\beta = 74.982 \ (1)^{\circ}$ 

#### Data collection

Bruker SMART APEXII CCD area-detector diffractometer Absorption correction: multi-scan (SADABS; Bruker, 2009)  $T_{\min} = 0.554, T_{\max} = 0.899$ 

#### Refinement

$R[F^2 > 2\sigma(F^2)] = 0.032$	H atoms treated by a mixture of
$wR(F^2) = 0.073$	independent and constrained
S = 1.04	refinement
29672 reflections	$\Delta \rho_{\rm max} = 2.67 \text{ e} \text{ Å}^{-3}$
906 parameters	$\Delta \rho_{\rm min} = -1.48 \text{ e } \text{\AA}^{-3}$

#### Table 1 Hydrogen-bond geometry (Å, °).

$D - H \cdots A$	D-H	$H \cdot \cdot \cdot A$	$D \cdots A$	$D - \mathbf{H} \cdots A$
$N2-H1N2\cdots O9^{i}$	0.86 (3)	2.32 (3)	3.122 (3)	157 (3)
$N2 - H2N2 \cdot \cdot \cdot O3$	0.84(3)	2.02 (3)	2.684 (3)	135 (2)
$N4-H1N4\cdots O6^{ii}$	0.84(3)	2.20 (3)	3.002 (2)	160 (3)
$N4 - H2N4 \cdots O8$	0.87 (3)	2.02 (3)	2.675 (2)	131 (3)
N6−H1 <i>N</i> 6···O12	0.82(3)	2.07 (3)	2.688 (3)	132 (2)
$N6-H2N6\cdots O17^{iii}$	0.83 (3)	2.36 (3)	3.152 (3)	158 (2)
$N6-H2N6\cdotsO18^{iii}$	0.83(3)	2.49 (2)	3.229 (3)	149 (2)
N8−H1 <i>N</i> 8···O16	0.86 (3)	2.03 (3)	2.674 (2)	131 (3)
$N8-H2N8\cdots O13^{iv}$	0.82(3)	2.22 (3)	2.998 (2)	160 (3)
$C6-H6A\cdots O9^{i}$	0.95	2.48	3.261 (2)	139
$C13-H13A\cdots O6^{ii}$	0.95	2.57	3.350 (2)	140
$C20-H20A\cdots O17^{iii}$	0.95	2.54	3.338 (3)	142
$C43-H43B\cdots O13^{v}$	0.99	2.58	3.544 (3)	164
C50−H50B···O8	0.99	2.56	3.304 (3)	131
C54-H54A···O16	0.99	2.51	3.210 (3)	128
C58-H58A···O16	0.99	2.58	3.221 (2)	123

Symmetry codes: (i) x - 1, y, z; (ii) x + 1, y - 1, z; (iii) x + 1, y, z; (iv) x - 1, y + 1, z; (v) x + 2, -v, -z + 1

<sup>§</sup> Thomson Reuters ResearcherID: A-3561-2009.

Data collection: *APEX2* (Bruker, 2009); cell refinement: *SAINT* (Bruker, 2009); data reduction: *SAINT*; program(s) used to solve structure: *SHELXTL* (Sheldrick, 2008); program(s) used to refine structure: *SHELXTL*; molecular graphics: *SHELXTL*; software used to prepare material for publication: *SHELXTL* and *PLATON* (Spek, 2009).

We would like to thank Universiti Tunku Abdul Rahman (UTAR) for the UTAR Research Fund (project No. IPSR/ RMC/UTARRF/C1–11/C07) and Universiti Sains Malaysia (USM) for financial support as well as technical assistance and facilities. HKF and CSY also thank USM for the Research University Grant 1001/PFIZIK/811160.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: IS2746).

#### References

- Bruker (2009). APEX2, SAINT and SADABS. Bruker AXS Inc., Madison, Wisconsin, USA.
- Cosier, J. & Glazer, A. M. (1986). J. Appl. Cryst. 19, 105-107.
- Sheldrick, G. M. (2008). Acta Cryst. A64, 112-122.
- Spek, A. L. (2009). Acta Cryst. D65, 148-155.
- Win, Y.-F., Choong, C.-S., Ha, S.-T., Goh, J. H. & Fun, H.-K. (2010). Acta Cryst. E66, m1698–m1699.
- Win, Y.-F., Choong, C.-S., Ha, S.-T., Yeap, C. S. & Fun, H.-K. (2011). Acta Cryst. E67, m1018–m1019.
- Win, Y.-F., Choong, C.-S., Teoh, S.-G., Goh, J. H. & Fun, H.-K. (2010). Acta Cryst. E66, m1406–m1407.
- Win, Y. F., Guan, T. S. & Yamin, B. M. (2006). Acta Cryst. E62, m34-m36.
- Win, Y. F., Teoh, S. G., Ha, S. T., Kia, R. & Fun, H.-K. (2008). Acta Cryst. E64, m1572–m1573.
- Win, Y.-F., Teoh, S.-G., Ha, S.-T., Ong, L. G.-A. & Tengku-Muhammad, T.-S. (2011). Int. J. Phys. Sci. 6, 1463–1470.

Acta Cryst. (2011). E67, m1114-m1115 [doi:10.1107/S1600536811028212]

# Bis( $\mu_2$ -2-amino-5-nitrobenzoato)bis(2-amino-5-nitrobenzoato)octabutyldi- $\mu_3$ -oxido-tetratin(IV)

### Yip-Foo Win, Chen-Shang Choong, Siang-Guan Teoh, Chin Sing Yeap and Hoong-Kun Fun

#### S1. Comment

In general, diorganotin(IV) carboxylate complexes can be obtained in monomeric or organodistannoxane dimer forms when the reaction of diorganotin(IV) with carboxylic acid is carried out in 1:2 or 1:1 ratio respectively (Win *et al.*, 2006; Win, Teoh *et al.*, 2011). The core geometry of the organodistannoxane dimer complexes consists of a centrosymmetric planar Sn<sub>2</sub>O<sub>2</sub> group and all the four tin(IV) atoms (*exo-* and endocyclic) are five coordinated and exist in distorted trigonal bipyramidal geometry (Win *et al.*, 2008; Win, Choong, Ha *et al.*, 2010; Win, Choong *et al.*, 2011; Win, Choong, Teoh *et al.*, 2010). In this study, the structure of the title complex (I) is in dimeric form whereas bis(2-amino-5-nitrobenzoato- $\kappa^2 O, O'$ )dibutyltin(IV) is in monomeric structure.

Similar to previous structures (Win *et al.*, 2008; Win, Choong, Ha *et al.*, 2010; Win, Choong *et al.*, 2011; Win, Choong, Teoh *et al.*, 2010), all Sn atoms are five-coordinated in distorted trigonal-bipiramidal geometries (Fig. 1). The Sn1 and Sn2 atoms are coordinated by two butyl groups in equatorial positions, an O atom of the bridging benzoate anion and two oxido-bridged O atoms whereas the Sn3 and Sn4 atoms are coordinated by two butyl groups in equatorial positions, an O atom of the monodentate benzoate anion, an O atom of the bridging benzoate anion and one oxo-bridged O atom. In the crystal structure, the molecules are linked into two-dimensional planes parallel to (0 0 1) plane (Fig. 3) by intermolecular N—H…O and C—H…O hydrogen bonds (Table 1). The crystal structure is further stabilized by the Cg1...Cg2 interaction of 3.6489 (11) Å, -1 + x, *y*, *z* (Cg1 and Cg2 are centroids of benzene ring C2–C7 and C16–C21). Intramolecular N—H…O and C—H…O hydrogen bonds (Table 1) stabilize the molecular structure.

#### **S2. Experimental**

The title complex was prepared from a 1:1 molar mixture of dibutyltin(IV) oxide (0.50 g, 2 mmole) and 2-amino-5-nitrobenzoic acid (0.36 g, 2 mmole) in ethanol (50 ml). The resulting mixture was heated under reflux for two hours. A clear yellow transparent solution was isolated by filtration and kept in a bottle. After four days, yellow solids (0.61 g, 73.0% yield) were collected. Melting point: 240.7–241.5 °C. Analysis for  $C_{60}H_{92}N_8O_{18}Sn_4$ : C, 42.74; H, 5.79; N, 6.57; Sn, 27.98%. Calculated for  $C_{60}H_{92}N_8O_{18}Sn_4$ : C, 42.66; H, 5.49; N, 6.64; Sn, 28.12%. FTIR as KBr disc (cm<sup>-1</sup>):  $\nu$ (NH<sub>2</sub>) 3457, 3344, 3314;  $\nu$ (C—H) aromatic 3059,  $\nu$ (C—H) saturated 2956, 2926, 2870;  $\nu$ (COO)<sub>as</sub> 1622,  $\nu$ (COO)<sub>s</sub> 1310,  $\nu$ (NO<sub>2</sub>) 1537,  $\nu$ (Sn—O—Sn) 630,  $\nu$ (Sn—C) 531,  $\nu$ (Sn—O) 391. <sup>1</sup>H-NMR (p.p.m.) (*d*<sub>6</sub>-DMSO):  $\delta$ : benzene protons 6.92 (d, 9.3 Hz, 4H); 8.12 (dd, 2.4 Hz, 9.2 Hz, 4H); 8.72 (s, 4H); butyl, CH<sub>3</sub> 0.84 (t, 7.3 Hz, 12H); 0.90 (t, 7.3 Hz, 12H); CH<sub>2</sub> 1.28–1.43 (m, 32H); CH<sub>2</sub> 1.64–1.80 (m, 16H). <sup>13</sup>C-NMR (p.p.m.) (*d*<sub>6</sub>-DMSO):  $\delta$ : benzene carbons 112.27, 116.50, 128.49, 129.47, 135.55, 156.49; butyl 13.71, 13.91, 26.09, 26.77, 27.02, 27.29, 29.90; COO 172.11. <sup>119</sup>Sn-NMR (p.p.m.) (*d*<sub>6</sub>-DMSO):  $\delta$ : -173.87, -213.71.

#### **S3. Refinement**

All hydrogen atoms were positioned geomatrically (C—H = 0.95–0.99 Å) and refined using a riding model, with  $U_{iso}$ (H) = 1.2 or 1.5 $U_{eq}$ (C). A rotating-group model was applied for methyl groups. Two of the butyl groups are disordered over two positions with refined site-occupancy ratios of 0.510 (4):0.490 (4) and 0.860 (5):0.140 (5) (Fig. 2). The same  $U_{ij}$  parameters was used for atom pair C50X/C52X. The C49X, C50X, C51X and C52X atoms were refined isotropically. The maximum and minimum residual electron density peaks of 2.67 and -1.48 e Å<sup>-3</sup> were located 0.66 and 0.53 Å, respectively, from atom Sn3 . Four reflections, (7 -5 22), (-2 16 18), (5 -15 14) and (0 0 2), were omitted.



#### Figure 1

The molecular structure of the title compound, with 50% probability ellipsoids for non-H atoms. Minor disorder components were omitted for clarity.



### Figure 2

The molecular structure of the title compound without hydrogen atoms, showing all disorder components. Hydrogen atoms are omitted for clarity.



### Figure 3

The crystal structure of the title compound, showing a two-dimensional plane parallel to the (0 0 1) plane. Hydrogen atoms not involved in hydrogen bonds (dashed lines) and minor disorder components are omitted for clarity.

### Bis( $\mu_2$ -2-amino-5-nitrobenzoato)bis(2-amino-5-nitrobenzoato)octabutyldi- $\mu_3$ -oxido-tetratin(IV)

Crystal data	
$[Sn_4(C_4H_9)_8(C_7H_5N_2O_4)_4O_2]$	$\gamma = 65.631 \ (1)^{\circ}$
$M_r = 1688.18$	V = 3519.49 (8) Å <sup>3</sup>
Triclinic, P1	Z = 2
Hall symbol: -P 1	F(000) = 1704
a = 14.3292 (2) Å	$D_{\rm x} = 1.593 {\rm ~Mg} {\rm ~m}^{-3}$
b = 15.3691 (2)  Å	Mo <i>K</i> $\alpha$ radiation, $\lambda = 0.71073$ Å
c = 18.2096 (2) Å	Cell parameters from 9105 reflections
$\alpha = 80.289 \ (1)^{\circ}$	$\theta = 2.3 - 34.5^{\circ}$
$\beta = 74.982 \ (1)^{\circ}$	$\mu = 1.47 \text{ mm}^{-1}$

T = 100 KBlock, yellow

Data collection

Duiu conection	
Bruker SMART APEXII CCD area-detector diffractometer	110407 measured reflections 29672 independent reflections
Radiation source: fine-focus sealed tube	23074 reflections with $I > 2\sigma(I)$
Graphite monochromator	$R_{\rm int} = 0.030$
$\varphi$ and $\omega$ scans	$\theta_{\rm max} = 34.7^\circ, \ \theta_{\rm min} = 1.2^\circ$
Absorption correction: multi-scan	$h = -21 \rightarrow 22$
(SADABS; Bruker, 2009)	$k = -24 \rightarrow 24$
$T_{\min} = 0.554, \ T_{\max} = 0.899$	<i>l</i> = −29→29
Refinement	
Refinement on $F^2$	Secondary atom site location: difference Fourier
Least-squares matrix: full	map
$R[F^2 > 2\sigma(F^2)] = 0.032$	Hydrogen site location: inferred from
$wR(F^2) = 0.073$	neighbouring sites
S = 1.04	H atoms treated by a mixture of independent
29672 reflections	and constrained refinement
906 parameters	$w = 1/[\sigma^2(F_o^2) + (0.0254P)^2 + 2.328P]$
0 restraints	where $P = (F_o^2 + 2F_c^2)/3$
Primary atom site location: structure-invariant	$(\Lambda/\sigma)_{\rm max} = 0.003$

 $0.45 \times 0.19 \times 0.07 \text{ mm}$ 

direct methods

### Special details Experimental.

**Experimental**. The crystal was placed in the cold stream of an Oxford Cryosystems Cobra open-flow nitrogen cryostat (Cosier & Glazer, 1986) operating at 100.0 (1) K.

 $\Delta \rho_{\rm max} = 2.67 \text{ e} \text{ Å}^{-3}$ 

 $\Delta \rho_{\rm min} = -1.48 \ {\rm e} \ {\rm \AA}^{-3}$ 

**Geometry**. All e.s.d.'s (except the e.s.d. in the dihedral angle between two l.s. planes) are estimated using the full covariance matrix. The cell e.s.d.'s are taken into account individually in the estimation of e.s.d.'s in distances, angles and torsion angles; correlations between e.s.d.'s in cell parameters are only used when they are defined by crystal symmetry. An approximate (isotropic) treatment of cell e.s.d.'s is used for estimating e.s.d.'s involving l.s. planes.

**Refinement**. Refinement of  $F^2$  against ALL reflections. The weighted *R*-factor *wR* and goodness of fit *S* are based on  $F^2$ , conventional *R*-factors *R* are based on *F*, with *F* set to zero for negative  $F^2$ . The threshold expression of  $F^2 > \sigma(F^2)$  is used only for calculating *R*-factors(gt) *etc.* and is not relevant to the choice of reflections for refinement. *R*-factors based on  $F^2$  are statistically about twice as large as those based on *F*, and *R*- factors based on ALL data will be even larger.

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters  $(Å^2)$ 

	x	у	Ζ	$U_{ m iso}$ */ $U_{ m eq}$	Occ. (<1)
Sn1	0.615883 (9)	0.312195 (8)	0.235446 (7)	0.01671 (3)	
Sn2	0.844716 (8)	0.170539 (8)	0.276260 (7)	0.01463 (3)	
Sn3	0.726881 (9)	0.058100 (8)	0.183349 (8)	0.01861 (3)	
Sn4	0.737168 (9)	0.429485 (8)	0.317647 (7)	0.01379 (2)	
01	0.72397 (9)	0.17492 (8)	0.22430 (8)	0.0187 (2)	
O2	0.73553 (9)	0.30762 (8)	0.28821 (7)	0.0172 (2)	
03	0.54677 (10)	0.12840 (9)	0.19435 (8)	0.0225 (3)	
O4	0.52363 (11)	0.28179 (10)	0.16622 (10)	0.0287 (3)	
05	0.06846 (11)	0.48611 (11)	0.12433 (10)	0.0354 (4)	
O6	0.20536 (12)	0.51919 (10)	0.11020 (9)	0.0289 (3)	
O7	0.89082 (10)	0.00652 (9)	0.19418 (8)	0.0192 (2)	

08	0.88365 (10)	-0.11355 (10)	0.14687 (8)	0.0242 (3)
09	1.21758 (12)	-0.00267 (10)	0.22356 (9)	0.0292 (3)
O10	1.35710 (11)	-0.13356 (11)	0.21556 (9)	0.0318 (3)
011	0.92936 (10)	0.20281 (9)	0.35023 (7)	0.0187 (2)
012	0.91575 (10)	0.35208 (9)	0.31013 (8)	0.0190 (2)
013	1.24913 (12)	-0.04123 (10)	0.39659 (9)	0.0298 (3)
014	1.39161 (12)	-0.01430 (11)	0.37262 (10)	0.0353 (4)
015	0.57450 (9)	0.48247 (9)	0.30492 (7)	0.0176 (2)
016	0 58029 (10)	0.60183(9)	0.35400(7)	0.0195(2)
017	0.24990(12)	0.00103()) 0.48413(11)	0.33100(7) 0.27848(10)	0.0193(2)
018	0.24990(12) 0.10145(12)	0.40413(11) 0.50088(12)	0.27646(10) 0.31533(11)	0.0312(3)
N1	0.10143(12)	0.59900(12) 0.46123(12)	0.51555(11) 0.12102(10)	0.0307(4)
NI N2	0.10209(12)	0.40123(12)	0.12192(10)	0.0223(3)
NZ	0.39/13(13)	0.0/3/1(11)	0.18058 (10)	0.0211 (3)
N3	1.26428 (12)	-0.08903 (12)	0.211/9 (9)	0.0211 (3)
N4	1.04704 (14)	-0.28197 (12)	0.14185 (11)	0.0248 (3)
N5	1.29631 (13)	0.01373 (12)	0.37831 (10)	0.0235 (3)
N6	1.07285 (13)	0.40233 (12)	0.31479 (10)	0.0212 (3)
N7	0.19774 (13)	0.56302 (12)	0.30606 (10)	0.0254 (3)
N8	0.40377 (14)	0.75500 (12)	0.39207 (10)	0.0229 (3)
C1	0.49264 (14)	0.21414 (13)	0.17427 (11)	0.0194 (3)
C2	0.38675 (13)	0.23784 (12)	0.15991 (10)	0.0155 (3)
C3	0.32634 (13)	0.33358 (12)	0.14445 (10)	0.0166 (3)
H3A	0.3545	0.3807	0.1409	0.020*
C4	0.22574 (13)	0.36082 (12)	0.13420 (10)	0.0181 (3)
C5	0.18189 (14)	0.29339 (14)	0.13872 (11)	0.0208 (3)
H5A	0.1122	0.3131	0.1322	0.025*
C6	0.24094 (14)	0.19865 (13)	0.15260 (11)	0.0197 (3)
H6A	0.2121	0.1525	0.1542	0.024*
C7	0.34398(13)	0.16758 (12)	0.16469(10)	0.0163(3)
C8	0.93483(13)	-0.07913(12)	0.17050(11)	0.0181(3)
C0	1.04682 (13)	-0.13/31(12)	0.17266 (10)	0.0161(3)
C10	1.04002(13)	-0.08855(12)	0.17200(10) 0.10018(10)	0.0103(3)
	1.10550 (15)	-0.0220	0.19018 (10)	0.0104(3)
C11	1.0070	0.0229 0.12702 (12)	0.2007 0.10242 (10)	$0.020^{\circ}$
	1.20830 (13)	-0.13/92(13)	0.19243 (10)	0.0178(3)
C12	1.26059 (14)	-0.23398 (13)	0.1/5//(11)	0.0214 (4)
HI2A	1.3328	-0.2668	0.1/68	0.026*
C13	1.20658 (15)	-0.28020 (13)	0.15796 (11)	0.0222 (4)
H13A	1.2423	-0.3453	0.1461	0.027*
C14	1.09805 (14)	-0.23306 (12)	0.15676 (10)	0.0185 (3)
C15	0.96620 (13)	0.26731 (12)	0.33423 (10)	0.0156 (3)
C16	1.07532 (13)	0.24094 (12)	0.34266 (10)	0.0153 (3)
C17	1.13392 (13)	0.14435 (12)	0.35820 (10)	0.0164 (3)
H17A	1.1025	0.0990	0.3653	0.020*
C18	1.23695 (14)	0.11414 (13)	0.36337 (10)	0.0193 (3)
C19	1.28521 (14)	0.17921 (14)	0.35424 (11)	0.0219 (4)
H19A	1.3565	0.1573	0.3577	0.026*
C20	1.22869 (14)	0.27455 (14)	0.34031 (11)	0.0202 (3)
H20A	1.2607	0.3189	0.3359	0.024*

<b>C2</b> 1	1 1 2 2 2 4 (1 2)		0.00005 (1.0)		
C21	1.12296 (13)	0.308/3 (13)	0.33225 (10)	0.0164 (3)	
C22	0.52883 (13)	0.56598 (12)	0.33300 (10)	0.0159 (3)	
C23	0.41350 (13)	0.61543 (12)	0.34005 (10)	0.0155 (3)	
C24	0.35931 (14)	0.57013 (12)	0.31860 (10)	0.0178 (3)	
H24A	0.3967	0.5097	0.2974	0.021*	
C25	0.25170 (14)	0.61226 (13)	0.32779 (11)	0.0192 (3)	
C26	0.19400 (14)	0.70151 (14)	0.35846 (11)	0.0225 (4)	
H26A	0.1198	0.7294	0.3651	0.027*	
C27	0.24589 (14)	0.74797 (13)	0.37865 (11)	0.0216 (4)	
H27A	0.2070	0.8089	0.3988	0.026*	
C28	0.35682 (13)	0.70719 (12)	0.37021 (10)	0.0173 (3)	
C29	0.64551 (14)	0.39952 (12)	0.13608 (11)	0.0191 (3)	
H29A	0 7014	0.4193	0 1404	0.023*	
H29R	0.6729	0.3602	0.0916	0.023*	
C30	0.5729 0.55173 (14)	0.48939(13)	0.12021(11)	0.0201(3)	
H30A	0.5282	0.5325	0.1618	0.0201 (5)	
1130A 1130A	0.3282	0.3323	0.1018	0.024	
C21	0.4933 0.57772 (16)	0.4/11 0.54200 (12)	0.1197	$0.024^{\circ}$	
	0.57775 (10)	0.54309 (13)	0.04414 (11)	0.0228 (4)	
	0.0420	0.5558	0.0419	0.027*	
HSIB	0.3923	0.5030	0.0021	0.027*	
C32	0.48907 (18)	0.63928 (15)	0.03270 (12)	0.0308 (5)	
H32A	0.5051	0.6668	-0.0193	0.046*	
H32B	0.4818	0.6829	0.0693	0.046*	
H32C	0.4234	0.6299	0.0407	0.046*	
C33	0.5020 (6)	0.2954 (5)	0.3247 (3)	0.0172 (10)	0.510 (4)
H33A	0.4337	0.3458	0.3175	0.021*	0.510 (4)
H33B	0.4989	0.2329	0.3219	0.021*	0.510 (4)
C34	0.5145 (3)	0.2996 (3)	0.4045 (2)	0.0198 (8)	0.510 (4)
H34A	0.4913	0.3674	0.4151	0.024*	0.510 (4)
H34B	0.5895	0.2669	0.4068	0.024*	0.510 (4)
C35	0.4506 (3)	0.2521 (3)	0.4662 (2)	0.0222 (8)	0.510 (4)
H35A	0.4445	0.2726	0.5165	0.027*	0.510 (4)
H35B	0.3790	0.2753	0.4566	0.027*	0.510 (4)
C36	0.4977 (4)	0.1437 (3)	0.4690 (3)	0.0334 (11)	0.510 (4)
H36A	0.4505	0.1185	0.5066	0.050*	0.510 (4)
H36B	0.5657	0.1197	0.4837	0.050*	0.510 (4)
H36C	0.5074	0.1226	0.4187	0.050*	0.510 (4)
C33X	0.5016 (6)	0.3117 (5)	0.3451 (4)	0.0197 (11)	0.490 (4)
H33C	0 5049	0.3525	0 3802	0.024*	0 490 (4)
H33D	0.4297	0.3390	0.3354	0.024*	0.190(1) 0.490(4)
C34X	0.5250(3)	0.2105 (3)	0.3824(2)	0.021	0.190(1) 0.490(4)
H34C	0.5250 (5)	0.1820	0.3024 (2)	0.0204 (0)	0.490(4)
H34C	0.5970	0.1329	0.3903	0.025	0.490(4)
C25V	0.3207	0.1/07	0.3773 0.4586 (2)	0.023	0.400 (4)
U33A	0.4502 (4)	0.2008 (3)	0.4056	0.0240 (9)	0.490 (4)
	0.4002	0.2408	0.4930	0.030*	0.490 (4)
H35D	0.3/70	0.2404	0.451/	0.030*	0.490 (4)
U36X	0.4675 (4)	0.1043 (3)	0.4908 (3)	0.0313 (10)	0.490 (4)
H36D	0.4142	0.1051	0.5373	0.047*	0.490 (4)

H36E	0.5373	0.0728	0.5027	0.047*	0.490 (4)
H36F	0.4620	0.0691	0.4530	0.047*	0.490 (4)
C37	0.96067 (14)	0.18908 (13)	0.18150 (10)	0.0191 (3)	
H37A	0.9601	0.2535	0.1824	0.023*	
H37B	1.0300	0.1419	0.1897	0.023*	
C38	0.95222 (16)	0.17938 (15)	0.10179 (11)	0.0244 (4)	
H38A	0.8778	0.2104	0.0978	0.029*	
H38B	0.9770	0.1107	0.0936	0.029*	
C39	1.01647 (16)	0.22486 (15)	0.03967 (11)	0.0261 (4)	
H39A	1.0870	0.2042	0.0507	0.031*	
H39B	1.0255	0.2008	-0.0099	0.031*	
C40	0.96720 (18)	0.33400 (15)	0.03267 (12)	0.0296 (4)	
H40A	1.0127	0.3583	-0.0075	0.044*	
H40B	0.9588	0.3586	0.0812	0.044*	
H40C	0.8985	0.3552	0.0198	0.044*	
C41	0.82967 (14)	0.06716 (13)	0.36786 (11)	0.0199(3)	
H41A	0 7955	0.0998	0.4159	0.024*	
H41B	0.7838	0.0382	0.3588	0.024*	
C42	0.93581 (15)	-0.01281(13)	0.37689 (11)	0.0240(4)	
H42A	0.9678	-0.0476	0.3298	0.029*	
H42B	0.9830	0.0168	0.3826	0.029*	
C43	0.92831(17)	-0.08493(14)	0.44502(11)	0.0259(4)	
H43A	1 0000	-0.1274	0.4516	0.031*	
H43R	0.8913	-0.0497	0.4916	0.031*	
C44	0.8716(2)	-0.14621(16)	0.43712(14)	0.031 0.0355(5)	
H44A	0.8760	-0 1949	0.4799	0.053*	
H44B	0.9043	-0.1776	0 3891	0.053*	
H44C	0 7979	-0.1057	0.4373	0.053*	
C45	0.68765(15)	-0.03894(13)	0.27141 (12)	0.0231 (4)	
H45A	0 7491	-0.0768	0 2947	0.028*	
H45B	0.6299	-0.0020	0.3115	0.028*	
C46	0.65399 (16)	-0.10772(13)	0.24266 (13)	0.0256 (4)	
H46A	0.5888	-0.0700	0.2237	0.031*	
H46B	0 7090	-0.1400	0 1992	0.031*	
C47	0.63512 (16)	-0.18382(14)	0.30332(13)	0.0287(4)	
H47A	0 5859	-0.1518	0.3490	0.034*	
H47B	0.6013	-0.2171	0.2837	0.034*	
C48	0.7341(2)	-0.25768(16)	0.2057 0.32661 (15)	0.0371(5)	
H48A	0.7178	-0.3086	0.3605	0.056*	
H48R	0.7624	-0.2270	0.3533	0.056*	
H48C	0.7862	-0.2852	0.2811	0.056*	
C49	0.75241 (19)	0.2052	0.2011 0.06048 (14)	0.026 (5)	0.860 (5)
H49A	0.6955	0.1512	0.0495	0.0240 (5)	0.860(5)
H49C	0.8190	0.0998	0.0434	0.030*	0.860(5)
C50	0.75720 (19)	0.01522 (19)	0.01225 (14)	0.0287 (6)	0.860(5)
H50A	0.7807	0.0332	-0.0421	0.034*	0.860(5)
H50R	0.2007	-0.0473	0.0254	0.034*	0.860(5)
C51	0.6545(2)	0.0774(17)	0.0234	0.0274 (6)	0.860(5)
0.51	0.03 + 3(2)	0.002/4(1/)	0.02170 (13)	0.0274(0)	0.000 (3)

H51A	0.6681	-0.0519	-0.0073	0.033*	0.860 (5)
H51B	0.6298	-0.0135	0.0760	0.033*	0.860 (5)
C52	0.5679 (2)	0.0905 (2)	-0.00562 (17)	0.0287 (6)	0.860 (5)
H52A	0.5055	0.0764	0.0004	0.043*	0.860 (5)
H52B	0.5917	0.1077	-0.0595	0.043*	0.860 (5)
H52C	0.5507	0.1441	0.0247	0.043*	0.860 (5)
C49X	0.7335 (13)	0.0636 (12)	0.0793 (9)	0.023 (3)*	0.140 (5)
H49B	0.6881	0.1290	0.0633	0.028*	0.140 (5)
H49D	0.8063	0.0527	0.0520	0.028*	0.140 (5)
C50X	0.7001 (13)	-0.0089 (11)	0.0539 (9)	0.029 (3)*	0.140 (5)
H50C	0.7556	-0.0734	0.0588	0.035*	0.140 (5)
H50D	0.6357	-0.0093	0.0905	0.035*	0.140 (5)
C51X	0.6803 (13)	0.0057 (12)	-0.0225 (10)	0.030 (4)*	0.140 (5)
H51C	0.6740	-0.0521	-0.0342	0.035*	0.140 (5)
H51D	0.7410	0.0134	-0.0596	0.035*	0.140 (5)
C52X	0.5818 (17)	0.0924 (16)	-0.0327(11)	0.029 (3)*	0.140 (5)
H52D	0.5658	0.0920	-0.0818	0.043*	0.140 (5)
H52E	0.5928	0.1509	-0.0316	0.043*	0.140(5)
H52F	0 5231	0.0903	0.0086	0.043*	0.140(5)
C53	0.71291 (16)	0.41534(15)	0.43874(11)	0.0243(4)	0.110 (0)
Н53А	0.6413	0.4169	0.4599	0.029*	
H53B	0.7628	0.3516	0.4540	0.029*	
C54	0.72566 (16)	0.49149 (16)	0.47538(11)	0.023 (4)	
H54A	0.6736	0.5551	0.4623	0.0275 (4)	
H54R	0.7096	0.4794	0.5315	0.033*	
C55	0.7090 0.83427 (17)	0.49452 (16)	0.3513	0.033	
U55 A	0.83427(17)	0.49452 (10)	0.45111 (15)	0.0299 (4)	
1155A 1155D	0.8477	0.3130	0.3938	0.030*	
ПЈЈБ С56	0.0071 0.8491 (2)	0.4293	0.4390 0.40380 (14)	$0.030^{\circ}$	
	0.8481(2)	0.50420 (19)	0.49580 (14)	0.0392 (0)	
	0.9191	0.3035	0.4735	0.039	
HOOB	0.8574	0.5451	0.3485	0.059*	
HSOC	0.7968	0.6290	0.4851	0.059*	
057	0.79555 (14)	0.50760 (13)	0.22150 (10)	0.0197 (3)	
H5/A	0.8425	0.5299	0.2375	0.024*	
H5/B	0.8397	0.4617	0.1821	0.024*	
C58	0.71941 (15)	0.59374 (12)	0.18323 (10)	0.0193 (3)	
H58A	0.6764	0.6423	0.2208	0.023*	
H58B	0.6716	0.5734	0.1663	0.023*	
C59	0.77550 (18)	0.63886 (16)	0.11475 (12)	0.0310 (5)	
H59A	0.8171	0.5906	0.0767	0.037*	
H59B	0.8248	0.6573	0.1316	0.037*	
C60	0.7005 (2)	0.72705 (16)	0.07678 (13)	0.0352 (5)	
H60A	0.7410	0.7555	0.0357	0.053*	
H60B	0.6567	0.7740	0.1147	0.053*	
H60C	0.6559	0.7082	0.0556	0.053*	
H1N2	0.363 (2)	0.0372 (19)	0.1916 (15)	0.038 (7)*	
H2N2	0.456 (2)	0.0581 (17)	0.1905 (13)	0.026 (6)*	
H1N4	1.078 (2)	-0.340 (2)	0.1326 (15)	0.040 (8)*	

H2N4	0.980 (2)	-0.2534 (19)	0.1430 (15)	0.038 (7)*
H1N6	1.013 (2)	0.4218 (19)	0.3087 (15)	0.036 (7)*
H2N6	1.1052 (18)	0.4383 (17)	0.3072 (13)	0.022 (6)*
H1N8	0.471 (2)	0.733 (2)	0.3835 (17)	0.052 (9)*
H2N8	0.3716 (19)	0.8117 (18)	0.3995 (13)	0.026 (6)*

Atomic displacement parameters  $(\mathring{A}^2)$ 

	$U^{11}$	$U^{22}$	$U^{33}$	$U^{12}$	$U^{13}$	$U^{23}$
Sn1	0.01106 (5)	0.00921 (5)	0.03082 (6)	-0.00378 (4)	-0.00783 (4)	0.00106 (4)
Sn2	0.01039 (5)	0.00965 (5)	0.02354 (6)	-0.00362 (4)	-0.00501 (4)	0.00118 (4)
Sn3	0.01384 (5)	0.01048 (5)	0.03358 (7)	-0.00422 (4)	-0.00888 (5)	-0.00213 (4)
Sn4	0.01225 (5)	0.01044 (5)	0.01863 (5)	-0.00414 (4)	-0.00414 (4)	-0.00019 (4)
01	0.0132 (5)	0.0096 (5)	0.0352 (7)	-0.0031 (4)	-0.0103 (5)	-0.0016 (5)
O2	0.0122 (5)	0.0095 (5)	0.0300 (7)	-0.0029 (4)	-0.0071 (5)	-0.0009 (5)
O3	0.0150 (6)	0.0129 (6)	0.0412 (8)	-0.0047 (5)	-0.0108 (5)	-0.0001 (5)
O4	0.0239 (7)	0.0152 (6)	0.0561 (10)	-0.0105 (5)	-0.0225 (7)	0.0039 (6)
05	0.0163 (7)	0.0268 (8)	0.0557 (10)	-0.0004 (6)	-0.0130 (7)	0.0038 (7)
O6	0.0260 (7)	0.0141 (6)	0.0465 (9)	-0.0047 (5)	-0.0120 (7)	-0.0034 (6)
O7	0.0150 (6)	0.0118 (5)	0.0305 (7)	-0.0029 (5)	-0.0072 (5)	-0.0028 (5)
08	0.0184 (6)	0.0190 (6)	0.0383 (8)	-0.0052 (5)	-0.0114 (6)	-0.0070 (6)
09	0.0282 (7)	0.0197 (7)	0.0452 (9)	-0.0120 (6)	-0.0137 (7)	0.0000 (6)
O10	0.0183 (7)	0.0346 (8)	0.0457 (9)	-0.0115 (6)	-0.0109 (6)	-0.0014 (7)
011	0.0170 (6)	0.0166 (6)	0.0257 (6)	-0.0091 (5)	-0.0081 (5)	0.0027 (5)
O12	0.0148 (5)	0.0136 (5)	0.0292 (7)	-0.0051 (5)	-0.0077 (5)	0.0010 (5)
O13	0.0268 (7)	0.0164 (6)	0.0403 (9)	-0.0028 (6)	-0.0073 (6)	-0.0010 (6)
O14	0.0189 (7)	0.0288 (8)	0.0527 (10)	0.0016 (6)	-0.0157 (7)	-0.0049 (7)
O15	0.0135 (5)	0.0126 (5)	0.0245 (6)	-0.0029 (4)	-0.0040 (5)	-0.0013 (5)
016	0.0149 (6)	0.0186 (6)	0.0253 (6)	-0.0057 (5)	-0.0052 (5)	-0.0030 (5)
O17	0.0296 (8)	0.0225 (7)	0.0483 (9)	-0.0140 (6)	-0.0121 (7)	-0.0035 (6)
O18	0.0198 (7)	0.0330 (9)	0.0632 (11)	-0.0131 (6)	-0.0149 (7)	-0.0009 (8)
N1	0.0182 (7)	0.0172 (7)	0.0284 (8)	-0.0021 (6)	-0.0064 (6)	-0.0019 (6)
N2	0.0176 (7)	0.0142 (7)	0.0353 (9)	-0.0083 (6)	-0.0099 (6)	0.0012 (6)
N3	0.0179 (7)	0.0217 (8)	0.0257 (8)	-0.0104 (6)	-0.0060 (6)	0.0025 (6)
N4	0.0228 (8)	0.0132 (7)	0.0401 (10)	-0.0026 (6)	-0.0136 (7)	-0.0065 (7)
N5	0.0187 (7)	0.0214 (8)	0.0262 (8)	-0.0006 (6)	-0.0086 (6)	-0.0039 (6)
N6	0.0181 (7)	0.0163 (7)	0.0325 (9)	-0.0092 (6)	-0.0075 (6)	-0.0002 (6)
N7	0.0213 (8)	0.0211 (8)	0.0379 (9)	-0.0120 (7)	-0.0109 (7)	0.0047 (7)
N8	0.0176 (7)	0.0150 (7)	0.0351 (9)	-0.0025 (6)	-0.0075 (7)	-0.0068 (6)
C1	0.0143 (7)	0.0143 (7)	0.0312 (9)	-0.0056 (6)	-0.0076 (7)	-0.0013 (7)
C2	0.0132 (7)	0.0138 (7)	0.0206 (8)	-0.0055 (6)	-0.0040 (6)	-0.0023 (6)
C3	0.0155 (7)	0.0133 (7)	0.0222 (8)	-0.0054 (6)	-0.0058 (6)	-0.0021 (6)
C4	0.0151 (7)	0.0149 (7)	0.0225 (8)	-0.0026 (6)	-0.0062 (6)	-0.0017 (6)
C5	0.0142 (7)	0.0215 (8)	0.0284 (9)	-0.0075 (7)	-0.0081 (7)	0.0007 (7)
C6	0.0164 (8)	0.0193 (8)	0.0274 (9)	-0.0099 (7)	-0.0069 (7)	-0.0002 (7)
C7	0.0144 (7)	0.0163 (7)	0.0191 (8)	-0.0067 (6)	-0.0040 (6)	-0.0011 (6)
C8	0.0143 (7)	0.0135 (7)	0.0253 (8)	-0.0031 (6)	-0.0058 (6)	-0.0018 (6)
C9	0.0146 (7)	0.0119 (7)	0.0207 (8)	-0.0020 (6)	-0.0050 (6)	-0.0018 (6)

C10	0.0155 (7)	0.0135 (7)	0.0198 (8)	-0.0056 (6)	-0.0040 (6)	0.0002 (6)
C11	0.0153 (7)	0.0175 (8)	0.0206 (8)	-0.0067 (6)	-0.0047 (6)	0.0012 (6)
C12	0.0150 (8)	0.0193 (8)	0.0266 (9)	-0.0031 (7)	-0.0060 (7)	-0.0002 (7)
C13	0.0189 (8)	0.0143 (8)	0.0299 (9)	-0.0008 (7)	-0.0076 (7)	-0.0031 (7)
C14	0.0195 (8)	0.0123 (7)	0.0230 (8)	-0.0037 (6)	-0.0076 (6)	-0.0013 (6)
C15	0.0123 (7)	0.0147 (7)	0.0201 (8)	-0.0051 (6)	-0.0045 (6)	-0.0003 (6)
C16	0.0129 (7)	0.0151 (7)	0.0190 (7)	-0.0057 (6)	-0.0046 (6)	-0.0012 (6)
C17	0.0153 (7)	0.0149 (7)	0.0194 (8)	-0.0054 (6)	-0.0051 (6)	-0.0016 (6)
C18	0.0152 (7)	0.0176 (8)	0.0230 (8)	-0.0027(6)	-0.0066 (6)	-0.0021(6)
C19	0.0143 (7)	0.0263 (9)	0.0260 (9)	-0.0068 (7)	-0.0067 (7)	-0.0033(7)
C20	0.0157 (8)	0.0220 (8)	0.0258 (9)	-0.0092(7)	-0.0048 (6)	-0.0031(7)
C21	0.0144 (7)	0.0182 (8)	0.0183 (7)	-0.0074 (6)	-0.0030(6)	-0.0031(6)
C22	0.0132(7)	0.0140(7)	0.0179(7)	-0.0038(6)	-0.0033(6)	0.0013 (6)
C23	0.0135(7)	0.0129(7)	0.0191(7)	-0.0044(6)	-0.0045(6)	0.0014 (6)
C24	0.0177 (8)	0.0135(7)	0.0217 (8)	-0.0065(6)	-0.0046(6)	0.0020 (6)
C25	0.0171(8)	0.0171(8)	0.0261(9)	-0.0086(6)	-0.0076(7)	0.0020(0)
C26	0.0142(8)	0.0203(8)	0.0201(9)	-0.0054(7)	-0.0047(7)	0.0021(7)
C27	0.0161(8)	0.0203(0) 0.0162(8)	0.0300(9)	-0.0032(6)	-0.0046(7)	-0.0039(7)
C28	0.0148(7)	0.0102(0)	0.0214(8)	-0.0032(6)	-0.0040(6)	-0.0010(6)
C29	0.0180(8)	0.0146(7)	0.0261(9)	-0.0055(6)	-0.0077(7)	-0.0004(6)
C30	0.0100(0)	0.0110(7)	0.0261(9) 0.0262(9)	-0.0000(0)	-0.0070(7)	0.0005 (6)
C31	0.0262(9)	0.0182(8)	0.0233(9)	-0.0082(7)	-0.0060(7)	0.0005(7)
C32	0.0332(11)	0.0211(9)	0.0283(10)	-0.0042(8)	-0.0045(8)	0.0035 (8)
C33	0.0352(11) 0.0161(17)	0.0211(3)	0.0203(10)	-0.0074(17)	-0.002(2)	0.0000(17)
C34	0.0210(16)	0.0211(17)	0.0200(17)	-0.0113(14)	-0.002(13)	-0.0035(13)
C35	0.0237(18)	0.024(2)	0.0185(17)	-0.0107(16)	-0.0014(13)	-0.0003(15)
C36	0.048(3)	0.025(2)	0.027(2)	-0.015(2)	-0.0102(19)	0.0028 (17)
C33X	0.0125(17)	0.015(2)	0.027(3)	-0.0027(17)	0.000 (2)	-0.0018(19)
C34X	0.0197(17)	0.0153(16)	0.0261(19)	-0.0076(14)	-0.0041(14)	0.0003 (13)
C35X	0.029 (2)	0.023 (2)	0.024 (2)	-0.0128(19)	-0.0037(16)	-0.0020(17)
C36X	0.042(3)	0.029(2)	0.023(2)	-0.018(2)	-0.0073(18)	0.0080 (17)
C37	0.0159 (7)	0.0184 (8)	0.0232 (8)	-0.0077(6)	-0.0038(6)	0.0009 (6)
C38	0.0261 (9)	0.0242 (9)	0.0258 (9)	-0.0123(8)	-0.0068(7)	-0.0006(7)
C39	0.0259 (9)	0.0293 (10)	0.0224 (9)	-0.0108(8)	-0.0044(7)	-0.0011(7)
C40	0.0320 (11)	0.0278 (10)	0.0268 (10)	-0.0112(9)	-0.0062(8)	0.0028 (8)
C41	0.0183 (8)	0.0154 (8)	0.0258 (9)	-0.0079 (6)	-0.0028(7)	0.0000 (6)
C42	0.0213 (9)	0.0173 (8)	0.0274 (9)	-0.0047 (7)	-0.0040 (7)	0.0051 (7)
C43	0.0295 (10)	0.0203 (9)	0.0247 (9)	-0.0088 (8)	-0.0053 (8)	0.0034 (7)
C44	0.0478 (14)	0.0263 (11)	0.0368(12)	-0.0204(10)	-0.0106(10)	0.0049 (9)
C45	0.0204 (8)	0.0138 (8)	0.0357 (10)	-0.0073 (7)	-0.0064 (7)	-0.0011 (7)
C46	0.0223 (9)	0.0145 (8)	0.0440 (12)	-0.0087(7)	-0.0133 (8)	0.0014 (8)
C47	0.0264 (10)	0.0191 (9)	0.0417 (12)	-0.0128(8)	-0.0005 (9)	-0.0051 (8)
C48	0.0464 (14)	0.0229 (10)	0.0499 (14)	-0.0176 (10)	-0.0225 (11)	0.0072 (10)
C49	0.0230 (11)	0.0272 (12)	0.0259 (11)	-0.0132 (10)	-0.0089 (9)	0.0069 (10)
C50	0.0261 (12)	0.0307 (13)	0.0248 (11)	-0.0045 (10)	-0.0083 (9)	-0.0031 (9)
C51	0.0390 (14)	0.0191 (10)	0.0268 (13)	-0.0118 (10)	-0.0105 (10)	-0.0019 (9)
C52	0.0288 (13)	0.0296 (13)	0.0300 (14)	-0.0127 (10)	-0.0084 (12)	-0.0011 (12)
C53	0.0228 (9)	0.0287 (10)	0.0202 (8)	-0.0104 (8)	-0.0058 (7)	0.0043 (7)
	× /	× /	× /	× /	× /	× /

C54	0.0264 (10)	0.0369 (11)	0.0170 (8)	-0.0103 (9)	-0.0048(7)	-0.0025 (8)
C55	0.0274 (10)	0.0309 (11)	0.0320 (11)	-0.0074 (9)	-0.0096 (8)	-0.0086 (9)
C56	0.0389 (13)	0.0441 (14)	0.0408 (13)	-0.0135 (11)	-0.0174 (11)	-0.0114 (11)
C57	0.0194 (8)	0.0172 (8)	0.0222 (8)	-0.0086 (7)	-0.0033 (6)	0.0021 (6)
C58	0.0232 (8)	0.0140 (7)	0.0219 (8)	-0.0090 (7)	-0.0060 (7)	0.0019 (6)
C59	0.0355 (11)	0.0275 (10)	0.0287 (10)	-0.0159 (9)	-0.0051 (9)	0.0087 (8)
C60	0.0564 (15)	0.0239 (10)	0.0293 (11)	-0.0204 (10)	-0.0145 (10)	0.0088 (8)

Geometric parameters (Å, °)

Sn1—O1	2.0436 (12)	С33—Н33А	0.9900
Sn1—C33	2.050 (7)	С33—Н33В	0.9900
Sn1—C29	2.1234 (18)	C34—C35	1.541 (5)
Sn1—O2	2.1445 (12)	C34—H34A	0.9900
Sn1—C33X	2.232 (7)	C34—H34B	0.9900
Sn1—O4	2.2643 (14)	C35—C36	1.516 (6)
Sn1—Sn2	3.2970 (2)	С35—Н35А	0.9900
Sn2—O2	2.0474 (12)	С35—Н35В	0.9900
Sn2—C41	2.1343 (18)	С36—Н36А	0.9800
Sn2—C37	2.1351 (17)	С36—Н36В	0.9800
Sn2—O1	2.1504 (12)	С36—Н36С	0.9800
Sn2—O11	2.2583 (13)	C33X—C34X	1.525 (8)
Sn3—C49X	1.861 (16)	С33Х—Н33С	0.9900
Sn3—O1	2.0384 (12)	C33X—H33D	0.9900
Sn3—C45	2.1283 (19)	C34X—C35X	1.527 (6)
Sn3—C49	2.176 (3)	C34X—H34C	0.9900
Sn3—O7	2.1992 (12)	C34X—H34D	0.9900
Sn3—O3	2.3178 (13)	C35X—C36X	1.526 (6)
Sn4—O2	2.0439 (12)	C35X—H35C	0.9900
Sn4—C53	2.1293 (19)	C35X—H35D	0.9900
Sn4—C57	2.1370 (17)	C36X—H36D	0.9800
Sn4—O15	2.1908 (12)	С36Х—Н36Е	0.9800
Sn4—O12	2.3115 (12)	C36X—H36F	0.9800
O3—C1	1.270 (2)	C37—C38	1.524 (3)
O4—C1	1.263 (2)	С37—Н37А	0.9900
O5—N1	1.233 (2)	С37—Н37В	0.9900
O6—N1	1.237 (2)	C38—C39	1.530 (3)
O7—C8	1.297 (2)	C38—H38A	0.9900
O8—C8	1.250 (2)	C38—H38B	0.9900
O9—N3	1.243 (2)	C39—C40	1.525 (3)
O10—N3	1.234 (2)	С39—Н39А	0.9900
O11—C15	1.265 (2)	С39—Н39В	0.9900
O12—C15	1.268 (2)	C40—H40A	0.9800
O13—N5	1.241 (2)	C40—H40B	0.9800
O14—N5	1.232 (2)	C40—H40C	0.9800
O15—C22	1.301 (2)	C41—C42	1.539 (3)
O16—C22	1.243 (2)	C41—H41A	0.9900
O17—N7	1.243 (2)	C41—H41B	0.9900

O18—N7	1.233 (2)	C42—C43	1.531 (3)
N1—C4	1.444 (2)	C42—H42A	0.9900
N2—C7	1.346 (2)	C42—H42B	0.9900
N2—H1N2	0.85 (3)	C43—C44	1.519 (3)
N2—H2N2	0.83 (2)	C43—H43A	0.9900
N3—C11	1.437 (2)	C43—H43B	0.9900
N4—C14	1.341 (2)	C44—H44A	0.9800
N4—H1N4	0.85 (3)	C44—H44B	0.9800
N4—H2N4	0.87(3)	C44 - H44C	0.9800
N5-C18	1440(2)	$C_{45}$ $C_{46}$	1.537(3)
N6-C21	1.110(2) 1.341(2)	$C_{45}$ H45A	0.9900
N6H1N6	0.82(3)	C45—H45R	0.9900
N6 H2N6	0.82(3)	C46 C47	1.527(3)
N7 C25	0.03(2) 1 430(2)	$C_{40} = C_{47}$	1.527(5)
N/	1.439(2) 1.240(2)	$C_{46}$ $H_{46}$ $H_{46}$	0.9900
	1.340(2)	C40— $H40B$	0.9900
	0.80 (3)	C47 - C48	1.517 (5)
N8—H2N8	0.82(2)	C47—H47A	0.9900
C1 = C2	1.490 (2)		0.9900
C2—C3	1.389 (2)	C48—H48A	0.9800
C2—C7	1.427 (2)	C48—H48B	0.9800
C3—C4	1.380 (2)	C48—H48C	0.9800
С3—НЗА	0.9500	C49—C50	1.529 (4)
C4—C5	1.399 (3)	C49—H49A	0.9900
C5—C6	1.367 (3)	C49—H49C	0.9900
С5—Н5А	0.9500	C50—C51	1.524 (4)
C6—C7	1.417 (2)	C50—H50A	0.9900
С6—Н6А	0.9500	C50—H50B	0.9900
C8—C9	1.481 (2)	C51—C52	1.522 (4)
C9—C10	1.390 (2)	C51—H51A	0.9900
C9—C14	1.430 (2)	C51—H51B	0.9900
C10—C11	1.385 (2)	С52—Н52А	0.9800
C10—H10A	0.9500	С52—Н52В	0.9800
C11—C12	1.398 (3)	С52—Н52С	0.9800
C12—C13	1.368 (3)	C49X—C50X	1.55 (2)
C12—H12A	0.9500	C49X—H49B	0.9900
C13—C14	1.424 (3)	C49X—H49D	0.9900
С13—Н13А	0.9500	C50X—C51X	1.46 (2)
C15-C16	1 488 (2)	C50X - H50C	0.9900
C16 - C17	1 394 (2)	C50X - H50D	0.9900
C16-C21	1 428 (2)	$C_{51}X - C_{52}X$	1.52(3)
C17 - C18	1.120(2) 1.377(2)	$C_{51X}$ H51C	0.9900
C17 H17A	0.9500	C51X H51D	0.9900
C18 $C19$	1,400 (3)	C52X H52D	0.9900
$C_{10} - C_{10}$	1.700 (3)	C52X H52E	0.9000
$C_{19} = C_{20}$	0.0500	C52X H52E	0.2000
C19—П19А C20—C21	1 422 (2)	$C_{2}A - \Pi_{2}ZF$	0.7000
$C_{20} = U_{20}$	1.423 (2)	$C_{33}$ $C_{53}$ $C$	1.333 (3)
C20—H20A	0.900	Сээ—НэзА	0.9900
022-023	1.48/(2)	Сээ—Нэзв	0.9900

C23—C24	1.391 (2)	C54—C55	1.522 (3)
C23—C28	1.427 (2)	С54—Н54А	0.9900
C24—C25	1.380 (2)	C54—H54B	0.9900
C24—H24A	0.9500	C55—C56	1.525 (3)
C25—C26	1.400 (3)	С55—Н55А	0.9900
C26—C27	1.366 (3)	С55—Н55В	0.9900
C26—H26A	0.9500	C56—H56A	0.9800
C27—C28	1.424 (2)	С56—Н56В	0.9800
С27—Н27А	0.9500	С56—Н56С	0.9800
C29—C30	1.527 (2)	C57—C58	1.523 (2)
С29—Н29А	0.9900	С57—Н57А	0.9900
С29—Н29В	0.9900	С57—Н57В	0.9900
C30—C31	1.530 (3)	C58—C59	1.527 (3)
С30—Н30А	0.9900	C58—H58A	0.9900
С30—Н30В	0.9900	C58—H58B	0.9900
C31—C32	1.525 (3)	C59—C60	1.528 (3)
C31—H31A	0.9900	C59—H59A	0.9900
C31—H31B	0.9900	C59—H59B	0.9900
C32—H32A	0.9800	C60—H60A	0.9800
С32—Н32В	0.9800	C60—H60B	0.9800
C32—H32C	0.9800	C60—H60C	0.9800
C33—C34	1.526 (6)		
O1—Sn1—C33	102.26 (19)	C34—C33—Sn1	116.7 (4)
O1—Sn1—C29	109.79 (6)	С34—С33—Н33А	108.1
C33—Sn1—C29	144.4 (2)	Sn1—C33—H33A	108.1
O1—Sn1—O2	76.44 (5)	С34—С33—Н33В	108.1
C33—Sn1—O2	104.49 (17)	Sn1—C33—H33B	108.1
C29—Sn1—O2	97.91 (6)	H33A—C33—H33B	107.3
O1—Sn1—C33X	106.93 (18)	C33—C34—C35	112.0 (4)
C33—Sn1—C33X	11.9 (2)	C33—C34—H34A	109.2
C29—Sn1—C33X	143.02 (19)	C35—C34—H34A	109.2
O2—Sn1—C33X	94.69 (18)	C33—C34—H34B	109.2
O1—Sn1—O4	89.08 (5)	C35—C34—H34B	109.2
C33—Sn1—O4	82.72 (16)	H34A—C34—H34B	107.9
C29—Sn1—O4	82.63 (6)	C36—C35—C34	113.9 (3)
O2—Sn1—O4	164.84 (5)	С36—С35—Н35А	108.8
C33X—Sn1—O4	93.80 (17)	С34—С35—Н35А	108.8
O1—Sn1—Sn2	39.34 (3)	С36—С35—Н35В	108.8
C33—Sn1—Sn2	107.5 (2)	С34—С35—Н35В	108.8
C29—Sn1—Sn2	107.14 (5)	H35A—C35—H35B	107.7
O2—Sn1—Sn2	37.11 (3)	C34X—C33X—Sn1	111.2 (4)
C33X—Sn1—Sn2	103.85 (19)	C34X—C33X—H33C	109.4
O4—Sn1—Sn2	128.23 (4)	Sn1—C33X—H33C	109.4
O2—Sn2—C41	116.69 (6)	C34X—C33X—H33D	109.4
O2—Sn2—C37	102.20 (6)	Sn1—C33X—H33D	109.4
C41—Sn2—C37	139.14 (7)	H33C—C33X—H33D	108.0
O2—Sn2—O1	76.23 (5)	C33X—C34X—C35X	113.1 (4)

C41—Sn2—O1	97.59 (6)	C33X—C34X—H34C	109.0
C37—Sn2—O1	103.59 (6)	C35X—C34X—H34C	109.0
O2—Sn2—O11	87.60 (5)	C33X—C34X—H34D	109.0
C41—Sn2—O11	83.03 (6)	C35X—C34X—H34D	109.0
C37—Sn2—O11	86.75 (6)	H34C—C34X—H34D	107.8
01—Sn2—011	162.25 (5)	C36X—C35X—C34X	112.2 (4)
O2—Sn2—Sn1	39.19 (3)	C36X—C35X—H35C	109.2
C41—Sn2—Sn1	111.68 (5)	C34X—C35X—H35C	109.2
C37—Sn2—Sn1	106.18 (5)	C36X—C35X—H35D	109.2
O1— $Sn2$ — $Sn1$	37.04 (3)	C34X—C35X—H35D	109.2
O11— $Sn2$ — $Sn1$	126.47 (3)	H35C—C35X—H35D	107.9
C49X—Sn3—O1	117.0 (5)	C35X—C36X—H36D	109.5
C49X—Sn3—C45	128.7 (6)	C35X—C36X—H36E	109.5
01— $Sn3$ — $C45$	112.74 (7)	H36D—C36X—H36E	109.5
C49X— $Sn3$ — $C49$	14.3 (5)	C35X—C36X—H36F	109.5
$\Omega_1$ —Sn3—C49	103.90 (8)	H36D—C36X—H36F	109.5
C45 = Sn3 = C49	142.79 (9)	$H_{36E}$ $C_{36X}$ $H_{36E}$	109.5
C49X = Sn3 = 07	1050(5)	$C_{38}$ $C_{37}$ $S_{n2}$	118 39 (13)
01— $Sn3$ — $07$	79.83 (5)	C38—C37—H37A	107 7
C45 = Sn3 = 07	94 91 (6)	Sn2—C37—H37A	107.7
C49 = Sn3 = O7	97.73 (7)	C38—C37—H37B	107.7
C49X - Sn3 - O3	85.3 (5)	Sn2—C37—H37B	107.7
$01-Sn^3-O^3$	90.46 (5)	H37A—C37—H37B	107.1
$C45 = Sn^3 = O^3$	82.56 (6)	$C_{37}$ $C_{38}$ $C_{39}$	112.21 (16)
C49—Sn3—O3	91.11 (7)	C37—C38—H38A	109.2
07—Sn3—O3	168.18 (5)	C39—C38—H38A	109.2
02—Sn4—C53	105.16 (7)	С37—С38—Н38В	109.2
O2—Sn4—C57	112.18 (6)	C39—C38—H38B	109.2
C53—Sn4—C57	140.54 (8)	H38A—C38—H38B	107.9
O2—Sn4—O15	80.07 (5)	C40—C39—C38	113.81 (17)
C53—Sn4—O15	99.69 (6)	С40—С39—Н39А	108.8
C57—Sn4—O15	98.85 (6)	С38—С39—Н39А	108.8
O2—Sn4—O12	89.13 (5)	С40—С39—Н39В	108.8
C53—Sn4—O12	89.47 (6)	С38—С39—Н39В	108.8
C57—Sn4—O12	79.01 (6)	H39A—C39—H39B	107.7
O15—Sn4—O12	167.33 (5)	С39—С40—Н40А	109.5
Sn3—O1—Sn1	133.09 (6)	С39—С40—Н40В	109.5
Sn3—O1—Sn2	123.16 (6)	H40A—C40—H40B	109.5
Sn1—O1—Sn2	103.62 (5)	С39—С40—Н40С	109.5
Sn4—O2—Sn2	133.50 (6)	H40A—C40—H40C	109.5
Sn4—O2—Sn1	121.48 (6)	H40B—C40—H40C	109.5
Sn2—O2—Sn1	103.70 (5)	C42—C41—Sn2	112.73 (12)
C1—O3—Sn3	127.34 (12)	C42—C41—H41A	109.0
C1—O4—Sn1	130.17 (13)	Sn2—C41—H41A	109.0
C8—O7—Sn3	105.06 (11)	C42—C41—H41B	109.0
C15—O11—Sn2	124.96 (11)	Sn2—C41—H41B	109.0
C15—O12—Sn4	128.32 (11)	H41A—C41—H41B	107.8
C22—O15—Sn4	105.22 (11)	C43—C42—C41	113.99 (16)

O5—N1—O6	122.51 (16)	C43—C42—H42A	108.8
O5—N1—C4	118.98 (17)	C41—C42—H42A	108.8
O6—N1—C4	118.51 (15)	C43—C42—H42B	108.8
C7—N2—H1N2	117.9 (18)	C41—C42—H42B	108.8
C7—N2—H2N2	116.8 (17)	H42A—C42—H42B	107.6
H1N2—N2—H2N2	123 (2)	C44—C43—C42	113.81 (18)
O10—N3—O9	122.07 (17)	C44—C43—H43A	108.8
O10—N3—C11	119.24 (16)	C42—C43—H43A	108.8
O9—N3—C11	118.69 (15)	C44—C43—H43B	108.8
C14—N4—H1N4	121.5 (19)	C42—C43—H43B	108.8
C14—N4—H2N4	119.3 (18)	H43A—C43—H43B	107.7
H1N4—N4—H2N4	119 (3)	C43—C44—H44A	109.5
O14—N5—O13	122.57 (17)	C43—C44—H44B	109.5
O14—N5—C18	118.92 (18)	H44A—C44—H44B	109.5
O13—N5—C18	118.51 (16)	C43—C44—H44C	109.5
C21—N6—H1N6	119.1 (19)	H44A—C44—H44C	109.5
C21—N6—H2N6	119.1 (16)	H44B—C44—H44C	109.5
H1N6—N6—H2N6	122 (2)	C46—C45—Sn3	112.88 (14)
O18—N7—O17	121.85 (18)	C46—C45—H45A	109.0
O18—N7—C25	119.37 (17)	Sn3—C45—H45A	109.0
O17—N7—C25	118.78 (16)	C46—C45—H45B	109.0
C28—N8—H1N8	119 (2)	Sn3—C45—H45B	109.0
C28—N8—H2N8	119.4 (17)	H45A—C45—H45B	107.8
H1N8—N8—H2N8	118 (3)	C47—C46—C45	113.72 (18)
O4—C1—O3	123.22 (16)	C47—C46—H46A	108.8
O4—C1—C2	117.46 (15)	C45—C46—H46A	108.8
O3—C1—C2	119.32 (16)	C47—C46—H46B	108.8
C3—C2—C7	119.34 (15)	C45—C46—H46B	108.8
C3—C2—C1	117.60 (15)	H46A—C46—H46B	107.7
C7—C2—C1	123.00 (15)	C48—C47—C46	113.82 (18)
C4—C3—C2	120.50 (16)	C48—C47—H47A	108.8
С4—С3—НЗА	119.8	С46—С47—Н47А	108.8
С2—С3—НЗА	119.8	C48—C47—H47B	108.8
C3—C4—C5	121.30 (16)	C46—C47—H47B	108.8
C3—C4—N1	119.43 (16)	H47A—C47—H47B	107.7
C5—C4—N1	119.22 (16)	C47—C48—H48A	109.5
C6—C5—C4	118.96 (16)	C47—C48—H48B	109.5
С6—С5—Н5А	120.5	H48A—C48—H48B	109.5
С4—С5—Н5А	120.5	C47—C48—H48C	109.5
C5—C6—C7	121.66 (17)	H48A—C48—H48C	109.5
С5—С6—Н6А	119.2	H48B—C48—H48C	109.5
С7—С6—Н6А	119.2	C50—C49—Sn3	116.96 (18)
N2—C7—C6	119.03 (16)	С50—С49—Н49А	108.1
N2—C7—C2	122.75 (16)	Sn3—C49—H49A	108.1
C6—C7—C2	118.22 (15)	С50—С49—Н49С	108.1
O8—C8—O7	120.61 (16)	Sn3—C49—H49C	108.1
O8—C8—C9	121.48 (16)	H49A—C49—H49C	107.3
O7—C8—C9	117.90 (16)	C51—C50—C49	115.3 (2)

C10—C9—C14	119.38 (16)	С51—С50—Н50А	108.4
С10—С9—С8	119.00 (15)	С49—С50—Н50А	108.4
C14—C9—C8	121.61 (16)	C51—C50—H50B	108.4
C11—C10—C9	120.51 (16)	C49—C50—H50B	108.4
C11—C10—H10A	119.7	H50A—C50—H50B	107.5
C9—C10—H10A	119.7	C52—C51—C50	114.2 (2)
C10—C11—C12	121.17 (17)	С52—С51—Н51А	108.7
C10-C11-N3	119.22 (16)	C50—C51—H51A	108.7
C12—C11—N3	119.61 (16)	С52—С51—Н51В	108.7
C13—C12—C11	119.26 (17)	C50—C51—H51B	108.7
C13—C12—H12A	120.4	H51A—C51—H51B	107.6
C11—C12—H12A	120.4	C50X—C49X—Sn3	115.6 (12)
C12—C13—C14	121.54 (17)	C50X—C49X—H49B	108.4
С12—С13—Н13А	119.2	Sn3—C49X—H49B	108.4
C14—C13—H13A	119.2	C50X—C49X—H49D	108.4
N4—C14—C13	119.67 (16)	Sn3—C49X—H49D	108.4
N4—C14—C9	122.22 (17)	H49B—C49X—H49D	107.4
C13—C14—C9	118.10 (17)	C51X—C50X—C49X	118.2 (14)
O11—C15—O12	123.40 (15)	C51X-C50X-H50C	107.8
O11—C15—C16	117.83 (15)	C49X—C50X—H50C	107.8
O12—C15—C16	118.76 (15)	C51X—C50X—H50D	107.8
C17—C16—C21	119.43 (15)	C49X—C50X—H50D	107.8
C17—C16—C15	117.28 (15)	H50C-C50X-H50D	107.1
C21—C16—C15	123.23 (15)	C50X—C51X—C52X	113.3 (15)
C18—C17—C16	120.49 (16)	C50X—C51X—H51C	108.9
С18—С17—Н17А	119.8	C52X—C51X—H51C	108.9
С16—С17—Н17А	119.8	C50X—C51X—H51D	108.9
C17—C18—C19	121.23 (17)	C52X—C51X—H51D	108.9
C17—C18—N5	119.42 (17)	H51C—C51X—H51D	107.7
C19—C18—N5	119.35 (16)	C51X—C52X—H52D	109.5
C20—C19—C18	119.31 (17)	C51X—C52X—H52E	109.5
С20—С19—Н19А	120.3	H52D—C52X—H52E	109.5
С18—С19—Н19А	120.3	C51X—C52X—H52F	109.5
C19—C20—C21	121.41 (17)	H52D—C52X—H52F	109.5
С19—С20—Н20А	119.3	H52E—C52X—H52F	109.5
C21—C20—H20A	119.3	C54—C53—Sn4	115.86 (13)
N6—C21—C20	118.95 (16)	С54—С53—Н53А	108.3
N6—C21—C16	122.97 (16)	Sn4—C53—H53A	108.3
C20—C21—C16	118.07 (16)	С54—С53—Н53В	108.3
016-022-015	120.67 (15)	Sn4—C53—H53B	108.3
016-C22-C23	121.77 (16)	H53A—C53—H53B	107.4
015-C22-C23	117.55 (15)	C55—C54—C53	114.43 (17)
C24—C23—C28	119.26 (16)	С55—С54—Н54А	108.7
$C_{24}$ $C_{23}$ $C_{22}$	119.27 (15)	C53—C54—H54A	108.7
C28—C23—C22	121.45 (16)	C55—C54—H54B	108.7
C25—C24—C23	120.59 (16)	C53—C54—H54B	108.7
C25—C24—H24A	119.7	H54A—C54—H54B	107.6
$C_{23}$ $C_{24}$ $H_{24A}$	119.7	C54—C55—C56	113.45 (19)

C24—C25—C26	121.30 (17)	C54—C55—H55A	108.9
C24—C25—N7	119.29 (17)	С56—С55—Н55А	108.9
C26—C25—N7	119.41 (16)	C54—C55—H55B	108.9
C27—C26—C25	119.04 (17)	С56—С55—Н55В	108.9
С27—С26—Н26А	120.5	H55A—C55—H55B	107.7
C25—C26—H26A	120.5	C55—C56—H56A	109.5
C26—C27—C28	121.58 (17)	C55—C56—H56B	109.5
С26—С27—Н27А	119.2	H56A—C56—H56B	109.5
С28—С27—Н27А	119.2	C55—C56—H56C	109.5
N8—C28—C27	119.23 (16)	H56A—C56—H56C	109.5
N8—C28—C23	122.54 (16)	H56B—C56—H56C	109.5
C27—C28—C23	118.22 (16)	C58—C57—Sn4	119.96 (12)
C30-C29-Sn1	115.88 (12)	С58—С57—Н57А	107.3
С30—С29—Н29А	108.3	Sn4—C57—H57A	107.3
Sn1—C29—H29A	108.3	С58—С57—Н57В	107.3
C30—C29—H29B	108.3	Sn4—C57—H57B	107.3
Sn1—C29—H29B	108.3	H57A—C57—H57B	106.9
H29A—C29—H29B	107.4	C57—C58—C59	112.36 (16)
C29—C30—C31	112.29 (15)	C57—C58—H58A	109.1
С29—С30—Н30А	109.1	C59—C58—H58A	109.1
C31—C30—H30A	109.1	C57—C58—H58B	109.1
C29—C30—H30B	109.1	C59—C58—H58B	109.1
C31—C30—H30B	109.1	H58A—C58—H58B	107.9
H30A—C30—H30B	107.9	C58—C59—C60	113.17 (19)
C32—C31—C30	112.46 (16)	C58—C59—H59A	108.9
C32—C31—H31A	109.1	C60—C59—H59A	108.9
C30—C31—H31A	109.1	C58—C59—H59B	108.9
C32—C31—H31B	109.1	C60—C59—H59B	108.9
C30—C31—H31B	109.1	H59A—C59—H59B	107.8
H31A—C31—H31B	107.8	C59—C60—H60A	109.5
C31—C32—H32A	109.5	C59—C60—H60B	109.5
C31—C32—H32B	109.5	H60A—C60—H60B	109.5
H32A—C32—H32B	109.5	С59—С60—Н60С	109.5
C31—C32—H32C	109.5	H60A—C60—H60C	109.5
H32A—C32—H32C	109.5	H60B—C60—H60C	109.5
H32B—C32—H32C	109.5		
O1—Sn1—Sn2—O2	-179.19 (8)	Sn3—O7—C8—C9	-178.59 (13)
C33—Sn1—Sn2—O2	-91.07 (16)	O8—C8—C9—C10	171.89 (17)
C29—Sn1—Sn2—O2	80.28 (8)	O7—C8—C9—C10	-8.3 (3)
C33X—Sn1—Sn2—O2	-79.27 (17)	O8—C8—C9—C14	-7.8(3)
O4—Sn1—Sn2—O2	174.41 (8)	O7—C8—C9—C14	172.08 (16)
O1—Sn1—Sn2—C41	-73.09(8)	C14—C9—C10—C11	-0.1 (3)
C33—Sn1—Sn2—C41	15.03 (16)	C8—C9—C10—C11	-179.78 (16)
C29—Sn1—Sn2—C41	-173.62 (8)	C9—C10—C11—C12	1.3 (3)
O2—Sn1—Sn2—C41	106.10 (8)	C9—C10—C11—N3	-179.12 (16)
C33X—Sn1—Sn2—C41	26.83 (17)	O10—N3—C11—C10	178.31 (17)
O4—Sn1—Sn2—C41	-79.49 (8)	O9—N3—C11—C10	-2.3 (3)

O1—Sn1—Sn2—C37	91.25 (8)	O10—N3—C11—C12	-2.1 (3)
C33—Sn1—Sn2—C37	179.37 (16)	O9—N3—C11—C12	177.28 (17)
C29—Sn1—Sn2—C37	-9.28 (7)	C10-C11-C12-C13	-0.9 (3)
O2—Sn1—Sn2—C37	-89.56 (8)	N3-C11-C12-C13	179.52 (17)
C33X—Sn1—Sn2—C37	-168.83 (17)	C11—C12—C13—C14	-0.7 (3)
O4—Sn1—Sn2—C37	84.85 (7)	C12—C13—C14—N4	-177.46 (19)
C33—Sn1—Sn2—O1	88.12 (16)	C12—C13—C14—C9	1.8 (3)
C29—Sn1—Sn2—O1	-100.53 (8)	C10—C9—C14—N4	177.86 (18)
O2—Sn1—Sn2—O1	179.19 (8)	C8—C9—C14—N4	-2.5 (3)
C33X—Sn1—Sn2—O1	99.92 (17)	C10-C9-C14-C13	-1.4(3)
O4—Sn1—Sn2—O1	-6.40 (8)	C8—C9—C14—C13	178.28 (17)
O1—Sn1—Sn2—O11	-170.64 (7)	Sn2—O11—C15—O12	46.4 (2)
C33—Sn1—Sn2—O11	-82.52 (16)	Sn2—O11—C15—C16	-132.19 (13)
C29—Sn1—Sn2—O11	88.83 (7)	Sn4—O12—C15—O11	18.1 (3)
O2—Sn1—Sn2—O11	8.55 (7)	Sn4—O12—C15—C16	-163.34 (11)
C33X—Sn1—Sn2—O11	-70.72 (16)	O11—C15—C16—C17	8.0 (2)
O4—Sn1—Sn2—O11	-177.04 (6)	O12-C15-C16-C17	-170.66 (16)
C49X—Sn3—O1—Sn1	67.5 (6)	O11—C15—C16—C21	-174.90 (16)
C45—Sn3—O1—Sn1	-99.67 (10)	O12-C15-C16-C21	6.5 (3)
C49—Sn3—O1—Sn1	73.72 (11)	C21—C16—C17—C18	-0.1 (3)
O7—Sn3—O1—Sn1	169.24 (10)	C15—C16—C17—C18	177.10 (16)
O3—Sn3—O1—Sn1	-17.54 (10)	C16—C17—C18—C19	0.8 (3)
C49X—Sn3—O1—Sn2	-117.4 (6)	C16—C17—C18—N5	-179.03 (16)
C45—Sn3—O1—Sn2	75.44 (9)	O14—N5—C18—C17	170.25 (18)
C49—Sn3—O1—Sn2	-111.18 (9)	O13—N5—C18—C17	-9.9 (3)
O7—Sn3—O1—Sn2	-15.65 (7)	O14—N5—C18—C19	-9.6 (3)
O3—Sn3—O1—Sn2	157.57 (8)	O13—N5—C18—C19	170.24 (18)
C33—Sn1—O1—Sn3	73.10 (19)	C17—C18—C19—C20	0.3 (3)
C29—Sn1—O1—Sn3	-91.06 (10)	N5-C18-C19-C20	-179.79 (17)
O2—Sn1—O1—Sn3	175.28 (11)	C18—C19—C20—C21	-2.2 (3)
C33X—Sn1—O1—Sn3	84.4 (2)	C19—C20—C21—N6	-176.64 (18)
O4—Sn1—O1—Sn3	-9.24 (10)	C19—C20—C21—C16	2.9 (3)
Sn2—Sn1—O1—Sn3	175.78 (13)	C17—C16—C21—N6	177.84 (17)
C33—Sn1—O1—Sn2	-102.68 (17)	C15-C16-C21-N6	0.8 (3)
C29—Sn1—O1—Sn2	93.15 (7)	C17—C16—C21—C20	-1.6 (2)
O2—Sn1—O1—Sn2	-0.50 (5)	C15—C16—C21—C20	-178.71 (16)
C33X—Sn1—O1—Sn2	-91.34 (18)	Sn4—O15—C22—O16	5.59 (19)
O4—Sn1—O1—Sn2	174.98 (6)	Sn4—O15—C22—C23	-173.41 (12)
O2—Sn2—O1—Sn3	-175.80 (9)	O16—C22—C23—C24	-177.31 (16)
C41—Sn2—O1—Sn3	-60.08 (9)	O15—C22—C23—C24	1.7 (2)
C37—Sn2—O1—Sn3	84.73 (9)	O16—C22—C23—C28	1.0 (3)
O11—Sn2—O1—Sn3	-150.90 (12)	O15—C22—C23—C28	179.99 (15)
Sn1—Sn2—O1—Sn3	-176.32 (12)	C28—C23—C24—C25	-1.4 (3)
O2—Sn2—O1—Sn1	0.53 (5)	C22—C23—C24—C25	176.97 (16)
C41—Sn2—O1—Sn1	116.24 (7)	C23—C24—C25—C26	0.3 (3)
C37—Sn2—O1—Sn1	-98.95 (7)	C23—C24—C25—N7	-179.13 (16)
O11—Sn2—O1—Sn1	25.42 (19)	O18—N7—C25—C24	178.88 (18)
C53—Sn4—O2—Sn2	-80.21 (10)	O17—N7—C25—C24	-1.0 (3)

C57—Sn4—O2—Sn2	86.76 (10)	O18—N7—C25—C26	-0.6 (3)
O15—Sn4—O2—Sn2	-177.66 (10)	O17—N7—C25—C26	179.57 (18)
O12—Sn4—O2—Sn2	9.00 (9)	C24—C25—C26—C27	0.8 (3)
C53—Sn4—O2—Sn1	115.23 (8)	N7—C25—C26—C27	-179.73 (18)
C57—Sn4—O2—Sn1	-77.80 (8)	C25—C26—C27—C28	-0.9 (3)
O15—Sn4—O2—Sn1	17.79 (7)	C26—C27—C28—N8	-178.89 (19)
O12—Sn4—O2—Sn1	-155.55 (7)	C26—C27—C28—C23	-0.2 (3)
C41—Sn2—O2—Sn4	101.35 (10)	C24—C23—C28—N8	179.97 (17)
C37—Sn2—O2—Sn4	-65.76 (10)	C22—C23—C28—N8	1.7 (3)
O1—Sn2—O2—Sn4	-166.98 (10)	C24—C23—C28—C27	1.3 (3)
O11—Sn2—O2—Sn4	20.39 (9)	C22—C23—C28—C27	-176.99 (16)
Sn1—Sn2—O2—Sn4	-166.48 (13)	O1—Sn1—C29—C30	155.96 (12)
C41—Sn2—O2—Sn1	-92.16 (8)	C33—Sn1—C29—C30	3.2 (3)
C37—Sn2—O2—Sn1	100.72 (7)	O2—Sn1—C29—C30	-125.67 (13)
O1—Sn2—O2—Sn1	-0.50 (5)	C33X—Sn1—C29—C30	-16.9 (3)
O11—Sn2—O2—Sn1	-173.13 (6)	O4—Sn1—C29—C30	69.62 (13)
O1—Sn1—O2—Sn4	169.06 (8)	Sn2—Sn1—C29—C30	-162.57 (12)
C33—Sn1—O2—Sn4	-91.54 (19)	Sn1—C29—C30—C31	-174.93 (13)
C29—Sn1—O2—Sn4	60.51 (8)	C29—C30—C31—C32	-172.63 (17)
C33X—Sn1—O2—Sn4	-84.64 (18)	O1—Sn1—C33—C34	88.2 (4)
O4—Sn1—O2—Sn4	151.52 (17)	C29—Sn1—C33—C34	-117.9 (4)
Sn2—Sn1—O2—Sn4	168.53 (11)	O2—Sn1—C33—C34	9.3 (4)
O1—Sn1—O2—Sn2	0.53 (5)	C33X—Sn1—C33—C34	-26.2 (14)
C33—Sn1—O2—Sn2	99.93 (19)	O4—Sn1—C33—C34	175.7 (4)
C29—Sn1—O2—Sn2	-108.02 (7)	Sn2—Sn1—C33—C34	47.8 (4)
C33X—Sn1—O2—Sn2	106.83 (18)	Sn1—C33—C34—C35	-159.7 (3)
O4—Sn1—O2—Sn2	-17.0 (2)	C33—C34—C35—C36	74.7 (5)
C49X—Sn3—O3—C1	-71.8 (6)	O1—Sn1—C33X—C34X	-4.3 (4)
O1—Sn3—O3—C1	45.20 (16)	C33—Sn1—C33X—C34X	64.2 (16)
C45—Sn3—O3—C1	158.08 (17)	C29—Sn1—C33X—C34X	168.7 (2)
C49—Sn3—O3—C1	-58.71 (17)	O2—Sn1—C33X—C34X	-81.5 (4)
O7—Sn3—O3—C1	79.8 (3)	O4—Sn1—C33X—C34X	85.9 (4)
O1—Sn1—O4—C1	51.15 (17)	Sn2—Sn1—C33X—C34X	-45.0 (4)
C33—Sn1—O4—C1	-51.3 (3)	Sn1—C33X—C34X—C35X	178.7 (3)
C29—Sn1—O4—C1	161.25 (18)	C33X—C34X—C35X—C36X	173.9 (4)
O2—Sn1—O4—C1	68.2 (3)	O2—Sn2—C37—C38	-91.62 (14)
C33X—Sn1—O4—C1	-55.8 (2)	C41—Sn2—C37—C38	106.11 (16)
Sn2—Sn1—O4—C1	55.21 (18)	O1—Sn2—C37—C38	-13.05 (15)
C49X—Sn3—O7—C8	-63.8 (6)	O11—Sn2—C37—C38	-178.45 (14)
O1—Sn3—O7—C8	-179.24 (12)	Sn1—Sn2—C37—C38	-51.34 (15)
C45—Sn3—O7—C8	68.50 (12)	Sn2—C37—C38—C39	161.63 (13)
C49—Sn3—O7—C8	-76.41 (13)	C37—C38—C39—C40	-74.9 (2)
O3—Sn3—O7—C8	145.6 (2)	O2—Sn2—C41—C42	-149.51 (13)
O2—Sn2—O11—C15	-60.74 (14)	C37—Sn2—C41—C42	11.0 (2)
C41—Sn2—O11—C15	-178.00 (14)	O1—Sn2—C41—C42	132.12 (14)
C37—Sn2—O11—C15	41.63 (14)	O11—Sn2—C41—C42	-65.76 (14)
O1—Sn2—O11—C15	-84.9 (2)	Sn1—Sn2—C41—C42	167.68 (12)
Sn1—Sn2—O11—C15	-66.14 (14)	Sn2—C41—C42—C43	176.64 (14)

O2—Sn4—O12—C15	-42.71 (15)	C41—C42—C43—C44	67.4 (2)
C53—Sn4—O12—C15	62.47 (16)	C49X—Sn3—C45—C46	-4.4 (6)
C57—Sn4—O12—C15	-155.51 (16)	O1—Sn3—C45—C46	160.89 (12)
O15—Sn4—O12—C15	-74.1 (3)	C49—Sn3—C45—C46	-8.4 (2)
O2—Sn4—O15—C22	168.90 (11)	O7—Sn3—C45—C46	-118.09 (13)
C53—Sn4—O15—C22	65.04 (12)	O3—Sn3—C45—C46	73.53 (13)
C57—Sn4—O15—C22	-79.97 (11)	Sn3—C45—C46—C47	174.73 (13)
O12—Sn4—O15—C22	-159.18 (18)	C45—C46—C47—C48	-69.0 (2)
Sn1—O4—C1—O3	-38.2 (3)	C49X—Sn3—C49—C50	-22 (2)
Sn1—O4—C1—C2	141.23 (14)	O1—Sn3—C49—C50	-179.25 (16)
Sn3—O3—C1—O4	-22.1 (3)	C45—Sn3—C49—C50	-9.4 (3)
Sn3—O3—C1—C2	158.50 (12)	O7—Sn3—C49—C50	99.38 (17)
O4—C1—C2—C3	-4.8 (3)	O3—Sn3—C49—C50	-88.50 (17)
O3—C1—C2—C3	174.61 (17)	Sn3—C49—C50—C51	67.5 (2)
O4—C1—C2—C7	177.97 (17)	C49—C50—C51—C52	64.9 (3)
O3—C1—C2—C7	-2.6 (3)	O1—Sn3—C49X—C50X	-161.1 (9)
C7—C2—C3—C4	0.4 (3)	C45—Sn3—C49X—C50X	3.6 (14)
C1—C2—C3—C4	-176.93 (17)	C49—Sn3—C49X—C50X	174 (3)
C2—C3—C4—C5	-0.3 (3)	O7—Sn3—C49X—C50X	112.8 (11)
C2-C3-C4-N1	176.96 (16)	O3—Sn3—C49X—C50X	-73.0 (11)
O5—N1—C4—C3	-169.13 (18)	Sn3—C49X—C50X—C51X	166.1 (12)
O6—N1—C4—C3	10.1 (3)	C49X—C50X—C51X—C52X	-70 (2)
O5—N1—C4—C5	8.2 (3)	O2—Sn4—C53—C54	171.92 (13)
O6—N1—C4—C5	-172.65 (18)	C57—Sn4—C53—C54	11.1 (2)
C3—C4—C5—C6	-0.9 (3)	O15—Sn4—C53—C54	-105.84 (14)
N1-C4-C5-C6	-178.09 (17)	O12—Sn4—C53—C54	82.96 (14)
C4—C5—C6—C7	1.9 (3)	Sn4—C53—C54—C55	-60.8 (2)
C5—C6—C7—N2	177.84 (18)	C53—C54—C55—C56	-174.58 (18)
C5—C6—C7—C2	-1.8 (3)	O2—Sn4—C57—C58	99.39 (14)
C3—C2—C7—N2	-178.98 (17)	C53—Sn4—C57—C58	-100.64 (17)
C1—C2—C7—N2	-1.8 (3)	O15—Sn4—C57—C58	16.56 (15)
C3—C2—C7—C6	0.6 (3)	O12—Sn4—C57—C58	-176.11 (15)
C1—C2—C7—C6	177.74 (17)	Sn4—C57—C58—C59	-178.80 (14)
Sn3—O7—C8—O8	1.2 (2)	C57—C58—C59—C60	-178.49 (18)

# Hydrogen-bond geometry (Å, °)

D—H···A	D—H	H···A	D····A	D—H···A
N2—H1 <i>N</i> 2····O9 <sup>i</sup>	0.86 (3)	2.32 (3)	3.122 (3)	157 (3)
N2—H2 <i>N</i> 2···O3	0.84 (3)	2.02 (3)	2.684 (3)	135 (2)
N4—H1 <i>N</i> 4····O6 <sup>ii</sup>	0.84 (3)	2.20 (3)	3.002 (2)	160 (3)
N4—H2 <i>N</i> 4···O8	0.87 (3)	2.02 (3)	2.675 (2)	131 (3)
N6—H1 <i>N</i> 6···O12	0.82 (3)	2.07 (3)	2.688 (3)	132 (2)
N6—H2 <i>N</i> 6…O17 <sup>iii</sup>	0.83 (3)	2.36 (3)	3.152 (3)	158 (2)
N6—H2 <i>N</i> 6···O18 <sup>iii</sup>	0.83 (3)	2.49 (2)	3.229 (3)	149 (2)
N8—H1 <i>N</i> 8…O16	0.86 (3)	2.03 (3)	2.674 (2)	131 (3)
N8—H2 <i>N</i> 8····O13 <sup>iv</sup>	0.82 (3)	2.22 (3)	2.998 (2)	160 (3)
C6—H6A····O9 <sup>i</sup>	0.95	2.48	3.261 (2)	139

C13—H13A····O6 <sup>ii</sup>	0.95	2.57	3.350 (2)	140
C20—H20A···O17 <sup>iii</sup>	0.95	2.54	3.338 (3)	142
C43—H43 <i>B</i> ···O13 <sup>v</sup>	0.99	2.58	3.544 (3)	164
C50—H50 <i>B</i> ···O8	0.99	2.56	3.304 (3)	131
C54—H54A…O16	0.99	2.51	3.210 (3)	128
C58—H58A····O16	0.99	2.58	3.221 (2)	123

Symmetry codes: (i) *x*-1, *y*, *z*; (ii) *x*+1, *y*-1, *z*; (iii) *x*+1, *y*, *z*; (iv) *x*-1, *y*+1, *z*; (v) -*x*+2, -*y*, -*z*+1.