

Acta Crystallographica Section E

Structure Reports

Online

ISSN 1600-5368

8-Hydroxy-2-methylquinolinium tetrachlorido(pyrazine-2-carboxylato- κ^2N^1,O^2)stannate(IV) methanol monosolvate

Marzieh Vafae, ^a Ezzatollah Najafi, ^a Mostafa M. Amini^a and Seik Weng Ng ^{b,c,*}

^aDepartment of Chemistry, General Campus, Shahid Beheshti University, Tehran 1983963113, Iran, ^bDepartment of Chemistry, University of Malaya, 50603 Kuala Lumpur, Malaysia, and ^cChemistry Department, Faculty of Science, King Abdulaziz University, PO Box 80203 Jeddah, Saudi Arabia

Correspondence e-mail: seikweng@um.edu.my


Received 1 August 2011; accepted 9 August 2011

Key indicators: single-crystal X-ray study; $T = 100$ K; mean $\sigma(C-C) = 0.007$ Å; R factor = 0.038; wR factor = 0.116; data-to-parameter ratio = 22.8.

In the title solvated salt, $(C_{10}H_{10}NO)[SnCl_4(C_5H_3N_2O_2)] \cdot CH_3OH$, the Sn^{IV} atom is chelated by the N,O -bidentate pyrazine-2-carboxylate ligand and four chloride ions, and shows a distorted octahedral $SnNOCl_4$ coordination at the metal atom. The 8-hydroxy-2-methylquinolinium cation and the anion are linked to the methanol molecules by $O-H \cdots O$, $O-H \cdots N$ and $N-H \cdots O$ hydrogen bonds, generating a linear chain running along $[1\bar{1}0]$. There are two independent ion pairs and solvent molecules in the asymmetric unit. The crystal studied was a non-merohedral twin with a 41.8 (1)% twin component.

Related literature

For another ammonium tetrachlorido(pyrazine-2-carboxylato)stannate(IV), see: Najafi *et al.* (2011).



Experimental

Crystal data

$(C_{10}H_{10}NO)[SnCl_4(C_5H_3N_2O_2)] \cdot CH_3OH$
 $M_r = 575.82$
 Triclinic, $P\bar{1}$
 $a = 6.8392$ (2) Å
 $b = 16.9759$ (8) Å
 $c = 17.6637$ (10) Å
 $\alpha = 90.337$ (4)°
 $\beta = 94.429$ (4)°
 $\gamma = 92.232$ (3)°
 $V = 2043.03$ (16) Å³
 $Z = 4$
 Mo $K\alpha$ radiation
 $\mu = 1.80$ mm⁻¹
 $T = 100$ K
 $0.25 \times 0.25 \times 0.10$ mm

Data collection

Agilent SuperNova Dual diffractometer with an Atlas detector
 Absorption correction: multi-scan (*CrysAlis PRO*; Agilent, 2010)
 $T_{min} = 0.661$, $T_{max} = 0.840$
 11717 measured reflections
 11717 independent reflections
 10323 reflections with $I > 2\sigma(I)$
 $R_{int} = 0.074$

Refinement

$R[F^2 > 2\sigma(F^2)] = 0.038$
 $wR(F^2) = 0.116$
 $S = 1.08$
 11717 reflections
 514 parameters
 H-atom parameters constrained
 $\Delta\rho_{max} = 1.47$ e Å⁻³
 $\Delta\rho_{min} = -1.44$ e Å⁻³

Table 1

Hydrogen-bond geometry (Å, °).

$D-H \cdots A$	$D-H$	$H \cdots A$	$D \cdots A$	$D-H \cdots A$
O5—H5o \cdots O7	0.84	1.84	2.661 (5)	167
O7—H7o \cdots N2	0.84	2.05	2.871 (5)	165
O6—H6o \cdots O8	0.84	1.82	2.649 (5)	171
O8—H8o \cdots N4	0.84	2.10	2.924 (5)	168
N5—H5n \cdots O4	0.88	1.88	2.731 (5)	163
N6—H6n \cdots O2 ⁱ	0.88	1.98	2.838 (5)	164

Symmetry code: (i) $x + 1, y - 1, z$.

Data collection: *CrysAlis PRO* (Agilent, 2010); cell refinement: *CrysAlis PRO*; data reduction: *CrysAlis PRO*; program(s) used to solve structure: *SHELXS97* (Sheldrick, 2008); program(s) used to refine structure: *SHELXL97* (Sheldrick, 2008); molecular graphics: *X-SEED* (Barbour, 2001); software used to prepare material for publication: *publCIF* (Westrip, 2010).

We thank Shahid Beheshti University and the University of Malaya for supporting this study.

Supplementary data and figures for this paper are available from the IUCr electronic archives (Reference: ZS2137).

References

- Agilent (2010). *CrysAlis PRO*. Agilent Technologies, Yarnton, England.
 Barbour, L. J. (2001). *J. Supramol. Chem.* **1**, 189–191.
 Najafi, E., Amini, M. M. & Ng, S. W. (2011). *Acta Cryst.* **E67**, m238.
 Sheldrick, G. M. (2008). *Acta Cryst.* **A64**, 112–122.
 Westrip, S. P. (2010). *J. Appl. Cryst.* **43**, 920–925.

supporting information

Acta Cryst. (2011). E67, m1246 [doi:10.1107/S1600536811032296]

8-Hydroxy-2-methylquinolinium tetrachlorido(pyrazine-2-carboxylato- κ^2N^1,O^2)stannate(IV) methanol monosolvate

Marzieh Vafae, Ezzatollah Najafi, Mostafa M. Amini and Seik Weng Ng

S1. Comment

In a recent study, we reacted stannic chloride with pyrazine-2-carboxylic acid in methanol, the reaction yielding the tetrachlorido(pyrazine-2-carboxylato)stannate anion, whose charge was balanced by a 3-methoxycarbonyl-1-methylpyrazinium cation (Najafi *et al.*, 2011). The cation was derived from the original carboxylic acid which was simultaneously esterified and *N*-methylated. A similar synthesis but with 2-methyl-8-hydroxyquinoline in methanol medium yielded the solvated title salt (Scheme I, Fig. 1). The less sterically crowded carboxylate ligand engages in chelation, and the more crowded quinoline ligand is protonated. The Sn^{IV} atom shows distorted octahedral SnNOCl₄ coordination. The cation and anion are linked to the methanol molecules by O—H \cdots O and N—H \cdots O hydrogen bonds (Table 1). There are two independent ion-pairs and solvent molecules. The crystal studied is a non-merohedral twin with a 41.8 (1)% twin component.

S2. Experimental

Stannic chloride pentahydrate (0.35 g, 1 mmol), pyrazine-2-carboxylic acid (0.13 g, 1 mmol) and 2-methyl-8-hydroxyquinoline (0.16 g, 1 mmol) were loaded into a convection tube and the tube was filled with dry methanol and kept at 333 K. Colorless crystals were collected from the side arm after several days.

S3. Refinement

Carbon-, nitrogen- and oxygen-bound H-atoms were placed in calculated positions [C—H = 0.95 to 0.98 Å, N—H = 0.88 Å, O—H = 0.84 Å] and $U_{\text{iso}}(\text{H}) = 1.2$ to $1.5U_{\text{eq}}(\text{C}, \text{N}, \text{O})$ and were included in the refinement in the riding model approximation. The final difference Fourier map had a peak in the vicinity of Sn2 and a hole in the vicinity of Sn1. The crystal studied is a non-merohedral twin with a minor component of 41.8 (1)%.




Figure 1

Thermal ellipsoid plot (Barbour, 2001) of $(\text{C}_{10}\text{H}_{10}\text{NO})[\text{SnCl}_4(\text{C}_5\text{H}_3\text{N}_2\text{O}_2)]\cdot\text{CH}_3\text{OH}$, at the 70% probability level. Hydrogen atoms are drawn as spheres of arbitrary radius.

8-Hydroxy-2-methylquinolinium tetrachlorido(pyrazine-2-carboxylato- $\kappa^2\text{N}^1, \text{O}^2$)stannate(IV) methanol monosolvate

Crystal data

$(\text{C}_{10}\text{H}_{10}\text{NO})[\text{SnCl}_4(\text{C}_5\text{H}_3\text{N}_2\text{O}_2)]\cdot\text{CH}_4\text{O}$

$M_r = 575.82$

Triclinic, $P\bar{1}$

Hall symbol: $-P\ 1$

$a = 6.8392\ (2)\ \text{\AA}$

$b = 16.9759\ (8)\ \text{\AA}$

$c = 17.6637\ (10)\ \text{\AA}$

$\alpha = 90.337\ (4)^\circ$

$\beta = 94.429\ (4)^\circ$

$\gamma = 92.232\ (3)^\circ$

$V = 2043.03\ (16)\ \text{\AA}^3$

$Z = 4$

$F(000) = 1136$

$D_x = 1.872\ \text{Mg m}^{-3}$

Mo $K\alpha$ radiation, $\lambda = 0.71073\ \text{\AA}$

Cell parameters from 4896 reflections

$\theta = 2.3\text{--}27.5^\circ$

$\mu = 1.80\ \text{mm}^{-1}$

$T = 100\ \text{K}$

Prism, colorless

$0.25 \times 0.25 \times 0.10\ \text{mm}$

Data collection

Agilent SuperNova Dual

diffractometer with an Atlas detector

Radiation source: SuperNova (Mo) X-ray

Source

Mirror monochromator

Detector resolution: $10.4041\ \text{pixels mm}^{-1}$

ω scans

Absorption correction: multi-scan

(*CrysAlis PRO*; Agilent, 2010)

$T_{\min} = 0.661$, $T_{\max} = 0.840$

11717 measured reflections

11717 independent reflections

10323 reflections with $I > 2\sigma(I)$

$R_{\text{int}} = 0.074$

$\theta_{\max} = 27.5^\circ$, $\theta_{\min} = 2.3^\circ$

$h = -8 \rightarrow 8$

$k = -21 \rightarrow 21$

$l = -22 \rightarrow 22$

Refinement

Refinement on F^2

Least-squares matrix: full

$R[F^2 > 2\sigma(F^2)] = 0.038$

$wR(F^2) = 0.116$

$S = 1.08$

11717 reflections

514 parameters

0 restraints

Primary atom site location: structure-invariant
direct methods

Secondary atom site location: difference Fourier
map

Hydrogen site location: inferred from
neighbouring sites
H-atom parameters constrained

$$w = 1/[\sigma^2(F_o^2) + (0.0698P)^2]$$

where $P = (F_o^2 + 2F_c^2)/3$
 $(\Delta/\sigma)_{\max} = 0.001$
 $\Delta\rho_{\max} = 1.47 \text{ e } \text{\AA}^{-3}$
 $\Delta\rho_{\min} = -1.44 \text{ e } \text{\AA}^{-3}$

Fractional atomic coordinates and isotropic or equivalent isotropic displacement parameters (\AA^2)

	<i>x</i>	<i>y</i>	<i>z</i>	$U_{\text{iso}}^*/U_{\text{eq}}$
Sn1	0.61697 (4)	1.596168 (18)	0.654851 (18)	0.00792 (8)
Sn2	1.08405 (4)	1.091896 (18)	0.846561 (18)	0.00807 (9)
Cl1	0.45746 (16)	1.69944 (7)	0.71191 (7)	0.0121 (2)
Cl2	0.57579 (16)	1.63204 (7)	0.52408 (6)	0.0136 (2)
Cl3	0.32606 (16)	1.51100 (7)	0.64196 (7)	0.0123 (2)
Cl4	0.93371 (16)	1.65961 (7)	0.66605 (7)	0.0158 (3)
Cl5	0.91591 (17)	1.19680 (7)	0.78769 (7)	0.0137 (2)
Cl6	1.07721 (16)	1.12849 (7)	0.97661 (6)	0.0127 (2)
Cl7	1.40092 (16)	1.15454 (7)	0.84076 (7)	0.0140 (2)
Cl8	0.79318 (16)	1.00802 (7)	0.85129 (7)	0.0133 (2)
O1	0.6790 (4)	1.54266 (19)	0.75974 (18)	0.0112 (7)
O2	0.8132 (5)	1.4405 (2)	0.82093 (19)	0.0158 (7)
O3	1.1240 (5)	1.03584 (19)	0.74318 (18)	0.0118 (7)
O4	1.2544 (5)	0.9339 (2)	0.68656 (19)	0.0171 (8)
O5	1.2786 (5)	1.0859 (2)	0.59595 (19)	0.0154 (7)
H5O	1.2615	1.1322	0.6103	0.023*
O6	1.8052 (5)	0.5901 (2)	0.92417 (19)	0.0147 (7)
H6O	1.8119	0.6375	0.9110	0.022*
O7	1.2839 (5)	1.2368 (2)	0.6382 (2)	0.0228 (9)
H7O	1.1952	1.2673	0.6235	0.034*
O8	1.7831 (5)	0.7393 (2)	0.8827 (2)	0.0188 (8)
H8O	1.6821	0.7647	0.8882	0.028*
N1	0.7781 (5)	1.4869 (2)	0.6269 (2)	0.0089 (8)
N2	0.9857 (6)	1.3506 (2)	0.6162 (2)	0.0134 (9)
N3	1.2494 (5)	0.9823 (2)	0.8807 (2)	0.0081 (8)
N4	1.4662 (6)	0.8481 (2)	0.8964 (2)	0.0138 (9)
N5	1.2367 (5)	0.9428 (2)	0.5319 (2)	0.0094 (8)
H5N	1.2372	0.9503	0.5812	0.011*
N6	1.7531 (5)	0.4442 (2)	0.9781 (2)	0.0094 (8)
H6N	1.7733	0.4534	0.9303	0.011*
C1	0.7736 (6)	1.4772 (3)	0.7640 (3)	0.0092 (9)
C2	0.8332 (6)	1.4461 (3)	0.6889 (3)	0.0099 (9)
C3	0.9371 (7)	1.3782 (3)	0.6833 (3)	0.0136 (10)
H3	0.9750	1.3504	0.7282	0.016*
C4	0.9310 (6)	1.3919 (3)	0.5549 (3)	0.0133 (10)
H4	0.9660	1.3745	0.5067	0.016*
C5	0.8231 (6)	1.4605 (3)	0.5591 (3)	0.0098 (9)
H5	0.7823	1.4877	0.5142	0.012*
C6	1.2204 (7)	0.9719 (3)	0.7426 (3)	0.0115 (9)

C7	1.2951 (6)	0.9421 (3)	0.8197 (3)	0.0095 (9)
C8	1.4038 (7)	0.8751 (3)	0.8276 (3)	0.0135 (10)
H8	1.4351	0.8476	0.7834	0.016*
C9	1.4166 (6)	0.8884 (3)	0.9566 (3)	0.0130 (10)
H9	1.4571	0.8707	1.0060	0.016*
C10	1.3069 (7)	0.9558 (3)	0.9490 (3)	0.0134 (10)
H10	1.2731	0.9829	0.9931	0.016*
C11	1.2567 (7)	1.0078 (3)	0.4856 (3)	0.0099 (9)
C12	1.2771 (6)	1.0836 (3)	0.5197 (3)	0.0112 (9)
C13	1.2956 (7)	1.1475 (3)	0.4735 (3)	0.0132 (10)
H13	1.3116	1.1988	0.4953	0.016*
C14	1.2913 (7)	1.1381 (3)	0.3940 (3)	0.0166 (11)
H14	1.3013	1.1833	0.3628	0.020*
C15	1.2730 (7)	1.0648 (3)	0.3611 (3)	0.0177 (11)
H15	1.2730	1.0590	0.3076	0.021*
C16	1.2541 (6)	0.9978 (3)	0.4072 (3)	0.0123 (10)
C17	1.2341 (7)	0.9196 (3)	0.3781 (3)	0.0143 (10)
H17	1.2339	0.9104	0.3249	0.017*
C18	1.2155 (7)	0.8578 (3)	0.4256 (3)	0.0143 (10)
H18	1.2014	0.8059	0.4051	0.017*
C19	1.2165 (6)	0.8689 (3)	0.5043 (3)	0.0127 (10)
C20	1.1981 (7)	0.8021 (3)	0.5576 (3)	0.0192 (11)
H20A	1.2089	0.8223	0.6099	0.029*
H20B	1.3028	0.7654	0.5511	0.029*
H20C	1.0702	0.7745	0.5469	0.029*
C31	1.7444 (6)	0.5077 (3)	1.0259 (3)	0.0093 (9)
C32	1.7685 (6)	0.5861 (3)	0.9984 (3)	0.0109 (10)
C33	1.7570 (6)	0.6482 (3)	1.0467 (3)	0.0123 (10)
H33	1.7725	0.7005	1.0286	0.015*
C34	1.7222 (7)	0.6355 (3)	1.1238 (3)	0.0158 (10)
H34	1.7153	0.6794	1.1568	0.019*
C35	1.6983 (7)	0.5611 (3)	1.1512 (3)	0.0142 (10)
H35	1.6745	0.5536	1.2030	0.017*
C36	1.7087 (6)	0.4953 (3)	1.1028 (3)	0.0131 (10)
C37	1.6868 (7)	0.4162 (3)	1.1267 (3)	0.0139 (10)
H37	1.6628	0.4054	1.1779	0.017*
C38	1.6998 (7)	0.3554 (3)	1.0765 (3)	0.0130 (10)
H38	1.6866	0.3026	1.0935	0.016*
C39	1.7329 (6)	0.3701 (3)	0.9996 (3)	0.0108 (9)
C40	1.7473 (7)	0.3053 (3)	0.9442 (3)	0.0150 (10)
H40A	1.7911	0.3270	0.8968	0.022*
H40B	1.6184	0.2785	0.9342	0.022*
H40C	1.8420	0.2677	0.9650	0.022*
C41	1.4473 (7)	1.2813 (3)	0.6720 (3)	0.0219 (12)
H41A	1.5213	1.3054	0.6321	0.033*
H41B	1.5322	1.2467	0.7027	0.033*
H41C	1.4016	1.3228	0.7044	0.033*
C42	1.9073 (7)	0.7824 (3)	0.8360 (3)	0.0195 (11)

H42A	1.9553	0.8313	0.8621	0.029*
H42B	1.8337	0.7950	0.7881	0.029*
H42C	2.0189	0.7506	0.8255	0.029*

Atomic displacement parameters (Å²)

	U^{11}	U^{22}	U^{33}	U^{12}	U^{13}	U^{23}
Sn1	0.00955 (15)	0.00599 (17)	0.00853 (16)	0.00151 (11)	0.00198 (12)	0.00095 (12)
Sn2	0.01070 (15)	0.00607 (17)	0.00769 (16)	0.00190 (12)	0.00154 (12)	-0.00014 (12)
Cl1	0.0160 (5)	0.0070 (5)	0.0141 (6)	0.0036 (4)	0.0042 (4)	-0.0003 (4)
Cl2	0.0179 (6)	0.0132 (6)	0.0101 (6)	0.0026 (4)	0.0025 (4)	0.0033 (4)
Cl3	0.0113 (5)	0.0116 (6)	0.0140 (6)	-0.0030 (4)	0.0019 (4)	0.0006 (5)
Cl4	0.0114 (5)	0.0141 (6)	0.0220 (6)	-0.0019 (4)	0.0028 (5)	-0.0015 (5)
Cl5	0.0175 (6)	0.0092 (6)	0.0141 (6)	0.0045 (4)	-0.0019 (4)	0.0010 (4)
Cl6	0.0172 (5)	0.0124 (6)	0.0089 (5)	0.0023 (4)	0.0025 (4)	-0.0028 (4)
Cl7	0.0117 (5)	0.0130 (6)	0.0175 (6)	-0.0013 (4)	0.0022 (4)	0.0026 (5)
Cl8	0.0120 (5)	0.0139 (6)	0.0139 (6)	-0.0019 (4)	0.0015 (4)	-0.0010 (5)
O1	0.0144 (16)	0.0110 (17)	0.0087 (16)	0.0055 (13)	0.0004 (13)	0.0032 (13)
O2	0.0200 (18)	0.0168 (19)	0.0111 (17)	0.0054 (15)	0.0016 (14)	0.0061 (15)
O3	0.0176 (17)	0.0092 (17)	0.0087 (16)	0.0024 (13)	0.0009 (13)	-0.0034 (13)
O4	0.030 (2)	0.0126 (19)	0.0098 (17)	0.0036 (15)	0.0056 (15)	-0.0017 (14)
O5	0.0252 (19)	0.0099 (18)	0.0115 (17)	0.0035 (15)	0.0030 (15)	-0.0038 (14)
O6	0.0227 (18)	0.0116 (18)	0.0105 (17)	0.0022 (15)	0.0055 (14)	0.0020 (14)
O7	0.0184 (18)	0.015 (2)	0.034 (2)	0.0076 (15)	-0.0065 (17)	-0.0047 (17)
O8	0.024 (2)	0.0103 (18)	0.023 (2)	0.0060 (15)	0.0056 (16)	0.0068 (15)
N1	0.0115 (19)	0.0030 (19)	0.012 (2)	-0.0017 (15)	0.0021 (15)	-0.0001 (15)
N2	0.013 (2)	0.008 (2)	0.018 (2)	-0.0023 (16)	0.0019 (17)	-0.0015 (17)
N3	0.0077 (18)	0.0044 (19)	0.0121 (19)	0.0004 (14)	0.0002 (15)	0.0000 (15)
N4	0.0107 (19)	0.012 (2)	0.018 (2)	0.0024 (16)	-0.0006 (16)	-0.0004 (17)
N5	0.0082 (18)	0.010 (2)	0.011 (2)	0.0031 (15)	0.0021 (15)	-0.0022 (16)
N6	0.0080 (18)	0.009 (2)	0.011 (2)	0.0017 (15)	0.0006 (15)	0.0004 (16)
C1	0.010 (2)	0.004 (2)	0.013 (2)	-0.0035 (17)	-0.0013 (17)	-0.0001 (18)
C2	0.011 (2)	0.008 (2)	0.010 (2)	-0.0027 (18)	-0.0002 (18)	-0.0029 (18)
C3	0.014 (2)	0.011 (2)	0.016 (3)	0.0020 (19)	0.0033 (19)	0.001 (2)
C4	0.009 (2)	0.011 (2)	0.020 (3)	0.0015 (18)	0.0024 (19)	-0.007 (2)
C5	0.014 (2)	0.006 (2)	0.010 (2)	-0.0031 (17)	0.0034 (18)	-0.0021 (18)
C6	0.015 (2)	0.008 (2)	0.012 (2)	0.0008 (18)	0.0040 (18)	-0.0002 (18)
C7	0.011 (2)	0.006 (2)	0.011 (2)	-0.0035 (18)	0.0031 (18)	-0.0013 (18)
C8	0.014 (2)	0.011 (2)	0.016 (2)	0.0002 (18)	0.0056 (19)	-0.005 (2)
C9	0.012 (2)	0.012 (2)	0.014 (2)	0.0000 (18)	-0.0043 (18)	0.005 (2)
C10	0.014 (2)	0.016 (3)	0.010 (2)	0.0009 (19)	0.0021 (18)	-0.0031 (19)
C11	0.0080 (19)	0.007 (2)	0.014 (2)	0.0022 (17)	-0.0015 (18)	0.0032 (19)
C12	0.005 (2)	0.014 (2)	0.015 (2)	0.0025 (17)	0.0041 (18)	0.001 (2)
C13	0.014 (2)	0.012 (2)	0.014 (2)	0.0013 (19)	0.0013 (19)	0.001 (2)
C14	0.018 (2)	0.012 (2)	0.020 (3)	0.0015 (19)	-0.001 (2)	0.010 (2)
C15	0.018 (2)	0.021 (3)	0.014 (3)	0.000 (2)	0.003 (2)	0.005 (2)
C16	0.008 (2)	0.016 (3)	0.012 (2)	0.0032 (18)	0.0004 (18)	0.001 (2)
C17	0.021 (3)	0.014 (3)	0.007 (2)	0.006 (2)	-0.0059 (19)	-0.0059 (19)

C18	0.017 (2)	0.011 (2)	0.015 (2)	0.0006 (19)	-0.0013 (19)	-0.004 (2)
C19	0.007 (2)	0.011 (2)	0.020 (3)	0.0008 (18)	0.0016 (19)	-0.001 (2)
C20	0.023 (3)	0.017 (3)	0.018 (3)	-0.003 (2)	0.006 (2)	0.001 (2)
C31	0.006 (2)	0.007 (2)	0.015 (2)	0.0024 (17)	-0.0005 (18)	-0.0010 (19)
C32	0.007 (2)	0.014 (2)	0.013 (2)	0.0034 (18)	0.0024 (18)	0.0045 (19)
C33	0.012 (2)	0.009 (2)	0.016 (2)	0.0018 (18)	-0.0023 (19)	-0.0016 (19)
C34	0.013 (2)	0.017 (3)	0.018 (3)	0.005 (2)	0.001 (2)	0.000 (2)
C35	0.012 (2)	0.016 (3)	0.015 (2)	0.0011 (19)	0.003 (2)	-0.003 (2)
C36	0.010 (2)	0.014 (3)	0.016 (2)	0.0065 (18)	0.0002 (18)	0.002 (2)
C37	0.014 (2)	0.017 (3)	0.011 (2)	-0.001 (2)	0.0028 (19)	0.003 (2)
C38	0.013 (2)	0.010 (2)	0.017 (3)	-0.0024 (18)	0.0040 (19)	0.007 (2)
C39	0.009 (2)	0.009 (2)	0.015 (2)	0.0004 (18)	0.0016 (18)	-0.0017 (19)
C40	0.021 (3)	0.006 (2)	0.018 (3)	0.0001 (19)	0.001 (2)	-0.0026 (19)
C41	0.022 (3)	0.022 (3)	0.022 (3)	0.001 (2)	0.004 (2)	0.002 (2)
C42	0.018 (2)	0.022 (3)	0.019 (3)	0.000 (2)	0.003 (2)	0.003 (2)

Geometric parameters (Å, °)

Sn1—O1	2.089 (3)	C8—H8	0.9500
Sn1—N1	2.265 (4)	C9—C10	1.393 (7)
Sn1—Cl1	2.3617 (11)	C9—H9	0.9500
Sn1—Cl4	2.3752 (11)	C10—H10	0.9500
Sn1—Cl2	2.3906 (12)	C11—C16	1.392 (6)
Sn1—Cl3	2.4089 (11)	C11—C12	1.416 (7)
Sn2—O3	2.096 (3)	C12—C13	1.368 (7)
Sn2—N3	2.275 (4)	C13—C14	1.410 (7)
Sn2—Cl5	2.3605 (12)	C13—H13	0.9500
Sn2—Cl6	2.3806 (11)	C14—C15	1.368 (7)
Sn2—Cl7	2.3862 (11)	C14—H14	0.9500
Sn2—Cl8	2.4079 (11)	C15—C16	1.409 (7)
O1—C1	1.308 (5)	C15—H15	0.9500
O2—C1	1.205 (6)	C16—C17	1.420 (7)
O3—C6	1.292 (6)	C17—C18	1.355 (7)
O4—C6	1.221 (6)	C17—H17	0.9500
O5—C12	1.347 (6)	C18—C19	1.401 (7)
O5—H5O	0.8400	C18—H18	0.9500
O6—C32	1.356 (6)	C19—C20	1.486 (7)
O6—H6O	0.8400	C20—H20A	0.9800
O7—C41	1.415 (6)	C20—H20B	0.9800
O7—H7O	0.8400	C20—H20C	0.9800
O8—C42	1.414 (6)	C31—C36	1.413 (7)
O8—H8O	0.8400	C31—C32	1.426 (6)
N1—C2	1.337 (6)	C32—C33	1.361 (7)
N1—C5	1.338 (6)	C33—C34	1.415 (7)
N2—C4	1.330 (6)	C33—H33	0.9500
N2—C3	1.342 (6)	C34—C35	1.363 (7)
N3—C10	1.327 (6)	C34—H34	0.9500
N3—C7	1.336 (6)	C35—C36	1.411 (7)

N4—C9	1.334 (6)	C35—H35	0.9500
N4—C8	1.346 (6)	C36—C37	1.415 (7)
N5—C19	1.341 (6)	C37—C38	1.367 (7)
N5—C11	1.387 (6)	C37—H37	0.9500
N5—H5N	0.8800	C38—C39	1.416 (6)
N6—C39	1.322 (6)	C38—H38	0.9500
N6—C31	1.372 (6)	C39—C40	1.478 (6)
N6—H6N	0.8800	C40—H40A	0.9800
C1—C2	1.515 (6)	C40—H40B	0.9800
C2—C3	1.384 (6)	C40—H40C	0.9800
C3—H3	0.9500	C41—H41A	0.9800
C4—C5	1.407 (6)	C41—H41B	0.9800
C4—H4	0.9500	C41—H41C	0.9800
C5—H5	0.9500	C42—H42A	0.9800
C6—C7	1.515 (6)	C42—H42B	0.9800
C7—C8	1.385 (6)	C42—H42C	0.9800
O1—Sn1—N1	75.54 (13)	C9—C10—H10	119.8
O1—Sn1—C11	91.69 (9)	N5—C11—C16	120.1 (4)
N1—Sn1—C11	167.23 (10)	N5—C11—C12	118.6 (4)
O1—Sn1—C14	89.55 (9)	C16—C11—C12	121.3 (4)
N1—Sn1—C14	84.94 (10)	O5—C12—C13	125.8 (5)
C11—Sn1—C14	95.50 (4)	O5—C12—C11	116.0 (4)
O1—Sn1—C12	167.42 (9)	C13—C12—C11	118.2 (4)
N1—Sn1—C12	91.93 (10)	C12—C13—C14	121.0 (5)
C11—Sn1—C12	100.83 (4)	C12—C13—H13	119.5
C14—Sn1—C12	90.47 (4)	C14—C13—H13	119.5
O1—Sn1—C13	86.50 (9)	C15—C14—C13	120.8 (5)
N1—Sn1—C13	85.21 (10)	C15—C14—H14	119.6
C11—Sn1—C13	93.76 (4)	C13—C14—H14	119.6
C14—Sn1—C13	170.03 (4)	C14—C15—C16	119.6 (5)
C12—Sn1—C13	91.41 (4)	C14—C15—H15	120.2
O3—Sn2—N3	75.79 (13)	C16—C15—H15	120.2
O3—Sn2—C15	93.46 (10)	C11—C16—C15	119.2 (5)
N3—Sn2—C15	169.25 (10)	C11—C16—C17	117.4 (4)
O3—Sn2—C16	166.10 (10)	C15—C16—C17	123.4 (5)
N3—Sn2—C16	90.32 (10)	C18—C17—C16	120.4 (4)
C15—Sn2—C16	100.43 (4)	C18—C17—H17	119.8
O3—Sn2—C17	88.23 (9)	C16—C17—H17	119.8
N3—Sn2—C17	85.53 (10)	C17—C18—C19	121.5 (5)
C15—Sn2—C17	94.30 (4)	C17—C18—H18	119.3
C16—Sn2—C17	91.27 (4)	C19—C18—H18	119.3
O3—Sn2—C18	86.55 (9)	N5—C19—C18	118.1 (5)
N3—Sn2—C18	85.19 (10)	N5—C19—C20	119.4 (5)
C15—Sn2—C18	94.26 (4)	C18—C19—C20	122.5 (5)
C16—Sn2—C18	91.82 (4)	C19—C20—H20A	109.5
C17—Sn2—C18	170.23 (4)	C19—C20—H20B	109.5
C1—O1—Sn1	120.4 (3)	H20A—C20—H20B	109.5

C6—O3—Sn2	119.9 (3)	C19—C20—H20C	109.5
C12—O5—H5O	109.5	H20A—C20—H20C	109.5
C32—O6—H6O	109.5	H20B—C20—H20C	109.5
C41—O7—H7O	109.5	N6—C31—C36	119.6 (4)
C42—O8—H8O	109.5	N6—C31—C32	120.5 (4)
C2—N1—C5	118.8 (4)	C36—C31—C32	119.9 (4)
C2—N1—Sn1	112.3 (3)	O6—C32—C33	126.4 (5)
C5—N1—Sn1	128.9 (3)	O6—C32—C31	114.2 (4)
C4—N2—C3	117.0 (4)	C33—C32—C31	119.5 (4)
C10—N3—C7	118.6 (4)	C32—C33—C34	120.5 (5)
C10—N3—Sn2	130.2 (3)	C32—C33—H33	119.8
C7—N3—Sn2	111.2 (3)	C34—C33—H33	119.8
C9—N4—C8	116.8 (4)	C35—C34—C33	121.0 (5)
C19—N5—C11	122.5 (4)	C35—C34—H34	119.5
C19—N5—H5N	118.8	C33—C34—H34	119.5
C11—N5—H5N	118.8	C34—C35—C36	120.1 (5)
C39—N6—C31	123.9 (4)	C34—C35—H35	119.9
C39—N6—H6N	118.1	C36—C35—H35	119.9
C31—N6—H6N	118.1	C35—C36—C31	119.0 (5)
O2—C1—O1	126.0 (4)	C35—C36—C37	123.7 (5)
O2—C1—C2	119.0 (4)	C31—C36—C37	117.2 (4)
O1—C1—C2	115.0 (4)	C38—C37—C36	120.4 (4)
N1—C2—C3	120.7 (4)	C38—C37—H37	119.8
N1—C2—C1	116.8 (4)	C36—C37—H37	119.8
C3—C2—C1	122.6 (4)	C37—C38—C39	120.9 (5)
N2—C3—C2	121.9 (5)	C37—C38—H38	119.6
N2—C3—H3	119.1	C39—C38—H38	119.6
C2—C3—H3	119.1	N6—C39—C38	118.0 (4)
N2—C4—C5	122.1 (5)	N6—C39—C40	120.0 (4)
N2—C4—H4	118.9	C38—C39—C40	121.9 (4)
C5—C4—H4	118.9	C39—C40—H40A	109.5
N1—C5—C4	119.6 (5)	C39—C40—H40B	109.5
N1—C5—H5	120.2	H40A—C40—H40B	109.5
C4—C5—H5	120.2	C39—C40—H40C	109.5
O4—C6—O3	126.4 (5)	H40A—C40—H40C	109.5
O4—C6—C7	118.0 (4)	H40B—C40—H40C	109.5
O3—C6—C7	115.6 (4)	O7—C41—H41A	109.5
N3—C7—C8	120.7 (4)	O7—C41—H41B	109.5
N3—C7—C6	117.4 (4)	H41A—C41—H41B	109.5
C8—C7—C6	121.9 (4)	O7—C41—H41C	109.5
N4—C8—C7	121.5 (4)	H41A—C41—H41C	109.5
N4—C8—H8	119.2	H41B—C41—H41C	109.5
C7—C8—H8	119.2	O8—C42—H42A	109.5
N4—C9—C10	121.9 (5)	O8—C42—H42B	109.5
N4—C9—H9	119.0	H42A—C42—H42B	109.5
C10—C9—H9	119.0	O8—C42—H42C	109.5
N3—C10—C9	120.4 (4)	H42A—C42—H42C	109.5
N3—C10—H10	119.8	H42B—C42—H42C	109.5

N1—Sn1—O1—C1	0.3 (3)	O4—C6—C7—C8	1.8 (7)
Cl1—Sn1—O1—C1	179.9 (3)	O3—C6—C7—C8	-178.8 (4)
Cl4—Sn1—O1—C1	-84.6 (3)	C9—N4—C8—C7	0.7 (7)
Cl2—Sn1—O1—C1	5.5 (7)	N3—C7—C8—N4	0.3 (7)
Cl3—Sn1—O1—C1	86.3 (3)	C6—C7—C8—N4	-178.6 (4)
N3—Sn2—O3—C6	-2.2 (3)	C8—N4—C9—C10	-0.6 (7)
Cl5—Sn2—O3—C6	177.8 (3)	C7—N3—C10—C9	1.5 (7)
Cl6—Sn2—O3—C6	-4.5 (6)	Sn2—N3—C10—C9	-176.7 (3)
Cl7—Sn2—O3—C6	83.6 (3)	N4—C9—C10—N3	-0.5 (7)
Cl8—Sn2—O3—C6	-88.2 (3)	C19—N5—C11—C16	0.8 (6)
O1—Sn1—N1—C2	-1.4 (3)	C19—N5—C11—C12	180.0 (4)
Cl1—Sn1—N1—C2	-3.1 (7)	N5—C11—C12—O5	1.1 (6)
Cl4—Sn1—N1—C2	89.5 (3)	C16—C11—C12—O5	-179.7 (4)
Cl2—Sn1—N1—C2	179.8 (3)	N5—C11—C12—C13	-179.6 (4)
Cl3—Sn1—N1—C2	-89.0 (3)	C16—C11—C12—C13	-0.4 (7)
O1—Sn1—N1—C5	179.1 (4)	O5—C12—C13—C14	-179.8 (4)
Cl1—Sn1—N1—C5	177.3 (3)	C11—C12—C13—C14	1.0 (7)
Cl4—Sn1—N1—C5	-90.1 (4)	C12—C13—C14—C15	-1.5 (7)
Cl2—Sn1—N1—C5	0.2 (4)	C13—C14—C15—C16	1.3 (7)
Cl3—Sn1—N1—C5	91.5 (4)	N5—C11—C16—C15	179.5 (4)
O3—Sn2—N3—C10	-178.4 (4)	C12—C11—C16—C15	0.3 (7)
Cl5—Sn2—N3—C10	-178.3 (4)	N5—C11—C16—C17	-1.2 (6)
Cl6—Sn2—N3—C10	1.0 (4)	C12—C11—C16—C17	179.6 (4)
Cl7—Sn2—N3—C10	92.3 (4)	C14—C15—C16—C11	-0.7 (7)
Cl8—Sn2—N3—C10	-90.8 (4)	C14—C15—C16—C17	179.9 (5)
O3—Sn2—N3—C7	3.3 (3)	C11—C16—C17—C18	1.0 (7)
Cl5—Sn2—N3—C7	3.4 (7)	C15—C16—C17—C18	-179.6 (5)
Cl6—Sn2—N3—C7	-177.3 (3)	C16—C17—C18—C19	-0.4 (7)
Cl7—Sn2—N3—C7	-86.0 (3)	C11—N5—C19—C18	-0.2 (6)
Cl8—Sn2—N3—C7	90.9 (3)	C11—N5—C19—C20	179.3 (4)
Sn1—O1—C1—O2	-178.2 (4)	C17—C18—C19—N5	0.0 (7)
Sn1—O1—C1—C2	0.7 (5)	C17—C18—C19—C20	-179.5 (5)
C5—N1—C2—C3	0.8 (7)	C39—N6—C31—C36	-1.1 (7)
Sn1—N1—C2—C3	-178.7 (3)	C39—N6—C31—C32	179.7 (4)
C5—N1—C2—C1	-178.2 (4)	N6—C31—C32—O6	-1.9 (6)
Sn1—N1—C2—C1	2.2 (5)	C36—C31—C32—O6	178.9 (4)
O2—C1—C2—N1	177.0 (4)	N6—C31—C32—C33	179.3 (4)
O1—C1—C2—N1	-2.0 (6)	C36—C31—C32—C33	0.1 (7)
O2—C1—C2—C3	-2.1 (7)	O6—C32—C33—C34	-178.5 (4)
O1—C1—C2—C3	178.9 (4)	C31—C32—C33—C34	0.2 (7)
C4—N2—C3—C2	0.6 (7)	C32—C33—C34—C35	-0.4 (7)
N1—C2—C3—N2	-0.3 (7)	C33—C34—C35—C36	0.2 (7)
C1—C2—C3—N2	178.8 (4)	C34—C35—C36—C31	0.1 (7)
C3—N2—C4—C5	-1.5 (7)	C34—C35—C36—C37	179.6 (4)
C2—N1—C5—C4	-1.7 (6)	N6—C31—C36—C35	-179.4 (4)
Sn1—N1—C5—C4	177.8 (3)	C32—C31—C36—C35	-0.2 (7)
N2—C4—C5—N1	2.1 (7)	N6—C31—C36—C37	1.0 (6)

Sn2—O3—C6—O4	-179.7 (4)	C32—C31—C36—C37	-179.8 (4)
Sn2—O3—C6—C7	0.9 (5)	C35—C36—C37—C38	-179.6 (4)
C10—N3—C7—C8	-1.4 (6)	C31—C36—C37—C38	-0.1 (7)
Sn2—N3—C7—C8	177.1 (3)	C36—C37—C38—C39	-0.8 (7)
C10—N3—C7—C6	177.6 (4)	C31—N6—C39—C38	0.2 (6)
Sn2—N3—C7—C6	-3.9 (5)	C31—N6—C39—C40	-179.1 (4)
O4—C6—C7—N3	-177.1 (4)	C37—C38—C39—N6	0.8 (7)
O3—C6—C7—N3	2.3 (6)	C37—C38—C39—C40	-179.9 (4)

Hydrogen-bond geometry (Å, °)

<i>D</i> —H \cdots <i>A</i>	<i>D</i> —H	H \cdots <i>A</i>	<i>D</i> \cdots <i>A</i>	<i>D</i> —H \cdots <i>A</i>
O5—H5o \cdots O7	0.84	1.84	2.661 (5)	167
O7—H7o \cdots N2	0.84	2.05	2.871 (5)	165
O6—H6o \cdots O8	0.84	1.82	2.649 (5)	171
O8—H8o \cdots N4	0.84	2.10	2.924 (5)	168
N5—H5n \cdots O4	0.88	1.88	2.731 (5)	163
N6—H6n \cdots O2 ⁱ	0.88	1.98	2.838 (5)	164

Symmetry code: (i) $x+1, y-1, z$.