

Fast pole figure acquisition using area detectors at the DiffAbs beamline – Synchrotron SOLEIL. Erratum

Cristian Mocuta,^{a*} Marie-Ingrid Richard,^{b,c} Julie Fouet,^b Stefan Stanescu,^a Antoine Barbier,^d Christophe Guichet,^b Olivier Thomas,^b Stéphanie Hustache,^a Alexey V. Zozulya^{a‡} and Dominique Thiaudière^a

^aSynchrotron SOLEIL, L'orme des Merisiers, Saint Aubin – BP 48, Gif-sur-Yvette, 91192, France, ^bIM2NP UMR 7334, Aix-Marseille Université, CNRS, Campus de St Jérôme, Marseille Cedex 20, 13397, France, ^cID-01 beamline, ESRF, 6 rue Jules Horowitz, Grenoble, 38043, France, and ^dDSM/IRAMIS/SPCSI, CEA-Saclay, Gif-sur-Yvette, 91191, France. Correspondence e-mail: mocuta@synchrotron-soleil.fr

Errors in the article by Mocuta, Richard, Fouet, Stanescu, Barbier, Guichet, Thomas, Hustache, Zozulya & Thiaudière [*J. Appl. Cryst.* (2013), **46**, 1842–1853] are corrected.

In the article by Mocuta *et al.* (2013, §3, p. 1845), there is an error in the referencing of programs used to deal with the treatment of X-ray data acquired using area detectors. Rather than 'FIT2D (Boesecke, 2007; <http://www.esrf.eu/computing/scientific/FIT2D>)', the text should read 'SAXS (Boesecke, 2007), FIT2D (Hammersley *et al.*, 1994, 1996; <http://www.esrf.eu/computing/scientific/FIT2D>)'.

References

- Boesecke, P. (2007). *J. Appl. Cryst.* **40**, s423–s427.
Hammersley, A. P., Svensson, S. O., Hanfland, M., Fitch, A. N. & Häusermann, D. (1996). *High Pressure Res.* **14**, 235–248.
Hammersley, A. P., Svensson, S. O. & Thompson, A. (1994). *Nucl. Instrum. Methods Phys. Res. Sect. A*, **346**, 312–321.
Mocuta, C., Richard, M.-I., Fouet, J., Stanescu, S., Barbier, A., Guichet, C., Thomas, O., Hustache, S., Zozulya, A. V. & Thiaudière, D. (2013). *J. Appl. Cryst.* **46**, 1842–1853.

‡ Present address: DESY, Notkestrasse 85, Hamburg, 22607, Germany.